

Bibliography

- Abbas, G., Saqib, M., Akhtar, J., & Haq, M. A. ul. (2015). Interactive effects of salinity and iron deficiency on different rice genotypes. *Journal of Plant Nutrition and Soil Science*, 178(2), 306–311. <https://doi.org/10.1002/jpln.201400358>
- Abobatta, W. F. (2020). Plant responses and tolerance to extreme salinity: Learning from halophyte tolerance to extreme salinity. In *Salt and Drought Stress Tolerance in Plants: Signaling Networks and Adaptive* (pp. 177–210). https://doi.org/10.1007/978-3-030-40277-8_7
- Agisha, V. N., Kumar, A., Eapen, S. J., Sheoran, N., & Suseelabhai, R. (2019). Broad-spectrum antimicrobial activity of volatile organic compounds from endophytic *Pseudomonas putida* BP25 against diverse plant pathogens. *Biocontrol Science and Technology*, 29(11), 1069–1089. <https://doi.org/10.1080/09583157.2019.1657067>
- Aguilar-Paredes, A., Valdés, G., & Nuti, M. (2020). Ecosystem functions of microbial consortia in sustainable agriculture. *Agronomy*, 10(12), 1–19. <https://doi.org/10.3390/agronomy10121902>
- Ahmad, M., Zahir, Z. A., Khalid, M., Nazli, F., & Arshad, M. (2013). Efficacy of *Rhizobium* and *Pseudomonas* strains to improve physiology, ionic balance and quality of mung bean under salt-affected conditions on farmer's fields. *Plant Physiology and Biochemistry*, 63, 170–176. <https://doi.org/10.1016/j.plaphy.2012.11.024>
- Ahmed, E., & Holmström, S. J. M. (2014). Siderophores in environmental research: Roles and applications. *Microbial Biotechnology*, 7(3), 196–208. <https://doi.org/10.1111/1751-7915.12117>
- Alaylar, B., Egamberdieva, D., Gulluce, M., Karadayi, M., & Kumar, N. (2020). Integration of molecular tools in microbial phosphate solubilization research in agriculture perspective. *World Journal of Microbiology and Biotechnology*, 36(7), 1–12. <https://doi.org/10.1007/s11274-020-02870-x>
- Alizadeh, H., Behboudi, K., Ahmadzadeh, M., Javan-Nikkhah, M., Zamioudis, C., Pieterse, C. M. J., & Bakker, P. A. H. M. (2013). Induced systemic resistance in cucumber and *Arabidopsis thaliana* by the combination of *Trichoderma harzianum* Tr6 and *Pseudomonas* sp. Ps14. *Biological Control*, 65(1), 14–23.

<https://doi.org/10.1016/j.biocontrol.2013.01.009>

Amaya-Gómez, C. V., Porcel, M., Mesa-Garrig, L., & Gómez-Álvarez, M. I. (2020). A framework for the selection of plant growth-promoting rhizobacteria based on bacterial competence mechanisms. *Applied and Environmental Microbiology*, 86(14). <https://doi.org/10.1128/AEM.00760-20>

Ames, B. N. (1966). [10] Assay of inorganic phosphate, total phosphate and phosphatases. *Methods in Enzymology*, 8(C), 115–118. [https://doi.org/10.1016/0076-6879\(66\)08014-5](https://doi.org/10.1016/0076-6879(66)08014-5)

Ansari, F. A., & Ahmad, I. (2019). Fluorescent *Pseudomonas*-FAP2 and *Bacillus licheniformis* interact positively in biofilm mode enhancing plant growth and photosynthetic attributes. *Scientific Reports*, 9(1), 1–12. <https://doi.org/10.1038/s41598-019-40864-4>

Arora, N. K., Fatima, T., Mishra, J., Mishra, I., Verma, S., Verma, R., Verma, M., Bhattacharya, A., Verma, P., Mishra, P., & Bharti, C. (2020). Halo-tolerant plant growth promoting rhizobacteria for improving productivity and remediation of saline soils. *Journal of Advanced Research*, 26, 69–82. <https://doi.org/10.1016/j.jare.2020.07.003>

Arunima, B. C., Isaac, S. R., & Meenakumari, K. (2020). Tuber quality of cassava (*Manihot esculenta* Crantz) as influenced by consortium biofertilizers and nutrient levels. *Journal of Pharmacognosy and Phytochemistry*, 9(4), 1666–1669.

Arya, N., Rana, A., Rajwar, A., Sahgal, M., & Sharma, A. K. (2018). Biocontrol efficacy of siderophore producing indigenous *Pseudomonas* strains against *Fusarium* wilt in tomato. *National Academy Science Letters*, 41(3), 133–136. <https://doi.org/10.1007/s40009-018-0630-5>

Avis, T. J., Gravel, V., Antoun, H., & Tweddell, R. J. (2008). Multifaceted beneficial effects of rhizosphere microorganisms on plant health and productivity. *Soil Biology and Biochemistry*, 40(7), 1733–1740. <https://doi.org/10.1016/j.soilbio.2008.02.013>

Azarmi, F., Mozafari, V., Abbaszadeh Dahaji, P., & Hamidpour, M. (2016). Biochemical, physiological and antioxidant enzymatic activity responses of pistachio seedlings treated with plant growth promoting rhizobacteria and Zn to salinity stress. *Acta Physiologiae Plantarum*, 38(1), 1–16. <https://doi.org/10.1007/s11738-015-2032-3>

- Backer, R., Rokem, J. S., Ilangumaran, G., Lamont, J., Praslickova, D., Ricci, E., Subramanian, S., & Smith, D. L. (2018). Plant growth-promoting rhizobacteria: Context, mechanisms of action, and roadmap to commercialization of biostimulants for sustainable agriculture. *Frontiers in Plant Science*, 871(October), 1–17. <https://doi.org/10.3389/fpls.2018.01473>
- Bakaeva, M., Kuzina, E., Vysotskaya, L., Kudoyarova, G., Arkhipova, T., Rafikova, G., Chetverikov, S., Korshunova, T., Chetverikova, D., & Loginov, O. (2020). Capacity of *Pseudomonas* strains to degrade hydrocarbons, produce auxins and maintain plant growth under normal conditions and in the presence of petroleum contaminants. *Plants*, 9(3). <https://doi.org/10.3390/plants9030379>
- Bakhshandeh, E., Gholamhosseini, M., Yaghoubian, Y., & Pirdashti, H. (2020). Plant growth promoting microorganisms can improve germination, seedling growth and potassium uptake of soybean under drought and salt stress. *Plant Growth Regulation*, 90(1), 123–136. <https://doi.org/10.1007/s10725-019-00556-5>
- Bano, A., & Fatima, M. (2009). Salt tolerance in Zea mays (L). following inoculation with *Rhizobium* and *Pseudomonas*. *Biology and Fertility of Soils*, 45(4), 405–413. <https://doi.org/10.1007/s00374-008-0344-9>
- Barra, P. J., Inostroza, N. G., Acuña, J. J., Mora, M. L., Crowley, D. E., & Jorquera, M. A. (2016). Formulation of bacterial consortia from avocado (*Persea americana* Mill.) and their effect on growth, biomass and superoxide dismutase activity of wheat seedlings under salt stress. *Applied Soil Ecology*, 102, 80–91. <https://doi.org/10.1016/j.apsoil.2016.02.014>
- Bashan, Y., & Holguin, G. (1997). Azospirillum-plant relationships: Environmental and physiological advances (1990-1996). *Canadian Journal of Microbiology*, 43(2), 103–121. <https://doi.org/10.1139/m97-015>
- Behera, B., Das, T. K., Raj, R., Ghosh, S., Raza, M. B., & Sen, S. (2021). Microbial consortia for sustaining productivity of non-legume crops: Prospects and challenges. *Agricultural Research*, 10(1), 1–14. <https://doi.org/10.1007/s40003-020-00482-3>
- Belimov, A. A., Shaposhnikov, A. I., Azarova, T. S., Makarova, N. M., Safronova, V. I., Litvinskiy, V. A., Nosikov, V. V., Zavalin, A. A., & Tikhonovich, I. A. (2020). Microbial

- consortium of PGPR, rhizobia and arbuscular mycorrhizal fungus makes pea mutant SGECdt comparable with indian mustard in cadmium tolerance and accumulation. *Plants*, 9(8), 1–21. <https://doi.org/10.3390/plants9080975>
- Ben-abdallah, S. (2018). Potential production of polyphenols , carotenoids and glycoalkaloids in *Solanum villosum* Mill . under salt stress. *Biologia*, 74(November), 309–324.
- Benbrik, B., Elabed, A., Iraqui, M., Ghachoui, N. El, Douira, A., Amir, S., Filali-Maltouf, A., El Abed, S., El Modafar, C., & Ibnsouda-Koraichi, S. (2021). A phosphocompost amendment enriched with PGPR consortium enhancing plants growth in deficient soil. *Communications in Soil Science and Plant Analysis*, 52(11), 1236–1247. <https://doi.org/10.1080/00103624.2021.1879121>
- Bertrand, A., Dhont, C., Bipubusa, M., Chalifour, F. P., Drouin, P., & Beauchamp, C. J. (2015). Improving salt stress responses of the symbiosis in alfalfa using salt-tolerant cultivar and rhizobial strain. *Applied Soil Ecology*, 87, 108–117. <https://doi.org/10.1016/j.apsoil.2014.11.008>
- Bhat, M. A., Kumar, V., Bhat, M. A., Wani, I. A., Dar, F. L., Farooq, I., Bhatti, F., Koser, R., Rahman, S., & Jan, A. T. (2020). Mechanistic insights of the interaction of plant growth-promoting rhizobacteria (PGPR) with plant roots toward enhancing plant productivity by alleviating salinity stress. *Frontiers in Microbiology*, 11(August), 1–20. <https://doi.org/10.3389/fmicb.2020.01952>
- Biswas, A., & Biswas, A. (2014). Comprehensive approaches in rehabilitating salt affected soils: A review on indian perspective. *Open Transactions on Geosciences*, 2014(1), 13–24. <https://doi.org/10.15764/geos.2014.01003>
- Blumer, C., & Haas, D. (2000). Mechanism, regulation, and ecological role of bacterial cyanide biosynthesis. *Archives of Microbiology*, 173(3), 170–177. <https://doi.org/10.1007/s002039900127>
- Bradáčová, K., Florea, A. S., Bar-Tal, A., Minz, D., Yermiyahu, U., Shawahna, R., Kraut-Cohen, J., Zolti, A., Erel, R., Dietel, K., Weinmann, M., Zimmermann, B., Berger, N., Ludewig, U., Neumann, G., & Pošta, G. (2019). Microbial consortia versus single-strain inoculants: An advantage in PGPM-assisted tomato production? *Agronomy*, 9(2), 1–23.

<https://doi.org/10.3390/agronomy9020105>

Bradford, M. (1976). Interactive effects of drought stress and chitosan application on physiological characteristics and essential oil yield of *Thymus daenensis* Celak. *Analytical Biochemistry*, 72, 248–254. [https://doi.org/https://doi.org/10.1016/0003-2697\(76\)90527-3](https://doi.org/10.1016/0003-2697(76)90527-3)

Brenner, K., You, L., & Arnold, F. H. (2008). Engineering microbial consortia: A new frontier in synthetic biology. *Trends in Biotechnology*, 26(9), 483–489. <https://doi.org/10.1016/j.tibtech.2008.05.004>

Buch, A., Archana, G., & Naresh Kumar, G. (2008). Metabolic channeling of glucose towards gluconate in phosphate-solubilizing *Pseudomonas aeruginosa* P4 under phosphorus deficiency. *Research in Microbiology*, 159(9–10), 635–642. <https://doi.org/10.1016/j.resmic.2008.09.012>

Cabanás, C. G. L., Legarda, G., Ruano-Rosa, D., Pizarro-Tobías, P., Valverde-Corredor, A., Niqui, J. L., Triviño, J. C., Roca, A., & Mercado-Blanco, J. (2018). Indigenous *Pseudomonas* spp. strains from the Olive (*Olea europaea* L.) rhizosphere as effective biocontrol agents against *Verticillium dahliae*: From the host roots to the bacterial genomes. *Frontiers in Microbiology*, 9(FEB). <https://doi.org/10.3389/fmicb.2018.00277>

Cesa-Luna, C., Baez, A., Aguayo-Acosta, A., Llano-Villarreal, R. C., Juárez-González, V. R., Gaytán, P., del Rocío Bustillos-Cristales, M., Rivera-Urbalejo, A., Muñoz-Rojas, J., & Quintero-Hernández, V. (2020). Growth inhibition of pathogenic microorganisms by *Pseudomonas protegens* EMM-1 and partial characterization of inhibitory substances. *PLoS ONE*, 15(10 October), 1–19. <https://doi.org/10.1371/journal.pone.0240545>

Chaturvedi, R., & Archana, G. (2012). Novel 16S rRNA based PCR method targeting *Deinococcus* spp. and its application to assess the diversity of deinococcal populations in environmental samples. *Journal of Microbiological Methods*, 90(3), 197–205. <https://doi.org/10.1016/j.mimet.2012.05.005>

Chaubey, S. (2012). *Studies on the antifungal metabolite production and biocontrol traits of Vigna radiata-growth-promoting strains of fluorescent pseudomonads* [The Maharaja Sayajirao University of Baroda, Vadodara, Gujarat, India].

<http://hdl.handle.net/10603/86620>

Chaubey, S., Kotak, M., & G., A. (2015). New method for isolation of plant probiotic fluorescent pseudomonad and characterization for 2,4-diacetylphluoroglucinol production under different carbon sources and phosphate levels. *Journal of Plant Pathology & Microbiology*, 06(02), 253. <https://doi.org/10.4172/2157-7471.1000253>

Chaudhary, T., Gera, R., & Shukla, P. (2021). Deciphering the potential of *Rhizobium puse* MB-17a, a plant growth-promoting root endophyte, and functional annotation of the genes involved in the metabolic pathway. *Frontiers in Bioengineering and Biotechnology*, 8(January), 1–12. <https://doi.org/10.3389/fbioe.2020.617034>

Cheng, Z., Woody, O. Z., McConkey, B. J., & Glick, B. R. (2012). Combined effects of the plant growth-promoting bacterium *Pseudomonas putida* UW4 and salinity stress on the *Brassica napus* proteome. *Applied Soil Ecology*, 61, 255–263. <https://doi.org/10.1016/j.apsoil.2011.10.006>

Choudhary, D. K., Kasotia, A., Jain, S., Vaishnav, A., Kumari, S., Sharma, K. P., & Varma, A. (2016). Bacterial-mediated tolerance and resistance to plants under abiotic and biotic stresses. *Journal of Plant Growth Regulation*, 35(1), 276–300. <https://doi.org/10.1007/s00344-015-9521-x>

Choure, K., Dubey, R. C., & Maheshwari, D. K. (2012). Development of plant growth promoting microbial consortium based on interaction studies to reduce wilt incidence in *Cajanus cajan* L var. Manak. *Middle East Journal of Scientific Research*, 12(11), 1459–1470. <https://doi.org/10.5829/idosi.mejsr.2012.12.11.7>

Chu, T. N., Tran, B. T. H., Van Bui, L., & Hoang, M. T. T. (2019). Plant growth-promoting rhizobacterium *Pseudomonas* PS01 induces salt tolerance in *Arabidopsis thaliana*. *BMC Research Notes*, 12(11). <https://doi.org/10.1186/s13104-019-4046-1>

Corwin, D. L., & Scudiero, E. (2019). Review of soil salinity assessment for agriculture across multiple scales using proximal and/or remote sensors. In *Advances in Agronomy* (1st ed., Vol. 158). Elsevier Inc. <https://doi.org/10.1016/bs.agron.2019.07.001>

Costa-Gutierrez, S. B., Lami, M. J., Santo, M. C. C. Di, Zenoff, A. M., Vincent, P. A., Molina-Henares, M. A., Espinosa-Urgel, M., & de Cristóbal, R. E. (2020). Plant growth promotion

- by *Pseudomonas putida* KT2440 under saline stress: role of eptA. *Applied Microbiology and Biotechnology*, 104(10), 4577–4592. <https://doi.org/10.1007/s00253-020-10516-z>
- Couillerot, O., Ramírez-Trujillo, A., Walker, V., Von Felten, A., Jansa, J., Maurhofer, M., Défago, G., Prigent-Combaret, C., Comte, G., Caballero-Mellado, J., & Moënne-Loccoz, Y. (2013). Comparison of prominent *Azospirillum* strains in *Azospirillum-Pseudomonas-Glomus* consortia for promotion of maize growth. *Applied Microbiology and Biotechnology*, 97(10), 4639–4649. <https://doi.org/10.1007/s00253-012-4249-z>
- Deepika, & Dhingra, H. R. (2014). Effect of salinity stress on morpho-physiological, biochemical and yield characters of cluster bean [*Cyamopsis tetragonoloba* (L.) Taub.]. *Indian Journal of Plant Physiology*, 19(4), 393–398.
- Deng, Y., & Wang, S. Y. (2016). Synergistic growth in bacteria depends on substrate complexity. *Journal of Microbiology*, 54(1), 23–30. <https://doi.org/10.1007/s12275-016-5461-9>
- Devi, A. R., Sharma, G. D., Majumdar, P. B., & Pandey, P. (2018). A multispecies consortium of bacteria having plant growth promotion and antifungal activities, for the management of *Fusarium* wilt complex disease in potato (*Solanum tuberosum* L.). *Biocatalysis and Agricultural Biotechnology*. <https://doi.org/10.1016/j.bcab.2018.10.003>
- Dimkpa, C., Weinand, T., & Asch, F. (2009). Plant-rhizobacteria interactions alleviate abiotic stress conditions. *Plant, Cell and Environment*, 32(12), 1682–1694. <https://doi.org/10.1111/j.1365-3040.2009.02028.x>
- Dong, R., Zhang, J., Huan, H., Bai, C., Chen, Z., & Liu, G. (2017). High salt tolerance of a *Bradyrhizobium* strain and its promotion of the growth of *Stylosanthes guianensis*. *International Journal of Molecular Sciences*, 18(8). <https://doi.org/10.3390/ijms18081625>
- Duffy, B. K., & Défago, G. (1999). Environmental factors modulating antibiotic and siderophore biosynthesis by *Pseudomonas fluorescens* biocontrol strains. *Applied and Environmental Microbiology*, 65(6), 2429–2438. <https://doi.org/10.1128/aem.65.6.2429-2438.1999>
- Dukare, A., & Paul, S. (2021). Biological control of Fusarium wilt and growth promotion in

- pigeon pea (*Cajanus cajan*) by antagonistic rhizobacteria, displaying multiple modes of pathogen inhibition. *Rhizosphere*, 17(October 2020), 100278. <https://doi.org/10.1016/j.rhisph.2020.100278>
- Dutta, J., & Thakur, D. (2017). Evaluation of multifarious plant growth promoting traits, antagonistic potential and phylogenetic affiliation of rhizobacteria associated with commercial tea plants grown in Darjeeling, India. *PLoS ONE*, 12(8), 1–24. <https://doi.org/10.1371/journal.pone.0182302>
- Egamberdieva, D., Berg, G., Lindström, K., & Räsänen, L. A. (2013). Alleviation of salt stress of symbiotic *Galega officinalis* L. (goat's rue) by co-inoculation of *Rhizobium* with root-colonizing *Pseudomonas*. *Plant and Soil*, 369(1–2), 453–465. <https://doi.org/10.1007/s11104-013-1586-3>
- Egamberdieva, D., Wirth, S., & Bellingrath-kimura, S. D. (2019). Salt-tolerant plant growth promoting rhizobacteria for enhancing crop productivity of saline soils. *Frontiers in Microbiology*, 10(December), 1–18. <https://doi.org/10.3389/fmicb.2019.02791>
- Egamberdieva, D., Wirth, S. J., Alqarawi, A. A., Allah, E. F. A., Hashem, A., Antonio, J., Lucas, L., Guevara-gonzalez, R. G., Abd-Allah, E. F., & Hashem, A. (2017). Phytohormones and beneficial microbes: Essential components for plants to balance stress and fitness. *Frontiers in Microbiology*, 8(October), 1–14. <https://doi.org/10.3389/fmicb.2017.02104>
- Egamberdieva, D., Wirth, S. J., Shurigin, V. V., Hashem, A., & Abd Allah, E. F. (2017). Endophytic bacteria improve plant growth, symbiotic performance of chickpea (*Cicer arietinum* L.) and induce suppression of root rot caused by *Fusarium solani* under salt stress. *Frontiers in Microbiology*, 8(SEP), 1–13. <https://doi.org/10.3389/fmicb.2017.01887>
- Egamberdieva, D., Wirth, S., Jabborova, D., Räsänen, L. A., & Liao, H. (2017). Coordination between *Bradyrhizobium* and *Pseudomonas* alleviates salt stress in soybean through altering root system architecture. *Journal of Plant Interactions*, 12(1), 100–107. <https://doi.org/10.1080/17429145.2017.1294212>
- Ejaz, S., Batool, S., Anjum, M. A., Naz, S., Qayyum, M. F., Naqqash, T., Shah, K. H., & Ali,

- S. (2020). Effects of inoculation of root-associative *Azospirillum* and *Agrobacterium* strains on growth, yield and quality of pea (*Pisum sativum* L.) grown under different nitrogen and phosphorus regimes. *Scientia Horticulturae*, 270(March). <https://doi.org/10.1016/j.scienta.2020.109401>
- Emami, S., Alikhani, H. A., Pourbabaee, A. A., Etesami, H., Motasharezadeh, B., & Sarmadian, F. (2020). Consortium of endophyte and rhizosphere phosphate solubilizing bacteria improves phosphorous use efficiency in wheat cultivars in phosphorus deficient soils. *Rhizosphere*, 14(March), 100196. <https://doi.org/10.1016/j.rhisph.2020.100196>
- Enebe, M. C., & Babalola, O. O. (2019). The impact of microbes in the orchestration of plants' resistance to biotic stress: a disease management approach. *Applied Microbiology and Biotechnology*, 103(1), 9–25. <https://doi.org/10.1007/s00253-018-9433-3>
- Essington, M. E. (2020). Soil Salinity and Sodicity. In *Soil and Water Chemistry* (Issue September, pp. 586–609). <https://doi.org/10.1201/b18385-15>
- Etesami, H., & Adl, S. M. (2020). Can interaction between silicon and non-rhizobial bacteria benefit in improving nodulation and nitrogen fixation in salinity-stressed legumes? A review. *Rhizosphere*, 15(June), 100229. <https://doi.org/10.1016/j.rhisph.2020.100229>
- Etesami, H., & Beattie, G. A. (2017). Plant microbe interactions in adaptation of agricultural crops to abiotic stress conditions. In *Probiotics and Plant Health*. <https://doi.org/10.1007/978-981-10-3473-2>
- Etesami, H., & Maheshwari, D. K. (2018). Use of plant growth promoting rhizobacteria (PGPRs) with multiple plant growth promoting traits in stress agriculture: Action mechanisms and future prospects. *Ecotoxicology and Environmental Safety*, 156, 225–246. <https://doi.org/10.1016/j.ecoenv.2018.03.013>
- Farooq, M., Gogoi, N., Hussain, M., Barthakur, S., Paul, S., Bharadwaj, N., Migdadi, H. M., Alghamdi, S. S., & Siddique, K. H. M. (2017). Effects, tolerance mechanisms and management of salt stress in grain legumes. In *Plant Physiology and Biochemistry* (Vol. 118, pp. 199–217). Elsevier Masson SAS. <https://doi.org/10.1016/j.plaphy.2017.06.020>
- Fatima, T., Mishra, I., Verma, R., & Arora, N. K. (2020). Mechanisms of halotolerant plant growth promoting *Alcaligenes* sp. involved in salt tolerance and enhancement of the

- growth of rice under salinity stress. *J Biotech*, 10(8), 1–12. <https://doi.org/10.1007/s13205-020-02348-5>
- Figueiredo, M. V. B., Burity, H. A., Martínez, C. R., & Chanway, C. P. (2008). Alleviation of drought stress in the common bean (*Phaseolus vulgaris* L.) by co-inoculation with *Paenibacillus polymyxa* and *Rhizobium tropici*. *Applied Soil Ecology*, 40(1), 182–188. <https://doi.org/10.1016/j.apsoil.2008.04.005>
- Fuentes, A., Almonacid, L., Ocampo, J. A., & Arriagada, C. (2016). Synergistic interactions between a saprophytic fungal consortium and *Rhizophagus irregularis* alleviate oxidative stress in plants grown in heavy metal contaminated soil. *Plant and Soil*, 407(1–2), 355–366. <https://doi.org/10.1007/s11104-016-2893-2>
- Galvan-Ampudia, C. S., & Testerink, C. (2011). Salt stress signals shape the plant root. In *Current Opinion in Plant Biology* (Vol. 14, Issue 3, pp. 296–302). <https://doi.org/10.1016/j.pbi.2011.03.019>
- Garg, N., & Manchanda, G. (2009). Role of arbuscular mycorrhizae in the alleviation of ionic, osmotic and oxidative stresses induced by salinity in *Cajanus cajan* (L.) Millsp. (pigeonpea). *Journal of Agronomy and Crop Science*, 195(2), 110–123. <https://doi.org/10.1111/j.1439-037X.2008.00349.x>
- Garg, Neera, & Bhandari, P. (2016). Silicon nutrition and mycorrhizal inoculations improve growth, nutrient status, K+/Na+ ratio and yield of *Cicer arietinum* L. genotypes under salinity stress. *Plant Growth Regulation*, 78(3), 371–387. <https://doi.org/10.1007/s10725-015-0099-x>
- Geetha, R., Desai, A. J., & Archana, G. (2009). Effect of the expression of *Escherichia coli* fhuA gene in *Rhizobium* sp. IC3123 and ST1 in planta: Its role in increased nodule occupancy and function in pigeon pea. *Applied Soil Ecology*, 43(2–3), 185–190. <https://doi.org/10.1016/j.apsoil.2009.07.005>
- Glick, B. R. (2012). Plant growth promoting bacteria: Mechanisms and applications. *Scientifica*, 1–15. <https://doi.org/http://dx.doi.org/10.6064/2012/963401>
- Glick, B. R. (2014). Bacteria with ACC deaminase can promote plant growth and help to feed the world. *Microbiological Research*, 169(1), 30–39.

<https://doi.org/10.1016/j.micres.2013.09.009>

Goswami, D., Thakker, J. N., & Dhandhukia, P. C. (2016). Portraying mechanics of plant growth promoting rhizobacteria (PGPR): A review. *Cogent Food & Agriculture*, 2(1), 1–19. <https://doi.org/10.1080/23311932.2015.1127500>

Gupta, G., Snehi, S. K., & Singh, V. (2017). Role of PGPR in biofilm formations and its importance in plant health. *Biofilms in Plant and Soil Health, July*, 27–42. <https://doi.org/10.1002/9781119246329.ch2>

Gupta, S., & Pandey, S. (2019). ACC deaminase producing bacteria with multifarious plant growth promoting traits alleviates salinity stress in French Bean (*Phaseolus vulgaris*) plants. *Frontiers in Microbiology*, 10(JULY), 1–17. <https://doi.org/10.3389/fmicb.2019.01506>

Ha-tran, D. M., Nguyen, T. T. M., Hung, S. H., Huang, E., & Huang, C. C. (2021). Roles of plant growth-promoting rhizobacteria (PGPR) in stimulating salinity stress defense in plants: A review. *International Journal of Molecular Sciences*, 22(6), 1–38. <https://doi.org/10.3390/ijms22063154>

Haas, D., & Keel, C. (2003). Regulation of antibiotic production in root-colonizing *Pseudomonas* spp. and relevance for biological control of plant disease. *Annual Review of Phytopathology*, 41(1), 117–153. <https://doi.org/10.1146/annurev.phyto.41.052002.095656>

Habib, S. H., Kausar, H., & Saud, H. M. (2016). Plant growth-promoting rhizobacteria enhance salinity stress tolerance in Okra through ROS-scavenging enzymes. *BioMed Research International*, 2016. <https://doi.org/10.1155/2016/6284547>

Hassan, T. U., & Bano, A. (2019). Construction of IAA-deficient mutants of *Pseudomonas moraviensis* and their comparative effects with wild type strains as bio-inoculant on wheat in saline sodic soil. *Geomicrobiology Journal*, 0(0), 1–9. <https://doi.org/10.1080/01490451.2018.1562498>

Hussain, B., Chen, J., Hsu, B., Chu, I., Koner, S., Chen, T., Rathod, J., & Chan, M. W. Y. (2021). Deciphering bacterial community structure, functional prediction and food safety assessment in fermented fruits using next-generation 16S rRNA amplicon sequencing.

- Microorganisms*, 9, 1574. <https://doi.org/10.3390/microorganisms9081574>
- Hussein, K. A., & Joo, J. H. (2017). Stimulation, purification, and chemical characterization of siderophores produced by the rhizospheric bacterial strain *Pseudomonas putida*. *Rhizosphere*, 4, 16–21. <https://doi.org/10.1016/j.rhisph.2017.05.006>
- Ikenaga, M., & Sakai, M. (2014). Application of locked nucleic acid (LNA) oligonucleotide-PCR clamping technique to selectively PCR amplify the SSU rRNA genes of bacteria in investigating the plant-associated community structures. *Microbes and Environments*, 29(3), 286–295. <https://doi.org/10.1264/jsme2.ME14061>
- Ilangumaran, G., & Smith, D. L. (2017). Plant growth promoting rhizobacteria in amelioration of salinity stress: A systems biology perspective. *Frontiers in Plant Science*, 8(October), 1–14. <https://doi.org/10.3389/fpls.2017.01768>
- Iqbal, N., Khan, N. A., Ferrante, A., Trivellini, A., Francini, A., & Khan, M. I. R. (2017). Ethylene role in plant growth, development and senescence: interaction with other phytohormones. *Frontiers in Plant Science*, 8(April), 1–19. <https://doi.org/10.3389/fpls.2017.00475>
- Jaiswal, S. K., Mohammed, M., Ibny, F. Y. I., & Dakora, F. D. (2021). Rhizobia as a source of plant growth-promoting molecules: Potential applications and possible operational mechanisms. *Frontiers in Sustainable Food Systems*, 4(January), 1–14. <https://doi.org/10.3389/fsufs.2020.619676>
- Jalmi, S. K., & Sinha, A. K. (2015). ROS mediated MAPK signaling in abiotic and biotic stress-striking similarities and differences. *Frontiers in Plant Science*, 6(September), 1–9. <https://doi.org/10.3389/fpls.2015.00769>
- Jha, C. K., & Saraf, M. (2012). Evaluation of multispecies plant-growth-promoting consortia for the growth promotion of *Jatropha curcas* L. *Journal of Plant Growth Regulation*, 31(4), 588–598. <https://doi.org/10.1007/s00344-012-9269-5>
- Jha, U. C., Bohra, A., Pandey, S., & Parida, S. K. (2020). Breeding, genetics, and genomics approaches for improving Fusarium wilt resistance in major grain legumes. *Frontiers in Genetics*, 11(October), 1–25. <https://doi.org/10.3389/fgene.2020.01001>

- Jia, X., Liu, C., Song, H., Ding, M., Du, J., Ma, Q., & Yuan, Y. (2016). Design, analysis and application of synthetic microbial consortia. *Synthetic and Systems Biotechnology*, 1(2), 109–117. <https://doi.org/10.1016/j.synbio.2016.02.001>
- Jiang, H., Qi, P., Wang, T., Wang, M., Chen, M., Chen, N., Pan, L., & Chi, X. (2018). Isolation and characterization of halotolerant phosphate-solubilizing microorganisms from saline soils. *3 Biotech*, 8(11), 1–8. <https://doi.org/10.1007/s13205-018-1485-7>
- Jiang, M., Ma, M., Luo, J. C., & Wu, Q. (2019). Salt accumulation and secretion patterns of *Glycyrrhiza uralensis* in saline habitats. *Flora*, 259(July), 151449. <https://doi.org/10.1016/j.flora.2019.151449>
- Jiao, X., Takishita, Y., Zhou, G., & Smith, D. L. (2021). Plant associated rhizobacteria for biocontrol and plant growth enhancement. *Frontiers in Plant Science*, 12(March). <https://doi.org/10.3389/fpls.2021.634796>
- Joshi, B., Chaudhary, A., Singh, H., & Kumar, P. A. (2020). Prospective evaluation of individual and consortia plant growth promoting rhizobacteria for drought stress amelioration in rice (*Oryza sativa* L.). *Plant and Soil*, 457(1–2), 225–240. <https://doi.org/10.1007/s11104-020-04730-x>
- Kapadia, C., Sayyed, R. Z., Enshasy, H. A. El, Vaidya, H., Sharma, D., Patel, N., Malek, R. A., Syed, A., Elgorban, A. M., Ahmad, K., & Zuan, A. T. K. (2021). Halotolerant microbial consortia for sustainable mitigation of salinity stress, growth promotion, and mineral uptake in tomato plants and soil nutrient enrichment. *Sustainability (Switzerland)*, 13(15). <https://doi.org/10.3390/su13158369>
- Karthik, C., Oves, M., Sathya, K., & Ramkumar, V. S. (2016). Isolation and characterization of multi-potential *Rhizobium* strain ND2 and its plant growth promoting activities under Cr (VI) stress. *Archives of Agronomy and Soil Science*, 63(8)(0), 1058–1069. <https://doi.org/10.1080/03650340.2016.1261116>
- Kasim, W. A., Gaafar, R. M., Abou-Ali, R. M., Omar, M. N., & Hewait, H. M. (2016). Effect of biofilm forming plant growth promoting rhizobacteria on salinity tolerance in barley. *Annals of Agricultural Sciences*, 61(2), 217–227. <https://doi.org/10.1016/j.aoas.2016.07.003>

- Ke, Q., Kang, L., Soo, H., Xie, T., Liu, C., Yoon, C., & Ha, S. (2019). Plant science plants increases the carotenoid content and tolerance to abiotic stress. *Plant Science*, 281(December), 52–60. <https://doi.org/10.1016/j.plantsci.2019.01.002>
- Khalifa, T., Elbagory, M., & Omara, A. E. (2021). Salt stress amelioration in maize plants through phosphogypsum application and bacterial inoculation. *Plants*, 10(2024), 1–22.
- Khan, A., Geetha, R., Akolkar, A., Pandya, A., Archana, G., & Desai, A. J. (2006). Differential cross-utilization of heterologous siderophores by nodule bacteria of *Cajanus cajan* and its possible role in growth under iron-limited conditions. *Applied Soil Ecology*, 34(1), 19–26. <https://doi.org/10.1016/j.apsoil.2005.12.001>
- Kim, K., Jang, Y. J., Lee, S. M., Oh, B. T., Chae, J. C., & Lee, K. J. (2014). Alleviation of salt stress by *Enterobacter* sp. EJ01 in tomato and *Arabidopsis* is accompanied by up-regulation of conserved salinity responsive factors in plants. *Molecules and Cells*, 37(2), 109–117. <https://doi.org/10.14348/molcells.2014.2239>
- Korir, H., Mungai, N. W., Thuita, M., Hamba, Y., & Masso, C. (2017). Co-inoculation effect of rhizobia and plant growth promoting rhizobacteria on common bean growth in a low phosphorus soil. *Frontiers in Plant Science*, 8(February), 1–10. <https://doi.org/10.3389/fpls.2017.00141>
- Kotasthane, A. S., Agrawal, T., Zaidi, N. W., & Singh, U. S. (2017). Identification of siderophore producing and cynogenic fluorescent *Pseudomonas* and a simple confrontation assay to identify potential bio-control agent for collar rot of chickpea. *3 Biotech*, 7(2), 1–8. <https://doi.org/10.1007/s13205-017-0761-2>
- Kralik, P., & Ricchi, M. (2017). A basic guide to real time PCR in microbial diagnostics: Definitions, parameters, and everything. *Frontiers in Microbiology*, 8(FEB), 1–9. <https://doi.org/10.3389/fmicb.2017.00108>
- Kramer, J., Özkaya, Ö., & Kümmeli, R. (2020). Bacterial siderophores in community and host interactions. *Nature Reviews Microbiology*, 18(3), 152–163. <https://doi.org/10.1038/s41579-019-0284-4>
- Kumar, Adarsh, Maleva, M., Bruno, L. B., & Rajkumar, M. (2021). Synergistic effect of ACC deaminase producing *Pseudomonas* sp. TR15a and siderophore producing *Bacillus*

- aerophilus* TR15c for enhanced growth and copper accumulation in *Helianthus annuus* L. *Chemosphere*, 276, 130038. <https://doi.org/10.1016/j.chemosphere.2021.130038>
- Kumar, Ashok, Maurya, B. R., Raghuvanshi, R., Meena, V. S., & Tofazzal Islam, M. (2017). Co-inoculation with *Enterobacter* and *Rhizobacteria* on yield and nutrient uptake by wheat (*Triticum aestivum* L.) in the alluvial soil under indo-gangetic plain of India. *Journal of Plant Growth Regulation*, 36(3), 608–617. <https://doi.org/10.1007/s00344-016-9663-5>
- Kumar, H., Bajpai, V. K., Dubey, R. C., Maheshwari, D. K., & Kang, S. C. (2010). Wilt disease management and enhancement of growth and yield of *Cajanus cajan* (L) var. Manak by bacterial combinations amended with chemical fertilizer. *Crop Protection*, 29(6), 591–598. <https://doi.org/10.1016/j.cropro.2010.01.002>
- Kumar, Pankaj, Pandey, P., Dubey, R. C., & Maheshwari, D. K. (2016). Bacteria consortium optimization improves nutrient uptake, nodulation, disease suppression and growth of the common bean (*Phaseolus vulgaris*) in both pot and field studies. *Rhizosphere*, 2, 13–23. <https://doi.org/10.1016/j.rhisph.2016.09.002>
- Kumar, Pardeep, & Sharma, P. K. (2020). Soil salinity and food security in India. *Frontiers in Sustainable Food Systems*, 4(October), 1–15. <https://doi.org/10.3389/fsufs.2020.533781>
- Kumawat, K. C., Sharma, P., Sirari, A., Singh, I., Gill, B. S., Singh, U., & Saharan, K. (2019). Synergism of *Pseudomonas aeruginosa* (LSE-2) nodule endophyte with *Bradyrhizobium* sp. (LSBR-3) for improving plant growth, nutrient acquisition and soil health in soybean. *World Journal of Microbiology and Biotechnology*, 35(3), 1–17. <https://doi.org/10.1007/s11274-019-2622-0>
- Kumawat, Sharma, P., Nagpal, S., Gupta, R. K., Sirari, A., Nair, R. M., Bindumadhava, H., & Singh, S. (2021). Dual microbial inoculation, a game changer? – Bacterial biostimulants with multifunctional growth promoting traits to mitigate salinity stress in spring mungbean. *Frontiers in Microbiology*, 11(January). <https://doi.org/10.3389/fmicb.2020.600576>
- Kurdali, F., Al-Chammaa, M., & Al-Ain, F. (2019). Growth and N₂ fixation in saline and/or water stressed *Sesbania aculeata* plants in response to silicon application. *Silicon*, 11(2),

- 781–788. <https://doi.org/10.1007/s12633-018-9884-2>
- Lan, C., Lin, K., Huang, W., & Chen, C. (2019). Protective effects of selenium on wheat seedlings under salt stress. *Agronomy*, 9(272), 1–14. <https://doi.org/10.3390/agronomy9060272>
- Li, Q., Zhao, C. Z., Kang, M. P., & Li, X. Y. (2021). The relationship of the main root-shoot morphological characteristics and biomass allocation of *Saussurea salsa* under different habitat conditions in Sugan lake wetland on the northern margin of the Qinghai-Tibet Plateau. *Ecological Indicators*, 128, 107836. <https://doi.org/10.1016/j.ecolind.2021.107836>
- Li, X., Sun, P., Zhang, Y., Jin, C., & Guan, C. (2020). A novel PGPR strain *Kocuria rhizophila* Y1 enhances salt stress tolerance in maize by regulating phytohormone levels, nutrient acquisition, redox potential, ion homeostasis, photosynthetic capacity and stress-responsive genes expression. *Environmental and Experimental Botany*, 174(January), 104023. <https://doi.org/10.1016/j.envexpbot.2020.104023>
- Liang, W., Ma, X., Wan, P., & Liu, L. (2017). Plant salt-tolerance mechanism : A review. *Biochemical and Biophysical Research Communications*, 1–6. <https://doi.org/10.1016/j.bbrc.2017.11.043>
- Liang, Y., Zhang, W., Chen, Q., Liu, Y., & Ding, R. (2006). Effect of exogenous silicon (Si) on H⁺-ATPase activity, phospholipids and fluidity of plasma membrane in leaves of salt-stressed barley (*Hordeum vulgare* L.). *Environmental and Experimental Botany*, 57(3), 212–219. <https://doi.org/10.1016/j.envexpbot.2005.05.012>
- López, J. E., Gallego, J. L., Vargas-ruiz, A., & Peña-mosquera, A. L. (2020). *Aspergillus tubingensis* and *Talaromyces islandicus* solubilize rock phosphate under saline and fungicide stress and improve *Zea mays* growth and phosphorus nutrition. *Journal of Soil Science and Plant Nutrition*, August 2020, 1–13. <https://doi.org/10.1007/s42729-020-00315-w>
- Ma, Q., Kang, J., Long, R., Zhang, T., & Xiong, J. (2017). Comparative proteomic analysis of alfalfa revealed new salt and drought stress-related factors involved in seed germination. *Molecular Biology Reports*, 44(3), 261–272. <https://doi.org/10.1007/s11033-017-4104-5>

- Ma, T., Zeng, W., Li, Q., Yang, X., Wu, J., & Huang, J. (2017). Shoot and root biomass allocation of sunflower varying with soil salinity and nitrogen applications. *Agronomy Journal*, 109(6), 2545–2555. <https://doi.org/10.2134/agronj2017.04.0194>
- Ma, W., Guinel, F. C., & Glick, B. R. (2003). *Rhizobium leguminosarum* biovar viciae 1-aminocyclopropane-1-carboxylate deaminase promotes nodulation of pea plants. *Applied and Environmental Microbiology*, 69(8), 4396–4402. <https://doi.org/10.1128/AEM.69.8.4396-4402.2003>
- Mahmood, S., Daur, I., Hussain, M. B., Nazir, Q., Al-Solaimani, S. G., Ahmad, S., Bakhshwain, A. A., & Elsafor, A. K. (2017). Silicon application and rhizobacterial inoculation regulate mung bean response to saline water irrigation. *Clean - Soil, Air, Water*, 45(8), 1–22. <https://doi.org/10.1002/clen.201600436>
- Meena, K. K., Bitla, U. M., Sorty, A. M., Singh, D. P., Gupta, V. K., Wakchaure, G. C., & Kumar, S. (2020). Mitigation of salinity stress in wheat seedlings due to the application of phytohormone-rich culture filtrate extract of methylotrophic *Actinobacterium Nocardoides* sp. NIMMe6. *Frontiers in Microbiology*, 11(September), 1–16. <https://doi.org/10.3389/fmicb.2020.02091>
- Menéndez, E., & Paço, A. (2020). Is the application of plant probiotic bacterial consortia always beneficial for plants? Exploring synergies between rhizobial and non-rhizobial bacteria and their effects on agro-economically valuable crops. *Life*, 10(3), 1–18. <https://doi.org/10.3390/life10030024>
- Mirza, B. S., Mirza, M. S., Bano, A., & Malik, K. A. (2007). Coinoculation of chickpea with *Rhizobium* isolates from roots and nodules and phytohormone-producing *Enterobacter* strains. *Australian Journal of Experimental Agriculture*, 47(8), 1008–1015. <https://doi.org/10.1071/EA06151>
- Mishra, I., Fatima, T., Egamberdieva, D., & Arora, N. K. (2020). Novel bioformulations developed from *Pseudomonas putida* bsp9 and its biosurfactant for growth promotion of *Brassica juncea* (L.). *Plants*, 9(10), 1–17. <https://doi.org/10.3390/plants9101349>
- Mishra, J., & Arora, N. K. (2017). Secondary metabolites of fluorescent pseudomonads in biocontrol of phytopathogens for sustainable agriculture. *Applied Soil Ecology*,

- 125(December), 35–45. <https://doi.org/10.1016/j.apsoil.2017.12.004>
- Mokrani, S., Nabti, E. H., & Cruz, C. (2020). Current advances in plant growth promoting bacteria alleviating salt stress for sustainable agriculture. *Applied Sciences (Switzerland)*, 10(20), 1–27. <https://doi.org/10.3390/app10207025>
- Molina-Romero, D., Juárez-Sánchez, S., Venegas, B., Ortíz-González, C. S., Baez, A., Morales-García, Y. E., & Muñoz-Rojas, J. (2021). A bacterial consortium interacts with different varieties of maize, promotes the plant growth, and reduces the application of chemical fertilizer under field conditions. *Frontiers in Sustainable Food Systems*, 4(January). <https://doi.org/10.3389/fsufs.2020.616757>
- Müller, S., & Nebe-Von-Caron, G. (2010). Functional single-cell analyses: Flow cytometry and cell sorting of microbial populations and communities. *FEMS Microbiology Reviews*, 34(4), 554–587. <https://doi.org/10.1111/j.1574-6976.2010.00214.x>
- Munns, R. (1993). Physiological processes limiting plant growth in saline soils: some dogmas and hypotheses. In *Plants cell and Environment* (pp. 16, 15–24).
- Nadeem, M., Li, J., Yahya, M., Wang, M., Ali, A., Cheng, A., Wang, X., & Ma, C. (2019). Grain legumes and fear of salt stress: Focus on mechanisms and management strategies. *International Journal of Molecular Sciences*, 20(4). <https://doi.org/10.3390/ijms20040799>
- Nadeem, S. M., Ahmad, M., Naveed, M., Imran, M., Zahir, Z. A., & Crowley, D. E. (2016). Relationship between in vitro characterization and comparative efficacy of plant growth-promoting rhizobacteria for improving cucumber salt tolerance. *Archives of Microbiology*, 198(4), 379–387. <https://doi.org/10.1007/s00203-016-1197-5>
- Nandre, V., Kumbhar, N., Battu, S., Kale, Y., Bagade, A., Haram, S., & Kodam, K. (2021). Siderophore mediated mineralization of struvite: A novel greener route of sustainable phosphate management. *Water Research*, 203(September), 117511. <https://doi.org/10.1016/J.WATRES.2021.117511>
- Narayanan, S. L., Manivannan, N., & Mahalingam, A. (2018). Correlation and path analyses of yield and its component traits in pigeonpea [*Cajanus cajan* (L.) Millsp.]. *International Journal of Current Microbiology and Applied Sciences*, 7(03), 614–618.

<https://doi.org/10.20546/ijcmas.2018.703.073>

Nascimento, F. X., Brígido, C., Glick, B. R., & Rossi, M. J. (2016). The role of rhizobial ACC deaminase in the nodulation process of leguminous plants. *International Journal of Agronomy*, 2016. <https://doi.org/10.1155/2016/1369472>

Nascimento, F. X., Rossi, M. J., & Glick, B. R. (2016). Role of ACC deaminase in stress control of leguminous plants. In *Plant Growth Promoting Actinobacteria* (pp. 179–192). <https://doi.org/10.1007/978-981-10-0707-1>

Nawaz, A., Shahbaz, M., & Imran, A. (2020). Potential of salt tolerant PGPR in growth and yield augmentation of wheat (*Triticum aestivum L.*) under saline conditions. *Frontiers in Microbiology*, 11(October), 1–12. <https://doi.org/10.3389/fmicb.2020.02019>

Niehus, R., Picot, A., Oliveira, N. M., Mitri, S., & Foster, K. R. (2017). The evolution of siderophore production as a competitive trait. *Evolution*, 71(6), 1443–1455. <https://doi.org/10.1111/evo.13230>

Nix, A., Paull, C. A., & Colgrave, M. (2015). The flavonoid profile of pigeonpea, *Cajanus cajan*: a review. *SpringerPlus*, 4(1), 0–5. <https://doi.org/10.1186/s40064-015-0906-x>

Orozco-Mosqueda, M. del C., Duan, J., DiBernardo, M., Zetter, E., Campos-García, J., Glick, B. R., & Santoyo, G. (2019). The production of ACC deaminase and trehalose by the plant growth promoting bacterium *Pseudomonas* sp. UW4 synergistically protect tomato plants against salt stress. *Frontiers in Microbiology*, 10(JUN), 1–10. <https://doi.org/10.3389/fmicb.2019.01392>

Pan, J., Peng, F., Xue, X., You, Q., Zhang, W., Wang, T., & Huang, C. (2019). The growth promotion of two salt-tolerant plant groups with PGPR inoculation: A meta-analysis. *Sustainability (Switzerland)*, 11(2). <https://doi.org/10.3390/su11020378>

Pande, S., Sharma, M., & Guvvala, G. (2013). An updated review of biology, pathogenicity, epidemiology and management of wilt disease of pigeonpea (*Cajanus cajan* (L.) Millsp.). *Journal of Food Legumes*, 26(1 & 2), 1–14.

Pandey, S., & Gupta, S. (2020). Evaluation of *Pseudomonas* sp. for its multifarious plant growth promoting potential and its ability to alleviate biotic and abiotic stress in tomato

- (*Solanum lycopersicum*) plants. *Scientific Reports*, 10(1), 1–15. <https://doi.org/10.1038/s41598-020-77850-0>
- Parihar, M., Rakshit, A., Rana, K., Prasad Meena, R., & Chandra Joshi, D. (2020). A consortium of arbuscular mycorrhizal fungi improves nutrient uptake, biochemical response, nodulation and growth of the pea (*Pisum sativum* L.) under salt stress. *Rhizosphere*, 15(July), 100235. <https://doi.org/10.1016/j.rhisph.2020.100235>
- Patel, J. K., & Archana, G. (2017). Diverse culturable diazotrophic endophytic bacteria from *Poaceae* plants show cross-colonization and plant growth promotion in wheat. *Plant and Soil*, 417(1–2), 99–116. <https://doi.org/10.1007/s11104-017-3244-7>
- Patel, J. K., & Archana, G. (2018). Engineered production of 2,4-diacetylphloroglucinol in the diazotrophic endophytic bacterium *Pseudomonas* sp. WS5 and its beneficial effect in multiple plant-pathogen systems. *Applied Soil Ecology*, 124, 34–44. <https://doi.org/10.1016/j.apsoil.2017.10.008>
- Patel, P. (2019). Agricultural revision in drought prone arid region of Kutch: People led, market oriented growth under adverse climatic conditions. *World Irrigation Forum, September*, 1–7.
- Pazhamala, L., Saxena, R. K., Singh, V. K., Sameerkumar, C. V., Kumar, V., Sinha, P., Patel, K., Obala, J., Kaoneka, S. R., Tongoona, P., Shimelis, H. A., Gangarao, N. V. P. R., Odeny, D., Rathore, A., Dharmaraj, P. S., Yamini, K. N., & Varshney, R. K. (2015). Genomics-assisted breeding for boosting crop improvement in pigeonpea (*Cajanus cajan*). *Frontiers in Plant Science*, 6(FEB), 1–12. <https://doi.org/10.3389/fpls.2015.00050>
- Pei, F., Sun, Y., Kang, J., Ye, Z., Yin, Z., & Ge, J. (2021). Links between microbial compositions and metabolites during aerobic composting under amoxicillin stress was evaluated by 16S rRNA sequencing and gas chromatography-mass spectrometry: Benefit for the plant growth. *Bioresource Technology*, 340(July), 125687. <https://doi.org/10.1016/j.biortech.2021.125687>
- Pérez-Montaño, F., Alías-Villegas, C., Bellogín, R. A., Del Cerro, P., Espuny, M. R., Jiménez-Guerrero, I., López-Baena, F. J., Ollero, F. J., & Cubo, T. (2014). Plant growth promotion in cereal and leguminous agricultural important plants: From microorganism capacities to

- crop production. *Microbiological Research*, 169(5–6), 325–336. <https://doi.org/10.1016/j.micres.2013.09.011>
- Pérez-Montaño, Francisco, Jiménez-Guerrero, I., Contreras Sánchez-Matamoros, R., López-Baena, F. J., Ollero, F. J., Rodríguez-Carvajal, M. A., Bellogín, R. A., & Espuny, M. R. (2013). Rice and bean AHL-mimic quorum-sensing signals specifically interfere with the capacity to form biofilms by plant-associated bacteria. *Research in Microbiology*, 164(7), 749–760. <https://doi.org/10.1016/j.resmic.2013.04.001>
- Pessi, G., & Haas, D. (2000). Transcriptional control of the hydrogen cyanide biosynthetic genes hcnABC by the anaerobic regulator ANR and the quorum-sensing regulators LasR and RhlR in *Pseudomonas aeruginosa*. *Journal of Bacteriology*, 182(24), 6940–6949. <https://doi.org/10.1128/JB.182.24.6940-6949.2000>
- Prakash, R., Prameela, S., Prabhat, J., & Jha, N. (2017). Bio-inoculation of plant growth-promoting rhizobacterium *Enterobacter cloacae* ZNP-3 increased resistance against salt and temperature stresses in wheat plant (*Triticum aestivum* L.). *Journal of Plant Growth Regulation*, 36(3), 783–798. <https://doi.org/10.1007/s00344-017-9683-9>
- Primo, E., Bogino, P., Cossovich, S., Foresto, E., Nievas, F., & Giordano, W. (2020). Exopolysaccharide II is relevant for the survival of *Sinorhizobium meliloti* under water deficiency and salinity stress. *Molecules*, 25(4876). <https://doi.org/10.3390/molecules25214876>
- Props, R., Kerckhof, F., Rubbens, P., Vrieze, J. De, Sanabria, E. H., Waegeman, W., Monsieurs, P., Hammes, F., & Boon, N. (2017). Absolute quantification of microbial taxon abundances. *The ISME Journal*, 11, 584–587. <https://doi.org/10.1038/ismej.2016.117>
- Rahmoune, B., Morsli, A., Khelifi-Slaoui, M., Khelifi, L., Strueh, A., Erban, A., Kopka, J., Prell, J., & Van Dongen, J. T. (2017). Isolation and characterization of three new PGPR and their effects on the growth of *Arabidopsis* and *Datura* plants. *Journal of Plant Interactions*, 12(1), 1–6. <https://doi.org/10.1080/17429145.2016.1269215>
- Rathinam, M., Mishra, P., Vasudevan, M., Budhwar, R., Mahato, A., Lakshmi Prabha, A., Singh, N. K., Rao, U., & Sreevaths, R. (2019). Comparative transcriptome analysis of

- pigeonpea, *Cajanus cajan* (L.) and one of its wild relatives *Cajanus platycarpus* (Benth.) Maesen. *PLoS ONE*, 14(7), 1–24. <https://doi.org/10.1371/journal.pone.0218731>
- Reddy, B. P., Reddy, M. S., & Kumar, K. V. K. (2009). Characterization of antifungal metabolites of *Pseudomonas fluorescens* and their effect on mycelial growth of *Magnaporthe grisea* and *Rhizoctonia solani*. *International Journal of PharmTech Research*, 1(4), 1490–1493.
- Reddypriya, P., Soumare, A., & Balachandar, D. (2018). Multiplex and quantitative PCR targeting SCAR markers for strain-level detection and quantification of biofertilizers. *Journal of Basic Microbiology*, 59(1), 111–119. <https://doi.org/10.1002/jobm.201800318>
- Redondo-Gómez, S., Mesa-Marín, J., Pérez-Romero, J. A., López-Jurado, J., García-López, J. V., Mariscal, V., Molina-Heredia, F. P., Pajuelo, E., Rodríguez-Llorente, I. D., Flowers, T. J., & Mateos-Naranjo, E. (2021). Consortia of plant-growth-promoting rhizobacteria isolated from halophytes improve response of eight crops to soil salinization and climate change conditions. *Agronomy*, 11(8). <https://doi.org/10.3390/agronomy11081609>
- Rijavec, T., & Lapanje, A. (2016). Hydrogen cyanide in the rhizosphere: Not suppressing plant pathogens, but rather regulating availability of phosphate. *Frontiers in Microbiology*, 7(NOV), 1–14. <https://doi.org/10.3389/fmicb.2016.01785>
- Roggenbuck, M., Schnell, I. B., Blom, N., Bælum, J., Bertelsen, M. F., Sicheritz-Pontén, T., Sørensen, S. J., Gilbert, M. T. P., Graves, G. R., & Hansen, L. H. (2015). Corrigendum: The microbiome of New World vultures. *Nature Communications*, 6, 9774. <https://doi.org/10.1038/ncomms9774>
- Rout, G. R., & Sahoo, S. (2015). Role of iron in plant growth and metabolism. *Reviews in Agricultural Science*, 3(0), 1–24. <https://doi.org/10.7831/ras.3.1>
- Safari, D., Jamali, F., Nooryazdan, H. R., & Bayat, F. (2018). Evaluation of ACC deaminase producing *Pseudomonas fluorescens* strains for their effects on seed germination and early growth of wheat under salt stress. *Australian Journal of Crop Science*, 12(3), 413–421. <https://doi.org/10.21475/ajcs.18.12.03.pne801>
- Saghafi, D., Ghorbanpour, M., & Shirafkan, H. (2019). Enhancement of growth and salt tolerance in *Brassica napus* L . seedlings by halotolerant *Rhizobium* strains containing

- ACC-deaminase activity. *Plant Physiology Reports*, 24(2), 225–235. <https://doi.org/10.1007/s40502-019-00444-0>
- Saldaña, G., Martínez-Alcántara, V., Vinardell, J. M., Bellogín, R., Ruíz-Sainz, J. E., & Balatti, P. A. (2003). Genetic diversity of fast-growing rhizobia that nodulate soybean (*Glycine max* L. Merr.). *Archives of Microbiology*, 180(1), 45–52. <https://doi.org/10.1007/s00203-003-0559-y>
- Salwan, R., Sharma, A., & Sharma, V. (2019). Microbes mediated plant stress tolerance in saline agricultural ecosystem. *Plant and Soil*, 442, 1–22.
- Samaddar, S., Chatterjee, P., Roy Choudhury, A., Ahmed, S., & Sa, T. (2019). Interactions between *Pseudomonas* spp. and their role in improving the red pepper plant growth under salinity stress. *Microbiological Research*, 219, 66–73. <https://doi.org/10.1016/j.micres.2018.11.005>
- Sambrook, J., & Russel, D. W. (2001). Molecular cloning : A laboratory manual. In *Cold Spring Harbor Laboratory Press* (Vol. 3). <http://www.ncbi.nlm.nih.gov/pubmed/24532655>
- Sanchez-Gorostiaga, A., Bajić, D., Osborne, M. L., Poyatos, J. F., & Sanchez, A. (2019). High-order interactions distort the functional landscape of microbial consortia. In *PLoS Biology* (Vol. 17, Issue 12). <https://doi.org/10.1371/journal.pbio.3000550>
- Sandhu, D., Cornacchione, M. V., Ferreira, J. F. S., & Suarez, D. L. (2017). Variable salinity responses of 12 alfalfa genotypes and comparative expression analyses of salt- response genes. *Nature Publishing Group, February*, 1–18. <https://doi.org/10.1038/srep42958>
- Sandhya, V., Shrivastava, M., Ali, S. Z., & Sai Shiva Krishna Prasad, V. (2017). Endophytes from maize with plant growth promotion and biocontrol activity under drought stress. *Russian Agricultural Sciences*, 43(1), 22–34. <https://doi.org/10.3103/s1068367417010165>
- Santos, A., Joaquim, A., Guilherme, E., Bonifacio, A., Rodrigues, A., & Figueredo, M. (2018). Changes induced by co-inoculation in nitrogen – carbon metabolism in cowpea under salinity stress. *Brazilian Journal of Microbiology*, 49(4), 685–694. <https://doi.org/10.1016/j.bjm.2018.01.007>

- Santoyo, G., Guzmán-Guzmán, P., Parra-Cota, F. I., de los Santos-Villalobos, S., Orozco-Mosqueda, M. D. C., & Glick, B. R. (2021). Plant growth stimulation by microbial consortia. *Agronomy*, 11(2). <https://doi.org/10.3390/agronomy11020219>
- Sarkar, A., Ghosh, P. K., Pramanik, K., Mitra, S., Soren, T., Pandey, S., Mondal, M. H., & Maiti, T. K. (2018). A halotolerant *Enterobacter* sp. displaying ACC deaminase activity promotes rice seedling growth under salt stress. *Research in Microbiology*, 169(1), 20–32. <https://doi.org/10.1016/j.resmic.2017.08.005>
- Schippers, B., Bakker, A. W., Bakker, P. A. H. M., & Peer, V. R. (1990). Beneficial and deleterious effects of HCN-producing pseudomonads on rhizosphere interactions. *Plant and Soil*, 129(1), 75–83.
- Schnider-Keel, U., Seematter, A., Maurhofer, M., Blumer, C., Duffy, B., Gigot-Bonnefoy, C., Reimmann, C., Notz, R., Défago, G., Haas, D., & Keel, C. (2000). Autoinduction of 2,4-diacetylphloroglucinol biosynthesis in the biocontrol agent *Pseudomonas fluorescens* CHA0 and repression by the bacterial metabolites salicylate and pyoluteorin. *Journal of Bacteriology*, 182(5), 1215–1225. <https://doi.org/10.1128/JB.182.5.1215-1225.2000>
- Schwyn, B., & Neilands, J. B. (1987). Universal chemical assay for the detection and determination of siderophores. *Analytical Biochemistry*, 160(1), 47–56. [https://doi.org/10.1016/0003-2697\(87\)90612-9](https://doi.org/10.1016/0003-2697(87)90612-9)
- Scott, R. W., Yoo, S. D., Hunter, D. A., Gong, D., Chen, B., Leung, S., & McManus, M. T. (2010). Regulation of 1-aminocyclopropane-1-carboxylate oxidase gene expression during leaf ontogeny in white clover. *Plant Growth Regulation*, 62(1), 31–41. <https://doi.org/10.1007/s10725-010-9480-y>
- Sen, S., & Chandrasekhar, C. N. (2014). Effect of PGPR on growth promotion of rice (*Oryza sativa L.*) under salt stress. *Asian Journal of Plant Science and Research*, 4(5), 62–67.
- Sharaff, M., & Archana, G. (2016). Copper-induced modifications in early symbiotic signaling factors of *Ensifer (Sinorhizobium)*–*Medicago* interactions. *Archives of Microbiology*, 198(7), 701–709. <https://doi.org/10.1007/s00203-016-1242-4>
- Sharaff, M., Kamat, S., & Archana, G. (2017). Analysis of copper tolerant rhizobacteria from the industrial belt of Gujarat, western India for plant growth promotion in metal polluted

- agriculture soils. *Ecotoxicology and Environmental Safety*, 138(December 2016), 113–121. <https://doi.org/10.1016/j.ecoenv.2016.12.023>
- Sharma, D. K., & Singh, A. (2015). Salinity research in india-achievements, challenges and future prospects. *Water and Energy International*, 58RNI(6), 35–45.
- Sharma, M., Ghosh, R., Telangre, R., Rathore, A., Saifulla, M., Mahalinga, D. M., Saxena, D. R., & Jain, Y. K. (2016). Environmental influences on pigeonpea-*Fusarium udum* interactions and stability of genotypes to fusarium wilt. *Frontiers in Plant Science*, 7(MAR2016), 1–10. <https://doi.org/10.3389/fpls.2016.00253>
- Sharma, V., Kumar, V., Archana, G., & Kumar, G. (2005). Substrate specificity of glucose dehydrogenase (GDH) of *Enterobacter asburiae* PSI3 and rock phosphate solubilization with GDH substrates as C sources. *Canadian Journal of Microbiology*, 51(6), 477–482. <https://doi.org/10.1139/w05-032>
- Shilev, S. (2020). Plant-growth-promoting bacteria mitigating soil salinity stress in plants. *Applied Sciences (Switzerland)*, 10(20), 1–20. <https://doi.org/10.3390/app10207326>
- Shilev, S., Babrikova, I., & Babrikov, T. (2020). Consortium of plant growth-promoting bacteria improves spinach (*Spinacea oleracea* L.) growth under heavy metal stress conditions. *Journal of Chemical Technology and Biotechnology*, 95(4), 932–939. <https://doi.org/10.1002/jctb.6077>
- Shu, K., Qi, Y., Chen, F., Meng, Y., Luo, X., Shuai, H., Zhou, W., Ding, J., Du, J., Liu, J., Yang, F., Wang, Q., Liu, W., Yong, T., Wang, X., Feng, Y., & Yang, W. (2017). Salt stress represses soybean seed germination by negatively regulating GA biosynthesis while positively mediating ABA biosynthesis. *Frontiers in Plant Science*, 8(August), 1–12. <https://doi.org/10.3389/fpls.2017.01372>
- Sinclair, L., Osman, O. A., Bertilsson, S., & Eiler, A. (2015). Microbial community composition and diversity via 16S rRNA gene amplicons: Evaluating the illumina platform. *PLoS ONE*, 10(2), 1–18. <https://doi.org/10.1371/journal.pone.0116955>
- Singh, A., Jain, A., Sarma, B. K., Upadhyay, R. S., & Singh, H. B. (2013). Rhizosphere microbes facilitate redox homeostasis in *Cicer arietinum* against biotic stress. *Annals of Applied Biology*, 163(1), 33–46. <https://doi.org/10.1111/aab.12030>

- Singh, Akanksha, Sarma, B. K., Upadhyay, R. S., & Singh, H. B. (2013). Compatible rhizosphere microbes mediated alleviation of biotic stress in chickpea through enhanced antioxidant and phenylpropanoid activities. *Microbiological Research*, 168(1), 33–40. <https://doi.org/10.1016/j.micres.2012.07.001>
- Singh, I. (2018). Plant growth promoting rhizobacteria (PGPR) and their various mechanisms for plant growth enhancement in stressful conditions: A review. *European Journal of Biological Research*, 8(4), 191–213. <https://doi.org/10.5281/zenodo.1455995>
- Singh, O., Gupta, M., Mittal, V., Kiran, S., Nayyar, H., Gulati, A., & Tewari, R. (2014). Novel phosphate solubilizing bacteria “*Pantoea cypripedii* PS1” along with *Enterobacter aerogenes* PS16 and *Rhizobium ciceri* enhance the growth of chickpea (*Cicer arietinum* L.). *Plant Growth Regulation*, 73(1), 79–89. <https://doi.org/10.1007/s10725-013-9869-5>
- Singh, P., & Nair, A. (2012). Environmental sustainability of cropping patterns in Gujarat. *Institute of Rural Management in Gujarat, November*. <http://bit.ly/2UgKK2y>
- Singh, Y., Ramteke, P. W., & Shukla, P. K. (2013). Characterization of *Rhizobium* isolates of pigeon pea rhizosphere from Allahabad soils and their potential PGPR characteristics. *International Journal of Research in Pure and Applied Microbiology*, 3(1), 4–7.
- Sirikantaramas, S., Yamazaki, M., & Saito, K. (2008). Mechanisms of resistance to self-produced toxic secondary metabolites in plants. *Phytochemistry Reviews*, 7(3), 467–477. <https://doi.org/10.1007/s11101-007-9080-2>
- Space Applications Centre. (2016). Desertification and land degradation atlas of India. *Indian Space Research Organisation, June*, 1–252.
- Srinivasan, K., & Mathivanan, N. (2011). Plant growth promoting microbial consortia mediated classical biocontrol of sunflower necrosis virus disease. *Journal of Biopesticides*, 4(1), 65–72.
- Srividhya, S., Kumari, N., Surendranath, R., & Jeyakumar, P. (2020). Role of rhizobacteria in alleviating salt stress. In *Molecular Aspects of Plant Beneficial Microbes in Agriculture* (Vol. 1, Issue i). INC. <https://doi.org/10.1016/B978-0-12-818469-1.00023-7>
- Subrahmanyam, G., Archana, G., & Chamyal, L. S. (2011). Microbial activity and diversity in

- the late Pleistocene palaeosols of alluvial Mahi River basin, Gujarat, western India. *Current Science*, 101(2), 202–209.
- Subrahmanyam, G., Sharma, R. K., Kumar, G. N., & Archana, G. (2018). *Vigna radiata* var. GM4 plant growth enhancement and root colonization by a multi-metal-resistant plant growth-promoting bacterium *Enterobacter* sp. C1D in Cr(VI)-amended soils. *Pedosphere*, 28(1), 144–156. [https://doi.org/10.1016/S1002-0160\(17\)60448-X](https://doi.org/10.1016/S1002-0160(17)60448-X)
- Sultana, S., Alam, S., & Karim, M. M. (2021). Screening of siderophore-producing salt-tolerant rhizobacteria suitable for supporting plant growth in saline soils with iron limitation. *Journal of Agriculture and Food Research*, 4(November 2020), 100150. <https://doi.org/10.1016/j.jafr.2021.100150>
- Sultana, S., Paul, S. C., Parveen, S., Alam, S., Rahman, N., Jannat, B., Hoque, S., Rahman, M. T., & Karim, M. M. (2020). Isolation and identification of salt-tolerant plant-growth-promoting rhizobacteria and their application for rice cultivation under salt stress. In *Canadian Journal of Microbiology* (Vol. 66, Issue 2). <https://doi.org/10.1139/cjm-2019-0323>
- Swamy, M. K., Akthar, M. S., & Sinniah, U. R. (2016). Response of PGPR and AMF fungi toward growth and secondary metabolite production in medicinal and aromatic plants. In *Plant, Soil and Microbes* (pp. 145–168). Springer International Publishing. https://doi.org/10.1007/978-3-319-29573-2_7
- Tchakounte, G. V. T., Berger, B., Patz, S., Becker, M., Fankem, H., Victor, D., & Ruppel, S. (2020). Selected rhizosphere bacteria help tomato plants cope with combined phosphorus and salt stresses. *Microorganisms*, 8(1844), 1–16. <https://doi.org/10.3390/microorganisms8111844>
- Tewari, J. C., Ram, M., Roy, M. M., & Dagar, J. C. (2014). Livelihood improvements and climate change adaptations through agroforestry in hot arid environments. In *Agroforestry Systems in India: Livelihood Security & Ecosystem Services* (Issue November, pp. 155–183). https://doi.org/10.1007/978-81-322-1662-9_6
- Torabian, S., Farhangi-abriz, S., & Rathjen, J. (2018). Biochar and lignite affect H⁺-ATPase and H⁺-PPase activities in root tonoplast and nutrient contents of mung bean under salt

- stress. *Plant Physiology and Biochemistry*, 129(March), 141–149. <https://doi.org/10.1016/j.plaphy.2018.05.030>
- Unni, S., & Rao, K. K. (2001). Protein and lipopolysaccharide profiles of a salt-sensitive *Rhizobium* sp. and its exopolysaccharide-deficient mutant. *Soil Biology and Biochemistry*, 33(1), 111–115. [https://doi.org/10.1016/S0038-0717\(00\)00121-8](https://doi.org/10.1016/S0038-0717(00)00121-8)
- Vaishnav, A., Kumari, S., Jain, S., Varma, A., Tuteja, N., & Choudhary, D. K. (2016a). PGPR-mediated amelioration of crops under salt stress. In *Plant-Microbe Interaction: An Approach to Sustainable Agriculture* (Vol. 56, Issue February, pp. 1–23). <https://doi.org/10.1007/978-981-10-2854-0>
- Vaishnav, A., Kumari, S., Jain, S., Varma, A., Tuteja, N., & Choudhary, D. K. (2016b). PGPR-mediated expression of salt tolerance gene in soybean through volatiles under sodium nitroprusside. *Journal of Basic Microbiology*, 56(11), 1274–1288. <https://doi.org/10.1002/jobm.201600188>
- Van Hoorn, J. W., Katerji, N., Hamdy, A., & Mastrorilli, M. (2001). Effect of salinity on yield and nitrogen uptake of four grain legumes and on biological nitrogen contribution from the soil. *Agricultural Water Management*, 51(2), 87–98. [https://doi.org/10.1016/S0378-3774\(01\)00114-7](https://doi.org/10.1016/S0378-3774(01)00114-7)
- Van Zelm, E., Zhang, Y., & Testerink, C. (2020). Salt tolerance mechanisms of plants. In *Annual Review of Plant Biology* (Vol. 71, pp. 403–433). <https://doi.org/10.1146/annurev-arplant-050718-100005>
- Vives, V., Aurelio, P., Cadenas, G., María, R., & Clemente, P. (2018). Salt stress alleviation in citrus plants by plant growth-promoting rhizobacteria *Pseudomonas putida* and *Novosphingobium* sp. . *Plant Cell Reports*, 37(11), 1557–1569. <https://doi.org/10.1007/s00299-018-2328-z>
- Voisard, C., Bull, C. T., Keel, C., Laville, J., Maurhofer, M., Schnider, U., Défago, G., & Haas, D. (2007). Biocontrol of root diseases by *Pseudomonas fluorescens* CHA0: current concepts and experimental approaches. *Molecular Ecology of Rhizosphere Microorganisms: Biotechnology and the Release of GMOs*, 67–89. <https://doi.org/10.1002/9783527615810.ch6>

- Von Felten, A., Défago, G., & Maurhofer, M. (2010). Quantification of *Pseudomonas fluorescens* strains F113, CHA0 and Pf153 in the rhizosphere of maize by strain-specific real-time PCR unaffected by the variability of DNA extraction efficiency. *Journal of Microbiological Methods*, 81(2), 108–115. <https://doi.org/10.1016/j.mimet.2010.02.003>
- Vora, S. M., Joshi, P., Belwalkar, M., & Archana, G. (2021). Root exudates influence chemotaxis and colonization of diverse plant growth promoting rhizobacteria in the pigeon pea – maize intercropping system. *Rhizosphere*, 18(March), 100331. <https://doi.org/10.1016/j.rhisph.2021.100331>
- Wang, C. J., Yang, W., Wang, C., Gu, C., Niu, D. D., Liu, H. X., Wang, Y. P., & Guo, J. H. (2012). Induction of drought tolerance in cucumber plants by a consortium of three plant growth-promoting rhizobacterium strains. *PLoS ONE*, 7(12), 1–10. <https://doi.org/10.1371/journal.pone.0052565>
- Wang, C., Wang, C., Gao, Y. L., Wang, Y. P., & Guo, J. H. (2016). A consortium of three plant growth-promoting rhizobacterium strains acclimates *Lycopersicon esculentum* and confers a better tolerance to chilling stress. *Journal of Plant Growth Regulation*, 35(1), 54–64. <https://doi.org/10.1007/s00344-015-9506-9>
- Wang, R., Wan, S., Sun, J., & Xiao, H. (2018). Soil salinity, sodicity and cotton yield parameters under different drip irrigation regimes during saline wasteland reclamation. *Agricultural Water Management*, 209(July), 20–31. <https://doi.org/10.1016/j.agwat.2018.07.004>
- Wang, V. B., Chua, S., Cai, Z., Sivakumar, K., Zhang, Q., Kjelleberg, S., Cao, B., Chye, S., Loo, J., Yang, L., Bochuan, V., Chua, S., Cai, Z., Sivakumar, K., Zhang, Q., Kjelleberg, S., Cao, B., Chye, S., Loo, J., & Yang, L. (2014). Bioresource technology a stable synergistic microbial consortium for simultaneous azo dye removal and bioelectricity generation. *Bioresource Technology*, 155(155), 71–76. <https://doi.org/10.1016/j.biortech.2013.12.078>
- Wang, Y., Zhang, Z., Zhang, P., Cao, Y., Hu, T., & Yang, P. (2016). Rhizobium symbiosis contribution to short-term salt stress tolerance in alfalfa (*Medicago sativa* L.). *Plant and Soil*, 402(1–2), 247–261. <https://doi.org/10.1007/s11104-016-2792-6>

- Weller, D. M. (2007). Pseudomonas biocontrol agents of soilborne pathogens: Looking back over 30 years. *Phytopathology*, 97(2), 250–256. <https://doi.org/10.1094/PHYTO-97-2-0250>
- Widder, S., Allen, R. J., Pfeiffer, T., Curtis, T. P., Wiuf, C., Sloan, W. T., Cordero, O. X., Brown, S. P., Momeni, B., Shou, W., Kettle, H., Flint, H. J., Haas, A. F., Laroche, B., & Kreft, J. (2016). Challenges in microbial ecology : building predictive understanding of community function and dynamics. *The ISME Journal*, 10(November 2015), 2557–2568. <https://doi.org/10.1038/ismej.2016.45>
- Wilhelm, L., Besemer, K., Fragner, L., Peter, H., Weckwerth, W., & Battin, T. J. (2015). Altitudinal patterns of diversity and functional traits of metabolically active microorganisms in stream biofilms. *The ISME Journal*, 9, 2454–2464. <https://doi.org/10.1038/ismej.2015.56>
- Wright, R. J., Gibson, M. I., & Christie-oleza, J. A. (2019). Understanding microbial community dynamics to improve optimal microbiome selection. *Microbiome*, 7:85, 1–14. <https://doi.org/10.1186/s40168-019-0702-x>
- Wu, L., Huo, W., Yao, D., & Li, M. (2019). Effects of solid matrix priming (SMP) and salt stress on broccoli and cauliflower seed germination and early seedling growth. *Scientia Horticulturae*, 255(November 2018), 161–168. <https://doi.org/10.1016/j.scienta.2019.05.007>
- Yao, L., Wu, Z., Zheng, Y., Kaleem, I., & Li, C. (2010). Growth promotion and protection against salt stress by *Pseudomonas putida* Rs-198 on cotton. *European Journal of Soil Biology*, 46(1), 49–54. <https://doi.org/10.1016/j.ejsobi.2009.11.002>
- Yao, Y., Sun, Y., Feng, Q., Zhang, X., Gao, Y., Ou, Y., Yang, F., Xie, W., Resco, V., Dios, D., Ma, J., & Yousefi, M. (2021). Acclimation to nitrogen × salt stress in *Populus bolleana* mediated by potassium / sodium balance. *Industrial Crops & Products*, 170(March), 113789. <https://doi.org/10.1016/j.indcrop.2021.113789>
- Zaets, I., Kramarev, S., & Kozyrovska, N. (2010). Inoculation with a bacterial consortium alleviates the effect of cadmium overdose in soybean plants. *Central European Journal of Biology*, 5(4), 481–490. <https://doi.org/10.2478/s11535-010-0025-1>

- Zaman, M., Shahid, S. A., & Heng, L. (2018). Guideline for salinity assessment, mitigation and adaptation using nuclear and related techniques. In *Guideline for Salinity Assessment, Mitigation and Adaptation Using Nuclear and Related Techniques*. <https://doi.org/10.1007/978-3-319-96190-3>
- Zhang, J. L., & Shi, H. (2013). Physiological and molecular mechanisms of plant salt tolerance. In *Photosynthesis Research* (Vol. 115, Issue 1, pp. 1–22). <https://doi.org/10.1007/s11120-013-9813-6>
- Zhu, Y. fang, Wu, Y. xia, Hu, Y., Jia, X. mei, Zhao, T., Cheng, L., & Wang, Y. xiu. (2019). Tolerance of two apple rootstocks to short-term salt stress: Focus on chlorophyll degradation, photosynthesis, hormone and leaf ultrastructures. *Acta Physiologiae Plantarum*, 41(6). <https://doi.org/10.1007/s11738-019-2877-y>
- Zineb, A. Ben, Trabelsi, D., Ayachi, I., Barhoumi, F., & Mhamdi, R. (2019). Inoculation with elite strains of phosphate- solubilizing bacteria enhances the effectiveness of fertilization with rock phosphates. *Geomicrobiology Journal*, 0(0), 1–9. <https://doi.org/10.1080/01490451.2019.1658826>
- Zupančič, J., Raghupathi, P. K., Houf, K., Burmølle, M., Sørensen, S. J., & Gunde-Cimerman, N. (2018). Synergistic interactions in microbial biofilms facilitate the establishment of opportunistic pathogenic fungi in household dishwashers. *Frontiers in Microbiology*, 9(JAN), 1–13. <https://doi.org/10.3389/fmicb.2018.00021>