

Contents

Chapter	Title	Page no.
1	Introduction and Review of Literature	1
1.1	Agriculture and Global demand for food	2
1.2	Biofertilizers – An alternative to Agrochemicals	3
1.2.1	Direct Mechanisms	4
1.2.1.1	Nitrogen fixation	4
1.2.1.2	Mineral solubilization/mobilization	6
1.2.1.2.1	Phosphate Solubilizing Microorganisms	6
1.2.1.2.2	Potassium Solubilizing Microorganisms	8
1.2.1.2.3	Zinc Solubilizing Microorganisms	9
1.2.1.3	Iron acquisition	10
1.2.1.4	Phytohormone production	11
1.2.2	Indirect Mechanisms	12
1.2.2.1	Competition	12
1.2.2.2	Biocontrol	12
1.2.2.3	Induced Systemic Resistance	13
1.2.2.4	Abiotic Stress Tolerance	13
1.2.2.5	Bioremediation	14
1.3	Rhizosphere Engineering	15
1.4	<i>Bacillus</i> spp. as a versatile PGPR	18
1.4.1	Metabolic engineering in <i>Bacillus</i> spp.	19
1.4.2	Carbon metabolism and regulation in <i>Bacillus subtilis</i>	21
1.5	<i>Bacillus subtilis</i> – A model organism for cell differentiation	28
1.5.1	Motility	29
1.5.2	Competence	31
1.5.3	Biofilm formation	32
1.5.4	Sporulation	37

1.6	Rationale of the thesis	38
1.7	Objectives	39
2	Materials and Methods	40
2.1	Bacterial strains and Plasmids	41
2.2	Media and Culture conditions	44
2.2.1	M9 minimal medium	45
2.2.2	Phosphate and Potassium solubilization Medium	45
2.2.3	Tris buffered medium	45
2.2.4	Lysogeny broth (LB), Lysogeny broth containing glycerol and manganese (LBGM) medium and Minimal Salt Glycerol Glutamate (Msgg) Medium to study biofilm formation	46
2.2.5	Starch Agar Medium for detection of integrants	46
2.3	Molecular biology tools and techniques	46
2.3.1	Isolation of plasmid and genomic DNA	46
2.3.1.1	Plasmid DNA isolation from <i>E. coli</i>	46
2.3.1.2	Genomic DNA isolation from <i>B. subtilis</i>	47
2.3.2	Polymerase Chain Reaction (PCR)	47
2.3.3	Agarose gel electrophoresis	51
2.3.4	Restriction enzyme digestion analysis	51
2.3.5	Gel elution and purification	52
2.3.6	Ligation	52
2.3.7	Transformation of plasmid DNA	52
2.3.7.1	Transformation of plasmid DNA in <i>E. coli</i>	52
2.3.7.2	Chromosomal integration of genes in <i>B. subtilis</i> DK1042	53
2.3.8	Gene Expression Analysis	53
2.3.8.1	RNA isolation from <i>B. subtilis</i> biofilm	53
2.3.8.2	cDNA synthesis	54
2.3.8.3	Real-time quantitative PCR	54

2.4	Phosphate and Potassium solubilization phenotype	56
2.5	Physiological Experiments	56
2.5.1	Growth characteristics and pH profile	57
2.5.2	Analytical Techniques	57
2.6	Biofilm formation and sporulation in <i>B. subtilis</i> DK1042	58
3	Effect of constitutive expression of <i>Vitreoscilla</i> hemoglobin on biofilm formation and sporulation in <i>Bacillus subtilis</i> DK1042	59
3.1	Introduction	60
3.2	Rationale	61
3.3	Workplan	62
3.3.1	Bacterial Strains used in this study	62
3.3.2	Cloning of promoterless <i>gfp</i> in pUC19	63
3.3.3	Construction of plasmid pNRM2 containing P43- <i>vgb-gfp</i> operon	64
3.3.3.1	Sequence and regulatory features of P43 promoter	64
3.3.3.2	Cloning of P43- <i>vgb</i> upstream of <i>gfp</i> in PNRM1	64
3.3.4	Construction of different integration vectors	65
3.3.4.1	Replacement of kanamycin resistance gene with <i>Km</i> ^r - <i>lox</i> cassette for provision of marker removal	65
3.3.4.2	Cloning of tandem repeats of P43 promoters in pNRM11	67
3.3.4.3	Cloning <i>vgb-gfp</i> operon in the integration vector	69
3.3.5	Transformation of <i>E. coli</i> and <i>B. subtilis</i> DK1042 with respective vectors	70
3.3.5.1	Development of <i>E. coli</i> transformants harboring plasmid pNRM1, pNRM2, pNRM11, pNRM157, pNRM1113 and pNRM1114	70
3.3.5.2	Development of <i>B. subtilis</i> DK1042 integrants harboring plasmid pNRM1113 and pNRM1114	70

3.3.6	Evaluation of transcription efficiency of P43 tandem repeats using GFP fluorescence assay	70
3.3.7	Effect of <i>Vitreoscilla</i> hemoglobin (VHb) on biofilm formation and sporulation in <i>B. subtilis</i> DK1042	70
3.4	Results and Discussion	71
3.4.1	Construction of various plasmids and integration vector	71
3.4.1.1	Construction of pNRM1	71
3.4.1.2	Construction of pNRM2	72
3.4.1.3	Construction of pNRM11	72
3.4.1.4	Construction of pNRM157	73
3.4.1.5	Construction of pNRM1113 and pNRM1114	73
3.4.2	Selection of integrants DK1042 NRM1113 and NRM1114 using starch agar assay	74
3.4.3	Determining the strength of P43 promoter in NRM1113 and NRM1114	75
3.4.4	Heterologous expression of VHb in <i>B. subtilis</i> DK1042 and its effect on biofilm formation, sporulation and brown pigment production	76
3.4.4.1	Alteration in biofilm formation and genetic basis thereof	76
3.4.4.2	Sporulation and production of brown pigment in DK1042 harboring VHb	82
3.5	Conclusion	84
4	Development of <i>Bacillus subtilis</i> DK1042 secreting oxalic acid and characterization of mineral phosphate and potassium solubilization ability	86
4.1	Introduction	87
4.2	Rationale	90
4.3	Workplan	90
4.3.1	Bacterial strains used in this study	90

4.3.2	Cloning of promoterless <i>oah</i> in pUC18	91
4.3.3	Construction of plasmid pNRM5 containing P43- <i>FpOAR-oah</i> operon	91
4.3.4	Construction of plasmid pNRM6 containing two bicistronic operons <i>P43-FpOAR-oah</i> and <i>P43-vgb-gfp</i>	93
4.3.5	Construction of integration vector containing <i>P43-vgb-gfp</i> and <i>P43-FpOAR-oah</i> operons downstream of <i>P43</i> tandem repeats	94
4.3.6	Transformation of <i>E. coli</i> and <i>B. subtilis</i> DK1042 with respective vectors	95
4.3.6.1	Development of <i>E. coli</i> transformants harboring plasmid pNRM5	95
4.3.6.2	Development of <i>B. subtilis</i> DK1042 integrants harboring plasmid pNRM11O	95
4.3.7	Oxalic acid production and secretion in <i>E. coli</i> BL21DE3 and <i>B. subtilis</i> DK1042 harboring artificial oxalate operon	95
4.3.8	Effect of heterologous expression of <i>P43-FpOAR-oah</i> operon on Mineral Phosphate Solubilization (MPS) and Mineral Potassium Solubilization (MKS) ability of <i>B. subtilis</i> DK1042, NRM1113, NRM1114 and NRM11O	96
4.4	Result and Discussion	96
4.4.1	Construction of artificial oxalate operon	96
4.4.1.1	Construction of pNRM4	97
4.4.1.2	Construction of pNRM5	98
4.4.1.3	Construction of pNRM6	98
4.4.1.4	Construction of pNRM11O	99
4.4.2	Selection of integrants DK1042 NRM11O using starch agar assay	99
4.4.3	Effect of heterologous expression of artificial oxalate operon on oxalic acid secretion	100

4.4.3.1	Oxalic acid secretion by <i>E. coli</i> BL21DE3 pNRM5 transformant	100
4.4.3.2	Growth, pH profile and oxalic acid secretion by <i>B. subtilis</i> DK1042 NRM11O	104
4.4.4	Characterization of MPS and MKS ability of <i>B. subtilis</i> DK1042 and the integrants	109
4.5	Conclusion	110
I	Summary	111
II	Bibliography	112
III	Appendix	141
IV	Poster and Publication	146