

Content of Figures

Chapter	Title	Page no.
Chapter 1	Introduction and Review of Literature	1
Figure 1.1	Plant growth promotion mechanisms by Plant Growth Promoting Microorganisms (PGPMs)	4
Figure 1.2	Schematic representation of the different associations between diazotrophs and plant hosts	5
Figure 1.3	Schematic representation of the organic acids that may be produced by PSM and used to solubilize inorganic forms of phosphate	6
Figure 1.4	Rhizosphere Engineering Permits Improvement of Plant and Soil Health	16
Figure 1.5	Interactions of the global regulators CcpA and CodY with carbon overflow metabolism in <i>Bacillus subtilis</i>	22
Figure 1.6	Relative distributions of intracellular fluxes in <i>B. subtilis</i> grown on glucose, a mixture of glucose plus malate and malate	25
Figure 1.7	Overview about the PEP–pyruvate–oxaloacetate node, the malate transport, and the MalKR two-component system in <i>Bacillus subtilis</i>	28
Figure 1.8	Schematic representation of the distinct cell types that differentiate in the communities of <i>Bacillus subtilis</i>	29
Figure 1.9 (A)	Cartoon model of Gram-positive flagellar architectures	30
Figure 1.9 (B)	<i>B. subtilis</i> <i>fla/che</i> operon structure and flagellar genetic hierarchy	31
Figure 1.10	Chromosomal organization of genes involved in matrix synthesis in <i>B. subtilis</i>	33
Figure 1.11	The life cycle of a <i>Bacillus subtilis</i> biofilm	33

Figure 1.12	Model for cannibalistic behavior	36
Figure 1.13	The sporulation cycle of spore formation	37
Chapter 3	Effect of constitutive expression of <i>Vitreoscilla</i> hemoglobin on biofilm formation and sporulation in <i>Bacillus subtilis</i> DK1042	59
Figure 3.1	Schematic representation for cloning of promoterless <i>gfp</i> in pUC19	63
Figure 3.2	Schematic representation for cloning of P43- <i>vgb</i> operon upstream of <i>gfp</i> in pNRM1	65
Figure 3.3	Schematic representation of construction of pNRM11 integration vector	66
Figure 3.4	Schematic representation for construction of integration vector with P43 repeats	68
Figure 3.5	Schematic representation for construction of integration vector pNRM1113 and pNRM1114	69
Figure 3.6	PCR amplification and restriction digestion confirmation of pNRM1	71
Figure 3.7	PCR amplification and restriction digestion confirmation of pNRM2	72
Figure 3.8	Restriction digestion SalI/EcoRI of pNRM11 and PCR amplification of P43- <i>lox71-Km^r-lox66</i>	72
Figure 3.9	Restriction digestion of pNMR157	73
Figure 3.10	Confirmation of incorporation of <i>vgb-gfp</i> operon under different P43 promoter setup	74
Figure 3.11	Screening of kanamycin resistant colonies on starch agar plate	75
Figure 3.12 (A)	Time dependent analysis of GFP fluorescence	75

Figure 3.12 (B)	GFP Fluorescence on Luria Bertani and M9 minimal medium	76
Figure 3.13 (A)	Characterization of biofilm formation in <i>B. subtilis</i> DK1042 harbouring VHb through colony expansion	77
Figure 3.13 (B)	Characterization of biofilm formation in <i>B. subtilis</i> DK1042 harbouring VHb through relative quantification of mRNA expression	78
Figure 3.14	Effect of <i>Vitreoscilla</i> haemoglobin on pellicle and colony biofilm formation by <i>B. subtilis</i> DK1042. Colony Morphology	79
Figure 3.15	Growth curves of <i>B. subtilis</i> DK1042 WT and NRM1113 in LB, LBGM and LB broth containing 6% NaCl at different shaking conditions at 30 °C	80
Figure 3.16	Effect of VHb on biofilm formation by <i>B. subtilis</i> DK1042 in Msgg medium	81
Figure 3.17	Sporulation efficiencies of <i>B. subtilis</i> DK1042 WT and NRM1113 on LB and LBGM agar (1.5%) medium at 72 h	82
Figure 3.18	Production of brown pigment by VHb harbouring <i>B. subtilis</i> DK1042	84
Chapter 4	Development of <i>Bacillus subtilis</i> DK1042 secreting oxalic acid and characterization of mineral phosphate and potassium solubilization ability	86
Figure 4.1	Schematic representation of cloning of <i>oah</i>	91
Figure 4.2	Cloning of <i>P43-FpOAR</i> upstream of <i>oah</i> in PNRM4	92
Figure 4.3	Schematic representation of construction of plasmid pNRM6	93
Figure 4.4	Schematic representation of construction of integration vector pNRM110	94
Figure 4.5	Colony PCR of <i>oah</i> from <i>E. coli</i> transformants.	97
Figure 4.6	Restriction digestion analysis of pNRM4	97

Figure 4.7	Restriction digestion analysis of pNRM5	98
Figure 4.8	Restriction digestion analysis of pNRM6	98
Figure 4.9	PCR amplification of entire cassette <i>P43-lox71-Km^r-lox66-(P43)₃-P43-vgb-gfp-P43-FpOAR-oah</i> from pNRM110 using <i>amyEF</i> and <i>amyER</i>	99
Figure 4.10	Screening of kanamycin resistant colonies on starch agar plate	99
Figure 4.11	Chromatogram of oxalic acid standard (50mM)	101
Figure 4.12	Chromatogram of tris rock phosphate broth	101
Figure 4.13	Chromatogram of <i>E. coli</i> BL21DE3 WT culture supernatant	102
Figure 4.14	Chromatogram of <i>E. coli</i> BL21DE3 (pUC18) (vector control) culture supernatant	102
Figure 4.15	Chromatogram of <i>E. coli</i> BL21DE3 culture supernatant	103
Figure 4.16	Example chromatogram provided in the brochure of Acclaim Organic Acid (OA) column	103
Figure 4.17	Growth Curve of <i>B. subtilis</i> DK1042 and the integrants in M9 Minimal Medium at 200 RPM	105
Figure 4.18	pH profile of <i>B. subtilis</i> DK1042 and the integrants in M9 minimal medium at 200 rpm	105
Figure 4.19	Chromatogram of oxalic acid standard (10mM)	106
Figure 4.20	Chromatogram of culture supernatant of <i>B. subtilis</i> DK1042 WT	107
Figure 4.21	Chromatogram of culture supernatant of <i>B. subtilis</i> DK1042 NRM1110	107
Figure 4.22	Oxalic acid detection and Quantification by HPLC	108

Figure 4.23 (A)	Mineral phosphate solubilization by <i>E. asburiae</i> PSI3 (EPSI), <i>B. subtilis</i> DK1042 and the integrants	109
Figure 4.23 (B)	Mineral potassium solubilization by <i>E. asburiae</i> PSI3 (EPSI), <i>B. subtilis</i> DK1042 and the integrants	109