

Bibliography

- [1] D. Gabor, “A new microscopic principle”, *Nature*, 161, 777-778 (1948).
- [2] T. Kreis, “Handbook of holographic interferometry: Optical and digital methods”, Wiley-VCH, Weinheim (2005).
- [3] C. M. Vest, *Holographic interferometry*, Wiley, New York (1979).
- [4] P. Hariharan, *Basics of Holography*, Cambridge University Press, Cambridge (2002).
- [5] E. N. Leith, J. Upatnieks. “New techniques in wavefront reconstruction”, *J. Opt. Soc. Am. A*, 51, 1469-1473, (1962).
- [6] Y. N. Denisyuk, “Photographic reconstruction of the optical properties of an object in its own scattered radiation field”, *Dokl. Akad. Nauk SSSR*, 144, 1275-1279, (1962).
- [7] B. R. Brown, A. W. Lohmann. “Complex spatial filtering with binary masks”, *Appl. Opt.*, 5, 967-969 (1966).
- [8] J. W. Goodman, R. W. Lawerence. “Digital image formation from electronically detected holograms”, *Appl. Phys. Lett.*, 11, 777- 778 (1967).
- [9] Kronrod M A, Merzlyakov N S, Yaroslavski L P, “Reconstruction of holograms with a computer”, *Sov. Phys-Tech. Phys. USA* 17, 333-334 (1972).
- [10] T. S. Huang, Digital holography, *Proc. IEEE*, 59, 1335-1346 (1971).
- [11] U. Schnars, W. P. O. Jaupertner. “Direct recording of holograms by a CCD target and numerical reconstruction”, *Appl. Opt.*, 33, 179-181 (1994).

- [12] R. E. Brooks, L. O. Heflinger, R. F. Wuerker. "Interferometry with a holographically reconstructed comparison beam", *Appl. Phys. Lett.*, 7, 248-249 (1965).
- [13] B. P. Hildebrand K. A. Haines. "The generation of three-dimensional contour maps by wavefront reconstruction", *Phys. Lett.*, 21, 422-423 (1966).
- [14] D. W. Sweeney, C. M. Vest, "Reconstructions of three-dimensional refractive index fields from multidirectional interferometric data", *Appl. Opt.*, 12, 2649-2664 (1973).
- [15] K. A. Stetson, R. L. Powell, "Interferometric hologram evaluation of real-time vibration analysis of diffuse objects", *J. Opt. Soc. Am.*, 55, 1694-1695 (1965).
- [16] R. L. Powell, K. A. Stetson, "Interferometric vibration analysis by wavefront reconstruction", *J. Opt. Soc. Am.*, 55, 1593-1598 (1965).
- [17] E. Cuche, F. Bevilacqua, C. Depeursinge, "Digital holography for quantitative phase-contrast imaging", *Opt. Lett.*, 24, 291-293 (1999).
- [18] E. Cuche, P. Marquet, C. Depeursinge, "Simultaneous amplitude-contrast and quantitative phase-contrast microscopy by numerical reconstruction of Fresnel off-axis holograms", *Appl. Opt.*, 38, 6994-7001 (1999).
- [19] W. Xu, M. Jericho, I. Meinertzhangen,, H. Kreuzer, "Digital in-line holography for biological applications", *Proc. Nat. Acad. Sci.*, 98, 11301-11305 (2001).
- [20] P. Marquet, B. Rappaz, P. J. Magistretti, E. Cuche, Y. Emery, T. Colomb, C. Depeursinge, "Digital holographic microscopy: A noninvasive contrast imaging technique allowing quantitative visualization of living cells with subwavelength axial accuracy", *Opt. Lett.*, 30, 468-470 (2005).
- [21] B. Javidi, I. Moon, S. Yeom, E. Carapezza, "Three-dimensional imaging and recognition of microorganism using single-exposure on-line (SEOL) digital holography", *Opt. Express.*, 13, 4492-4506, (2005).

- [22] F. Dubois, C. Yourassowsky, O. Monnom, J. Legros, O. Debeir, P. Ham, "Digital holographic microscopy for the three-dimensional dynamic analysis of in vitro cancer cell migration", *J. Biomed. Opt.* 11, 054032 (2006).
- [23] L. Miccio, D. Alfieri, S. Grilli, P. Ferraro, A. Finizio, L. De Petrocellis, S. D. Nicola, "Direct full compensation of the aberrations in quantitative phase microscopy of thin objects by a single digital hologram", *Appl. Phys. Lett.*, 90, 041104 (2007).
- [24] I. Moon, B. Javidi, "3D visualization and identification of biological microorganisms using partially temporal incoherent light in-line computational holographic imaging," *IEEE Trans. Med. Imag.*, 27, 1782-1790 (2008).
- [25] B. Rappaz, A. Barbul, Y. Emery, R. Korenstein, C. Depeursinge, P. J. Magistretti, P. Marquet, "Comparative study of human erythrocytes by digital holographic microscopy, confocal microscopy", *Cytometry Part A*, 73, 895-903 (2008).
- [26] B. Kember, G. von Bally, "Digital holographic microscopy for live cell applications and technical inspection", *Appl. Opt.*, 47, A52-A61 (2008).
- [27] B. Rappaz, E. Cano, T. Colomb, J. Kuhn, C. Depeursinge, V. Simanis, P. Magistretti, P. Marquet, "Noninvasive characterization of the fission yeast cell cycle by monitoring dry mass with digital holographic microscopy", *J. Biomed. Opt.*, 14, 034045-034049 (2009).
- [28] I. Moon, M. Daneshpanah, B. Javidi, A. Stern, "Automated 3-D identification and tracking of micro/nanobiological organisms", *Proc. IEEE*, 97, 990-1010 (2009).
- [29] Y. K. Park, M. Diez, D. Fu, G. Popescu, W. Choi, I. Barman, S. Suresh, M. S. Feld, "Static and dynamic light scattering of healthy and malaria parasite invaded red blood cells", *J. Biomed. Opt.*, 15, 020506 (2010).
- [30] A. Anand, V. K. Chhaniwal, B. Javidi, "Real-time digital holographic microscopy for phase contrast 3D imaging of dynamic phenomena", *J. Display Technol.*, 6, 500-505 (2010).

- [31] B. Kemper, A. Bauwens, A. Vollmer, S. Ketelhut, P. Langehanenberg, J. Mthing, H. Karch, G. von Bally, “Label-free quantitative cell division monitoring of endothelial cells by digital holographic microscopy”, *J. Biomed. Opt.*, 15, 036009 (2010).
- [32] A. Faridian, D. Hopp, G. Pedrini, U. Eigenthaler, M. Hirscher, W. Osten, “Nanoscale imaging using deep ultraviolet digital holographic microscopy”, *Opt. Express*, 18, 14159-14164 (2010).
- [33] D. Shin, M. Daneshpanah, A. Anand, B. Javidi, “Optofluidic system for three-dimensional sensing and identification of micro-organisms with digital holographic microscopy”, *Opt. Lett.*, 35, 4066-4068 (2010).
- [34] A. Anand, V. K. Chhaniwal, B. Javidi, “Imaging embryonic stem cell dynamics using quantitative 3D digital holographic microscopy”, *IEEE Photon. J.*, 3, 546-554 (2011).
- [35] I. Moon, M. Daneshpanah, A. Anand, B. Javidi, “Cell identification computational 3-D holographic microscopy”, *Opt. Photon. News*, 22, 18-23 (2011).
- [36] A. Anand, V. K. Chhaniwal, N. Patel, B. Javidi, “Automatic identification of malaria infected RBC with digital holographic microscopy using correlation algorithms”, *IEEE Photon. J.*, 4, 1456-1464 (2012).
- [37] I. Moon, B. Javidi, F. Yi, D. Boss, P. Marquet, “Automated statistical quantification of three-dimensional morphology and mean corpuscular hemoglobin of multiple red blood cells”, *Opt. Express*, 20, 10295-10309 (2012).
- [38] F. Yi, I. Moon, B. Javidi, D. Boss, P. Marquet, “Automated segmentation of multiple red blood cells with digital holographic microscopy”, *J. Biomed. Opt.*, 18, 026006 (2013).
- [39] I. Moon, F. Yi, Y. H. Lee, B. Javidi, D. Boss, P. Marquet, “Automated quantitative analysis of 3D morphology and mean corpuscular hemoglobin in human red blood cells stored in different periods”, *Opt. Express*, 21, 30947-30957 (2013).

- [40] R. Liu, A. Anand, D. Dey, B. Javidi, “Entropy-based clustering of embryonic stem cells using digital holographic microscopy”, *J. Opt. Soc. Am. A.*, 31, 677-684 (2014).
- [41] A. Anand, B. Javidi, “Digital holographic microscopy for automated 3D cell identification: an overview”, *Chin. Opt. Lett.*, 12, 060012 (2014).
- [42] A. Anand, P. Vora, S. Mahajan, V. Trivedi, V. Chhaniwal, A. Singh, R. Leitgeb, B. Javidi, “Compact, common path quantitative phase microscopic techniques for imaging cell dynamics”, *Pramana*, 82, 71-78 (2014).
- [43] B. Rappaz, I. Moon, F. Yi, B. Javidi, P. Marquet, G. Turcatti, “Automated multi-parameter measurement of cardiomyocytes dynamics with digital holographic microscopy”, *Opt. Express*, 23, 13333-13347 (2015).
- [44] F. Yi, I. Moon, B. Javidi, “Cell morphology-based classification of red blood cells using holographic imaging informatics”, *Biomed. Opt. Express*, 7, 2385-2399 (2016).
- [45] Y. Park, C. A. Best, T. Kuriabova, M. L. Henle, M. S. Feld, A. J. Levine, G. Popescu, “Measurement of the nonlinear elasticity of red blood cell membranes”, *Phys. Rev. E*, 83, 051925 (2011).
- [46] M. Kim M, “Tomographic three-dimensional imaging of a biological specimen using wavelength-scanning digital interference holography”, *Opt. Express*, 7, 305-310 (2000).
- [47] A. Barty, K. A. Nugent, A. Roberts, D. Paganin, “Quantitative phase tomography”, *Opt. Commun.* 175, 329-336 (2000).
- [48] F. Charrire, A. Marian, F. Montfort, J. Kuehn, T. Colomb, E. Cuche, P. Marquet, C. Depeursinge, “Cell refractive index tomography by digital holographic microscopy”, *Opt. Lett.*, 31, 178-180 (2006).
- [49] B. Rappaz, P. Marquet, E. Cuche, Y. Emery, C. Depeursinge, P. J. Magistretti, “Measurement of the integral refractive index and dynamic cell morphometry of

- living cells with digital holographic microscopy”, Opt. Express, 13, 9361-9373 (2005).
- [50] W. Choi, C. Fang-Yen, K. Badizadegan, S. Oh, N. Lue, R. R. Dasari, M. S. Feld, “Tomographic phase microscopy”, Nature Methods, 4, 717-719 (2007).
- [51] L. Xu, X.Y. Peng, J.M. Miao, A.K. Asundi, “Studies of digital microscopic holography with applications to microstructure testing”, Appl. Opt. 40, 5046-5051 (2001).
- [52] G. Coppola, P. Ferraro, M. Iodice, S. De Nicola, A. Finizio, S. Grilli, “A digital holographic microscope for complete characterization of microelectromechanical systems”, Meas. Sci. Technol. 15, 529-539 (2004).
- [53] S. Grilli, M. Paturzo, L. Miccio, P. Ferraro, “In situ investigation of periodic poling in congruent LiNbO₃ by quantitative interference microscopy”, Meas. Sci. Technol., 19, 074008 (2008).
- [54] S. Grilli, P. Ferraro, M. Paturzo, D. Alfieri, P. De Natale, “In-situ visualization, monitoring and analysis of electric field domain reversal process in ferroelectric crystals by digital holography”, Opt. Express, 12, 1832-1842 (2004).
- [55] D. B. Murphy, Fundamentals of light microscopy and electronic imaging, Wiley-Liss, New York (2001).
- [56] F. Zernike, “Phase contrast, a new method for microscopic observation of transparent objects”, Physica, 9, 686-698 (1942).
- [57] L. Repetto, E. Piano, C. Pontiggia, “Lensless digital holographic microscope with light-emitting diode illumination”, Opt. Lett., 29, 1132-1134 (2004).
- [58] W. Bishara, T-W. Su, A. F. Coskun, A. Ozcan, “Lensfree on-chip microscopy over a wide field-of-view using pixel super-resolution”, Opt. Express, 18, 11181-11191 (2010).

- [59] J. Sheng, E. Malkiel, J. Katz, "Digital holographic microscope for measuring three dimensional particle distributions and motions", *Appl. Opt.*, 45, 3893-3901 (2006).
- [60] G. Pan, H. Meng, "Digital holography of particle fields: reconstruction by use of complex amplitude", *Appl. Opt.*, 42, 827-833 (2003).
- [61] J. Sheng, E. Malkiel, J. Katz, "Single beam two-views holographic particle image velocimetry", *Appl. Opt.*, 42, 235-250 (2003).
- [62] I. Moon, B. Javidi, "3D identification of stem cells by computational holographic imaging", *J. Roy. Soc. Interface*, 4, 305-313 (2007).
- [63] A. Stern, B. Javidi, "Theoretical analysis of three-dimensional imaging and recognition of microorganism technique using single-exposure on-line (SEOL) digital holography", *J. Opt. Soc. Am. A.*, 24, 163-168 (2007).
- [64] I. Yamaguchi, T. Zhang, "Phase-shifting digital holography", *Opt. Lett.*, 23, 1268-1270 (1997).
- [65] T. Zhang and I. Yamaguchi, "Three-dimensional microscopy with phase-shifting digital holography", *Opt. Lett.*, 23, 1221-1223 (1998).
- [66] S. Lai, B. King, N. A. Neifeld, "Wavefront reconstruction by means of phase-shifting digital in-line holography", *Opt. Commun.*, 173, 155-160 (2000).
- [67] S. De Nicola, P. Ferraro, A. Finizio, G. Pierattini, "Wavefront reconstruction of Fresnel off-axis holograms with compensation of aberrations by means of phase-shifting digital holography", *Opt. Laser Eng.*, 37, 331-340 (2002).
- [68] Y. Awatsuji, T. Tahara, A. Kaneko, T. Koyama, K. Nishio, S. Ura, T. Kubota, O. Matoba, "Parallel two-step phase-shifting digital holography", *Appl. Opt.*, 47, D183-D189 (2008).
- [69] U. Schnars, W. Jueptner, *Digital Holography: Digital hologram recording, numerical reconstruction and related techniques*, Springer, Berlin (2005).

- [70] U. Schnars, W. Jueptner, "Digital recording and numerical reconstruction of holograms", Meas. Sci. Technol., 13, R85-R101 (2001).
- [71] J. W. Goodman, Introduction to Fourier Optics, McGraw-Hill, New York (1996).
- [72] G. Popescu, T. Ikeda, C. A. Best, K. Badizadegan, R. R. Dasari, M. S. Feld, "Erythrocyte structure and dynamics quantified by Hilbert phase microscopy", J. Biomed. Opt., 10, 060503 (2005).
- [73] G. Popescu, K. Badizadegan, R. R. Dasari, M. S. Feld, "Observation of dynamic subdomains in red blood cells", J. Biomed. Opt., 11, 040503 (2006).
- [74] M. Mir, K. Tangella, G. Popescu, "Blood testing at the single cell level using quantitative phase and amplitude microscopy", Biomed. Opt. Express, 2, 3259 (2011).
- [75] B. Bhaduri, H. Pham, M. Mir, G. Popescu, "Diffraction phase microscopy with white light", Opt. Lett. 37, 1094-1096 (2012).
- [76] N. T. Shaked, "Quantitative phase microscopy of biological samples using a portable interferometer", Opt. Lett., 37, 2016-2018 (2012).
- [77] S. Mahajan, V. Trivedi, P. Vora, V. K. Chhaniwal, B. Javidi, A. Anand, "Highly stable digital holographic microscope using Sagnac interferometer", Opt. Lett., 40, 3743-3746 (2015).
- [78] A. Anand, A. Faridian, V. K. Chhaniwal, S. Mahajan, V. Trivedi, S. K. Dubey, G. Pedrini, W. Osten, B. Javidi, "Single Beam Fourier Transform Digital Holographic Quantitative Phase Microscopy", App. Phys. Lett., 103, 103705 (2014).
- [79] B. Kemper, A. Vollmer, C. E. Rommel, J. Schnekenburger, G. von Bally, "Simplified approach for quantitative digital holographic phase contrast imaging of living cells", J. Biomed. Opt. 16, 026014 (2011).
- [80] J. Jang, C. Y. Bae, J.K. Park, J. C. Ye, "Self-reference quantitative phase microscopy for microfluidic devices", Opt. Lett., 35, 514-516 (2010).

- [81] P. Bon, G. Maucort, B. Wattellier, S. Monneret, “Quadriwave lateral shearing interferometry for quantitative phase microscopy of living cells”, Opt. Express, 17, 13080-13094 (2009).
- [82] A. S. G. Singh, A. Anand, R. A. Leitgeb, B. Javidi, “Lateral-shearing digital holographic imaging of small biological specimens”, Opt. Express, 20, 23617-23622 (2012).
- [83] V. K. Chhaniwal, A. S. G. Singh, R. Leitgeb, B. Javidi, and A. Anand, “Quantitative phase contrast imaging with compact DHM employing Lloyd’s mirror”, Opt. Lett. 37, 5127-5129 (2012).
- [84] A. Anand, I. Moon, B. Javidi, “Automated Disease Identification with 3D Optical Imaging: a medical diagnostic tool”, Proc. IEEE, under review (2016).
- [85] U. Schnars, W. Jueptner, “Digital reconstruction of holograms in hologram interferometry and shearography”, Appl. Opt., 33, 4373-4377 (1994).
- [86] U. Schnars, “Direct phase determination in hologram interferometry with use of digitally recorded holograms”, J. Opt. Soc. Am. A., 11, 2011-2015 (1994).
- [87] A. Asundi, V. R. Singh, “Amplitude and Phase Analysis in Digital Dynamic Holography”, Opt. Lett., 31, 2420-2422 (2006)
- [88] P. Hariharan, Basics of Interferometry, Academic Press, New York (2007).
- [89] S. Schedin, G. Pedrini, H. J. Tiziani, F. M. Santoyo, “Simultaneous three-dimensional dynamic deformation measurements with pulsed digital holography”, App. Opt., 34, 7056-7062 (1999).
- [90] B. Nilsson, T. E. Carlsson, “Simultaneous measurement of shape and deformation using digital light-in-flight recording by holography”, Opt. Eng., 39, 244-253 (1999).
- [91] A. Anand, V. K. Chhaniwal, C. S. Narayananamurthy, “Diffusivity studies of transparent liquid solutions by use of digital holographic interferometry”, Appl. Opt., 45, 904-909 (2006).

- [92] M. K. Kim, L. Yu, C. J. Mann, “Interference techniques in digital holography”, *J. Opt. A: Pure Appl. Opt.*, 8, S518-S523 (2006).
- [93] S. De Nicola, A. Finizio, G. Pierattini, P. Ferraro, D. Alfieri, “Angular spectrum method with correction of anamorphism for numerical reconstruction of digital holograms on tilted planes”, *Opt. Express*, 13, 9935-9940 (2005).
- [94] K. Matsushima, T. Shimobaba, “Band-limited angular spectrum method for numerical simulation of free-space propagation in far and near fields”, *Opt. Express*, 17, 19662-19673 (2009).
- [95] D. Voelz, *Computational Fourier Optics*, SPIE Press, Bellingham (2011).
- [96] F. Palacios, J. Ricardo, D. Palacios, E. Goncalves, J. L. Valind, R. De Souzac, “3D image reconstruction of transparent microscopic objects using digital holography”, *Opt. Commun.*, 248, 41-50 (2005).
- [97] M. Takeda, H. Ina, S. Kobayashi, “Fourier-transform method of fringe-pattern analysis for computer-based topography and interferometry”, *J. Opt. Soc. Am.*, 72, 156-160 (1982).
- [98] A. J. Lacey (Ed.), “Light Microscopy in Biology: A practical approach”, Oxford University Press Inc., New York (1999).
- [99] P. Ferraro, A. Wax, Z. Zalevsky (Eds), “Coherent Microscopy: Imaging and Quantitative Phase Analysis”, Springer, Berlin (2011).
- [100] P. Vora, A. Anand, “Investigations on the change of texture of plant cells due to preservative treatments by digital holographic microscopy”, *AIP Conf. Proc.*, 1620, 379-384 (2014).
- [101] P. Vora, A. Anand, “Imaging Osmosis in Plant Cells Using Digital Holographic Microscopy”, *Proceedings of ICOL 2014* (2014).
- [102] R. Wayne, “Plant Cell Biology: From Astrology to Zoology”, Academic Press, Burlington (2009).

- [103] J. K. C. Rose (Ed.), “Plant Cell Wall”, CRC Press, Oxford (2003).
- [104] M. K. Kim, “Principles and techniques of digital holographic microscopy”, SPIE Reviews, 1, 018005 (2010).
- [105] B. Rappaz, A. Barbul, A. Hoffmann, D. Boss, R. Korenstein, C. Depeursinge, P. J. Magistretti, Pierre Marquet, “Spatial analysis of erythrocyte membrane fluctuations by digital holographic microscopy”, Blood Cells Mol. Dis., 42, 228-232 (2009).
- [106] L. Tiaz, E. Zeiger, “Plant Physiology”, Sinauer Associates Inc. (2002).
- [107] P. Langehanenberg, B. Kemper, D. Dirksen, G. von Bally, “Autofocusing in digital holographic phase contrast microscopy on pure phase objects for live cell imaging”, Appl. Opt., 47, D176-D182 (2008).
- [108] Y. K. Park, M. Diez-Silva, G. Popescu, G. Lykotrafitis, W. Choi, M. S. Feld, and S. Suresh, “Refractive index maps and membrane dynamics of human red blood cells parasitized by Plasmodium falciparum”, Proc. Natl. Acad. Sci., 105, 13730-13735, (2008).
- [109] N. T. Shaked, L. L. Satterwhite, M. J. Telen, G. A. Truskey, A. Wax, “Quantitative microscopy and nanoscopy of sickle red blood cells performed by wide field digital interferometry”, J. Biomed. Opt., 16, 030506 (2011).
- [110] Y. Kim, H. Shim, K. Kim, H. Park, S. Jang and Y. Park, “Profiling individual human red blood cells using common-path diffraction optical tomography”, Scientific Reports, 4, Art. No. 6659 (2014).
- [111] F. Lang (Ed.), “Mechanisms and Significance of Cell Volume Regulation”, Karger, Basel (2006).
- [112] B. J. Bain, “Blood Cells: A practical Guide”, Blackwell Publishing, Massachusetts (2006).
- [113] K. Saladin, “Human Anatomy”, McGraw-Hill, New York (2008).

- [114] N. Beck, “Diagnostic Hematology”, Springer, London (2009).
- [115] C. Brugnara, A. Kratz (Eds.), “Automated Hematology Analyzers: State of the Art”, Elsevier, Pennsylvania (2015).
- [116] G. Gompper, M. Schick (Eds.), “Soft Matter: Lipid Bilayers and Red Blood Cells”, vol. 4, Wiley-VCH, Weinheim (2008).
- [117] M. Hammer, D. Schweitzer, B. Michel, E. Thamm, and A. Kolb, “Single scattering by red blood cells”, *Appl. Opt.* 37, 7410 - 7418 (1998).
- [118] P. Girshovitz, N. T. Shaked, “Generalized cell morphological parameters based on interferometric phase microscopy and their application to cell life cycle characterization”, *Biomed. Opt. Express*, 3, 1757-1773 (2012).
- [119] N. R. Patel, V. K. Chhaniwal, B. Javidi, A. Anand, “Identification of malaria infected red blood samples by digital holographic quantitative phase microscope”, *Proc. SPIE*, 9536, 95360E (2015).
- [120] B. Kemper, S. Kosmeier, P. Langehanenberg, G Von Bally, I Bredebuch, W. Domschke, J Schnekenburger, “Integral refractive index determination of living suspension cells by multifocus digital holographic phase contrast microscopy”, *J. Biomed. Opt.*, 12, 054009 (2007)
- [121] N. Lue, G. Popescu, T. Ikeda, R. R. Dasari, K. Badizadegan, and M. S. Feld, “Live cell refractometry using microfluidic devices”, *Opt. Lett.* 31, 2759-2761 (2006).
- [122] F. Charriere, N. Pavillon, T. Colomb, C. Depeursinge, T. J. Heger, E. A. D. Mitchell, P. Marquet, and B. Rappaz, “Living specimen tomography by digital holographic microscopy: morphometry of testate amoeba”, *Opt. Express*, 14, 7005-7013 (2006).
- [123] W. Gorski and W. Osten, “Tomographic imaging of photonic crystal fibers”, *Opt. Lett.* 32, 1977-1979 (2007).

- [124] A. Kus, M. Dudek, B. Kemper, M. Kujawinska, and A. Vollmer, “Tomographic phase microscopy of living three-dimensional cell cultures”, *J. Biomed. Opt.*, 19(4), 046009 (2014)
- [125] V. Lauer, “New approach to optical diffraction tomography yielding a vector equation of diffraction tomography and a novel tomographic microscope,” *J. Microsc.* 205, 165-176 (2002).
- [126] Y. Kim, H. Shim, K. Kim, H. J. Park, J. H. Heo, J. Yoon, C. Choi, S. Jang, Y. K. Park, “Common-path diffraction optical tomography for investigation of three-dimensional structures and dynamics of biological cells”, *Opt. Express*, 22, 10398-10407 (2014).
- [127] Kak, A. and Slaney, M. “Principles of Computerized Tomographic Imaging”, Academic Press, New York, 1999.