

References

- Abalos A, Pinaso A, Infante MR, Casals M, Garcia F and Manresa A. Physicochemical and antimicrobial properties of new rhamnolipids by *Pseudomonas aeruginosa* AT10 from soybean oil refinery wastes. *Langmuir*. 2001;17:1367-1371
- Abouseoud M, Maachi R, Amrane A, Boudergua S, Nabi A. Evaluation of different carbon and nitrogen sources in production of biosurfactant by *Pseudomonas fluorescens*. *Desalination*. 2008;223:143–151.
- Aguilar MI. Methods in molecular biology: HPLC of peptides and proteins; Methods and Protocols Vol. 251. Humana Press. Totowa, New Jersey. 2004:0751
- Arima K, Kakinuma A, Tamura G. Surfactin a crystalline peptide lipid surfactant produced by *Bacillus subtilis*: Isolation, characterization and its inhibition of fibrin clot formation. *Biochem. Biophys. Res. Commun.* 1968;31:488-494.
- Al-Bahry SN, Al-Wahaibi YM, Elshafie AE, Al-Bemani AS, Joshi SJ, Al-Makhmari HS, Al-Sulaimani HS. Biosurfactant production by *Bacillus subtilis* B20 using date molasses and its possible application in enhanced oil recovery. *International Biodeterioration and Biodegradation*. 2013;81:141-146.
- Al-Wahaibi Y, Joshi S, Al-Bahry S, Elshafie A, Al-Bemani A, Shibulal B. Biosurfactant production by *Bacillus subtilis* B30 and its application in enhancing oil recovery. *Colloids Surf. B. Biointerfaces*. 2014;114:324-33.
- Banat I, Franzetti A, Gandolfi I, Bestetti G, Martinotti M, Fracchia L. Microbial biosurfactants production, applications and future potential. *Applied Microbiology and Biotechnology*. 2010;87(2),427-44.
- Belsky I, Gutnick DL, Rosenberg E. Emulsifier of *Arthrobacter* RAG-1: determination of emulsifier-bound fatty acids. *FEBS Lett.* 1979;101:175–178.
- Benincasa M, Abalos A, Oliveira I, Manresa A. Chemical structure, surface properties and biological activities of the biosurfactant produced by *Pseudomonas aeruginosa* LBI from soapstock. *Antonie Van Leeuwenhoek* 2004; 85:1–8
- Bluth MH, Kandil E, Mueller CM, Shah V, Lin Y, Zhang H, Dresner L, Lempert L, Nowakowski M, Gross R, Schulze R, Zenilman ME. Sophorolipids block lethal effects of septic shock in rats in a cecal ligation and puncture model of experimental sepsis. *Crit. Care Med.* 2006;34:188–195.

- Bodour AA, Guerrero-Barajas C, Jiorle BV, Malcomson ME, Paull AK, Somogyi A, Trinh LN, Bates RB, Maier RM. Structure and characterization of flavolipids, a novel class of biosurfactants produced by *Flavobacterium* sp. strain MTN11. *Appl Environ Microbiol.*2004;70:114–120.
- Bonilla M, Olivaro C, Corona M, Vazquez A, Soubes M. Production and characterization of a new bioemulsifier from *Pseudomonas putida* ML2. *J Appl Microbiol.*2005;98:456–463.
- Bonmatin JM, Laprevote O, Peypoux F. Diversity among microbial cyclic lipopeptides: iturins and surfactins. Activity-structure relationships to design new bioactive agents. *Comb Chem High Throughput Screen.*2003;6(6):541-56.
- Bouffieux O, Berquand A, Eeman M, Paquot M, Dufrene YF, Brasseur R, Deleu M. Molecular organization of surfactin–phospholipid monolayers: Effect of phospholipid chain length and polar head, *BBA–Biomembranes.*2007;1768:1758–1768.
- Brown AK, Kaul A, Varley J. Continuous foaming for protein recovery: Part I. Recovery of betacasein. *Biotech Bioeng.*1999a;62(3):278–90.
- Brown AK, Kaul A, Varley J. Continuous foaming for protein recovery: Part II. Selective recovery of proteins from binary mixtures. *Biotech Bioeng.*1999b;62(3):291–300.
- Bryant FO. Improved method for the isolation of biosurfactant glycolipids from *Rhodococcus* sp. strain H13A. *Appl. Environ. Microbiol.*1990;56:1494–1496.
- Buchanan RL, Whiting RC, Damert WC. When is simple good enough: a comparison of Gompertz, Baranyi, and three-phase linear models for fitting bacterial growth curves. *Food Microbiol.*1997;14:313-326.
- Burja AM, Banaigs B, Abou-Mansour E, Burgess JG, Wright PC. Marine cyanobacteria-a prolific source of natural products. *Tetrahedron.*2001;57:9347-9377.
- Cameotra SS, Makkar RS. Synthesis of biosurfactants in extreme conditions. *Appl. Microbiol. Biotechnol.*1998;50:520–529.
- Carcano S. A model for cell growth in batch bioreactors. PhD Thesis.2009;9-10.
- Carrera P, Cosmina P, Grandi G. Mutant of *Bacillus subtilis* and production of surfactin by use of the mutant. Patent (J04299981).1992.

- Charalampopoulos D, Pandiella S, Webb C. Growth studies of potentially probiotic lactic acid bacteria in cereal-based substrates. *Journal of App. Microbiol.*2002;92:851-859.
- Chen J, Song X, Zhang H, Qu Y. Production, structure elucidation and anticancer properties of sophorolipid from *Wickerhamiella domercqiae*. *Enzyme Microb. Technol.*2006;39:501–506.
- Cirigliano MC, Carman GM. Purification and characterization of liposan, a bioemulsifier from *Candida lipolytica*.*Appl.Environ.Microbiol.*1985;50:846–850
- Cooper DG, MacDonald CR, Duff SJB, Kosaric N. Enhanced production of Surfactin by continuous product removal and metal cation additions. *Appl. Environ.Microbiol.*1981;42(3):408 –12.
- Cooper DG, Goldenberg BG. 1987. Surface-Active agents from two *Bacillus* species. *Appl.Environ.Microbiol.*53:224–229.
- Das P, Mukherjee S, Sen R. 2008. Antimicrobial potential of a lipopeptide biosurfactant derived from a marine *Bacillus circulans*. *J.Appl.Microbiol.* 104:1675–1684.
- Davis DA, Lynch HC, Varley J. The application of foaming for the recovery of Surfactin from *Bacillus subtilis* ATCC 21332 Cultures. *Enzyme.Microb. Technol.*2001;28:346-354.
- de Roublin MR, Mulligan CN, Gibbs BF. Correlation of enhanced surfactin production with decreased isocitrate dehydrogenase activity. *Can.J.Microbiol.* 1989;35:854-859.
- Desai J, Banat I. Microbial production of surfactants and their commercial potential. *Microbiol.Mol.Biol.Rev.*1997;61:47–64.
- Drouin CN, Cooper DG. Biosurfactants and aqueous two phase – fermentation. *Biotechnol.Bioeng.*1992;40:86-90.
- Dubey K, Juwarkar A. Distillery and curd whey wastes as viable alternative sources for biosurfactant production.*World.J.Microbiol.Biotechnol.*2001;17:61–69.
- Dubey K, Juwarkar A. Determination of genetic basis for biosurfactant production in distillery and curd whey wastes utilizing *Pseudomonas aeruginosa* strain BS2. *Indian J. Biotechnol.*2004;3:74–81.

- Dubey KV, Juwarkar AA, Singh SK. Adsorption-desorption process using wood-based activated carbon for recovery of biosurfactant from fermented distillery wastewater. *Biotechnol.Progr.*2005;21(3):860-867.
- Edwards JR, Hayashi JA. Structure of a rhamnolipid from *Pseudomonas aeruginosa*. *Arch.Biochem.Biophys.*1965;111:415–421.
- Eeman M, Berquand A, Dufrêne YF, Paquot M, S. Dufour, M. Deleu, Penetration of surfactin into phospholipid monolayers: Nanoscale interfacial organization. *Langmuir.*2006;22:11337–11345.
- Faulds CB, Bartolome B, Williamson G et al. Novel biotransformation of agro-industrial cereal waste by ferulic acid esterase. *Ind.Crops.Prod.*1996;6:367–374.
- Fonseca de Faira A, Martinez DST, de Oliveria Barbosa GN, Vaz BG, Silva IS, Garcia JS, Totola MG, Eberlin MN, Grossman M, Alves OL, Durrant LR. Production and structural characterization of Surfactin (C₁₄/Leu₇) produced by *Bacillus subtilis* isolate LSFM-05 grown on raw glycerol from the biodiesel industry. *Process. Biochem.*2011;46:1951-1957.
- Fox SL, and Bala GA. Production of surfactant from *Bacillus subtilis* ATCC 21332 using potato substrates. *Bioresource.Technol.*2000;75:235-240.
- Govindarao VM. Utilization of rice husk – a preliminary analysis. *J. Sci. Ind. Res.*1980;39:495–515.
- Haba E, Espuny MJ, Busquets M, Manresa A. Screening and production of rhamnolipids by *Pseudomonas aeruginosa* 47T2 NCIB 40044 from waste frying oils. *J.Appl.Microbiol.*2000;88:379–387.
- Habibi Y, Zawawy WKE, Ibrahim MM et al. Processing and characterization of reinforced polyethylene composites made with lignocellulosic fibers from Egyptian agro-industrial residues. *Compos.Sci.Technol.*2008;68:1877–1885.
- Haghighat S, Sepahy AA, Assadi MM and Pasdar H. Ability of indigenous *Bacillus licheniformis* and *Bacillus subtilis* in microbial enhanced oil recovery. *International Journal of Environmental Science Technology.*2008;5.2:385-390.
- Han YC, Huang X, Cao MW, Wang YL. Micellization of Surfactin and Its Effect on the Aggregate Conformation of Amyloid β (1-40). *J.Phys.Chem.B.*2008;112(47):15195-15201.
- Heerklotz H, Seelig J. Leakage and lysis of lipid membranes induced by the lipopeptide surfactin. *Eur.Biophys.J.*2006;36:305–314.

- Herman DC, Artiola JF, Miller RM. Removal of cadmium, lead and zinc from soil by a rhamnolipid biosurfactant. *Environ.Sci.Technol.*1995;29:2280-2285.
- Hesch R. Straw is a viable material for the particleboard industry. *Plywood Panel.*1978;19(7):26–27.
- Hines JD. The preparation of surface actively pure sodium n-dodecyl sulphate by foam fractionation. *J.Colloid.Interf.Sci.*1996;180:488–4926.
- Hitsatsuka K, Nakahara T, Sano N and Yamada K. Formation of a rhamnolipid by *Pseudomonas aeruginosa* and its function in hydrocarbon fermentation. *Agr.Biol.Chem.*1971;35:686-692.
- Holakoo L and Mulligan CN. On the capability of rhamnolipids for soil spill control of surface water. *Proc. Annual Conf. Canadian Soc. Civil Eng.*2002;5-8.
- Hommel RK, Stegner S, Weber L, Kleber HP.Effect of ammonium ions on glycolipid production by *Candida (Torulopsis) apicola*. *Appl.Microbiol.Biotechnol.*1994;42:192–197.
- Horowitz S, and Griffin WM. Structural analysis of *Bacillus licheniformis* 86 surfactant. *J.Ind Microbiol.*1991;7(1):45-52.
- Hue N, Serani L, Laprevote O. Structural investigation of cyclic peptidolipids from *Bacillus subtilis* by high energy tandem mass spectrometry. *Rapid Commun. Mass Spectram.*2001;15:203-209.
- Hulscher WS et al. Briquetting in South and East Asia: State of the Art Assessment. Annual Report. Technology and Development Group, The Univ. of Twente, and Densi Tech BV, The Netherlands.1992.
- Inoue S. World Conf. on Biotechnol. for Fats and Oils Ind. *J.Am. Oil. Chem. Soc.* Champaign, IL.1988:206-209.
- Ishigami Y, Osman M, Nakahara H, Sano Y, Ishiguro R, Matsumoto M. Significance of beta sheet formation for micellization and surface adsorption of Surfactin. *Colloid Surface B.* 1995;4:341–348.
- Israilides CJ, Iconomou D, Kandylis K, Nikokyris P. Fermentability of sugar-beet pulp and its acceptability in mice. *Bioresource Technology.*1994;47:97–101.
- Jain DK, Collins-Thomas DL, Lee H, Trevors JT. A drop-collapsing test for screening surfactant-producing microorganisms. *J.Microbiol.Methods.*1991;13: 271-279.

- Joshi S, Bharucha C, Jha S, Yadav S, Nerurkar A, Desai AJ. Biosurfactant production using molasses and whey under thermophilic conditions. *Bioresource Technol.*2008;99:195-199.
- Kakinuma A, Oachida A, Shima T, Sugino H, Isano M, Tamura G and Arima K. Confirmation of the structure of surfactin by mass spectrometry. *Agric.Biol.Chem.*1969;33:1669-1672.
- Kang H, Wetland P. Ultimate anaerobic biodegradability of some Agro-industrial residues. *Bioresource Technol.*1993;43:107–111.
- Kappeli O, Finnerty WR. Partition of alkane by an extracellular vesicle derived from hexadecane grown *Acinetobacter*. *J.Bacteriol.*1979;140:707–712.
- Kim HS, Jeon JW, Kim BH, Ahn CY, Oh HM, Yoon BD. Extracellular production of a glycolipid biosurfactant, mannosylerythritol lipid, by *Candida* sp. SY16 using fed batch fermentation. *Appl.Microbiol.Biotechnol.*2006;70:391–396.
- Kim HS, Yoon BD, Lee CH, Suh HH, OH HM, Katsuragi T, Tani Y. Production and properties of a lipopeptide biosurfactant from *Bacillus subtilis* C9. *J.Ferment.Bioeng.*1997;84(1):41-46.
- Kim KM, Lee JY, Kim CK, Kang JS. Isolation and characterization of surfactin produced by *Bacillus polyfermenticus* KJS-2. *Arch.Pharmacol.Res.*2009;32:711-715.
- Kim, P., Oh, D. K., Lee, J. K., Kim, S. Y. and Kim, J. H., Biological modification of the fatty acid group in an emulsan by supplementing fatty acids under conditions inhibiting fatty acid biosynthesis. *J.Biosci.Bioeng.*2000;90:308–312.
- KumarM, Leon V. Materano ADS, Ilzins OA, Galindo-Castro I, Fuenmayor SL. Polycyclic aromatic hydrocarbon degradation by biosurfactant-producing *Pseudomonas* sp. IR1. *Zeitschrift fur Naturforschung C-Journal of Biosciences.* 2006.
- Krishnaswamy Muthusamy, Subbuchettiar Gopalakrishnan, Thiengungal Kochupappy Ravi and Panchaksharam Sivachidambaram. Biosurfactants: Properties, commercial production and application. *Curr.Sci.*2008;94(6):736-747.
- Knoblich A, Matsumoto M, Ishiguro R, Murata K, Fujiyoshi Y, Ishigami Y, Osman M. Electron cryo-microscopic studies on micellar shape and size of surfactin, an anionic lipopeptide. *Colloid Surface.B.*1995;5:43–48.

- Koch V, Ruffner HM, Schlugerl K, Innertsberger E, Menzel H, Weis J. Effect of antifoam agents on the medium and microbial cells properties and process performance in small and large bioreactors. *Process.Biochem.*1995;30(5):435–46.
- Korenblum E, De Araujo LV, Guimaraes CR, De Souza LM, Sassaki G, Abreu F, et al. Purification and characterization of a surfactin-like molecule produced by *Bacillus sp.* H2O-1 and its antagonistic effect against sulfate reducing bacteria. *BMC microbiology.* 2012.
- Kosaric N, Cairns WL, Gray NCC, Stechey D, Wood J. The role of nitrogen in multiorganism strategies for biosurfactant production. *J.Am.Oil.Chem.Soc.*1984; 61:1735-1743.
- Kosaric N. Biosurfactants in industry. *Pure.Appl.Chem.*1992;64(11):1731-1737.
- Kosaric N, Cairns WL, Gray NCC. Microbial De-emulsifiers. In: Kosaric N et al. *Biosurfactants and Biotechnology.* New York: Marcel Dekker.1987:248-321.
- Kowall M, Vater J, Kluge B, Stein T, Franke P, Ziessow D. Separation and characterization of surfactin isoforms produced by *Bacillus subtilis* OKB 105. *J.Colloid Interface Sci.*1998;204:1-8.
- Knowles L. A better alternative. *Timberline Tribune, USA.*1992;1:6.
- Lang S, and Wagner F. Structure and properties of biosurfactants. *Biosurfactants and Biotechnology.*1987;21-45.
- Lin SC. Biosurfactant: Recent advances.*J.Chem.Tech.Biotechnol.*1996;63:109-120.
- Lin S, Carswell KS, Sharma MM, Georgiou G. Continuous production of the lipopeptide biosurfactant by *Bacillus licheniformis* JF-2. *Appl.Microbiol. Biotechnol.*1998b;41:281–285.
- Lin SC, Jiang HJ. Recovery and purification of the lipopeptide biosurfactant of *Bacillus subtilis* by ultrafiltration. *Biotechnol Tech.*1997;11:413–416.
- Lin SC, Lin KG, and Lin YM. Enhanced biosurfactant production by a *Bacillus licheniformis* mutant. *Enzyme.Microb.Technol.*1998a;23:267-273.
- Lin Y, Tanaka S. Ethanol fermentation from biomass resources: current state and prospects. *Appl.Microbiol.Biotechnol.*2006;69:627–642.
- Li Y, Zou AH, Ye RQ, Mu BZ. Counterion-Induced Changes to the Micellization of Surfactin-C₁₆ Aqueous Solution.*J.Phys.Chem.B.*2009;113:15272-15277.
- Liu XY, Yang SZ, Mu BZ. Isolation and characterization of a C12-lipopeptide produced by *Bacillus subtilis* HSO 121. *J.Pept.Sci.*2008;14:864–875.

- Liu XY, Yang SZ, Mu BZ. Production and characterization of a C-15-surfactin-Omethyl ester by a lipopeptide producing strain *Bacillus subtilis* HSO121. *Process Biochem.*2009;44:1144–51.
- Loken S et al. Guide to Resource Efficient Building Cements. Annual Report. CRBT. Missula,MT,USA:1991.
- Maget-Dana R, Ptak M. Interactions of surfactin with membrane models, *Biophys.J.*68;1995:1937–1943.
- Makkar RM, Cameotra SS. Utilization of molasses for biosurfactant production by two *Bacillus subtilis* strain at thermophilic conditions. *J.Am.Oil.Chem.Soc.* 1997;74:887-889.
- Makkar RM, Cameotra SS. Biosurfactant production by a thermophilic *Bacillus subtilis* strain. *J.Ind.Microbiol.Bioeng.*1997;18:37–42.
- Makkar RS, and Cameotra SS. Structural characterization of a biosurfactant produced by *Bacillus subtilis* at 45°C. *J. Surfactants.Deterg.*1999;2(3):367-372.
- Makkar RS, and Cameotra SS. Effects of various nutritional supplements on biosurfactant production by a strain of *Bacillus subtilis* at 45°C. *J. Surfactants. Deterg.* 2002;5:11-17.
- Matis KA, Mavros P. Recovery of metals by ion flotation from dilute aqueous solutions. *Separ.Purif.Method.*1991;20:1-48.
- Mercade ME, Manresa MA, Robert M, Espuny MJ, Andres C, Guinea J. Olive oil mill effluent (OOME). New substrate for biosurfactant production. *Bioresource. Technol.*1993;43:1–6.
- Mercade ME, Monleom L, deAndres C, Rodon I, Martinez E, Espuny MJ, Manresa A. Screening and selection of surfactant-producing bacteria from waste lubricating oil. *Journal of Applied Bacteriology.*1996;81:161-168.
- Mireles JR, Toguchi A, Harshey RM. *Salmonella enterica* serovar Typhimurium swarming mutants with altered biofilm-forming abilities: surfactin inhibits biofilm formation. *Journal of Bacteriology.*2001;183(20):5848-54.
- Mishra BK, Arora A, Lata. Optimization of a biological process for treating potato chips industry wastewater using a mixed culture of *Aspergillus foetidus* and *Aspergillus niger*. *Bioresource. Technol.*2004; 94(1):9-12.
- Mohan SB, Lydiatt A. Protein separation by differential drainage from foam. *Biotech.Bioeng.*1994;44:1261– 4.

- Moldes AB, Torrado AM, Barral MT, Dominguez JM. Evaluation of biosurfactant production from various agricultural residues by *Lactobacillus pentosus*. J.Agric.Food.Chem.2007;55(11):4481-6.
- Morikawa M, Daido H, Takao T, Murata S, Shimonishi Y, Imanaka T. A new lipopeptide biosurfactant produced by *Arthrobacter* sp. strain MIS38. J. Bacteriol.1993;175:6459–6466.
- Morikawa M, Ito M, Imanaka T. Isolation of a new surfactin producer *Bacillus pumilus*A-1, and cloning and nucleotide sequence of the regulator gene, psf-1. J. Ferm.Bioeng.1992;74:255–261.
- Mukherjee S, Das P, Sivapathasekaran C, Sen R. Enhanced production of biosurfactant by a marine bacterium on statistical screening of nutritional parameters. Biochem.Eng.J.2008;42:254-260.
- Mukherjee S, Das P, Sen R. Towards commercial production of microbial surfactants, Trends.Biotechnol.2006;24:509–515.
- Muthusamy K, Gopalakrishnan S, Thiengungal KR, Panchaksharam S. Biosurfactants: Properties, commercial production and application. Curr.Sci. 2008;94(6):736-747.
- Mulligan CN, Chow TYK, Gibbs BF. Enhanced biosurfactant production by a mutant *Bacillus subtilis* strain. Appl.Microbiol.Biotechnol.1989;31:486–489.
- Mulligan CN and Gibbs BF. Factors influencing the economics of biosurfactants; in Biosurfactants, Production, Properties, Applications. Ed. N Kosaric (New York: Marcel Dekker) 1993:329–371.
- Mulligan CN, Gibbs BF. Types, production and applications of biosurfactants. Proc. Indian.Natn.Sci.Acad.2004;B70:31-55.
- Mulligan CN, Yong RN, and Gibbs BF. On the use of biosurfactants for the removal of heavy metals from oil-contaminated soil. Environ.Prog.1999a;18:50-54.
- Mulligan CN, Yong RN, Gibbs BF. Heavy metal removal from sediments by biosurfactants. J.Haz.Mat.2001; 85:111-125.
- Nitschke M, Costa SG, Haddad R, Gonçalves LA, Eberlin MN, Contiero J. Oil wastes as unconventional substrates for rhamnolipid biosurfactant production by *Pseudomonas aeruginosa* LB1. Biotechnol.Prog.2005;21:1562–1566.

- Nitschke M, Pastore GM. Production and properties of a surfactant obtained from *Bacillus subtilis* grown on cassava wastewater. *Bioresource Technol.*2006;97:336-341.
- Nitschke M, Araújo L, Costa S, Pires R, Zeraik A, Fernandes A, et al. Surfactin reduces the adhesion of food-borne pathogenic bacteria to solid surfaces. *Letters in applied microbiology.*2009;49(2):241-7.
- Noah KS, Fox SL, Bruhn DF, Thompson DN, Bala GA. Development of continuous surfactin production from potato process effluent by *Bacillus subtilis* in an airlift reactor. *Appl.Biochem.Biotechnol.*2002;98-100:803–813.
- Noah KS, Fox SL, Bruhn DF, Thompson DN, Bala GA. Surfactin production from potato process effluent by *Bacillus subtilis* in a chemostat. *Appl.Biochem. Biotechnol.*2005;122:465–474.
- Ochoa-loza F. Physico-chemical factors affecting rhamnolipid biosurfactant application for removal of metal contaminants from soil. Ph.D. dissertation. University of Arizona, Tucson. 1998.
- Ohno A, Ano T, Shoda M. Production of a lipopeptide antibiotic surfactin with recombinant *Bacillus subtilis*. *Biotechnol.Lett.*1992;14:1165-1168.
- Ohno A, Ano T, Shoda M. Production of a lipopeptide antibiotic, surfactin, by recombinant *Bacillus subtilis* in solid state fermentation. *Biotechnol.Bioeng.* 1995;47:209–214.
- Onbasli D, Aslim B. Determination of antimicrobial activity and production of some metabolites by *Pseudomonas aeruginosa* B1 and B2 in sugar beet molasses. *African J. of Biotechnol.*2008;7(24):4614-4619.
- Osman M, Hailand H, Holmsen H. Micropolarity and microviscosity in the micelles of the heptapeptide biosurfactant “surfactin”. *Colloid Surface. B.*1998;11:167–175.
- Pandey A, Soccol CR, Mitchell DA. New development in solid-state fermentation I – bioprocess and products. *Process Biochem.*2000;35:1153-1169.
- Pandey A, Soccol CR, Nigam P, Brand D, Mohan R, Roussos S. Biotechnological potential of coffee pulp and coffee husk for bioprocesses. *Biochemical Engineering Journal.*2000a;6:153–162.
- Pandey A, Soccol CR, Nigam P, Soccol VT. Biotechnological potential of agro-industrial residues. I: sugarcane bagasse. *Bioresource Technology.*2000b;74:69–80.

- Pandey Sk, Marwaha RS, Kumar D, Singh SV. Indian potato processing story: Industrial limitations, challenges ahead and vision for the future. *Potato J.*2009; 36:1-13.
- Passeri A, Schmidt M, Haffner T, Wray V, Lang S, Wagner F. Marine biosurfactants, IV. Production, characterization and biosynthesis of an anionic glucose lipid from the marine bacterial strain MM1. *Appl.Microbiol.Biotechnol.* 1992;37:281–286.
- Patel, R. M. and Desai, A. J., Biosurfactant production by *Pseudomonas aeruginosa* GS3 from molasses. *Lett.Appl.Microbiol.*1997;25:91–94.
- Pekin G, Sukan FV, Kosaric N. Production of sophorolipids from *Candida bombicola* ATCC 22214 using Turkish corn oil and honey. *Eng. Life Sci.*2005;5:357–362.
- Pelczar MJ, Chan ECS, Kreig NR. Microbiology (5th edition). New Delhi:Tata Mcgraw Hill Publishing Company Ltd.,2004
- Peleg M, Corradini G. Microbial Growth Curves: What the Models Tell Us and What They Cannot. *Critical reviews in food science and nutrition.* 2011;51(10):917-945.
- Pereira JFB, Gudina EJ, Doria ML, Domingues MR, Rodrigues LR, Teixeira JA, et al. Characterization by electrospray ionization and tandem mass spectrometry of rhamnolipids produced by two *Pseudomonas aeruginosa* strains isolated from Brazilian crude oil. *Eur J Mass Spectrom.*2012;18:399–406.
- Peypoux F, Bonmatin JM, Labbe H, Das BC, Ptak M, Michel G. Isolation and characterization of a new variant of surfactin, the (Val 7) surfactin. *Eur. J.Biochem.*1991; 202:101-106.
- Poorna CA, Prema P. Production and partial characterization of endoxylanase by *Bacillus pumilus* using agro-industrial residues. *Biochem.Eng.J.*2006;32:106–112.
- Queiroga CL, Nascimento LR, Serra GE. Evaluation of paraffins biodegradation and biosurfactant production by *Bacillus subtilis* in the presence of crude oil. *Brazilian J.Microbiol.*2003;34(4):321–324.
- Rahman KSM, Rahman TJ, McClean S, Marchant R, Banat IM. Rhamnolipid biosurfactants production by strains of *Pseudomonas aeruginosa* using low cost raw materials. *Biotechnol.Prog.*2002;18:1277–1281.

- Ramnani P, Sureshkumar S, Gupta R. Concomitant production and downstream processing of alkaline protease and biosurfactant from *Bacillus licheniformis* RG1: Bioformulation as detergent additive. *Process.Biochem.*2005;40:3352-3359.
- Raza ZA, Rehman A, Khan MS, Khalid ZM. Improved production of biosurfactant by a *Pseudomonas aeruginosa* mutant using vegetable oil refinery wastes. *Biodegradation.*2007;18(1):115-121.
- Reddy AS, Chen CY, Baker SC, Chen CC, Jean JS, Fan CW, Chen HR, Wang JC. Synthesis of silver nanoparticles using surfactin: a biosurfactant stabilizing agent. *Mat.Lett.*2009; 63:1227–1230.
- Reiling HE, Thanei-Wyss TU, Guerra-Santos LH, Hirt TR, Kappeli, Flechter A. Pilot plant production of rhamnolipid biosurfactant by *Pseudomonas aeruginosa*. *Appl.Environ.Microbiol.*1986;51:985-989.
- Reis RS, Pacheco GJ, Pereira AG, Freire DMG. Biosurfactants: Production and application. In: Chamy R, Rosenkranz F. *Biodegradation-Life of Science.*Intech; 2013:953-978.
- Robert M, Mercade ME, Bosch MP, Parra JL, Espuny MJ, Manresa MA, Guinea J. Effect of the carbon source on biosurfactant production by *Pseudomonas aeruginosa* 44T. *Biotechnology Letter.*1989;11: 871-874.
- Rodrigues LR, Teixeira JA, Van der Mei HC, Oliveira R. Physicochemical and functional characterization of a biosurfactant produced by *Lactococcus lactis* 53. *Colloid Surface.B.*2006; 49:79-86.
- Royan S, Parulekar C, Mavinkurve S. Exopolysaccharides of *Pseudomonas mendocina* P2d. *Lett.Appl.Microbiol.*1999;29:342–346.
- Roy VC. Rice bran oil units upbeat over surging demand. *Business Standard.* Chandigarh.16 June.2014.
- Salehizadeh H, Mohammadizad S. Microbial enhanced oil recovery using biosurfactant produced by *Alcaligenes faecalis*. *Iranian J. of Biotechnol.* 01/2009;7(4):216-223.
- Sarath G, Mitchel RB, Satler SE, Funnell D, Pedersen JF, Graybosch RA, Vogel KP. Opportunities and roadblocks in utilizing oranges and small grains for liquid fuels. *J.Ind.Microbiol.Biotechnol.*2008;35:343–354.

- Satpute SK, Banpurkar AG, Dhakephalkar PK, Banat IM, Chopade BA. Methods for investigating biosurfactants and bioemulsifiers: a review. Crit.Rev.Biotechnol.2010;1-18.
- Sen R, Swaminathan T. Characterization of concentration and purification parameters and operating conditions for the small-scale recovery of surfactin. Process Biochem.2005;40:2953–2958.
- Seydlova G, Svobodova J. Review of surfactin chemical properties and the potential biomedical applications. Cent.Eur.J.Med.2008;3(2):123-133.
- Sen R, Swaminathan T. Application of response-surface methodology to evaluate the optimum environmental conditions for the enhanced production of surfactin, Appl.Microbiol.Biotechnol.1997;47:358–363.
- Scheibendogen K, Zytner RG, Lee H, Trevors JT. Enhanced removal of selected hydrocarbons from soil by *Pseudomonas aeruginosa* UG2 biosurfactants and some chemical surfactants. J.Chem.Tech.Biotechnol.1994;59:53-59.
- Schnute J, A versatile growth model with statistically stable parameters. Can.J.Fish.Aquat.Sci.1981;38:1128-1140.
- Scholz C, Mehta S, Bisht K, Guilmanov V, Kaplan D, Nicolosi R, Gross R. Bioactivity of extracellular glycolipids-Investigation of potential anti-cancer activity of Sophorolipids and Sophorolipid-derivatives. Polym.Reprints.1998; 39:168-169.
- Shabtai Y. Production of exopolysaccharides by *Acinetobacter* strains in a controlled fed-batch fermentation process using soap stock oil (SSO) as carbon source. Int.J.Biol.Macromol.1990;12(2):145–152.
- Shah V, Badia D and Ratsep P. Sophorolipids Having Enhanced Antibacterial Activity Antimicrob. Agents Chemother.2007;51(1):397–400.
- Shah V, Doncel GF, Seyoum T, Eaton KM, Zalenskaya I, Hagver R, Azim A and Gross R. Sophorolipids: novel glycolipid preventive agents for conception and sexual transmission. Antimicrob. Agents Chemother. 2005;49:4093-4100.
- Shaligram NS, Singhal RS. Surfactin – A review on biosynthesis, fermentation, purification and applications. Food Technol.Biotechnol.2010;48(2):119-134.
- Sheppard JD, Mulligan CN. The production of surfactin by *Bacillus subtilis* grown on peat hydrolysate. Appl.Microbiol.Biotechnol.1987;27:110-116.

- Siegmund I, Wagner F. New method for detecting rhamnolipids excreted by *Pseudomonas* species during growth on mineral agar. *Biotechnol. Tech.* 1991;5:265–268.
- Singh S, Kang SH, Mulchandani A, Chen W. Bioremediation: environmental clean-up through pathway engineering. *Current opinion in biotechnology.* 2008;19(5):437-44.
- Slivinski CT, Mallmann E, de Araujo JM, Mitchell DA, Krieger N. Production of surfactin by *Bacillus pumilus* UFPEDA 448 in solid-state fermentation using a medium based on okara with sugarcane bagasse as a bulking agent. *Process Biochem.* 2012;47:1848-1855.
- Soler CP. Individual based modeling of bacterial cultures in the study of the lag phase. PhD Thesis; 2008:59-60.
- Sylstad C, Wagner F. *Biosurfactants and biotechnology*. New York: Marcel Dekker, 1987.
- Tahzibi A, Kamal F, Assadi MM. Improved production of rhamnolipid by a *Pseudomonas aeruginosa* mutant. *Iranian Biomed.J.* 2004;1:25–31.
- Tan H, Champion JT, Artiola JF, Brusseau ML, Miller RM. Complexation of cadmium by a rhamnolipid biosurfactant. *Environ.Sci.Technol.* 1994;14:713-718.
- Tang JS, Gao H, Hong K, Yu Y, Jiang MM, Lin HP, Ye WC, Yao XS. Spectral assignments and reference data complete assignments of ¹H and ¹³C NMR spectral data of nine surfactin isomers. *Magn.Reson.Chem.* 2007;45:792-796.
- Tang JS, Zhao F, Gao H, Dai Y, Yao ZH, Yao H, Hong K, Li J, Ye WC, Yao XS. Characterization and Online Detection of Surfactin Isomers Based on HPLC-MSn Analyses and Their Inhibitory Effects on the Overproduction of Nitric Oxide and the Release of TNF- α and IL-6 in LPS-Induced Macrophages *Mar. Drugs.* 2010;8:2605-2618.
- Tabatabaee A, Assadi MM, Noohi AA, Sajadian VA. Isolation of biosurfactant producing bacteria from oil reservoirs. *Iranian Journal Environmental Health Science and Engineering* 2005;2.1:6-12.
- Thaniyavarn J, Roongsawang N, Kameyama T, Haruki M, Imanaka T, Morikawa M, Kanaya S. Production and characterization of biosurfactants from *Bacillus licheniformis* F2.2. *Biosci Biotechnol Biochem.* 2003;67:1239–1244.

- Thavasi R, Jayalakshmi S, Banat IM. Application of biosurfactant produced from peanut oil cake by *Lactobacillus delbrueckii* in biodegradation of crude oil. *Bioresource Technol.*2011;102:3366-3372.
- Thimon L, Peypoux F, Michel G. Interactions of surfactin, a biosurfactant from *Bacillus subtilis* with inorganic cations. *Biotechnol.Lett.*1992;14:713-718.
- Thomson DN, Fox SL, Bala GA. Biosurfactants from potato process effluents, *Appl.Biochem.Biotechnol.*2000;84/86:917–929.
- Tropical Development and Research Institute. A Profile of the Briquetting of Agricultural and Forest Residues. Report No. G181: London, UK.1983;1–12.
- Trummler K, Effenberger F, Sylatk C. An integrated microbial/enzymatic process for production of rhamnolipids and L-(+)-rhamnose from rapeseed oil with *Pseudomonas* sp. DSM 2874. *Eur.J.Lipid.Sci.Technol.*2003;105:563–571.
- Tugrul T, and Cansunar E. Detecting surfactant-producing microorganisms by the drop-collapse test. *World J.Microbiol.Biotechnol.*2005;21:851-853.
- Tuleva BK, Ivanov GR, Christova NE. Biosurfactant production by a new *Pseudomonas putida* strain. *Z Naturforsch, C, J.Biosci.*2002;57:356–360.
- Uraizee F, Narsimhan G. Foam fractionation of proteins and enzymes:I. Applications. *Enzyme Microb.Technol.*1990;12:232–233.
- Vance-Harrop MH, de Gusmao NB, de Campos-Takaki GM. New bioemulsifiers produced by *Candidalipolytica* using D-glucose and Babassu oil as carbon sources. *Braz.J.Microbiol.*2003;34:120–123.
- Vogt Singer ME, Finnerty WR. Physiology of biosurfactant synthesis by *Rhodococcus* species H13-A. *Can.J.Microbiol.*1990;36:741–745.
- Vollenbroich D, Pauli G, Ozel M, Vater J. Antimycoplasma properties and application in cell culture of surfactin, a lipopeptide from *Bacillus subtilis*. *Appl. Environ.Microbiol.*1997;63:44-49.
- Wakamatsu Y, Zhao X, Jin C, Day N, Shibahara M, Nomura N. Mannosylerythritol lipid induces characteristics of neuronal differentiation in PC12 cells through an ERK-related signal cascade. *Eur.J.of.Biochem.*2003;268(2):374-83.
- Wang SY, Joe IS.Studies on the properties of bamboo composite panels. *For Prod Ind.*1983;2:17–31.

- Wei YH, Chou CL, Chang JS. Rhamnolipid production by indigenous *Pseudomonas aeruginosa* J4 originating from petrochemical wastewater. *Biochemical Engineering Journal*.2005;27(2):146-54.
- Wei YH, Chu IM. Enhancement of surfactin production in iron-enriched media by *Bacillus subtilis* ATCC 21332. *Enzyme Microb.Technol*.1998;22:724-728.
- Yakimov M, Timmis KN, Wray V, Fredrickson HL. Characterization of a new lipopeptide surfactant produced by thermotolerant and halotolerant subsurface *Bacillus Licheniformis* BAS50. *Appl.Environ.Microbiol*.1995;61(5):1706-1713.
- Yamane T. Enzyme technology for the lipid industry, An engineering review. *J.Am.Oil Chem.Soc*.1987;64:1657-1662.
- Yeh MS, Wei YH, Chang JS. Enhanced production of surfactin from *Bacillus subtilis* by addition of solid carriers. *Biotechnol.Progr*.2005;21:1329-1334.
- Yeh MS, Wei YH, Chang JS. Bioreactor design for enhanced carrier-assisted surfactin production with *Bacillus subtilis*. *Process Biochem*.2006;41:1799-1805..
- Yun Un-J, Park HD. Overproduction of an extracellular polysaccharide possessing high lipid emulsion stabilizing effects by *Bacillus* sp. *Biotechnol.Lett*.2000;22(8):647–650.
- Zajic JE, Gignard H, Gerson DF. Properties and biodegradation of a bioemulsifier from *Corynebacterium hydrocarbonoclasticus*. *Biotechnol.Bioeng*. 1977;91:1303-1320.
- Zhang YHP.Reviving the carbohydrate economy via multi-product lignocellulose biorefineries. *J.Ind.Microbiol.Biotechnol*.2008;35:367–375.
- Zhang X, Xu D, Zhu C, Lundaa T, Sherr KE. Isolation and identification of biosurfactant producing and crude oil degrading *Pseudomonas aeruginosa* strains. *Chem.Eng.J*.2012;209:138-146.
- Zhao X, Wakamatsu Y, Shibahara M, Nomura N, Geltinger C, Nakahara T, et al. Mannosylerythritol lipid is a potent inducer of apoptosis and differentiation of mouse melanoma cells in culture. *Cancer research*.1999;59(2):482-6.
- Zhao, X, Geltinger, C, Kishikawa, S, Ohshima, K, Murata, T, Nomura, N, et al. Treatment of mouse melanoma cells with phorbol 12-myristate 13-acetate counteracts mannosylerythritol lipid-induced growth arrest and apoptosis. *Cytotechnology*.2000;33(1):123-30.

- Zouboulis A, Matis K, Lazaridis N, Golyshin P. The use of biosurfactants in flotation: application for the removal of metal ions. *Minerals Engineering*.2003; 16(11):1231-6.
- Zwietering MH, Jongenburger I, Rombouts FM, Van't Reit K. Modeling of the bacterial growth curve. *Appl.Environ.Microbiol*.1990;56(6):1875-1881.

Web Reference

1. <http://www.waste-management-world.com/articles/print/volume-13/issue-5/features/innovations-in-renewable-chemical-production.html>