

References

- Abdullah, M. P. , Yee, L.F. , Ata, S. , Abdullah, A., and Ishak, B. (2009). "The study of interrelationship between raw water quality parameters, chlorine demand and the formation of disinfection by-products." *Physics and Chemistry of the Earth*, 34, 806–811.
- Abdullah, M. P., Yewa, C.H., and Ramli, M.S. (2003). "Formation, modeling and validation of trihalomethanes (THM) in Malaysian drinking water: a case study in the districts of Tampin, Negeri Sembilan and Sabak Bernam, Selangor, Malaysia." *Water Research*, 37, 4637–4644.
- Ahn, J.C., Lee S.W. , Choi, K. Y., and Ja, Y.K. (2012). "Application of EPANET for the determination of chlorine dose and prediction of THMs in a water distribution system." *Sustainable Environment Research*, 22(1), 31-38.
- Al-Omari, A. S., and Chaudhry, M. H. (2001). "Unsteady-state inverse chlorine modeling in pipe networks." *Journal of Hydraulic Engineering*, 127, 669-677.
- Al-Suhaili, R.H., and Al-Azzawe, R.F.N. (2011). "Preservation of Required Chlorine Concentration in Baghdad Water Supply Networks using On-Site Chlorine Injection." *Journal of Engineering*, 17(4).
- Al-Zahrani, M.A., and Syed, J.L. (2005). "Evaluation of Municipal Water Distribution System Reliability Using Minimum Cut-set Method." *J. King Saud Univ., Riyadh*, 18(1), 67-82.
- Baltar, A.M., Fontane, and Darrell, G. (2008). "Use of Multiobjective Particle Swarm Optimization in Water Resources Management." *ASCE, Journal of Water Resources Planning and Management*, 134(3), 257-265.
- Barlow, P. M. (2005). "Use of Simulation-Optimization Modeling to Assess Regional Ground." *Water Systems* , 2005-3095.
- Basiouny, M. E. , Elmitwalli, T. A., and Ghazy, M. R. (2007). "Modeling of Trihalomethanes in Benha Water Supply Network." *Mansoura Engineering Journal*, 32(4).
- Behzadian, K., Alimohammadnejad, M., Ardeshtir, A., Jalilsani, F., and Vasheghani, H. (2012). "A novel approach for water quality management in water distribution systems by multi-objective booster chlorination." *International Journal of Civil Engineering*, 10(1).
- Beielstein, T., Parsopoulos, K. E., and Vrahatis, M. N. (2002). "Tuning PSO parameters through sensitivity analysis." *Tech. Report CI 124/02*. Department of Computer Science, University of Dortmund, Dortmund, Germany.

- Biswas, P., Lu, C., and Clark, R.M. (1993). "Model for chlorine contamination decay in drinking water distribution pipes." *Water Research*, 27(12), 1715-1724.
- Boccelli, D.L., Tryby, M. E., Uber, J.G , Rossman, L. A., Zierolf, M.L., and Plycarpou, M.M. (1998). "Optimal Sheduling of Booster Disinfection in Water Distribution System." *ASCE Journal of Water Resource Planning and Management*, 124(2), 99-111.
- Boccelli, D.L., and Tryby, M.E. (2003). "A reactive species model for chlorine decay and THM formation under rechlorination conditions." *Water Research*, 37, 2654-2666.
- Boulos,P.F., and Lansey, K.E. (2005). "Comprehensive Handbook on Water Quality Analysis in Distribution System." Broomfield, Colo: MWH soft.
- Boulos, P. F., Altman, T., Bowcock, R. W., Dhingra, A. K., and Collevati. (1994a). "An explicit algorithm for modeling distribution system water quality with applications." *2nd BHR International Conference on Water Pipeline Systems*, D. S. Miller, Civil-Comp Press, Edinburgh, Scotland. 405-432
- Boulos, P. F., Altman, T., Jarrige, P. A., and Collevati, F. (1994b). "An event-driven method for modeling contaminant propagation in water networks." *Journal of Appllied Mathematical Modeling*, 18(2), 84-92.
- Carrico, B., and Singer, P.C. (2005). "Impact of Booster Chlorination on THM Production: A Simulated Analysis." *World Water and Environemntal Research Congress*, Alaska, USA: American society for Civil Engineers. 1-10
- Carrico, B., and Singer, P.C.(2009). "Impact of Booster Chlorinaiton on Chlorine Decay and THM production: Simulated Analysis." *ASCE Journal of Environmental Engineering*, 135(10), 928-935.
- Chambers, V.K., Creasey, J.D., and Joy, J.S. (1995). "Modeling free and Total Chlorine Decay in Potable Water Distribution System." *Journal of Water Supply: Research and Techology, AQUA*, 44(2), 60-69.
- Chase, D.V., Guastella, D., Lai, K.L., and Ormsbee, L.E. (1994). "Energy Management for Large Scale Water Supply Systems." *AWWA Computer Conference*. Los Angeles, CA.
- Chau, K. W. (2006). "Particle swarm optimization training algorithm for ANNs in stage prediction of Shing Mun River." *Journal of Hydrology*, 329, 363- 367.
- Chaudhry, M. H. (1994). "Water quality modeling in pipe networks." *Conference on Improving Efficiency and Reliability in Water Distribution Systems, UIMP, Valencia, Spain*.
- Chowdhury, S. , Pascale, C., and McLellan P.J. (2009). "Models for predicting disinfection byproduct (DBP) formation in drinking waters: A chronological review." *Elesvier, Science of the Total Environment*, 407, 4189–4206.

- Chun, D.G., and Selznick, H.L. (1985). "Computer Modeling of Distribution System Water Quality." *ASCE special conference on computer application in Water Resource*. New York:
- Clark, R. M., and Sivaganesan, M. (1998). "Predicting Chlorine Residuals and formation of TTHMs in Drinking Water." *ASCE Journal of Environmental Engineering*, 124(12), 1203-1210.
- Clark, R. M. , Jeffrey, Y. Y., Impellitteri, C., Roy C., Haught, Schupp D., Panguluri, S., and Radha Krishnan, E . (2008). "Controlling Disinfection Residual Losses in Drinking Water Distribution Systems: Results from Experimental Studies." *Proceedings of the 10th Annual Water Distribution Systems Analysis Conference WDSA2008*. Kruger National Park, South Africa.
- Clark, R. M. (1998). "Chlorine Demand and TTHM formation - A Second Order Model." *ASCE Journal of Environmental Engineering*, 124(1), 16-24.
- Clark, R. M. (2012). "Water Quality Modeling." AWWA, USA.
- Clark, R.M, Grayman, W. M., Males, R.M., and Coyle, J.A. (1986). "Predicting Water Quality in Distribution Systems." *AWWA Distribution System Symposium*. Minneapolis.
- Clark, R.M. , Adams, J. Q., and Lykins, B.W. (1994). "DBP control in Drinking Water: Cost and Performance." *ASCE Journal of Environmental Engineering*, 120, 759-782.
- Clark, R.M. , Grayman, W. M. , Goodrich, J., Folf, A. D., and Skov, K. (1994). "Measuring and Modeling Chlorine Propagation in Water Distribution System." *ASCE Journal of Water Resource Planning and Management*, 120(6), 871-887.
- Clark, R.M. (2015). "The USEPA's distribution system water quality modelling program: a historical perspective." *Water and Environment Journal*, 29, 320-330.
- Clark, R.M., and Males, R.M. (1985). "Developing and applying the Water Supply Simulation Models." *Journal of AWWA*, 78(8).
- Clark, R.M., Pourmoghaddas, H., Wymer, L.J., and Dressman, R.C. (1996). Modeling the Kinetics of Chlorination by-products formation: The effect of Bromide. *Journal of SRT- Aqua*, 45(3), 112-119.
- Clark, R.M., Haught, R.C., and Grayman, W.M.. (2005). "Predicting Chlorine Residuals in Unlined Metallic Pipes." *Proceedings, ASCE-EWRI World Water & Environmental Resources Congress*. Anchorage, AK.
- Clark, R.M., Rossman, L. A., and Wymer, L.J. (1995). "Modeling Distribution System Water Quality : Regulatory Implications." *ASCE Journal of Water Resource Planning and Management*, 121(6), 423- 428.

- Clark, R.M., Grayman, W.M., Males, R., and Hess, A. F. (1993). "Modeling Contaminant Propagation in Drinking water Distribution System." *ASCE, Journal of Environmental Engineering*, 119(2), 349-364.
- Clark, R.M., Jeffery, Y. Y., Impelliteri, C., Haught T.C., Schupp, D., Srinivas, P., and Radha Krishnan (2008). "Controlling Disinfection Residual Losses in Drinking Water Distribution System: Results from Experimental Studies." *Proceedings of 10th Annual Water Distribution System Analysis Conference WDSA*. South Africa.
- Clark, R.M., Yang, Y.J., Impelliteri, C.A., Haught, R.C., Schupp, D.A., Panguluri, S., and Krishnan, E.R. (2010). "Chlorine fate and transport in Distribution Systems: Experimental and Modeling Studies." *Journal of AWWA*, 102(5), 144-155.
- Clark, R. M., and Coyle, J. A.. (1990). "Measuring and Modeling Variations in Distribution System Water Quality." *Journal of American Water Works Association*, 8(82), 46-53.
- Clark, R.M., Grayman, W.M., and Goodrich, J.A. (1991). "Water Quality Modeling: Its Regulatory Implications." *AWWA/EPA Conference on Water Quality Modeling in Distribution Systems*. Cincinnati, OH.
- Clerc, M., and Kennedy, J. (2002). "The particle swarm—explosion, stability, and convergence in a multidimensional complex space." *IEEE Transactions on Evolutionary Computation*, 6(1), 58-73.
- Constans, S. , Bernard, B., and Morel, P. (2003). "Simulation and control of Chlorine levels in Water Distribution Networks." *ASCE Journal of Water Resources Planning and Management*, 129(2), 135-145.
- Constans, S., Bremond, B., and Morel, P. (2000). "Using Linear Programs to Optimize the Chlorine Concentrations in Water Distribution Networks." *Joint Conference on Water Resource Engineering and Water Resource Planning 2000*. American Society of Civil Engineers., Minneapolis, Minnesota, United States.
- Courtis, B.J. , West, J. R., and Brideman, J. (2009). Temporal and Spatial Variations in Bulk Chlorine Decay within a water supply system. *ASCE Journal of Environmental Engineering*, 135(3), 147-152.
- Cross, H. (1936). "Analysis of flow in networks of conduits or conductors." Engineering Station, University of Illinois, Bulletin No. 286.
- Dantzig, G. B. (1963). "Linear Programming and Extension,". Princeton, NJ.: Princeton University Press.
- Deb, K. (2009). "Optimization for Engineering Design Algorithms and Examples." New Delhi: Prentice Hall of India Private Ltd.

- DiGiano, F. A., and Zhang, W. (2004). "Uncertainty Analysis in a Mechanistic Model of Bacterial Regrowth in Distribution System." *Environmental Science and Technology*, 38(22), 5925-5931.
- Dugan, N.R., Summers, R.S., Miltner, R.J. and Shukairy, H.M. (1995). "An Alternative Approach to Predicting Chlorine Residual Decay." *Proceeding of AWWA-WQT conference* , Denver: AWWA., 1317-1338
- Chang, A., Chiang, P.C., Chao, S.H., and Lin, Y.L. (2006). "Relationship between chlorine consumption and chlorination by products formation for model compounds." *Elsevier Chemosphere*, 64 , 1196–1203.
- Rice, E.W., Baird, R.B., Eaton, A.D., Clesceri, L.S., and editors. (2012). "Standard Methods for the Examination of Water and Wastewater, 22nd Edition." *American Public Health Association, American Water Works Association, Water Environment Federation*.
- Eberhart, R.C., and Yujui, S. (2001). "Particle Swarm Optimization: Developments, Applications and Resources." *IEEE*.
- Eberhart, R. C., and Kennedy, J. (1995). "A New Optimizer Using Particle Swarm Theory." *Proceedings Sixth Symposium on Micro Machine and Human Science, IEEE Service Center*, Piscataway, NJ., 39-43
- Eberhart, R. C., Simpson, P., and Dobbins, R. (1996). "Computational Intelligence PC Tools." Academic Press.
- Ezgi, K., and Burcu, A.S. (2015). "Chance Constrained Optimiziation of Booster Disinfection in Water Distribution Network." *CLEAN- Soil, Air, Water*, 43(5), 717-723.
- Feben, D., and Taras, M.J. (1951). "Studies on Chlorine demand constants." *Journal of AWWA*, 43(11), 922-932.
- Gang, D.C., Clevengger, T.E., and Banerji, S. K. (2003). "Modeling Chlorine Decay in Surface Water." *Journal of Environmental Informatics*, 1(1), 21-27.
- Georgescu, A.M., and Georgescu, S.C. (2012). "Chlorine Concnetration Decay in the Water Distribution System of a Town with 50000 inhabitants." *U.P.B. Sci. Bull., Series D*, 74(1), 103-114.
- Gibbs, M. S., Maier, H. R. , and Dandy, G. C. (2010 b). "Comparison of Genetic Algorithm Parameter Setting Methods for Chlorine Injection Optimization." *ASCE Journal of Water Resource Planning and Management*, 136(2), 288–291.
- Gibbs, M.S., Morganb, N., Maiera, H.R., Dandy, G.C. , Nixonc, J.B., and Holmes, M. (2006). "Investigation into the relationship between chlorine decay and water

- distribution parameters using data driven methods." *Elsevier Mathematical and Computer Modelling*, 44 , 485-498.
- Gibbs, M.S., Dandy, G.C., and Maier, H. R. (2010 a). "Calibration and Optimization of the Pumping and Disinfection of a Real Water Supply System." *ASCE Journal of WaterResources Planning and Management.*, 136(4), 493-501.
- Goldman, F.E., Sakarya, A.B.A., Ormsbee, L.E., Uber, J.G., and Mays, L.W. Edited by Larry Mays . (2000). "Optimization Models for Operation." *Chapter in Water Distribution System Handbook*. McGraw-Hill, NY. .
- Gomez, R.P., Choi, C.Y., Van, B., Bloemen, W., and McKenna, S. (2006). "Transport Phenomena at intersections of pressurized pipe systems." *8th Annual Water Distribution Systems Analysis Symposium*, Cincinnati, Ohio, USA, 27-30.
- Grayman, W.M., Clark, R.M., and Males, R.M. (1988.). "Modeling Distribution System Water Quality Dynamic Approach." *ASCE, Journal of Water Resources Planning and Management*, 114(3).
- Grayman, W. (2000). "Put Your Hydraulic Model to Work– How That Costly Model Can Earn its Keep by Making Operations More Effective." *Proceedings AWWA Annual Conference, Denver, CO*.
- Grayman, W.M., Rossman, L.A. , Gill, M.A., Li, Y., and Guastella, D.E. (2002). "Measuring and Modeling Disinfectant Wall Demand in Metallic Pipes." *ASCE , EWRI Conference on Water Resources Planning and Management*. Reston VA.
- Hallam, N.B., West, J.R., Forster, C.F., Powell, J.C., and Spencer, I. (2002). "The Decay of Chlorine Associated wiht the Pipe Wall in Water Distribution Systems." *Water Research*, 36(13), 3479-3488.
- Hart, F. L., Meader, J. L., and Chiang, S.M. (1987). "CLNET-A simulation model for tracing chlorine residuals in a potable water distribution network." *AWWA Distribution System Symposium*. Denver, Colo.
- Hart, F.L, Meader, J.L., and Chiang, S.N. (1986). "CLINET A Simulation Model for tracing Chlorine Residuals a Potable Water Distribution Network." *AWWA Distribution System Symposium*. Minneapolis.
- Hass, C.N., and Karra, S.B.(1984). "Studies on Chlorine Demand Constants." *Journal of WPCF*, 56(2), 170-173.
- Haxton, T., Murray, R., Hart, W., Klise, K., and Phillips, C. (2011). "Formulation of Chlorine and Decontamination Booster Station Optimization Problem." *World Environmental and Water Resources Congress*. Palm Springs, California, United States: American Society of Civil Engineers. 199-205

- Helbling, D.E., and VanBriesen, J. M. (2009). "Modeling Residual Chlorine Response to a Microbial Contamination Event in Drinking Water Distribution Systems." *ASCE, Journal of Environmental Engineering*, 135(10), 918-927.
- Hoag, L.N., and Weinberg, G. (1957). "Pipeline network analysis by electronic digital computer." *Journal of the American Water Works Association*, 517-524.
- Hua Fang, W. J. (1999). "Modelling of Chlorine Decay in Municipal Water Supplies." *Water Research*, 33(12), 2735-2746.
- Huang, J. J., and McBean, E. A. (2008). "Using Bayesian Statistics to Estimate Chlorine Wall Decay Coefficient for Water Supply System." *ASCE Journal of WaterResources Planning and Management*, 132(2), 129-137.
- Huang, J.J., and McBean, E.A. (2006). "Using Bayesian Statistics to estimate the coefficients of a Two-Compartment second order Chlorine Bulk Decay Model for a Water Distribution Systems." *Water Research*, 41(2), 287-294.
- Hund-Der, Y., Shi-Bin, W., Ya-Chi, C., and Chung-Sying, L. (2008). "A new approximate solution for chlorine concentration decay in pipes." *Water Research*, 42, 2787 – 2795.
- Hunt, W.A., and Kroon, J.R. (1989). "Modeling Water Quality in the Distribution Network." *Water Quality Technology Conference*. Denver, Colo: AWWA.
- Idel, M. and Joaquin, I. (2008). "Improved performance of PSO with self-adaptive parameters for computing the optimal design of Water Supply Systems." *Journal of Engineering Applications of Artificial Intelligence*, 23(5).
- Indian Standard Drinking Water Specification (IS: 10500) , Second Revision. (2012).
- Islam, M. R., Chaudhary, H., and Clark, R. M. (1997). "Inverse Modeling of Chlorine Concentration in pipe networks under dynamic condition." *ASCE Journal of Environmental Engineering*, 123(10), 1033-1040.
- Islam, M.R. (1995). "Modeling of Chlorine Concentration in Unsteady Flows in Pipe Networks." Ph.D Thesis. Pull-man: Washington State University.
- Islam, N., Sadiq, R., and Rodriguez M.J. (2013). "Optimizing booster chlorination in water distribution networks: a water quality index approach." *Journal of Environmental Monitoring and Assessment*, 185(10), 8035-8050.
- Jaber, A.S. (2011). "Solving Non Linear Function with Two Variables by Using Particle Swarm Optimization Algorithm." *Eng. & Tech. Journal*, .29(5)
- Jada, H., El Morer, A.A., Bouillot, M. P., and Legube, B. (1992). "Modelisation de La Denade en Chored'une Eau Traitee." *Water Research*, 26(8), 1073.
- Jeppson, R.W. (1976). "Analysis of Flow in Pipe Networks." Ann Arbor, MI.: Ann Arbor Science.

- Jianrong, W., Bixiong, Y. , Wuyi, W. , Linsheng, Y., Jing, T., and Zhiyu, H. (2010). "Spatial and temporal evaluations of disinfection by-products in drinking water distribution systems in China." *Science of the Total Environment*, 408(20), 4600-4606.
- Johnson, J.D. (1978). "Measurement and Persistence of Chlorine Residuals in Natural Waters."
- Jonkergouw, P. , Ed, K. and Soon-Thiam, K. (2005). "Modelling Chlorine Decay in Water Networks with Genetic Programming." *Springer*, 206-209.
- Kang, D., and Lansey, K. (2010). "Real-Time Optimal Valve Operation and Booster Disinfection for Water Quality in Water Distribution Systems." *Journal of Water Resources Planning and Management*, ASCE, 136(4), 463-473.
- Kennedy, J. (1997). "The Particle swarm: Social adaptation of knowledge." *Proceedings of the 1997 International Conference on Evolutionary Computation*, Indianapolis., 303-308.
- Kennedy, J., and Eberhart, R. (1995). "Particle swarm optimization." *Proceedings of the 1995 IEEE International Conference on Neural Networks* , Perth. 1942-1948.
- Koechling, M.T. (1998). "Assessment and Modeling of Chlorine Reactions with Natural Organic Matter: Impact of Source Water Quality and Reaction Conditions." Ph. D. Thesis, Civil Engineering Department, Cincinnati, Ohio.
- Krasner, S.W., McGuire, M.J. and Jacangelo, J.G. (1989). "The Occurrence of Disinfection By products in US Drinking Water." *Journal of American Water Works Association*, 81(8), 41-53.
- Lansey, K., Pasha, F., Pool, S., Elshorbagy, W., and Uber, J. (2007). "Locating Satellite Booster Disinfectant Stations." *ASCE, Journal of Water Resources Planning and Management*, 133(4), 372–376.
- Larock, B.E., Jeppson, R.W., and Watters, G.Z. (2000). *"Hydraulics of Pipeline Systems."* LLC, Boca Raton, FL: CRC Press.
- Liou, C.P., and Kroon, J.R. (1986). "Propagation and Distribution of Waterborne substances in Networks." *Proceeding of AWWA Distribution System Symposium*. Minneapolis.
- Liou, C.P., and Kroon, J.R. (1987). "Modeling the propagation of waterborne substances in distribution networks." *Journal of AWWA*., 79(11), 54-58.
- Reddy, M. J., and Kumar, N.D. (2007). "Multi-objective particle swarm optimization for generating optimal trade-offs in reservoir operation." *Hydrological Processes*, 21(21), 2897–2909.

- Maier, S.H. , Powell, R.S., and Woodward C.A. (2000). "Calibration and Comparison of Chlorine Decay Models for a Test Water Distribution System." *Water Research*, 34(8), 2301-2309.
- Males, R.M., Clark, R.M., Wehrman, P.J., and Gates, W.E. (1985). "Algorithm for mixing problems in water systems." *ASCE Journal of Hydraulic Engineering*, 111(2).
- Males, R.M., Grayman, W.M., and Clark, R.M. (1988). "Modeling Water Quality in Distribution systems." *ASCE Journal of Water Resources Planning and Management*, 114(2).
- Martin, D.W., and Peters, G. (1963). "The application of Newton's method to network analysis by digital computer." *Journal of the Institute of Water Engineers*, 17, 115-129.
- Matott, L. S., Rabideau, A. J., and Craig, J. R. (2006). "Pump-and-treat optimization using analytic element flow models." *Advances in Water Resource*, 29(5), 760-775.
- McBean, E.A. , and Huang, J.J. (2008). "Using Bayesian Statistics to estimate Chlorine Wall Decay Coefficients for Water Supply System." *Journal of Water Resource Planning and Management*, 134(2).
- Meier, J., Schaedler, W., Borgatti, L., Corsini, A., and Schanz, T. (2008). "Inverse Parameter Identification Technique using PSO Algorithm applied to Geotechnical Modelling." Retrieved from <http://www.hindawi.com/journals/jaea/aip.574613.html>
- Meng, F., Shuming ,L., Ostfeld, A., Chao, C., and Alejandra, B.L. (2013). "A deterministic approach for optimization of booster disinfection placement and operation for a water distribution system in Beijing." *Journal of Hydroinformatics*, 1042-1058.
- Ministry of Urban Development (MoUD). (1999). "*Manual on Water Supply and Treatment 3rd Edition.*" , New Delhi: Central Public Health and Environmental Engineering Organization (CPHEEO).
- Morris, R. D., Audet, A. M., and Angelillo, I. F. (1992). "Chlorination, chlorination by-products and cancer: A meta-analysis." *American Journal of Public Health*, 82(7), 955.
- Munavalli, G. and Kumar, M. (2003). "Optimal Scheduling of Multiple Chlorine Sources in Water Distribution Systems." *Journal of Water Resource Planning and Management*, 129(6), 493–504.
- Nagatani, T., Koji, Y., Kouichi, M., Mariko, T., Toshiko, N., Tomohiro, F., and Katsuhiko, T.. (2008). "Residual Chlorine Decay Simulation in Water Distribution System." *The 7th International Symposium on Water Supply Technology* Yokohama, Japan, 1-11.
- Ohar, Z., and Ostfeld, A. (2010). "Alternative Formulation for DBP's minimization by Optimal Design of Booster Chlorination Stations." *World Environmental and Water*

- Resources Congress 2010* , Providence, Rhode Island, United States: American Society of Civil Engineers. 4260-4269.
- Ohar, Z., and Ostfeld, A . (2014). "Optimal design and operation of booster chlorination stations layout in water distribution systems." *Science Direct, Water Research*, 209-220.
- Ormsbee., L. E. (2006). "The History of Water Distribution Network Analysis: The Computer Age." *8th Annual Water Distribution Systems Analysis Symposium* . Cincinnati, Ohio, USA.
- Ostfeld, A., and Salomons, E. (2004). "Optimal Scheduling of Pumping and Chlorine Injections Under Unsteady Hydraulics." *World Water Environmental Resource Congress 2004*. Salt Lake City, Utah, United States: American Society of Civil Engineer. 1-9
- Ostfeld, A., and Salomons, E. (2005). "Securing Water Distribution Systems Using Online Contamination Monitoring." *ASCE, Journal of Water Resources Planning and Management*, 131(5).
- Ostfeld, A., and Salomons, E. (2006). "Conjunctive optimal scheduling of pumping and booster chlorine injections in water distribution systems." *Engineering Optimization*, 38(3), 337-352.
- Ostfeld, A., and Salomons, E. (2004). "Optimal layout of early warning detection stations for water distribution systems security." *Journal of Water Resource Planning and Management, ASCE*, 130(5), 377–385.
- Ozdemir, O. N., Ucak, A. (2002). "Simulation of Chlorine Decay in Drinking Water Distribution System." *ASCE Journal of Environmental Engineering*, 128(1), 31-39.
- Parks, S..L.I., and VanBriesen, J. M. (2009). "Booster Disinfection for Response to Contamination in a Drinking Water Distribution System." *ASCE, Journal of Water Resources Planning and Management*, 135(6), 502-511.
- Parsopoulos, K. E., and Vrahatis, M. N. (2002). "Recent Approaches to Global Optimization Problems Through Particle Swarm Optimization." *Natural Computing, Springer*, 1(2-3), 235-306.
- Parsopoulos, K. E., and Vrahatis, M. N. (2004). "Computation of All Global Minimizers Through Particle Swarm Optimization." *IEEE Transactions On Evolutionary Computation*, 8(3), 211-224., 8(3), 211-224.
- Pedro, C., and Mario, N. (2003). "Chlorine Decay in Water Distribution Systems Case Study-Lousada Network." *Electronic Journal of Envriron*, 2(2), 261-266.

- Pourmoghaddas, H. , Stevens, A.A., Kinman, R.N., Dressman, R.C., Moore, L.A. and Ireland, J.C. (1993). "Effect of Bromide Ion on formation of HAAs during Chlorination." *Journal of American Water Works Association*, 85(1), 82-87.
- Powell, J.C., Hallam N.B., West J.R., Forester, C.F., and Simms, J. (2000b). "Performance of various Kinetic Models for Chlorine Decay." *Journal of Water Resource Planning and Management*, 126(1), 13.
- Powell, J.C., Hallam, N.B., West, J.R., Forester, C.F., and Simms, J. (2000a). "Factors which control Bulk Chlorine Decay Rates." *Water Research*, 34(1), 117-126.
- Prasad, T. D., Walters G. A., and Savic, D. A. (2004). "Booster Disinfection of Water Supply Networks: Multiobjective Approach." *Journal of Water Resources Planning and Management, ASCE*, 130(5).
- Propato, M., and Uber, J. G. (2004 a). "Linear Least-Squares formulaiton for operation of Booster Disinfection System." *ASCE Journal of Water Resources Planning and Management*, 130(1), 53-62.
- Propato, M., and Uber, J. G (2004b)." Booster System Design Using Mixed-Integer Quadratic Programming." *Journal of Water Resources Planning and Management, ASCE*, 130(4), 348-352.
- Propato, M., and Uber, J. G. (2004c). "Vulnerability of water distribution systems to pathogen intrusion: How effective is a disinfectant residual?" *Environmental Science & Technology*, 38(13), 3713-3722.
- Qualls, R.G., and Johnson J.D. (1983). "Kinetics of Short - Term Consumption of Chlorine by Fulvic acid." *Environment Science and Technology*, 17(11), 692-698.
- Raju, S. (2009). "Engineering Optimization Thoery and Practice" *Fourth Edition* , John Wiley and Sons. 124.
- Ramos, H. M., Loureiro, D. , Lopes , A. C. Fernandes , Covas D. , Reis L. F., and Cunha M. C. (2010). "Practice, Evaluation of Chlorine Decay in Drinking Water Systems for Different Flow Conditions: From Theory to Practice." *Water Resourve Management, Springer*, 24, 815-834.
- Robescu, D., Jivan, N., and Raboescue, D. (2008). "Modeling Chlorine Decay in Drinking water mains." 7(6), 737-741.
- Rossman, L.A. (2000). "EPANET user's Manual." USEPA, Office of Research and Development, Drinking Water Research Division, Cincinnati.
- Rossman, L.A. (2006). "The effect of advanced treatment on chlorine decay in metallic pipes." 40, 2493 – 2502.

- Rossman, L.A., Clark, R.M., and Grayman, W.M. (1994). "Modeling Chlorine Residuals in Drinking Water Distribution Systems." *ASCE Journal of Environmental Engineering*, 120(4), 803-820.
- Rossman, L.A., and Boulos, P. (1996). "Numerical Methods for Modeling water quality in Drinking Water Distribution Systems: A comparison." *ASCE Journal of Water Resources Planning and Management*, 122(2), 137-146.
- Rossman, L.A., Paul, F., and Altman, T. (1993). "Discrete Volume -Element Method for Network Water Quality Models." *ASCE Journal of Water Resources Planning and Management*, 119(5), 505-517.
- Sadiq, R., and Manuel, R. (2004). "Disinfection by-products (DBPs) in drinking water and predictive models for their occurrence: a review." 321, 21-46.
- Sakarya, A. B. A., and Mays, L. W. (2000). "Optimal operation of water distribution pumps considering water quality." *ASCE Journal of Water Resources Planning and Management*, 126(4), 210-220.
- Salgado, R., Todini, E., and O'Connell, P.E. (1988). "Extending the gradient method to include pressure regulating valves in pipe networks." *Proceedings of International Symposium on Computer Modeling of Water Distribution Systems*. University of Kentucky.
- Schmid, R. (2002). "Review of modelling software for piped distribution networks (2nd Edition)" Swiss Centre for Development Cooperation in Technology (SKAT) Foundation.
- Shang, F., and Uber, J.G. (2007). "Calibrating Pipe Wall Demand Coefficient for Chlorine Decay in Water Distribution System." *ASCE Journal of Water Resources Planning and Management*. 133(4).
- Shang, F., Uber, J. G., and Rossman, L. A. (2008). "EPANET multi-species extension users' manual." Cincinnati.: EPA/600/S-07/021, USEPA.
- Shi, Y., and Eberhart, R. C. (1998). "A modified Particle Swarm Optimizer." *Proceedings of the 1998 IEEE Conference on Evolutionary Computation*. AK, Anchorage.
- Shihab, M.S., Alhyaly A.I., and Mohammad M.H. (2009). "Simulation of Chlorine concentrations in Mosul University's Distribution Network using EPANET program." *Journal of Al-Rafidain Engineering*, 17(6).
- Singer, P. C. (1994). "Control of Disinfection By products in Drinking Water." *ASCE Journal of Environmental Engineering*, 120(4), 727-744.
- Suribabu, C. R., and Neelakantan, T. R. (2006). "Design of water distribution networks using particle swarm optimization." *Urban Water Journal*, 3(2), 111-120.

- Tamer, A., and Elcin, K.I. (2015). "Identification of the Best Booster Station Network for a Water Distribution System." *Journal of Water Resources Planning and Management*, ASCE, 141 (5), 04014076-1-10.
- Taylor J.S., and Lyn T.L.(1993). "Modeling Compliance of Chlorine Residual and Disinfection By- products." *AWWA-WQT conference* . Denver, 513-523.
- Todini, E., and Pilati, S. (1987). "A gradient method for the analysis of pipe networks." *International Conference on Computer Applications for Water Supply and Distribution, Leicester Polytechnic, UK*.
- Tomovic, S., Nikolic, V., and Milicevic, D. (2010). "Modelling of Water Distribution System of City of Budva." *BALWOIS*. Ohrid, Republic of Macedonia.
- Tryby, M.E., Boccelli, D.L, Koechling, M.T., Uber, J.G., Summers, R.S., and Rossman, L.A. (1999). "Booster Chlorination for managing disinfectant residuals." *Journal of American Water Works Association*, 91(1), 95-108.
- Tryby, M.E., Boccelli, D.L. , Uber, J.G., and Rossman, L.A. (2002). "Facility Location Model for Booster Disinfection of Water Supply Network." *ASCE Journal of Water Resource Planning and Management*, 128(5), 322-333.
- U S Environmental Protection Agency (USEPA). (1992). "Water Treatment Plant Simulation Program User's Manual Version 1.21." Washington D.C.: Drinking Water Technology Branch, Drinking Water Standards Division.
- U.S.Environmental Protection Agency (USEPA). (2005). "Water Distribution System Analysis: Field Studies, Modeling and Management- A reference guide for utilities." Cincinnati, Ohio: Office of Research and Development National Risk Management Research Laboratory Water Supply and Water Resources Division.
- Uber, J.G., Shang, F. , Polycarpou, M., and Wang, Z. (2003). "Feedback Control Booster Chlorination Systems." Denver, CO: AWWA Research Foundation, IWA Publishing.
- Uber, J.G., and Tryby, M.E. (1999). "Development of a Booster Chlorination Design Using Distribution System Models." *29th Annual Water Resource Planning and Management Conference* . Arizona, USA: American Society of Civil Engineers.1-9.
- Ucaner, M., and Ozdemir. (2003). "Application of Genetic Algorithms for Booster Chlorination in Water Supply Networks." *World Water & Environmental Resources Congress 2003* . Philadelphia, Pennsylvania, United States: American Society of Civil Engineers. 1-10
- USEPA Guidance Manual,. (1999). "Alternative Disinfectants and Oxidants." 2-32 to 2-54.
- Vasconcelos, J.J., Rossman, L.A., Grayman, W.M., Boulous, P.F., and Clark, R.M. (1997). "Kinetics of chlorine decay." *Journal of AWWA*, 89 (7), 54–65.

- Vedat, U., Ozdemir, K., and Ismail, T. (2007). "Multiple linear regression modeling of disinfection by-products formation in Istanbul drinking water reservoirs." *Science of the Total Environment*, 378, 269–280.
- Velitchko, G. T., Alvaro, A. A., and Arreguin, F. I. (2002). "Advection-Dispersion-Reaction Modeling in Water Distribution Networks." *ASCE Journal of Water Resources Planning and Management*, 128(5), 334-342.
- Velitchko, G. T., Steven, G. B., Li Z. , Pedro R. G., and Choi, C. (2009). "Axial Dispersion in Pressurised Water Distribution Networks- A review." *International Symposium on Water Management and Hdraulica Engineering*, Ohrid/ Macedonia, 581-592.
- Ventresque, C.G. Bablon, B. L., Jadas, H., and Dore, M. (1990). "Developement of Chlroine Demand Kinetics in Drinking Water Treatment Plant." *Water Chlorination: Chemistry, Environmental Impact and Health Effects*, 6, 715-728.
- VMSS, Retrieved from <https://vmc.gov.in> on November 16, 2015.
- Voss, M.A., and Feng, X. (2002). "ARMA Model Selection Using Particle Swarm Optimization And AIC Criteria." *15th IFAC World Congress on Automatic Control*. Barcelona, Spain.
- Waller, K., Swan, S. H., De, L.G., and Hopkins, B. (1998). "Trihalomethanes in drinking water and spontaneous abortion." *Epidemiology*, 9(2), 134–140.
- Walski, T.M., Chase, D.V., Savic, D.A., Grayman, W., Beckwith, S., and Koelle, E. (2003). "Advanced Water Distribution Modeling and Management." Waterbury, CT: Haestad Press.
- Walt, E.V. (2002). "Modeling of Chlroine losses in potable water reservoirs." *Biennial Conference of the Water Institute of Sothern Africa (WISA)*. Druban, South Africa.
- Wang, H. (2010 a). "A Hybrid PSO for optimizing locaitons of Booster Chlorination stations in Water Distribution Systems." *International Conference on Intelligent Computation Technology and Automation (ICICTA)*, China 1, 126-129.
- Wang, H. (2010 b). "Ant Colony Optimization for Booster Chlorination Stations of Water Distribution Systems." *International Conference on Computer Application and System Modeling (ICCASM)*, China 1, VI 166-VI 170.
- White, G.C. (1999). "Handbook of Chlorination and Alternative Disinfectants ." John Wiley & Sons, Inc.
- White, G.C. (2010). "White's Handbook of Chlorination and Alternative Disinfectants" 5th Edition. John Willey and Sons.
- Wood, D.J., and Charles. (1972). "Hydraulic network analysis using linear theory." *ASCE, Journal of Hydraulic division*, 98, 1157-1170.

- Wood, D.J. (1980a). *"Computer Analysis of flow in pipe networks"*. Lexington, KY: Department of Civil Engineering , University of Kentucky.
- Wood, D.J. (1980b). "Flow in pipe networks." *ASCE Journal of Hydraulics*, 106(1).
- Zhang, G.R., Keine, L., Wable, O., Chan, U.S., and Duget, J.P. (1992). "Modeling of Chlorine Residual in the Water Distribution System Network of Macao." *Environmental Technolgy*, 13, 937-946.
- Zhang, G., Binliang, L., and Falconer, R.A. (2000). "Modelling disinfection by-products in contact tanks." *Journal of of Hydroinformatics*, 123 – 132.