

List of Figures

2.1	Conditions of a transformer in the course of its life cycle	10
2.2	Electromagnetic Forces	15
2.3	Short circuit current	16
2.4	Short circuit forces	16
2.5	Generated Forces in a Core Form Transformer	17
2.6	Generated Axial and Radial Fluxes in a Core Form Transformer	18
2.7	Generated Forces in a Shell Form Transformer	19
2.8	Generated Axial and Radial Fluxes in a Shell Type Transformer	20
2.9	Radial forces due to axial field	20
2.10	Axial forces due to radial field	21
2.11	Leakage flux path	24
2.12	Equivalent Circuit for a Transformer at no Load	25
2.13	Equivalent Circuit for a Capacitor	27
2.14	Equivalent Circuit for a Capacitance measurement of Transformer	28
2.15	Internal layout of Transformer insulation system	30
2.16	Equivalent Circuit for representation of individual capacitance in two winding Transformer	31
3.1	Signal stage Filtration by DWT	35
3.2	DWT of neutral current waveform	37
3.3	Experimental setup of Impedance Measurement	39
3.4	Impedance versus frequency plot of HV winding	40
3.5	Impedance versus frequency plot of Y-phase , LV winding	41
3.6	Impedance plot of LV winding	42
3.7	Impedance plot of HV winding	43

3.8	Impedance plot of HV winding	44
3.9	plot of LV winding	45
3.10	Impedance plot of HT-tap winding	46
3.11	Impedance plot of LV1 winding	47
3.12	Impedance plot of HV winding	48
3.13	Impedance plot of LV2 winding	49
3.14	Equivalent Circuit for representation of individual capacitance and inductance of winding in Transformer	50
3.15	Open circuit Frequency Response of HV Winding	51
3.16	Open circuit Frequency Response of LV Winding	52
3.17	Short circuit Frequency Response of HV Winding	53
3.18	Expanded view of Short circuit Frequency Response of HV Winding	53
3.19	Open circuit Frequency Response of HV Winding before fault	55
3.20	Open circuit Frequency Response of HV Winding after fault	56
3.21	Open circuit Frequency Response of LV Winding before fault	57
3.22	Open circuit Frequency Response of LV Winding after fault	57
4.1	Frequency response of a system	60
4.2	Logarithmic SFRA Plotting	61
4.3	Series RLC circuit	62
4.4	SFRA Plot for Series Resonance RLC circuit	62
4.5	Parallel RLC circuit	63
4.6	Two-Port Network	65
4.7	Linear SFRA Plotting	67
4.8	Equivalent circuit model for two winding Transformer	68
4.9	Integration paths to find self inductance	69
4.10	Two parallel conducting filaments	70
4.11	Mutual coupling between two circular filaments	71
4.12	Helical winding (single layer, single-start)	71
4.13	Ordinary (continuously wound) disc winding	72
4.14	Equivalent circuit for disc winding	72
4.15	Interleaved disc winding	73
4.16	Dimensions of a single disc	74

4.17 Dimensions between adjacent windings and between windings and tank . . .	74
4.18 Equivalent circuit of Transformer winding at Low frequency	75
4.19 Equivalent circuit of Transformer winding at high frequency	76
4.20 Model LC Circuit for very high frequency response	76
4.21 Basic circuit for SFRA measurement	77
4.22 Parameters to be measured for SFRA	78
4.23 HV winding plot	79
4.24 LV Star winding plot	79
4.25 Inter winding plot of 132 kV/33 kV Transformer	80
4.26 Series (blue) and Common winding (red) plot of Auto Transformer	81
4.27 Impedance plot of LV winding	82
5.1 Equivalent circuit of Transformer winding at Low frequency	85
5.2 Winding self and mutual inductance	86
5.3 n-stages lumped ladder network	87
5.4 Series resonance of the RLC circuit having low R value	87
5.5 Series resonance of the RLC circuit having high R value	88
5.6 Series and Parallel resonance of the winding	88
5.7 FRA response from 8-stage of lumped ladder network ($L=800H$) with extreme cases of (a) $C_s=0$, $C_g=480pF$ and (b) $C_g=0$, $C_{sLOW}=190pF$, $C_{sHIGH}=3000 pF$	90
5.8 n-stage capacitive ladder network at high frequencies	91
5.9 Photograph of high C_s winding	92
5.10 Three Phase SFRA comparison for open circuit plot of normal transformer	93
5.11 Three Phase SFRA comparison of Short circuit plot for normal transformer	94
5.12 Simple Model of a Transformer	94
5.13 Short Circuit Transformer Model	95
5.14 Open circuit and Short circuit SFRA plot comparison of same winding for normal transformer	95
5.15 Open circuit SFRA plot of Common winding (2U-N) for two sister unit (Sr. No. T1 and T2)	97
5.16 Open circuit SFRA plot of Series winding (1U-2U) for two sister unit (Sr. No. T1 and T2)	98

5.17	Open circuit plot of tertiary winding , 3- phases, for three transformer . . .	98
5.18	Open circuit plot of HV winding , 3- phases, for the three transformer . . .	99
6.1	Open circuit SFRA plot of HV winding for both the sister unit (with oil- Red color)	103
6.2	Short circuit SFRA plot of HV winding for both the sister unit (with oil- Green color)	104
6.3	Inter winding SFRA plot of HV-LV winding for both the sister unit (with oil- Red color)	105
6.4	Water accumulation at the base of transformer	106
6.5	Comparison of three phase Open circuit Base SFRA plot before drying out	107
6.6	Comparison of three phase Open circuit Base SFRA plot after drying out .	109
6.7	Expanded view of Comparison of per phase Open circuit SFRA plot before and after drying out	110
6.8	Open circuit HV U phase- winding plot before and after short circuit test	113
6.9	Open circuit HV V phase- winding plot before and after short circuit test	113
6.10	Open circuit HV W phase- winding plot before and after short circuit test	113
6.11	Open circuit HV winding plot before short circuit test	114
6.12	Open circuit HV winding plot after short circuit test	114
6.13	Short circuit HV U phase- winding plot before and after short circuit test .	115
6.14	Short circuit HV V phase- winding plot before and after short circuit test .	115
6.15	Short circuit HV W phase- winding plot before and after short circuit test	115
6.16	Comparision of Base and Post fault R-phase SFRA plot for reactor	117
6.17	Comparision of Base and Post fault Y-phase SFRA plot for reactor	118
6.18	Comparison of Base and Post fault B-phase SFRA plot for reactor	119
6.19	Characterisation of noise sources in a typical FRA plot	120
6.20	Comparison of three phase Open circuit Base SFRA plot	120
6.21	Comparison of three phase Short circuit Base SFRA plot	121
7.1	Equivalent circuit parameter of Transformer	124
7.2	Equivalent circuit of Transformer at Low frequency	125
7.3	Open circuit plot for core fault (3-phase)	126
7.4	Short circuit plot for core fault (3-phase)	127
7.5	Open circuit plot for series winding (3-phase)	128

7.6	Open circuit plot for common winding (3-phase)	128
7.7	Short circuit plot for HV winding (3-phase)	129
7.8	Open circuit plot after fault (3-phase)	129
7.9	Open circuit plot after repair (3-phase)	130
7.10	Photographs of the damaged laminations	130
7.11	3 phase Open circuit plot for shorted turn fault (blue color: H3-H0 phase)	131
7.12	3 phase Short circuit plot for shorted turn fault (blue color: H3-H0 phase)	132
7.13	Shorted turn fault in transformer winding	132
7.14	Short circuit plot for open circuit fault (3-phase)	134
7.15	Comparison of Short circuit and open circuit plot for open circuit fault (A-phase)	135
7.16	Comparison of Short circuit and open circuit plot for open circuit fault (B-phase)	135
7.17	Comparison of Short circuit and open circuit plot for open circuit fault (C-phase)	136
7.18	Comparison of 3-phase HV open circuit SFRA plot after fault	136
7.19	Comparison of 3-phase LV open circuit SFRA plot after fault	137
7.20	Equivalent circuit of Transformer at Mid Frequency	138
7.21	Radial buckling of a Section of winding	139
7.22	Three phase LV open circuit SFRA plot after fault	140
7.23	LV winding which buckled over about the one third of its axial height	140
7.24	Open circuit SFRA plot of H1-X1 winding at Tap positions 1 for ICT 1 (Brown color)and ICT 2 (Blue color)	143
7.25	Open circuit SFRA plot of H2-X2 winding at Tap positions 1 for ICT 1 (Brown color)and ICT 2 (Blue color)	144
7.26	Open circuit SFRA plot of H3-X3 winding at Tap positions1 for ICT1 (Brown color)and ICT2(Blue color)	144
7.27	Open circuit SFRA plot of H1-X1 winding at Tap positions 17 for ICT 1(Brown color)and ICT 2 (Blue color)	145
7.28	Open circuit SFRA plot of H2-X2 winding at Tap 17 for ICT 1 (Brown color)and ICT 2 (Blue color)	145
7.29	Open circuit SFRA plot of H3-X3 winding at Tap positions 17 for ICT 1 (Brown color)and ICT 2 (Blue color)	146

7.30 Open circuit SFRA plot of X1-N winding at Tap positions 1 for ICT 1 (Brown color)and ICT 2 (Blue color)	146
7.31 Open circuit SFRA plot of X2-N winding at Tap positions 1 for ICT 1 (Brown color)and ICT 2 (Blue color)	147
7.32 Open circuit SFRA plot of X3-N winding at Tap positions 1 for ICT 1 (Brown color)and ICT 2 (Blue color)	147
7.33 Open circuit SFRA plot of X1-N winding at Tap positions 17 for ICT 1 (Brown color)and ICT 2 (Blue color)	148
7.34 Open circuit SFRA plot of X2-N winding at Tap positions 17 for ICT 1 (Brown color)and ICT 2 (Blue color)	148
7.35 Open circuit SFRA plot of X3-N winding at Tap positions 17 for ICT 1 (Brown color)and ICT 2 (Blue color)	149
7.36 Open circuit SFRA plot of H1-X1 winding at Tap positions 9B for ICT 1 Before fault (Brown color) and After fault (Blue color)	150
7.37 Open circuit SFRA plot of H2-X2 winding at Tap positions 9B for ICT 1 Before fault (Brown color) and After fault (Blue color)	150
7.38 Open circuit SFRA plot of H3-X3 winding at Tap positions 9B for ICT 1 Before fault (Brown color) and After fault (Blue color)	151
7.39 Open circuit SFRA plot of X1-N winding at Tap positions 9B for ICT 1 Before fault (Brown color) and After fault (Blue color)	151
7.40 Open circuit SFRA plot of X2-N winding at Tap positions 9B for ICT 1 Before fault (Brown color) and After fault (Blue color)	152
7.41 Open circuit SFRA plot of X3-N winding at Tap positions 9B for ICT 1 Before fault (Brown color) and After fault (Blue color)	152
7.42 Open circuit SFRA plot of Y1-Y2 winding at Tap positions 9B for ICT 1 Before fault (Brown color) and After fault (Blue color)	153
7.43 Open circuit SFRA plot of Y1-Y3 winding at Tap positions 9B for ICT 1 Before fault (Brown color) and After fault (Blue color)	153
7.44 Open circuit SFRA plot of Y2-Y3 winding at Tap positions 9B for ICT 1 Before fault (Brown color) and After fault (Blue color)	154
7.45 Short circuit SFRA plot of H1-N winding at Tap positions 1 for ICT 1 (Brown color)and ICT 2 Blue color)	155

7.46 Short circuit SFRA plot of H2-N winding at Tap positions 1 for ICT 1 (Brown color)and ICT 2 (Blue color)	155
7.47 Short circuit SFRA plot of H3-N winding at Tap positions 1 for ICT 1 (Brown color)and ICT 2 (Blue color)	156
7.48 Short circuit SFRA plot of H1-N winding at Tap positions 17 for ICT 1 (Brown color)and ICT 2 (Blue color)	156
7.49 Short circuit SFRA plot of H2-N winding at Tap positions 17 for ICT 1 (Brown color)and ICT 2 (Blue color)	157
7.50 Short circuit SFRA plot of H3-N winding at Tap positions 17 for ICT 1(Brown color)and ICT 2 (Blue color)	157
7.51 N-stage capacitive ladder network	160
7.52 Three phase comparison of fresh signatures of series windings at tap posi- tion 9b	161
7.53 Three phase comparison of fresh signatures of common windings at tap position 9b	162
7.54 Three phase comparison of fresh signatures of LV windings at tap position 9b	162
7.55 Phase to phase comparison of fresh signatures of HV (series common) wind- ings at tap position 9b with IV shorted.	163
7.56 Phase to phase comparison of fresh signatures of HV (series common) wind- ings at tap position 9b with LV shorted.	163
7.57 Phase to phase comparison of fresh signatures common windings at tap position 9b with LV shorted.	164
7.58 Comparison of reference and fresh signatures of U-phase series winding at tap 9b	164
7.59 Comparison of reference and fresh signatures of V-phase series winding at tap 9b	165
7.60 Comparison of reference and fresh signatures of W-phase series winding at tap 9b	165
7.61 Comparison of reference and fresh signatures of U-phase common winding at tap 9b	166
7.62 Comparison of reference and fresh signatures of V-phase common winding at tap 9b	166

7.63 Comparison of reference and fresh signatures of W-phase common winding at tap 9b	167
7.64 Comparison of three phase open circuit plot of common winding (U phase- white color)	167
7.65 Comparison of Short circuit plot for three phase HV winding by shorting LV winiding (U phase- pink color)	168
7.66 Comparison of short circuit plot for three phase HV winding by shorting tertiary winding (U phase -blue color)	168
8.1 Structure of Neuron	171
8.2 Sigmoid function	172
8.3 Multilayer Feed-forward network	172
8.4 Feed-forward ANN structure	175
8.5 Algorithm for Back-propagation ANN	177
8.6 Feed forward adaptive linear network	178
8.7 Least Mean-Square (LMS) algorithm	179
8.8 Variation in InputBase SFRA plot applied for prediction of shorted turn fault by NNET 1	181
8.9 Predicted shorted turn plot for Base plot 1	182
8.10 Predicted shorted turn plot for Base plot 2	182
8.11 Variation in Input Base SFRA plot applied for prediction of high impedance fault by NNET 2	183
8.12 Predicted High impedance fault for a base SFRA plot 1 by NNET2	184
8.13 Predicted High impedance fault for a base SFRA plot 2 by NNET2	185
8.14 Variation in Base SFRA plot applied for prediction of winding movement fault by NNET 3	186
8.15 Predicted SFRA plot of Winding movement fault for Base SFRA plot 1 . .	187
8.16 Predicted SFRA plot of Winding movement fault for Base SFRA plot 2 . .	188
8.17 Variation in Input Base SFRA plot applied for prediction of connecting leads fault by NNET 4	189
8.18 Predicted plot of lead fault for Base plot 1	190
8.19 Predicted plot of lead fault for Base plot 2	190