

LIST OF FIGURES

Figure No No.	Figure Details	Page
1.1	OFDM MIMO V-BLAST Transmitter model	006
1.2(a)	OFDM MIMO V-BLAST Receiver model (Front part)	007
1.2(b)	OFDM MIMO V-BLAST Receiver model (Back part)	007
1.3(a)	CDMA MIMO Transmitters	008
1.3(b)	CDMA MIMO Receivers	008
1.4	Block diagram of the k-user synchronous CDMA system model in a flat Rayleigh fading channel	009
1.5	CDMA system model with PDA algorithm	010
2.1(a)	FDMA showing that the each narrow band channel is allocated to a single user	020
2.1(b)	FDMA spectrum, where the available bandwidth is subdivided into narrower band channels	021
2.2(a)	TDMA scheme where each user is allocated a small time slot	021
2.2(b)	TDMA / FDMA hybrid, showing that the bandwidth is split into frequency channels and time slots	022
2.3(a)	CDMA Scheme : 3D	024
2.3(b)	CDMA Scheme : 2D	025
2.4	Waveforms of One User Data (chirp) in Genetic Algorithm	026
2.5	The CDMA Channel Model	030
2.6	Receiver Structure	031
2.7	Demodulator zero forcing algorithm	033
2.8	Successive Interference Cancellations – First Stage	035
2.9	Parallel Interference cancellations	036
3.1	Block diagram showing a basic OFDM transceiver	040
3.2	Sub-carriers in the OFDM Spectrum	042
3.3	Sub-carriers within an OFDM Symbol (Time Domain)	042
3.4	OFDM Modulation- Block Diagram	043
3.5	OFDM Demodulation - Block Diagram	045
3.6	cyclic extension types	046
3.7	IQ plot for 16-QAM data with added noise	047
4.1	MIMO channel	054
4.2	One-Modulator/Demodulator MIMO systems with n transmit and m receive antennas	056
4.3	Multiple-Modulator/Demodulator MIMO systems with n transmit and m receive antennas	056
4.4	Transmitter and receiver structure in a multi-user MIMO scenario	057
5.1	Basic Spatial Multiplexing Schemes wit 3 transmit and 3 receive antennas	061
5.2	Transmission techniques for the Layered scheme	062
5.3	Receiving techniques for the Layered scheme	062
5.4	Transmit coding scheme comparison between D-BLAST and (b) V-	063

LIST OF FIGURES

	BLAST	
5.5	V-BLAST system diagram	065
5.6	Block Diagram for V-BLAST	065
6.1	OFDM MIMO V-BLAST Transmitter model	072
6.2	OFDM MIMO V-BLAST Receiver model	074
6.3	CDMA MIMO Transmitters	077
6.4	CDMA MIMO Receivers	078
7.1	QPSK scheme	080
7.2	Different types of QPSK	081
7.3	16-QAM Signal Constellation	082
7.4	16-QAM In phase and Quadrature phase Signal	082
7.5	16-QAM Signal	083
7.6	64-QAM Scheme	083
7.7	PN code Generator	085
7.8	Cross correlation of PN sequence	085
7.9	Schematic of a Gold Code generator	086
8.1	GA Flowchart	089
8.2	Individual of length-l	089
8.3	An example of a GA operation during a single cycle or generation	090
8.4	Roulette wheel sampling for selection	092
9.1	Block diagram of the k-user synchronous CDMA system model in a flat Rayleigh fading channel	097
10.1(a)	ZF Performance of the BER versus E_b/E_0 (dB) for 1,2, 4 and 7 users	104
10.1(b)	ZF Profile Plot for the 1,4,8 and 16 users	105
10.1(c)	ZF Profile Report summary for 1,4,8 and 16 users	105
10.2(a)	MMSE Performance of the BER versus E_b/E_0 (dB) for 1,4,32 and 64 users	106
10.2(b)	ZF Profile Plot for the 1,4,32 and 64 users	106
10.2(c)	ZF Profile Report summary for 1,4,32 and 64 users	107
10.3(a)	ZF Performance of the BER versus E_b/E_0 (dB) for 1,4,8 and 16 users	108
10.3(b)	MMSE Profile Plot for the 1,4,8 and 16 users	108
10.3(c)	MMSE Profile Report summary for 1,4,8 and 16 users	109
10.4(a)	MMSE Performance of the BER versus E_b/E_0 (dB) for 1,4,32 and 64 users	109
10.4(b)	MMSE Profile Plot for the 1,4,32 and 64 users	110
10.4(c)	MMSE Profile Report summary for 1,4,32 and 64 users	110
10.5(a)	BER for Walsh Code : AWGN	111
10.5(b)	Profile Summary Generated 03-May-2007 14:57:53: AWGN	111
10.6(a)	BER for Walsh Code : Rayleigh	112
10.6(b)	Profile Summary Generated 11-May-2007 16:16:16 : Rayleigh	112
11.1	CDMA system model with PDA algorithm	115
11.2	Flow of PDA	116
12.1(a)	ZF Performance of the BER versus E_b/E_0 (dB) for 1, 2, 4 and 7 users	120
12.1(b)	ZF Profile Plot for 1, 4, 8 and 16 users	120
12.1(c)	ZF Profile Plot Summary for 1, 4, 8, and 16 users	121
12.2(a)	ZF Performance of BER versus E_b/E_0 (dB) for 1,4,32 and 64 users	121

LIST OF FIGURES

12.2(b)	ZF Profile Plot for 1, 4, 32 and 64 users	122
12.2(c)	Profile Plot Summary for 1, 4, 32, and 64 users	122
12.3(a)	MMSE Performance : BER versus E_b/E_0 (dB) for 1,4,8 and 16 users	123
12.3(b)	MMSE : Profile Plot for 1, 4, 8 and 16 users	124
12.3(c)	MMSE Profile Plot Summary for 1, 4, 8, and 16 users	124
12.4(a)	MMSE :Performance : BER versus E_b/E_0 (dB) for 1,4,32 and 64 users	125
12.4(b)	MMSE Profile Plot for 1, 4, 32 and 64 users	125
12.4(c)	MMSE Profile Plot Summary for 1, 4, 32, and 64 users	126
12.5(a)	Performance of the BER versus E_b/E_0 (dB) for AWGN	127
12.5(b)	Profile Plot for 16-QAM - AWGN	127
12.6(a)	Performance of the BER versus E_b/E_0 (dB) for RAYLEIGH	128
12.6(b)	Profile Plot for 16-QAM - RAYLEIGH	128
13.1(a)	BER for OFDM_MIMO_V-BLAST (ZF) _QPSK	133
13.1(b)	Profile Summary Generated on 16-Jun-2007 05:31:47	134
13.2(a)	BER for OFDM_MIMO_V-BLAST (ZF) _16QAM	134
13.2(b)	Profile Summary Generated on 16-Jun-2007 06:45:16	135
13.3(a)	BER for OFDM_MIMO_V-BLAST (ZF) _64QAM	135
13.3(b)	Profile Summary Generated 16-Jun-2007 07:20:36	136
13.4(a)	BER for OFDM_MIMO_V-BLAST (MMSE) _QPSK	136
13.4(b)	Profile Summary Generated 16-Jun-2007	137
13.5(a)	BER for OFDM_MIMO_V-BLAST (MMSE) _16QAM	137
13.5(b)	Profile Summary Generated 15-May-2007 05:08:13	138
13.6(a)	BER for OFDM_MIMO_V-BLAST _64QAM	138
13.6(b)	Profile Summary Generated on 22-Jun-2007	139
13.7(a)	BER for CDMA_MIMO_V-BLAST (ZF) _QPSK_WALSHCODE	139
13.7(b)	Profile Summary Generated 16-Jun-2007 22:10:27	139
13.8(a)	BER for CDMA_MIMO_V-BLAST (ZF) _16QAM_WALSHCODE	140
13.8(b)	Profile Summary Generated 17-Jun-2007 06:32:12	141
13.9(a)	BER for CDMA_MIMO_V-BLAST (ZF) _4QAM_WALSHCODE	141
13.9(b)	Profile Summary Generated 17-Jun-2007 10:15:07	142
13.10(a)	BER for CDMA_MIMO_V-BLAST (MMSE) _QPSK_WALSHCODE	142
13.10(b)	Profile Summary Generated 03-Jun-2007 02:09:25	143
13.11(a)	BER for CDMA_MIMO_V-BLAST (MMSE) _16QAM_WALSHCODE	143
13.11(b)	Profile Summary Generated on 17-Jun-2007 08:39:10	144
13.12(a)	BER for CDMA_MIMO_V-BLAST (MMSE) _64QAM_WALSHCODE	144
13.12(b)	Profile Summary Generated on 23-Jun-2007 20:34:35	145
13.13(a)	BER for CDMA_MIMO_V-BLAST (ZF) _QPSK_GOLD CODE	145
13.13(b)	Profile Summary generated on 17 Jun-2007 22:06:5	146
13.14(a)	BER for CDMA_MIMO_V-BLAST (ZF) _16QAM_GOLD CODE	146
13.14(b)	Profile Summary	147
13.15(a)	BER for CDMA_MIMO_V-BLAST (ZF) _16QAM_GOLD CODE	147
13.15(b)	Profile Summary Generated on 17-Jun-2007 10:11:01	148
13.16(a)	BER for CDMA_MIMO_V-BLAST (MMSE) _16QAM_GOLD CODE	148

LIST OF FIGURES

13.16(b)	Profile Summary Generated on 03-Jun-2007 02:22:58	149
13.17(a)	BER for CDMA_MIMO_V-BLAST (MMSE) _16QAM_GOLDCODE	149
13.17(b)	Profile Summary Generated on 17-Jun-2007 08:27:11	150
13.18(a)	BER for CDMA_MIMO_V-BLAST (MMSE) _64QAM_GOLDCODE	150
13.18(b)	Profile Summary generated on 23-Jun-2007 20:47:31	151
13.19(a)	BER for CDMA_MIMO_V-BLAST (ZF) _QPSK_PNCODE	151
13.19(b)	Profile Summary Generated on 16-Jun-2007 22:23:18	152
13.20(a)	BER for CDMA_MIMO_V-BLAST (ZF) _16QAM_PNCODE	152
13.20(b)	Profile Summary Generated on 27-Jun-2007 09:05:37	153
13.21(a)	BER for CDMA_MIMO_V-BLAST (ZF) _64QAM_PNCODE	153
13.21(b)	Profile Summary Generated on 26-Jun-2007 07:43:07	154
13.22(a)	BER for CDMA_MIMO_V-BLAST (MMSE) _QPSK_PNCODE	154
13.22(b)	Profile Summary Generated 26-Jun-2007 06:22:43	155
13.23(a)	BER for CDMA_MIMO_V-BLAST (MMSE) _16QAM_PNCODE	155
13.23(b)	Profile Summary Generated 26-Jun-2007 06:22:43	156
13.24(a)	BER for CDMA_MIMO_V-BLAST (MMSE) _64QAM_PNCODE	156
13.24(b)	Profile Summary Generated 23-Jun-2007 20:55:34	157
13.25(a)	BER for Walsh Code AWGN : QPSK_GA	157
13.25(b)	<u>Profile Summary</u> Generated 23-May-2007 09:42:29	158
13.26(a)	BER for Gold Code AWGN : QPSK_GA	158
13.26(b)	<u>Profile Summary</u> Generated 23-May-2007 09:40:48	159
13.27(a)	BER for PN Code AWGN : QPSK_GA	159
13.27(b)	<u>Profile Summary</u> Generated 23-May-2007 09:44:06	160
13.28(a)	BER for Walsh Code Rayleigh : QPSK_GA	160
13.28(b)	<u>Profile Summary</u> Generated 23-May-2007 09:50:16	161
13.29(a)	BER for Gold Code Rayleigh : QPSK_GA	161
13.29(b)	<u>Profile Summary</u> Generated 23-May-2007 09:54:41	162
13.30(a)	BER for PN Code Rayleigh : QPSK_GA	162
13.30(b)	<u>Profile Summary</u> Generated 23-May-2007 09:47:01	163
13.31(a)	BER for Walsh Code AWGN : 16 QAM_GA	163
13.31(b)	<u>Profile Summary</u> Generated 03-May-2007 14:57:53	164
13.32(a)	BER for Gold Code AWGN : 16 QAM_GA	164
13.32(b)	<u>Profile Summary</u> Generated 03-May-2007 16:04:50	165
13.33(a)	BER for PN Code AWGN : 16 QAM_GA	165
13.33(b)	<u>Profile Summary</u> Generated 04-May-2007 12:05:19	166
13.34(a)	BER for Walsh Code Reyleigh : 16 QAM_GA	166
13.34(b)	<u>Profile Summary</u> Generated 11-May-2007 16:16:16	167
13.35(a)	BER for Gold Code Reyleigh : 16 QAM_GA	167
13.35(b)	<u>Profile Summary</u> Generated 17-May-2007 15:45:40	168
13.36(a)	BER for PN Code Reyleigh : 16 QAM_GA	168
13.36(b)	<u>Profile Summary</u> Generated 17-May-2007 14:14:44	169
13.37(a)	BER for Walsh Code AWGN : 64-QAM_GA	169
13.37(b)	<u>Profile Summary</u> Generated 04-May-2007 12:46:54	170
13.38(a)	BER for Gold Code AWGN : 64-QAM_GA	170
13.38(b)	<u>Profile Summary</u> Generated 04-May-2007 13:22:33	171
13.39(a)	BER for PN Code AWGN : 64-QAM_GA	171

LIST OF FIGURES

13.39(b)	Profile Summary Generated 04-May-2007 14:08:34	172
13.40(a)	BER for Walsh Code Reyleigh : 64-QAM_GA	172
13.40(b)	Profile Summary Generated 21-May-2007 22:11:31	173
13.41(a)	BER for Gold Code Reyleigh : 64-QAM_GA	173
13.41(b)	Profile Summary Generated 22-May-2007 07:44:55	174
13.42(a)	BER for PN Code Reyleigh : 64-QAM_GA	174
13.42(b)	Profile Summary Generated 22-May-2007 13:53:39	175
13.43(a)	BER for Walsh Code AWGN : GMSK_GA	175
13.43(b)	Profile Summary Generated 03-May-2007 12:28:54	176
13.44(a)	BER for Gold Code AWGN : GMSK_GA	176
13.44(b)	Profile Summary Generated 03-May-2007 12:32:33	177
13.45(a)	BER for PN Code AWGN : GMSK_GA	177
13.45(b)	Profile Summary Generated 03-May-2007 12:34:45	178
13.46(a)	BER for Walsh Code Reyleigh : GMSK_GA	178
13.46(b)	Profile Summary Generated 07-May-2007 22:00:14	179
13.47(a)	BER for Gold Code Reyleigh : GMSK_GA	179
13.47(b)	Profile Summary Generated 07-May-2007 22:04:17	180
13.48(a)	BER for PN Code Reyleigh : GMSK_GA	180
13.48(b)	Profile Summary Generated 07-May-2007 22:08:42	181
13.49(a)	BER versus Eb/E0 (dB) for Walsh Code AWGN : QPSK_PDA	181
13.49(b)	Profile Plot for QPSK_PDA	182
13.50(a)	BER versus Eb/E0 (dB) for PN Code AWGN : QPSK_PDA	182
13.50(b)	Profile Plot for QPSK	183
13.51(a)	BER versus Eb/E0 (dB) for Gold Code AWGN : QPSK_PDA	183
13.51(b)	Profile Plot for QPSK	184
13.52(a)	BER versus Eb/E0 (dB) for Walsh Code AWGN : 16 QAM_PDA	184
13.52(b)	Profile Plot for 16-QAM	185
13.53(a)	BER versus Eb/E0 (dB) for PN Code AWGN : 16 QAM_PDA	185
13.53(b)	Profile Plot for 16-QAM	186
13.54(a)	BER versus Eb/E0 (dB) for Gold Code AWGN : 16 QAM_PDA	186
13.54(b)	Profile Plot for 16-QAM	187
13.55(a)	BER versus Eb/E0 (dB) for Walsh Code AWGN : 64 QAM_PDA	187
13.55(b)	Profile Plot for 64-QAM	188
13.56(a)	BER versus Eb/E0 (dB) for PN Code AWGN : 64 QAM_PDA	188
13.56(b)	Profile Plot for 64-QAM	189
13.57(a)	BER versus Eb/E0 (dB) for Gold Code AWGN : 64 QAM_PDA	189
13.57(b)	Profile Plot for 64-QAM	190
13.58(a)	BER versus Eb/E0 (dB) for Walsh Code AWGN : GMSK_PDA	190
13.58(b)	Profile Plot for GMSK	191
13.59(a)	BER versus Eb/E0 (dB) for PN Code AWGN : GMSK_PDA	191
13.59(b)	Profile Plot for GMSK	192
13.60(a)	BER versus Eb/E0 (dB) for Gold Code AWGN : GMSK_PDA	192
13.60(b)	Profile Plot for GMSK	193
13.61(a)	BER versus Eb/E0 (dB) for Walsh Code Reyleigh : QPSK_PDA	193
13.61(b)	Profile Plot for QPSK	194
13.62(a)	BER versus Eb/E0 (dB) for PN Code Reyleigh : QPSK_PDA	194

LIST OF FIGURES

13.62(b)	Profile Plot for QPSK	195
13.63(a)	BER versus E_b/E_0 (dB) for Gold Code Rayleigh : QPSK_PDA	195
13.63(b)	Profile Plot for QPSK	196
13.64(a)	BER versus E_b/E_0 (dB) for Walsh Code Rayleigh : 16-QAM_PDA	196
13.64(b)	Profile Plot for 16-QAM	197
13.65(a)	BER versus E_b/E_0 (dB) for PN Code Rayleigh : 16-QAM_PDA	197
13.65(b)	Profile Plot for 16-QAM	198
13.66(a)	BER versus E_b/E_0 (dB) for Gold Code Rayleigh : 16-QAM_PDA	198
13.66(b)	Profile Plot for 16-QAM	199
13.67(a)	BER versus E_b/E_0 (dB) for Walsh Code Rayleigh : 64-QAM_PDA	199
13.67(b)	Profile Plot for 64-QAM	200
13.68(a)	BER versus E_b/E_0 (dB) for PN Code Rayleigh : 64-QAM_PDA	200
13.68(b)	Profile Plot for 64-QAM	201
13.69(a)	BER versus E_b/E_0 (dB) for Gold Code Rayleigh : 64-QAM_PDA	201
13.69(b)	Profile Plot for 64-QAM	202
13.70(a)	BER versus E_b/E_0 (dB) for Walsh Code Rayleigh : GMSK_PDA	202
13.70(b)	Profile Plot for GMSK	203
13.71(a)	BER versus E_b/E_0 (dB) for PN Code Rayleigh : GMSK_PDA	203
13.71(b)	Profile Plot for GMSK	204
13.72(a)	BER versus E_b/E_0 (dB) for Gold Code Rayleigh : GMSK_PDA	204
13.72(b)	Profile Plot for GMSK	205