

# Bibliography

- [1] Analytic, “Latin hypercube vs. monte carlo sampling,” <https://lumina.com/latin-hypercube-vs-monte-carlo-sampling/>.
- [2] J. Slootweg and W. Kling, “The impact of large scale wind power generation on power system oscillations,” *Electric Power Systems Research*, vol. 67, 2003.
- [3] D. S. Brereton and C. C. Lewis, D. G. and Young, “Representation of induction-motor loads during power-system stability studies,” *Transactions of the American Institute of Electrical Engineers Part III Power Apparatus and Systems*, vol. 76, 1957.
- [4] M. EL-Shimy, M. Badr, and O. Rassem, “Impact of large scale wind power on power system stability,” in *IEEE-2008, 12th International Middle East Power System Conference - MEPCON - Aswan, Egypt (2008.03.12-2008.03.15)*, 2008.
- [5] G. L. Johnson, *Wind Energy Systems*, 1st ed. Prentice Hall, 1985.
- [6] A. Pinto, B. Carvalho, J. Oliveira, G. Guimaraes, A. Moraes, C. Salerno, and Z. Vitorio, “Analysis of a wecs connected to utility grid with synchronous generator,” in *IEEE 2006 IEEE/PES Transmission & Distribution Conference and Exposition: Latin America - Caracas, Venezuela (2006.08.15-2006.08.18)*, 2006.
- [7] P. Kundur, *Power System Stability and Control*. McGraw-Hill Professional, 1994.
- [8] E. Vittal, M. O’Malley, and A. Keane, “A steady-state voltage stability analysis of power systems with high penetrations of wind,” *IEEE Transactions on Power Systems*, vol. 25, 2010.

- [9] R. Billinton and W. Wangdee, "Reliability-based transmission reinforcement planning associated with large-scale wind farms," *IEEE Transactions on Power Systems*, vol. 22, 2007.
- [10] R. Billinton, H. Chen, and R. Ghajar, "A sequential simulation technique for adequacy evaluation of generating systems including wind energy," *IEEE Transactions on Energy Conversion*, vol. 11, 1996.
- [11] M. J. Burke, D. J. and O'Malley, "Optimal wind power location on transmission system: a probabilistic load flow approach," in *Proc. Int. Conf. Probabilistic Methods Applied to Power System, 2008*, 2008.
- [12] A. Bakirtzis, P. Dokopoulos, E. Gavanidou, and M. Ketselides, "A probabilistic costing method for the evaluation of the performance of grid-connected wind arrays," *IEEE Transactions on Energy Conversion*, vol. 4, 3 1989.
- [13] N. Hatziaargyriou, T. Karakatsanis, and M. Papadopoulos, "Probabilistic load flow in distribution systems containing dispersed wind power generation," *IEEE Transactions on Power Systems*, vol. 8, 1993.
- [14] T. Boehme, A. Wallace, and G. Harrison, "Applying time series to power flow analysis in networks with high wind penetration," *IEEE Transactions on Power Systems*, vol. 22, 2007. [Online]. Available: <https://ieeexplore.ieee.org/document/4282010>
- [15] D. Infield and M. Thomson, "Network power flow analysis for a high penetration of distributed generation," *IEEE Transactions on Power Systems*, vol. 22, 2007. [Online]. Available: <https://ieeexplore.ieee.org/document/1709489>
- [16] T. Ackermann, *Wind Power in Power Systems (Ackermann/Wind Power in Power Systems)-Maximizing Renewable Generation on the Power System of Ireland and Northern Ireland*, 2012, vol. 10.1002/9781119941842.
- [17] H. Wan, J. McCalley, and V. Vittal, "Risk based voltage security assessment," *IEEE Transactions on Power Systems*, vol. 15, 2000.
- [18] Y. Vaahedi, E. and Mansour, C. Fuchs, S. Granville, M. Latore, and H. Hamadanizadeh, "Dynamic security constrained optimal power flow/var planning," *IEEE Transactions on Power Systems*, vol. 16, 2001.

- [19] M. Bakhtvar and A. Keane, "Optimal allocation of wind generation subject to voltage stability constraints," 2013.
- [20] H. Song, B. Lee, S.-H. Kwon, and V. Ajjarapu, "Reactive reserve-based contingency constrained optimal power flow (rccopf) for enhancement of voltage stability margins," *IEEE Transactions on Power Systems*, vol. 18, 2003.
- [21] "Voltage stability constrained optimal power flow (vscopf) with two sets of variables (tsv) for reactive power planning," in *IEEE/PES Transmission and Distribution Conference and Exposition, Chicago, IL, USA (2008.04.21-2008.04.24)*.
- [22] R. Zarate-Mihano, A. Conejo, and F. Milano, "Opf-based security redispatching including facts devices," *IET Generation Transmission & Distribution*, vol. 2, 2008.
- [23] D. Burke and M. O'Malley, "Maximizing firm wind connection to security constrained transmission networks," *IEEE Transactions on Power Systems*, vol. 25, 2010.
- [24] M. Nick, G. Riahy, S. Hosseini, and F. Fallahi, "Wind power optimal capacity allocation to remote areas taking into account transmission connection requirements," *IET Renewable Power Generation*, vol. 5, 2011.
- [25] Y. Gu, J. D. McCalley, and M. Ni, "Coordinating large-scale wind integration and transmission planning," *IEEE Transactions on Sustainable Energy*, vol. 3, 10 2012.
- [26] R. S. Al Abri, E. F. El-Saadany, and Y. M. Atwa, "Optimal placement and sizing method to improve the voltage stability margin in a distribution system using distributed generation," *IEEE Transactions on Power Systems*, vol. 28, 02 2013.
- [27] M. Bakhtvar and A. Keane, "Allocation of wind capacity subject to long term voltage stability constraints," *IEEE Transactions on Power Systems*, 2015.
- [28] S. Burchett, D. Douglas, S. G. Ghiocel, M. Liehr, J. H. Chow, D. Kosterev, A. Faris, E. Heredia, and G. H. Matthews, "An optimal thvenin equivalent estimation method and its application to the voltage stability analysis of a wind hub," *IEEE Transactions on Power Systems*, 2017.

- [29] S. Chun-Lien, "Stochastic evaluation of voltages in distribution networks with distributed generation using detailed distribution operation models," *IEEE Transactions on Power Systems*, vol. 25, 2010.
- [30] J. Zhang, C. Tse, K. Wang, and C. Chung, "Voltage stability analysis considering the uncertainties of dynamic load parameters," *IET Generation Transmission & Distribution*, vol. 3, 2009.
- [31] D. Jia, L. Hu, K.-y. Liu, Y. Liu, X. Meng, and W. Sheng, "Simplified probabilistic voltage stability evaluation considering variable renewable distributed generation in distribution systems," *IET Generation Transmission & Distribution*, vol. 9, 09 2015.
- [32] S. G. Ghiocel and J. H. Chow, "A power flow method using a new bus type for computing steady-state voltage stability margins," *IEEE Transactions on Power Systems*, vol. 29, 03 2014.
- [33] F. Mohn and A. Zambroni De Souza, "Tracing pv and qv curves with the help of a cric continuation method," *IEEE Transactions on Power Systems*, vol. 21, 08 2006.
- [34] K. Lo, E. V. De Lorenci, B. I. L. Lopes, A. B. Almeida, A. C. Zambroni de Souza de Souza, and R. C. Leme, "Probabilistic voltage stability assessment considering renewable sources with the help of the pv and qv curves," *IET Renewable Power Generation*, vol. 7, 09 2013.
- [35] M. Pipattanasomporn, M. Willingham, and S. Rahman, "Implications of on-site distributed generation for commercial/industrial facilities," *IEEE Transactions on Power Systems*, vol. 20, 2005.
- [36] M. Fahrioglu, R. H. Lasseter, F. L. Alvarado, and T. Yong, "Integrating distributed generation technology into demand management schemes," in *IEEE-PES/IAS Conference on Sustainable Alternative Energy (SAE) - Valencia, Spain (2009.09.28-2009.09.30)*, 2009.

- [37] M. Pipattanasomporn and S. Rahman, "Intelligent distributed autonomous power systems (idaps) and their impact on critical electrical loads," in *First IEEE International Workshop on Critical Infrastructure Protection (IWCIP'05) - Darmstadt, Germany (03-04 Nov. 2005)*, 2005.
- [38] L. Ochoa, A. Padilha-Feltrin, and G. Harrison, "Time-series-based maximization of distributed wind power generation integration," *IEEE Transactions on Energy Conversion*, vol. 23, 2008.
- [39] K. Nara, Y. Hayashi, K. Ikeda, and T. Ashizawa, "Application of tabu search to optimal placement of distributed generators," in *IEEE-2001 Winter Meeting of the IEEE Power Engineering Society, Conference Proceedings (Cat. No.01CH37194), Columbus, OH, USA (28 Jan.-1 Feb. 2001)*, vol. 2, 2001.
- [40] M. Golshan and S. Arefifar, "Distributed generation, reactive sources and network-configuration planning for power and energy-loss reduction," *IEE Proceedings - Generation Transmission and Distribution*, vol. 153, 2006.
- [41] D. Singh and K. Verma, "Multiobjective optimization for dg planning with load models," *IEEE Transactions on Power Systems*, vol. 24, 2009.
- [42] G. P. Harrison, A. Piccolo, P. Siano, and A. R. Wallace, "Distributed generation capacity evaluation using combined genetic algorithm and opf," *International Journal of Emerging Electric Power Systems*, vol. 8, 01 2007.
- [43] C. L. Borges and D. M. Falco, "Optimal distributed generation allocation for reliability, losses, and voltage improvement," *International Journal of Electrical Power & Energy Systems*, vol. 28, 2006.
- [44] S. Grady, M. Hussaini, and M. Abdullah, "Placement of wind turbines using genetic algorithms," *Renewable Energy*, vol. 30, 2005.
- [45] G. Celli, E. Ghiani, S. Mocci, and F. Pilo, "A multiobjective evolutionary algorithm for the sizing and siting of distributed generation," *IEEE Transactions on Power Systems*, vol. 20, 05 2005.

- [46] G. Carpinelli, G. Celli, S. Mocci, F. Pilo, and A. Russo, "Optimisation of embedded generation sizing and siting by using a double trade-off method," *IEE Proceedings - Generation Transmission and Distribution*, vol. 152, 2005.
- [47] D. Popovic, J. Greatbanks, M. Begovic, and A. Pregelj, "Placement of distributed generators and reclosers for distribution network security and reliability," *International Journal of Electrical Power & Energy Systems*, vol. 27, 2005.
- [48] N. Rau and Y.-H. Wan, "Optimum location of resources in distributed planning," *IEEE Transactions on Power Systems*, vol. 9, 1994.
- [49] K. Vinoth Kumar and M. Selvan, "Placement of distributed generators and reclosers for distribution network security and reliability," *Aust. J. Electr. Electron. Eng.*, vol. 8, 2011.
- [50] K. Vinothkumar and M. P. Selvan, "Fuzzy embedded genetic algorithm method for distributed generation planning," *Electric Power Components and Systems*, vol. 39, 02 2011.
- [51] H. Hedayati, S. Nabaviniaki, and A. Akbarimajd, "A method for placement of dg units in distribution networks," *IEEE Transactions on Power Delivery*, vol. 23, 2008.
- [52] K. Vinothkumar, "Investigations on distributed generation planning and certain grid interaction issues of wind turbine generation system," Ph.D. dissertation, National Institute of Technology, Tiruchirappalli, NIT, Tiruchirappalli, 4 2011.
- [53] Kumaresan and Subbiah, "Innovative reactive power saving in wind-driven grid-connected induction generators using a deltastar stator winding; part i," *Wind Engineering*, vol. 27, 05 2003.
- [54] Subbiah and Kumaresan, "Innovative reactive power saving in wind-driven grid-connected induction generators using a delta-star stator winding: Part ii, estimation of annual wh and varh of the delta-star generator and comparison with alternative schemes," *Wind Engineering*, vol. 27, 05 2003.

- [55] P. Raja, N. Kumaresan, and M. Subbiah, "Grid-connected induction generators using delta-star switching of the stator winding with a permanently connected capacitor," *Wind Engineering*, vol. 36, 04 2012.
- [56] P. Raja, M. P. Selvan, and N. Kumaresan, "Enhancement of voltage stability margin in radial distribution system with squirrel cage induction generator based distributed generators," *IET Generation Transmission & Distribution*, vol. 7, 08 2013.
- [57] M. Donnelly, J. Dagle, D. Trudnowski, and G. Rogers, "Impacts of the distributed utility on transmission system stability," *IEEE Transactions on Power Systems*, vol. 11, 5 1996.
- [58] R. Guttromson, "Modeling distributed energy resource dynamics on the transmission system," *IEEE Transactions on Power Systems*, vol. 17, 2002.
- [59] M. Reza, J. Slootweg, P. Schavemaker, and L. van der Sluis, "Investigating impacts of distributed generation on transmission system stability," in *IEEE Bologna Power Tech Conference Proceedings - Bologna, Italy (June 23-26, 2003)*, vol. 2, 2003.
- [60] Committee-38, "Modeling new forms of generation and storage," *CIGRE TF*.
- [61] V. Thong, D. Van Dommelen, J. Driesen, and R. Belmans, "Impact of large scale distributed and unpredictable generation on voltage and angle stability of transmission system," in *40<sup>th</sup> CIGRE Conf., article C6205, Paris, France, August 29-September 3, 2004*, 2004.
- [62] G. Huang and L. Zhao, "Measurement based voltage stability monitoring of power system." [Online]. Available: [www.pserc.wisc.edu](http://www.pserc.wisc.edu).
- [63] V. Costas, *Voltage Stability of Electric Power Systems*, ser. The Kluwer international series in engineering and computer science Power electronics and power systems 441. Kluwer Academic Publishers, 1998.
- [64] "Voltage stability assessment: Concepts, practices and tools," Tech. Rep.
- [65] A. Leite da Silva, I. Coutinho, A. Zambroni de Souza, R. Prada, and A. Rei, "Voltage collapse risk assessment," *Electric Power Systems Research*, vol. 54, 2000.

- [66] A. Rodrigues, R. Prada, and M. Da Guia da Silva, "Voltage stability probabilistic assessment in composite systems: Modeling unsolvability and controllability loss," *IEEE Transactions on Power Systems*, vol. 25, 2010.
- [67] C. Su and C. Lu, "Two-point estimate method for quantifying transfer capability uncertainty," *IEEE Transactions on Power Systems*, vol. 20, 05 2005.
- [68] J. Munoz, C. Canizares, K. Bhattacharya, and A. Vaccaro, "An affine arithmetic-based method for voltage stability assessment of power systems with intermittent generation sources," *IEEE Transactions on Power Systems*, vol. 28, 11 2013.
- [69] A. Vaccaro, C. A. Canizares, and D. Villacci, "An affine arithmetic-based methodology for reliable power flow analysis in the presence of data uncertainty," *IEEE Transactions on Power Systems*, vol. 25, 05 2010.
- [70] R. Jabr and B. Pal, "Ordinal optimisation approach for locating and sizing of distributed generation," *IET Generation Transmission & Distribution*, vol. 3, 2009.
- [71] A. Kumar and W. Gao, "Optimal distributed generation location using mixed integer non-linear programming in hybrid electricity markets," *IET Generation Transmission & Distribution*, vol. 4, 2010.
- [72] F. Abu-Mouti and M. El-Hawary, "Heuristic curve-fitted technique for distributed generation optimisation in radial distribution feeder systems," *IET Generation Transmission & Distribution*, vol. 5, 2011.
- [73] M. Akorede, H. Hizam, I. Aris, and M. Ab Kadir, "Effective method for optimal allocation of distributed generation units in meshed electric power systems," *IET Generation Transmission & Distribution*, vol. 5, 2011.
- [74] A. El-Zonkoly, "Optimal placement of multi-distributed generation units including different load models using particle swarm optimisation," *IET Generation Transmission & Distribution*, vol. 5, 2011.
- [75] P. S. Georgilakis and N. D. Hatziargyriou, "Optimal distributed generation placement in power distribution networks: Models, methods, and future research," *IEEE Transactions on Power Systems*, vol. 28, 08 2013.



- [76] M.-R. Haghifam, H. Falaghi, and O. Malik, "Risk-based distributed generation placement," *IET Generation Transmission & Distribution*, vol. 2, 2008.
- [77] G. Carpinelli, G. Celli, F. Pilo, and A. Russo, "Embedded generation planning under uncertainty including power quality issues," *European Transactions on Electrical Power*, vol. 13, 2003.
- [78] E. Haesen, J. Driesen, and R. Belmans, "Robust planning methodology for integration of stochastic generators in distribution grids," *IET Renewable Power Generation*, vol. 1, 2007.
- [79] Z. Liu, F. Wen, and G. Ledwich, "Optimal siting and sizing of distributed generators in distribution systems considering uncertainties," *IEEE Transactions on Power Delivery*, vol. 26, 2011.
- [80] K. Zou, A. Agalgaonkar, K. Muttaqi, and S. Perera, "Distribution system planning with incorporating dg reactive capability and system uncertainties," *IEEE Transactions on Sustainable Energy*, vol. 3, 2012.
- [81] M. Mokhtari fard, R. Noroozian, and S. Molaei, "Determining the optimal placement and capacity of dg in intelligent distribution networks under uncertainty demands by coa," in *Iranian Conference on Smart Grids*, 2012, pp. 1–8.
- [82] F. Ugranli and E. Karatepe, "Multiple-distributed generation planning under load uncertainty and different penetration levels," *International Journal of Electrical Power & Energy Systems*, vol. 46, 3 2013.
- [83] V. A. Evangelopoulos and P. S. Georgilakis, "Optimal distributed generation placement under uncertainties based on point estimate method embedded genetic algorithm," *IET Generation Transmission & Distribution*, 03 2014.
- [84] Y. Atwa, E. El-Saadany, M. Salama, and R. Seethapathy, "Optimal renewable resources mix for distribution system energy loss minimization," *IEEE Transactions on Power Systems*, vol. 25, 2010.
- [85] J. Kim, S. Nam, S. Park, and C. Singh, "Dispersed generation planning using improved hereford ranch algorithm," *Electric Power Systems Research*, vol. 47, 1998.

- [86] M. Gandomkar, M. Vakilian, and M. Ehsan, "Optimal distributed generation allocation in distribution network using hereford ranch algorithm," in *IEEE Proceedings of the Eighth International Conference on Electrical Machines and Systems - Nanjing, China (2005.09.29-2005.09.29)*, 2005.
- [87] T. Griffin, K. Tomsovic, D. Secrest, and A. Law, "Placement of dispersed generation systems for reduced losses," in *Proceedings of the 33rd Annual Hawaii International Conference on System Sciences, IEEE Comput. Soc HICSS33, Maui, HI, USA (4-7 Jan. 2000)*, vol. 1, 2000.
- [88] J. Greatbanks, D. Popovic, M. Begovic, A. Pregelj, and T. Green, "On optimization for security and reliability of power systems with distributed generation," in *IEEE Bologna Power Tech Conference Proceedings- Bologna, Italy (June 23-26, 2003)*, vol. 1, 2003.
- [89] P. Vovos, G. Harrison, and J. Wallace, A.and Bialek, "Optimal power flow as a tool for fault level-constrained network capacity analysis," *IEEE Transactions on Power Systems*, vol. 20, 2005.
- [90] V. Quezada, J. Abbad, and T. Roman, "Assessment of energy distribution losses for increasing penetration of distributed generation," *IEEE Transactions on Power Systems*, vol. 21, 2006.
- [91] C. Wang and M. Nehrir, "Analytical approaches for optimal placement of distributed generation sources in power systems," *IEEE Transactions on Power Systems*, vol. 19, 11 2004.
- [92] G. Celli and F. Pilo, "Optimal distributed generation allocation in mv distribution networks," in *IEEE 2001 Power Industry Computer Applications Conference - Sydney, NSW, Australia (20-24 May 2001)*, 2001.
- [93] F. Pilo and G. Celli, "Mv network planning under uncertainties on distributed generation penetration," in *IEEE Power Engineering Society Summer Meeting - Vancouver, BC, Canada (15-19 July 2001)*, vol. 1, 2001.
- [94] N. Saad, M. Sujod, M. F. Abas, M. H. Sulaiman, and M. Rashid, "Optimal placement and sizing of distributed generation based on mvmo-sh," 01 2019.

- [95] “Maximisation of intermittent distributed generation in active networks,” in *IEE CIRED Seminar 2008: SmartGrids for Distribution - Frankfurt, Germany (23-24 June 2008)*.
- [96] W. El-Khattam, K. Bhattacharya, Y. Hegazy, and M. Salama, “Optimal investment planning for distributed generation in a competitive electricity market,” *IEEE Transactions on Power Systems*, vol. 19, 2004.
- [97] W. El-Khattam, Y. Hegazy, and M. Salama, “An integrated distributed generation optimization model for distribution system planning,” *IEEE Transactions on Power Systems*, vol. 20, 2005.
- [98] T. Gozel and M. Hakan Hocaoglu, “An analytical method for the sizing and siting of distributed generators in radial systems,” *Electric Power Systems Research*, vol. 79, 2009.
- [99] A. Piccolo and P. Siano, “Evaluating the impact of network investment deferral on distributed generation expansion,” *IEEE Transactions on Power Systems*, vol. 24, 2009.
- [100] P. Reche Lopez, M. Gomez Gonzalez, N. Ruiz Reyes, and F. Jurado, “Optimization of biomass fuelled systems for distributed power generation using particle swarm optimization,” *Electric Power Systems Research*, vol. 78, 2008.
- [101] E. Haesen, C. Bastiaensen, J. Driesen, and R. Belmans, “A probabilistic formulation of load margins in power systems with stochastic generation,” *IEEE Transactions on Power Systems*, vol. 24, 2009.
- [102] F. Zhihong, V. Ajjarapu, and D. Maratukulam, “A comprehensive approach for preventive and corrective control to mitigate voltage collapse,” *IEEE Transactions on Power Systems*, vol. 15, 2000.
- [103] Z. Feng and W. Xu, “Fast computation of post-contingency system margins for voltage stability assessments of large-scale power systems,” *IEE Proceedings - Generation Transmission and Distribution*, vol. 147, 2000.
- [104] I. Dobson and L. Lu, “Computing an optimum direction in control space to avoid stable node bifurcation and voltage collapse in electric power systems,”

- IEEE Transactions on Automatic Control*, vol. 37, 1992. [Online]. Available: <https://ieeexplore.ieee.org/document/256397>
- [105] C. Canizares, "Calculating optimal system parameters to maximize the distance to saddle-node bifurcations," *IEEE Transactions on Circuits and Systems I Fundamental Theory and Applications*, vol. 45, 1998.
- [106] C. Chung, T. Chung, C. Yu, and X. Lin, "Cost-based reactive power pricing with voltage security consideration in restructured power systems," *Electric Power Systems Research*, vol. 70, 2004.
- [107] A. David and R. Fang, "Security-based rescheduling of transactions in a deregulated power system," *IEE Proceedings - Generation Transmission and Distribution*, vol. 146, 1999.
- [108] S. Hao and A. Papalexopoulos, "Reactive power pricing and management," *IEEE Transactions on Power Systems*, vol. 12, Feb 1997.
- [109] X. Lin, A. David, and C. Yu, "Reactive power optimisation with voltage stability consideration in power market systems," *IEE Proceedings - Generation Transmission and Distribution*, vol. 150, 2003.
- [110] F. Dong, B. Chowdhury, M. Crow, and L. Acar, "Improving voltage stability by reactive power reserve management," *IEEE Transactions on Power Systems*, vol. 20, 02 2005.
- [111] K. Shubhanga and A. Kulkarni, "Stability-constrained generation rescheduling using energy margin sensitivities," *IEEE Transactions on Power Systems*, vol. 19, 2004.
- [112] C. Chung, L. Wang, F. Howell, and P. Kundur, "Generation rescheduling methods to improve power transfer capability constrained by small-signal stability," *IEEE Transactions on Power Systems*, vol. 19, 02 2004.
- [113] F. Capitanescu and T. Van Cutsem, "Preventive control of voltage security margins: a multicontingency sensitivity-based approach," *IEEE Transactions on Power Systems*, vol. 17, 2002.

- [114] G. Wu, C. Chung, K. Wong, and C. Yu, "Voltage stability constrained optimal dispatch in deregulated power systems," *IET Generation Transmission & Distribution*, vol. 1, 2007.
- [115] S. Muller, M. Deicke, and R. De Doncker, "Doubly fed induction generator systems for wind turbines," *IEEE Industry Applications Magazine*, vol. 8, 2002.
- [116] A. Petersson, L. Harnefors, and T. Thiringer, "Evaluation of current control methods for wind turbines using doubly-fed induction machines," *IEEE Transactions on Power Electronics*, vol. 20, 2005.
- [117] G. Pannell, D. Atkinson, R. Kemsley, L. Holdsworth, P. Taylor, and O. Moja, "Dfig control performance under fault conditions for offshore wind applications," in *IEE 18th International Conference and Exhibition on Electricity Distribution (CIRED 2005) - Turin, Italy (6-9 June 2005)*, vol. 2005, 2005.
- [118] D. Xiang, L. Ran, P. J. Tavner, and J. R. Bumby, "Control of a doubly fed induction generator to ride through a grid fault," in *Int. Conf. Electric Machines (ICEM), Cracow, Poland*.
- [119] N. Kirby, L. Xu, M. Luckett, and W. Siepmann, "Hvdc transmission for large offshore wind farms," *Power Engineering Journal*, vol. 16, 2002.
- [120] X. Dawei, R. Li, P. Tavner, and S. Yang, "Control of a doubly fed induction generator in a wind turbine during grid fault ride-through," *IEEE Transactions on Energy Conversion*, vol. 21, 2006.
- [121] A. Kasem, E. El-Saadany, H. El-Tamaly, and M. Wahab, "Power ramp rate control and flicker mitigation for directly grid connected wind turbines," *IET Renewable Power Generation*, vol. 4, 2010.
- [122] H. Jinwei and W. L. Yun, "Generalized closed-loop control schemes with embedded virtual impedances for voltage source converters with lc or lcl filters," *IEEE Transactions on Power Electronics*, vol. 27, 2012.
- [123] S. Vesti, T. Suntio, J. A. Oliver, R. Prieto, and J. A. Cobos, "Impedance-based stability and transient-performance assessment applying maximum peak criteria," *IEEE Transactions on Power Electronics*, vol. 28, 05 2013.

- [124] L. Zhang, L. Harnefors, and H.-P. Nee, "Interconnection of two very weak ac systems by vsc-hvdc links using power-synchronization control," *IEEE Transactions on Power Systems*, vol. 26, 2011.
- [125] J. Sun, "Impedance-based stability criterion for grid-connected inverters," *IEEE Transactions on Power Electronics*, vol. 26, 11 2011.
- [126] J. He, Y. W. Li, D. Bosnjak, and B. Harris, "Investigation and active damping of multiple resonances in a parallel-inverter-based microgrid," *IEEE Transactions on Power Electronics*, vol. 28, 01 2013.
- [127] J. Z. Zhou, H. Ding, S. Fan, Y. Zhang, and A. M. Gole, "Impact of short-circuit ratio and phase-locked-loop parameters on the small-signal behavior of a vsc-hvdc converter," *IEEE Transactions on Power Delivery*, vol. 29, 10 2014.
- [128] X. Wang, F. Blaabjerg, M. Liserre, Z. Chen, J. He, and Y. Li, "An active damper for stabilizing power-electronics-based ac systems," *IEEE Transactions on Power Electronics*, vol. 29, 07 2014.
- [129] D. Yang, X. Ruan, and H. Wu, "Impedance shaping of the grid-connected inverter with lcl filter to improve its adaptability to the weak grid condition," *IEEE Transactions on Power Electronics*, vol. 29, 11 2014.
- [130] D. Dong, B. Wen, D. Boroyevich, P. Mattavelli, and Y. Xue, "Analysis of phase-locked loop low-frequency stability in three-phase grid-connected power converters considering impedance interactions," *IEEE Transactions on Industrial Electronics*, vol. 62, 1 2015.
- [131] Y. Huang, X. Yuan, J. Hu, and P. Zhou, "Modeling of vsc connected to weak grid for stability analysis of dc-link voltage control," *IEEE Journal of Emerging and Selected Topics in Power Electronics*, 2015.
- [132] A. Egea-Alvarez, S. Fekriasl, F. Hassan, and O. Gomis-Bellmunt, "Advanced vector control for voltage source converters connected to weak grids," *IEEE Transactions on Power Systems*, 2015.

- [133] C. Wan, M. Huang, C. K. Tse, and X. Ruan, "Effects of interaction of power converters coupled via power grid: A design-oriented study," *IEEE Transactions on Power Electronics*, vol. 30, 7 2015.
- [134] M. Liserre, R. Teodorescu, and F. Blaabjerg, "Stability of photovoltaic and wind turbine grid-connected inverters for a large set of grid impedance values," *IEEE Transactions on Power Electronics*, vol. 21, 2006.
- [135] M. Cespedes and J. Sun, "Impedance shaping of three-phase grid-parallel voltage-source converters," in *IEEE Applied Power Electronics Conference and Exposition - APEC 2012 - Orlando, FL, USA (2012.02.5-2012.02.9)*, 2012.
- [136] M. Xue, Y. Zhang, Y. Kang, Y. Yi, S. Li, and F. Liu, "Full feedforward of grid voltage for discrete state feedback controlled grid-connected inverter with lcl filter," *IEEE Transactions on Power Electronics*, vol. 27, 2012.
- [137] Y. Jia, J. Zhao, and X. Fu, "Direct grid current control of lcl-filtered grid-connected inverter mitigating grid voltage disturbance," *IEEE Transactions on Power Electronics*, vol. 29, 3 2014.
- [138] X. Chen, Y. Zhang, S. Wang, J. Chen, and C. Gong, "Impedance-phased dynamic control method for grid-connected inverters in a weak grid," *IEEE Transactions on Power Electronics*, vol. 32, no. 1, pp. 274–283, 2017.
- [139] L. Zhang, L. Harnefors, and H.-P. Nee, "Power-synchronization control of grid-connected voltage-source converters," *IEEE Transactions on Power Systems*, vol. 25, 2010.
- [140] L. Zhang, H.-P. Nee, and L. Harnefors, "Analysis of stability limitations of a vsc-hvdc link using power-synchronization control," *IEEE Transactions on Power Systems*, vol. 26, 08 2011.
- [141] Q.-C. Zhong, P.-L. Nguyen, Z. Ma, and W. Sheng, "Self-synchronized synchronverters: Inverters without a dedicated synchronization unit," *IEEE Transactions on Power Electronics*, vol. 29, 2 2014.
- [142] J. Meng, Y. Wang, C. Fu, and H. Wang, "Adaptive virtual inertia control of distributed generator for dynamic frequency support in microgrid," in *IEEE Energy*

- Conversion Congress and Exposition (ECCE) - Milwaukee, WI, USA (2016.9.18-2016.9.22)*, 2016.
- [143] Z. Wang, H. Yi, J. Wu, F. Zhuo, F. Wang, and Z. Zeng, "Dynamic performance analysis of paralleled virtual synchronous generators under grid-connected and islanded mode," in *IEEE Applied Power Electronics Conference and Exposition (APEC) - Tampa, FL, USA (2017.3.26-2017.3.30)*, 2017.
- [144] B. Wen, D. Boroyevich, R. Burgos, P. Mattavelli, and Z. Shen, "Small-signal stability analysis of three-phase ac systems in the presence of constant power loads based on measured d-q frame impedances," *IEEE Transactions on Power Electronics*, vol. 30, no. 10, 2015.
- [145] S. Sang, N. Gao, X. Cai, and R. Li, "A novel power-voltage control strategy for the grid-tied inverter to raise the rated power injection level in a weak grid," *IEEE Journal of Emerging and Selected Topics in Power Electronics*, 2017.
- [146] S. Mueeen, R. Takahashi, T. Murata, J. Tamura, M. Ali, Y. Matsumura, A. Kuwayama, and T. Matsumoto, "Low voltage ride through capability enhancement of wind turbine generator system during network disturbance," *IET Renewable Power Generation*, vol. 3, 2009.
- [147] A. Kasem, E. El-Saadany, H. El-Tamaly, and M. Wahab, "An improved fault ride-through strategy for doubly fed induction generator-based wind turbines," *IET Renewable Power Generation*, vol. 2, 2008.
- [148] S. Chondrogiannis and M. Barnes, "Specification of rotor side voltage source inverter of a doubly-fed induction generator for achieving ride-through capability," *IET Renewable Power Generation*, vol. 2, 2008.
- [149] J. Morren and S. de Haan, "Ridethrough of wind turbines with doubly-fed induction generator during a voltage dip," *IEEE Transactions on Energy Conversion*, vol. 20, 2005. [Online]. Available: <https://ieeexplore.ieee.org/document/1432858>
- [150] A. D. Hansen and M. Gabriele, "Fault ride-through capability of dfig wind turbines," *Renewable Energy*, vol. 32, 2007.



- [151] I. Erlich, J. Kretschmann, J. Fortmann, S. Mueller-Engelhardt, and H. Wrede, "Modeling of wind turbines based on doubly-fed induction generators for power system stability studies," *IEEE Transactions on Power Systems*, vol. 22, 2007.
- [152] J. Niiranen, "Voltage dip ride through of a doubly-fed generator equipped with an active crowbar," 03 2004.
- [153] M. Kayikci and J. Milanovic, "Assessing transient response of dfig-based wind plants the influence of model simplifications and parameters," *IEEE Transactions on Power Systems*, vol. 23, 2008.
- [154] L. Peng, B. Francois, and Y. Li, "Improved crowbar control strategy of dfig based wind turbines for grid fault ride-through," in *IEEE 2009 Twenty-Fourth Annual IEEE Applied Power Electronics Conference and Exposition (APEC) - Washington, DC, USA (2009.02.15-2009.02.19)*, 2009.
- [155] P. Flannery and G. Venkataramanan, "A fault tolerant doubly fed induction generator wind turbine using a parallel grid side rectifier and series grid side converter," *IEEE Transactions on Power Electronics*, vol. 23, 2008.
- [156] G. Venkataramanan and P. Flannery, "Unbalanced voltage sag ride-through of a doubly fed induction generator wind turbine with series grid-side converter," *IEEE Transactions on Industry Applications*, vol. 45, 2009.
- [157] N. Joshi and N. Mohan, "A novel scheme to connect wind turbines to the power grid," *IEEE Transactions on Energy Conversion*, vol. 24, 2009.
- [158] D. Anca, N. Cutululis, P. Sorensen, F. Iov, and T. Larsen, "Simulation of a flexible wind turbine response to a grid fault," *European Wind Energy Conference and Exhibition 2007, EWEC 2007*, vol. 2, 01 2007.
- [159] Y. Xingjia, L. Lizhe, and X. Zuoxia, "Dynamic characteristic of the drive train of dfig wind turbines during grid faults," in *Second International Conference on Intelligent Computation Technology and Automation - Changsha, Hunan, China (2009.10.10-2009.10.11)*, 2009.

- [160] D. Santos-Martin, J. Rodriguez-Amenedo, and S. Arnaltes, "Providing ride-through capability to a doubly fed induction generator under unbalanced voltage dips," *IEEE Transactions on Power Electronics*, vol. 24, 2009.
- [161] M. Rahimi and M. Parniani, "Efficient control scheme of wind turbines with doubly fed induction generators for low-voltage ride-through capability enhancement," *Renewable Power Generation, IET*, vol. 4, pp. 242 – 252, 06 2010.
- [162] M. Molinas, J. A. Suul, and T. Undeland, "Low voltage ride through of wind farms with cage generators: Statcom versus svc," *IEEE Transactions on Power Electronics*, vol. 23, 2008.
- [163] S. Mueeen, R. Takahashi, T. Murata, J. Tamura, and M. H. Ali, "Application of statcom/bess for wind power smoothening and hydrogen generation," *Electric Power Systems Research*, vol. 79, 2009.
- [164] F. Blaabjerg, R. Teodorescu, M. Liserre, and A. Timbus, "Overview of control and grid synchronization for distributed power generation systems," *IEEE Transactions on Industrial Electronics*, vol. 53, 2006.
- [165] M. Hossain, H. Pota, V. Ugrinovskii, and R. Ramos, "Simultaneous statcom and pitch angle control for improved lvr capability of fixed-speed wind turbines," *IEEE Transactions on Sustainable Energy*, vol. 1, 2010.
- [166] R. Sakamoto, T. Senjyu, T. Kaneko, N. Urasaki, T. Takagi, and S. Sugimoto, "Output power leveling of wind turbine generator by pitch angle control using  $h_\infty$  control," *Electrical Engineering in Japan*, vol. 162, 2008.
- [167] T. Senjyu, Y. Kikunaga, A. Yona, H. Sekine, A. Y. Saber, and T. Funabashi, "Coordinate control of wind turbine and battery in wind power generator system," in *IEEE Power and Energy Society General Meeting - Conversion and Delivery of Electrical Energy in the 21st Century - Pittsburgh, PA, USA (2008.07.20-2008.07.24)*, 2008.
- [168] W. Qiao and R. G. Harley, "Power quality and dynamic performance improvement of wind farms using a statcom," in *IEEE Power Electronics Specialists Conference - Orlando, FL, USA (2007.06.17-2007.06.21)*, 2007.

- [169] M. J. Hossain, H. R. Pota, V. Ugrinovskii, and R. A. Ramos, "Excitation control for large disturbances in power systems with dynamic loads," in *IEEE Power & Energy Society General Meeting (PES), Calgary, Canada (2009.07.26-2009.07.30)*, 2009.
- [170] O. Goksu, R. Teodorescu, C. L. Bak, F. Iov, and P. C. Kjaer, "Instability of wind turbine converters during current injection to low voltage grid faults and pll frequency based stability solution," *IEEE Transactions on Power Systems*, vol. 29, 7 2014.
- [171] I. Erlich, F. Shewarega, S. Engelhardt, J. Kretschmann, J. Fortmann, and F. Koch, "Effect of wind turbine output current during faults on grid voltage and the transient stability of wind parks," in *IEEE Power & Energy Society General Meeting, Calgary, Canada (2009.07.26-2009.07.30)*, 2009.
- [172] H. Markiewicz and A. Klajn, *Voltage Disturbances Standard EN 50160 - Voltage Characteristics in Public Distribution Systems*, EN EN50 160, 2008.
- [173] C. H. Benz, W. T. Franke, and F. W. Fuchs, "Low voltage ride through capability of a 5 kw grid-tied solar inverter," in *Proceedings of 14th International Power Electronics and Motion Control Conference EPE-PEMC 2010, Ohrid, Macedonia (2010.09.6-2010.09.8)*, 2010.
- [174] Y. Yang, H. Wang, and F. Blaabjerg, "Reactive power injection strategies for single-phase photovoltaic systems considering grid requirements," *IEEE Transactions on Industry Applications*, vol. 50, 11 2014.
- [175] Y. Yang, F. Blaabjerg, and Z. Zou, "Benchmarking of grid fault modes in single-phase grid-connected photovoltaic systems," *IEEE Transactions on Industry Applications*, vol. 49, 09 2013.
- [176] G. Saccomando and J. Svensson, "Transient operation of grid-connected voltage source converter under unbalanced voltage conditions," in *Conference Record of the 2001 IEEE Industry Applications Conference. 36<sup>th</sup> IAS Annual Meeting (Cat. No.01CH37248), Chicago, IL, USA (30 Sept.-4 Oct. 2001)*, vol. 4, 2001.

- [177] F. Magueed and J. Svensson, "Control of vsc connected to the grid through lcl - filter to achieve balanced currents," in *IEEE Fourtieth IAS Annual Meeting. Conference Record of the 2005 Industry Applications Conference, Hong Kong, China (2-6 Oct. 2005)*, vol. 1, 2005.
- [178] S. Yongsug, V. Tijeras, and T. Lipo, "[ieee 2002 ieee industry applications society annual meeting - pittsburgh, pa, usa (13-18 oct. 2002)] conference record of the 2002 ieee industry applications conference. 37th ias annual meeting (cat. no.02ch37344) - a nonlinear control of the instantaneous power in dq synchronous frame for pwm ac/dc converter under generalized unbalanced operating conditions," vol. 2, 2002.
- [179] L. Chia-Tse, H. Che-Wei, and C. Po-Tai, "A low-voltage ride-through technique for grid-connected converters of distributed energy resources," *IEEE Transactions on Industry Applications*, vol. 47, 2011.
- [180] G. Ding, F. Gao, H. Tian, C. Ma, M. Chen, G. He, and Y. Liu, "Adaptive dc-link voltage control of two-stage photovoltaic inverter during low voltage ride-through operation," *IEEE Transactions on Power Electronics*, 2015.
- [181] H. Markiewicz and A. Klajn, *Grid Code High and Extra High Voltage*, E.ON Netz GmbH, Bayreuth, Germany, 2006. [Online]. Available: <http://www.eon-netz.com>
- [182] "The grid code," National Grid Electricity Transmission plc, Warwick, U.K., Tech. Rep. 4, 2010. [Online]. Available: <http://www.nationalgrid.com/uk>
- [183] "Regulation of 3.2.5 wind turbines connected to grids with voltages above 100 kv," Energinet, Denmark, Tech. Rep., 2010.
- [184] "Distribution system operator, esb networks, distribution code v2.0," Tech. Rep., 2007. [Online]. Available: <http://www.esb.ie/esbnetworks/en/downloads/Distribution-Code.pdf>
- [185] "Technical requirements for connecting photovoltaic power station to power system," China, Tech. Rep. GB/T 19964-2012, 2012.
- [186] H. Tian, F. Gao, and C. Ma, "Novel low voltage ride through strategy of single-stage grid-tied photovoltaic inverter with supercapacitor coupled," in *Proceedings of The*

- 7<sup>th</sup> International Power Electronics and Motion Control Conference (IPEMC 2012)*  
- Harbin, China (2012.06.2-2012.06.5), 2012.
- [187] H. Tian, F. Gao, G. He, and G. Li, "Low voltage ride through of two-stage photovoltaic inverter with enhanced operational performance," in *Twenty-Seventh Annual IEEE Applied Power Electronics Conference and Exposition (APEC) - APEC 2012* - Orlando, FL, USA (2012.02.5-2012.02.9), 2012.
- [188] E. Styvaktakis, M. Bollen, and I. Gu, "Automatic classification of power system events using rms voltage measurements," in *IEEE Power Engineering Society Summer Meeting, Chicago, IL, USA (21-25 July 2002)*, vol. 2, 2002.
- [189] R. Naidoo and P. Pillay, "A new method of voltage sag and swell detection," *IEEE Transactions on Power Delivery*, vol. 22, 04 2007.
- [190] F. Liccardo, P. Marino, and G. Raimondo, "Robust and fast three-phase pll tracking system," *IEEE Transactions on Industrial Electronics*, vol. 58, 2011.
- [191] I. Carugati, S. Maestri, P. G. Donato, D. Carrica, and M. Benedetti, "Variable sampling period filter pll for distorted three-phase systems," *IEEE Transactions on Power Electronics*, vol. 27, 01 2012.
- [192] Y. F. Wang and Y. Wei Li, "Analysis and digital implementation of cascaded delayed-signal-cancellation pll," *IEEE Transactions on Power Electronics*, vol. 26, 04 2011.
- [193] "Enhancing the three-phase synchronous reference frame pll to remove unbalance and harmonic errors," in *35th Annual Conference of IEEE Industrial Electronics (IECON) - Porto, Portugal (2009.11.3-2009.11.5)*.
- [194] B. Sun, N.-Y. Dai, U.-F. Chio, M.-C. Wong, C.-K. Wong, S.-W. Sin, U. Seng-Pan, and R. P. Martins, "Fpga-based decoupled double synchronous reference frame pll for active power filters," in *6<sup>th</sup> IEEE Conference on Industrial Electronics and Applications (ICIEA) - Beijing, China (2011.06.21-2011.06.23)*, 2011.
- [195] P. Rodriguez, J. Pou, J. Bergas, J. Candela, R. Burgos, and D. Boroyevich, "Decoupled double synchronous reference frame pll for power converters control," *IEEE Transactions on Power Electronics*, vol. 22, 2007.

- [196] D. Yazdani, M. Mojiri, A. Bakhshai, and G. Joos, "A fast and accurate synchronization technique for extraction of symmetrical components," *IEEE Transactions on Power Electronics*, vol. 24, 2009.
- [197] S. A. Oliveira da Silva, R. Novochadlo, and R. A. Modesto, "Single-phase pll structure using modified p-q theory for utility connected systems," in *IEEE Power Electronics Specialists Conference - PESC 2008 - Rhodes, Greece (2008.06.15-2008.06.19)*, 2008.
- [198] M. Karimi-Ghartemani, "A unifying approach to single-phase synchronous reference frame plls," *IEEE Transactions on Power Electronics*, vol. 28, 10 2013.
- [199] C. Ma, F. Gao, G. He, and G. Li, "A voltage detection method for the voltage ride-through operation of renewable energy generation systems under grid voltage distortion conditions," *IEEE Transactions on Sustainable Energy*, vol. 6, 7 2015.
- [200] E. Lopez, J. and Gubia, E. Olea, J. Ruiz, and L. Marroyo, "Ride through of wind turbines with doubly fed induction generator under symmetrical voltage dips," *IEEE Transactions on Industrial Electronics*, vol. 56, 2009.
- [201] L. Meegahapola, T. Littler, and D. Flynn, "Decoupled-dfig fault ride-through strategy for enhanced stability performance during grid faults," *IEEE Transactions on Sustainable Energy*, vol. 1, 2010.
- [202] J. Liang, W. Qiao, and R. Harley, "Feed-forward transient current control for low-voltage ride-through enhancement of dfig wind turbines," *IEEE Transactions on Energy Conversion*, vol. 25, 2010.
- [203] T. D. Vrionis, X. I. Koutiva, and N. A. Vovos, "A genetic algorithm-based low voltage ride-through control strategy for grid connected doubly fed induction wind generators," *IEEE Transactions on Power Systems*, vol. 29, 5 2014.
- [204] P.-H. Huang, M. S. El Moursi, W. Xiao, and J. L. Kirtley Jr, "Novel fault ride-through configuration and transient management scheme for doubly fed induction generator," *IEEE Transactions on Energy Conversion*, vol. 28, 03 2013.

- [205] Y. Jin, J. Fletcher, and J. O'Reilly, "A series-dynamic-resistor-based converter protection scheme for doubly-fed induction generator during various fault conditions," *IEEE Transactions on Energy Conversion*, vol. 25, 2010.
- [206] F. Nielsen, J.G. and Blaabjerg, "A detailed comparison of system topologies for dynamic voltage restorers," *IEEE Transactions on Industry Applications*, vol. 41, 2005.
- [207] C. Abbey and G. Joos, "Supercapacitor energy storage for wind energy applications," *IEEE Transactions on Industry Applications*, vol. 43, 2007.
- [208] P. Kanjiya, B. B. Ambati, and V. Khadkikar, "A novel fault-tolerant dfig-based wind energy conversion system for seamless operation during grid faults," *IEEE Transactions on Power Systems*, vol. 29, 5 2014.
- [209] R. Cardenas, R. Pena, S. Alepuz, and G. Asher, "Overview of control systems for the operation of dfigs in wind energy applications," *IEEE Transactions on Industrial Electronics*, vol. 60, 07 2013.
- [210] M. Mohseni and S. Islam, "Transient control of dfig-based wind power plants in compliance with the australian grid code," *IEEE Transactions on Power Electronics*, vol. 27, 2012.
- [211] D. Xie, Z. Xu, L. Yang, J. Ostergaard, Y. Xue, and K. P. Wong, "A comprehensive lvrt control strategy for dfig wind turbines with enhanced reactive power support," *IEEE Transactions on Power Systems*, vol. 28, 08 2013.
- [212] Y.-W. Shen, D.-P. Ke, W. Qiao, Y.-Z. Sun, D. S. Kirschen, and C. Wei, "Transient reconfiguration and coordinated control for power converters to enhance the lvrt of a dfig wind turbine with an energy storage device," *IEEE Transactions on Energy Conversion*, 2015.
- [213] P. Pratim Das and S. Chattopadhyay, "A voltage independent islanding detection method and low voltage ride through of a two stage pv inverter," *IEEE Transactions on Industry Applications*, 2018.
- [214] Z. Xie, Q. Shi, H. Song, X. Zhang, and S. Yang, "High voltage ride through control strategy of doubly fed induction wind generators based on active resistance," in

- Proceedings of The 7th International Power Electronics and Motion Control Conference*, vol. 3, 2012, pp. 2193–2196.
- [215] J. da Costa, H. Pinheiro, T. Degner, and G. Arnold, “Robust controller for dfigs of grid-connected wind turbines,” *IEEE Transactions on Industrial Electronics*, vol. 58, 2011.
- [216] S. Hu, X. Lin, Y. Kang, and X. Zou, “An improved low-voltage ride-through control strategy of doubly fed induction generator during grid faults,” *IEEE Transactions on Power Electronics*, vol. 26, 2011.
- [217] S. Xiao, G. Yang, H. Zhou, and H. Geng, “A lvrt control strategy based on flux linkage tracking for dfig-based wecs,” *IEEE Transactions on Industrial Electronics*, 2012.
- [218] Y. Ma, H. Wen, X. Zhou, J. Li, and H. Yang, “Bifurcation analysis of voltage stability and study on power loss for wind power system,” in *IEEE 2009 World Non-Grid-Connected Wind Power and Energy Conference (WNWEC 2009) - Nanjing, China (2009.09.24-2009.09.26)*, 2009.
- [219] R. M. M. Pereira, C. M. M. Ferreira, and F. P. M. Barbosa, “Comparative study of statcom and svc performance on dynamic voltage collapse of an electric power system with wind generation,” *IEEE Latin America Transactions*, vol. 12, 03 2014.
- [220] M. Asmine, J. Brochu, J. Fortmann, R. Gagnon, Y. Kazachkov, C. Langlois, C. Larose, E. Muljadi, J. MacDowell, P. Pourbeik, S. Seman, and K. Wiens, “Model validation for wind turbine generator models,” *IEEE Transactions on Power Systems*, vol. 26, 2011.
- [221] O. Goksu, M. Altin, J. Fortmann, and P. Sorensen, “Field validation of iec 61400-27-1 wind generation type 3 model with plant power factor controller,” *IEEE Transactions on Energy Conversion*, 2016.
- [222] J. Ouyang, T. Tang, J. Yao, and M. Li, “Active voltage control for dfig-based wind farm integrated power system by coordinating active and reactive powers under wind speed variations,” *IEEE Transactions on Energy Conversion*, 2019.



- [223] V. Akhmatov and P. B. Eriksen, "A large wind power system in almost island operationa danish case study," *IEEE Transactions on Power Systems*, vol. 22, 08 2007.
- [224] R. Ou, X. Y. Xiao, Z. C. Zou, Y. Zhang, and Y. H. Wang, "Cooperative control of sfcl and reactive power for improving the transient voltage stability of grid-connected wind farm with dfigs," *IEEE Transactions on Appiled Superconductivity*, 2016.
- [225] J. Liu, Y. Xu, Z. Dong, and K. P. Wong, "Retirement-driven dynamic var planning for voltage stability enhancement of power systems with high-level wind power," *IEEE Transactions on Power Systems*, 2017.
- [226] N. Ullah, T. Thiringer, and D. Karlsson, "Voltage and transient stability support by wind farms complying with the e.on netz grid code," *IEEE Transactions on Power Systems*, vol. 22, 2007.
- [227] H. T. Le, S. Santoso, and T. Q. Nguyen, "Augmenting wind power penetration and grid voltage stability limits using ess: Application design, sizing, and a case study," *IEEE Transactions on Power Systems*, vol. 27, 2012.
- [228] C. Han, A. Huang, M. Baran, S. Bhattacharya, W. Litzenberger, L. Anderson, A. Johnson, and A. A. Edris, "Statcom impact study on the integration of a large wind farm into a weak loop power system," *IEEE Transactions on Energy Conversion*, vol. 23, 2008.
- [229] C. Rahmann, H. Haubrich, A. Moser, R. Palma-Behnke, L. Vargas, and M. Salles, "Justified fault-ride-through requirements for wind turbines in power systems," *IEEE Transactions on Power Systems*, vol. 26, 2011.
- [230] Z. H. Rather, Z. Chen, P. Thogersen, and P. Lund, "Dynamic reactive power compensation of large-scale wind integrated power system," *IEEE Transactions on Power Systems*, vol. 30, 9 2015.
- [231] H. Liu and J. Sun, "Voltage stability and control of offshore wind farms with ac collection and hvdc transmission," *IEEE Journal of Emerging and Selected Topics in Power Electronics*, vol. 2, 12 2014.

- [232] N. R. Ullah and T. Thiringer, "Variable speed wind turbines for power system stability enhancement," *IEEE Transactions on Energy Conversion*, vol. 22, 03 2007.
- [233] Y. Li, L. Fan, and Z. Miao, "Stability control for wind in weak grids," *IEEE Transactions on Sustainable Energy*, 2018.
- [234] S. De Rijcke, H. Ergun, D. Van Hertem, and J. Driesen, "Grid impact of voltage control and reactive power support by wind turbines equipped with direct-drive synchronous machines," *IEEE Transactions on Sustainable Energy*, vol. 3, 10 2012.
- [235] K. Zhang, G. Geng, and Q. Jiang, "Online tracking of reactive power reserve for wind farms," *IEEE Transactions on Sustainable Energy*, 2019.
- [236] V. S. S. Kumar, K. K. Reddy, and D. Thukaram, "Coordination of reactive power in grid-connected wind farms for voltage stability enhancement," *IEEE Transactions on Power Systems*, vol. 29, 9 2014.
- [237] A. A. Tamimi, A. Pahwa, and S. Starrett, "Effective wind farm sizing method for weak power systems using critical modes of voltage instability," *IEEE Transactions on Power Systems*, vol. 27, 2012.
- [238] N. Jelani and M. Molinas, "Asymmetrical fault ride through as ancillary service by constant power loads in grid-connected wind farm," *IEEE Transactions on Power Electronics*, vol. 30, 3 2015.
- [239] S. Yang, W. Wang, C. Liu, and Y. Huang, "Optimal reactive power dispatch of wind power plant cluster considering static voltage stability for low-carbon power system," *Journal of Modern Power Systems and Clean Energy*, vol. 3, 3 2015.
- [240] T. Cui, Y. Shen, B. Zhang, J. Xu, S. Xiong, K. Zhang, and L. Liang, "Pmus-based voltage control of isolated power systems with high penetration of wind power," *IEEE Transactions on Sustainable Energy*, 2017.
- [241] R. R. Londero, C. d. M. Affonso, and J. P. A. Vieira, "Long-term voltage stability analysis of variable speed wind generators," *IEEE Transactions on Power Systems*, vol. 30, 1 2015.

- [242] E. Muljadi, C. Butterfield, and A. Parsons, B.; Ellis, "Effect of variable speed wind turbine generator on stability of a weak grid," *IEEE Transactions on Energy Conversion*, vol. 22, 2007.
- [243] K. Yang, M. H. Bollen, and M. Wahlberg, "A comparison study of harmonic emission measurements in four windparks," in *IEEE Energy Society General Meeting - Detroit, MI, USA (2011.07.24-2011.07.29)*, 2011. [Online]. Available: <https://ieeexplore.ieee.org/document/6038926>
- [244] K. Yang, M. Wahlberg, and M. H. Bollen, "Comparison of harmonic emissions at two nodes in a windpark," in *IEEE 15th International Conference on Harmonics and Quality of Power (ICHQP) - Hong Kong, China (2012.06.17-2012.06.20)*, 2012. [Online]. Available: <https://ieeexplore.ieee.org/document/6381163>
- [245] L. Sainz, J. J. Mesas, R. Teodorescu, and P. Rodriguez, "Deterministic and stochastic study of wind farm harmonic currents," *IEEE Transactions on Energy Conversion*, vol. 25, 12 2010. [Online]. Available: <https://ieeexplore.ieee.org/document/5477160>
- [246] P. Ribeiro, "An overview of probabilistic aspects of harmonics: state of the art and new developments," in *IEEE Power Engineering Society General Meeting, 2005 - San Francisco, CA, USA (June 12-16, 2005)*, 2005. [Online]. Available: <https://ieeexplore.ieee.org/document/1489555>
- [247] "A new approach for harmonic summation using the methodology of iec 61400-21," in *IEEE-2010, 14th International Conference on Harmonics and Quality of Power (ICHQP) - Bergamo, Italy (2010.09.26-2010.09.29)*.
- [248] X. R. Morales and J. Maun, "Assessment of wind power quality: Implementation of iec61400-21 procedures," *Renewable Energy and Power Quality Journal*, vol. 1050, 12 2005.
- [249] S. Y. Liu, C. M. Pimenta, H. A. Pereira, V. F. Mendes, G. A. Mendonca, and S. R. Silva, *Aggregated Dfig Wind Farm Harmonic Propagation Analysis*, 2012.

- [250] F. Ghassemi and K. Kah-Leong, "Equivalent network for wind farm harmonic assessments," *IEEE Transactions on Power Delivery*, vol. 25, 2010. [Online]. Available: <https://ieeexplore.ieee.org/document/5491370>
- [251] K. M. Hasan, K. Rauma, P. Rodriguez, J. Ignacio Candela, R. S. Munoz-Aguilar, and A. Luna, "An overview of harmonic analysis and resonances of large wind power plant," in *[IEEE, IECON 2011 - 37th Annual Conference of IEEE Industrial Electronics - Melbourne, Vic, Australia (2011.11.7-2011.11.10)]*, 2011. [Online]. Available: <https://ieeexplore.ieee.org/document/5491370>
- [252] M. H. J. Bollen and K. Yang, "Harmonic aspects of wind power integration," *Journal of Modern Power Systems and Clean Energy*, vol. 1, 06 2013. [Online]. Available: <https://ieeexplore.ieee.org/stamp/stamp.jsp?arnumber=8939544>
- [253] S. Santoso, H. Wayne Beaty, R. C. Dugan, and M. F. McGranaghan, *Electrical Power Systems Quality*, 2nd ed. McGraw-Hill Professional, 2002.
- [254] J. Rueda, D. Colome, and I. Erlich, "Assessment and enhancement of small signal stability considering uncertainties," *IEEE Transactions on Power Systems*, vol. 24, 02 2009.
- [255] N. Dahal, S. and Mithulananthan and T. Saha, "Assessment and enhancement of small signal stability of a renewable-energy-based electricity distribution system," *IEEE Transactions on Sustainable Energy*, vol. 3, 2012.
- [256] G. Tsourakis, B. Nomikos, and C. Vournas, "Effect of wind parks with doubly fed asynchronous generators on small-signal stability," *Electric Power Systems Research*, vol. 79, 2009.
- [257] D. Chandra, M. S. Kumari, M. Sydulu, F. Grimaccia, M. Mussetta, S. Leva, and M. Duong, "[ieee 2014 annual ieee india conference (indicon) - pune, india (2014.12.11-2014.12.13)] 2014 annual ieee india conference (indicon) - small signal stability of power system with scig, dfig wind turbines," 2014.
- [258] N. Martins, "Efficient eigenvalue and frequency response methods applied to power system small-signal stability studies," *IEEE Transactions on Power Systems*, vol. 1, 1986.

- [259] Z. Xu, Z. Dong, and P. Zhang, "Probabilistic small signal analysis using monte carlo simulation," in *IEEE Power Engineering Society General Meeting, San Francisco, CA, USA (June 12-16, 2005)*, 2005.
- [260] D. Gautam, V. Vittal, and T. Harbour, "Impact of increased penetration of dfig-based wind turbine generators on transient and small signal stability of power systems," *IEEE Transactions on Power Systems*, vol. 24, 2009.
- [261] W. W. K. L. G. H. B. Jin Xu, ; Wu, "Probabilistic small signal analysis considering wind power correlation," in *IEEE Power and Energy Society General Meeting (PESGM), Boston, MA, USA (2016.7.17-2016.7.21)*, 2016.
- [262] I. J. Perez-Arriaga, G. C. Verghese, F. L. Pagola, J. L. Sancha, and F. C. Schweppe, "Developments in selective modal analysis of small-signal stability in electric power systems," *Automatica*, vol. 26, 1990.
- [263] H. Jia, X. Yu, and C. Yu, Yixin amd Wang, "Power system small signal stability region with time delay," *International Journal of Electrical Power & Energy Systems*, vol. 30, 2008.
- [264] X. Wu, F.and Zhang and P. Ju, "Small signal stability analysis and control of the wind turbine with the direct-drive permanent magnet generator integrated to the grid," *Electric Power Systems Research*, vol. 79, 2009.
- [265] M. Rahman, A. Osheiba, T. Radwan, and E. Abdin, "Modelling and controller design of an isolated diesel engine permanent magnet synchronous generator," *IEEE Transactions on Energy Conversion*, vol. 11, 6 1996.
- [266] S. Chatterjee, A. Naithani, and V. Mukherjee, "Small-signal stability analysis of dfig based wind power system using teaching learning based optimization," *International Journal of Electrical Power & Energy Systems*, vol. 78, 06 2016.
- [267] H. A. Mohammadpour and E. Santi, "Modeling and control of gate-controlled series capacitor interfaced with a dfig-based wind farm," *IEEE Transactions on Industrial Electronics*, vol. 62, 2 2015.
- [268] R. Zarate-Minano, F. Milano, and A. Conejo, "An opf methodology to ensure small-signal stability," *IEEE Transactions on Power Systems*, vol. 26, 2011.

- [269] Y. Mishra, S. Mishra, F. Li, Z. Y. Dong, and R. Bansal, "Small-signal stability analysis of a dfig-based wind power system under different modes of operation," *IEEE Transactions on Energy Conversion*, vol. 24, 2009.
- [270] F. Mei and B. Pal, "Modelling and small-signal analysis of a grid connected doubly-fed induction generator," in *IEEE Power Engineering Society General Meeting, San Francisco, CA, USA (June 12-16, 2005)*, 2005.
- [271] L. Yazhou, A. Mullane, and R. Lightbody, G.and Yacamini, "Modeling of the wind turbine with a doubly fed induction generator for grid integration studies," *IEEE Transactions on Energy Conversion*, vol. 21, 2006.
- [272] Z. Miao and L. Fan, "The art of modeling and simulation of induction generator in wind generation applications using high-order model," *Simulation Modelling Practice and Theory*, vol. 16, 2008.
- [273] B. Mehta, P. Bhatt, and V. Pandya, "Small signal stability analysis of power systems with dfig based wind power penetration," *International Journal of Electrical Power & Energy Systems*, vol. 58, 06 2014.
- [274] F. Pal, B.C.and Mei, "Modelling adequacy of the doubly fed induction generator for small-signal stability studies in power systems," *IET Renewable Power Generation*, vol. 2, 2008.
- [275] L. Fernandez and F. Garcia, C.A.and Jurado, "Comparative study on the performance of control systems for doubly fed induction generator (dfig) wind turbines operating with power regulation," *Energy*, vol. 33, 2008.
- [276] M. Kayikci and J. Milanovic, "Dynamic contribution of dfig-based wind plants to system frequency disturbances," *IEEE Transactions on Power Systems*, vol. 24, 05 2009.
- [277] J. Hu, H. Nian, H. Xu, and Y. He, "Dynamic modeling and improved control of dfig under distorted grid voltage conditions," *IEEE Transactions on Energy Conversion*, vol. 26, 03 2011.

- [278] I. Margaris, N. Papathanassiou, S.A. and Hatziaargyriou, and P. Hansen, A.D.; Sorensen, "Frequency control in autonomous power systems with high wind power penetration," *IEEE Transactions on Sustainable Energy*, vol. 3, 2012.
- [279] J. F. Conroy and R. Watson, "Frequency response capability of full converter wind turbine generators in comparison to conventional generation," *IEEE Transactions on Power Systems*, vol. 23, 05 2008.
- [280] K. Hee-Sang, Y. Gi-Gab, K. Nam-Ho, and H. Won-Pyo, "Modeling and control of dfig-based variable-speed wind-turbine," *Electric Power Systems Research*, vol. 78, 2008.
- [281] "Definition and classification of power system stability ieee/cigre joint task force on stability terms and definitions," *IEEE Transactions on Power Systems*, vol. 19, 2004. [Online]. Available: <https://ieeexplore.ieee.org/abstract/document/1318675>
- [282] N. G. Hingorani and L. Gyugyi, *Understanding FACTS: Concepts and Technology of Flexible AC Transmission Systems*. Wiley-IEEE Press, 1999.
- [283] S. Lian, S. Minami, S.; Morii, and S. Kawamoto, "Analysis method of voltage stability for bulk power system by p-v and q-v curves considering dynamic load," in *IEEE 2009 IEEE/PES Power Systems Conference and Exposition (PSCE) - Seattle, WA, USA (2009.03.15-2009.03.18)*, 2009.
- [284] H. Chen, J. Chen, D. Shi, and X. Duan, "Power flow study and voltage stability analysis for distribution systems with distributed generation," in *IEEE 2006 IEEE Power Engineering Society General Meeting - Montreal, Que., Canada (2006.06.18-2006.06.22)*, 2006.
- [285] B. Gao, G. Morison, and P. Kundur, "Voltage stability evaluation using modal analysis," *IEEE Transactions on Power Systems*, vol. 7, 1992.
- [286] "Npsc 2004, iit madras, voltage stability improvement using modal analysis based compensation," 2008.
- [287] C. Sharma and M. G. Ganness, "[ ] 2008 ieee/pes transmission and distribution conference and exposition - determination of the applicability of using modal analysis

- for the prediction of voltage stability,” in *IEEE Exposition - Chicago, IL, USA (2008.04.21-2008.04.24)*, 2008.
- [288] “Practical application of modal analysis for increasing voltage stability margins,” in *IEEE Joint International Power Conference Athens Power Tech, Athens, Greece (September 5-8, 1993)*.
- [289] C. Canizares, “On bifurcations, voltage collapse and load modeling,” *IEEE Transactions on Power Systems*, vol. 10, Feb. 1995.
- [290] “Effect of wind generation uncertainty on voltage stability - a singular value analysis,” in *IEEE 2018 IEEE Electrical Power and Energy Conference (EPEC) - Toronto, ON (2018.10.10-2018.10.11)*.
- [291] I. G. Adebayo, A. A. Jimoh, and A. A. Yusuff, “A comparison of voltage collapse point prediction capabilities of voltage stability index and inherent structural characteristics,” in *IEEE AFRICON 2015 - Addis Ababa, Ethiopia (2015.9.14-2015.9.17)*, 2015.
- [292] A. Chakrabarti and S. Halder, *Power System Analysis Operation and Control*, 1st ed., 2010.
- [293] V. Ajjarapu, *Computational Techniques for Voltage Stability Assessment and Control (Power Electronics and Power Systems)*, 1st ed., 2006.
- [294] P. W. Sauer and M. A. Pai, *Power System Dynamics and Stability*, 1st ed. Prentice Hall, 1998.
- [295] M. Pai, *Energy Function Analysis for Power System Stability*, 1st ed., ser. The Kluwer International Series in Engineering and Computer Science. Springer US, 1989.
- [296] R. Y. Rubinstein, *Simulation and the Monte Carlo Method*, ser. Wiley series in probability and mathematical statistics. Wiley, 1981.
- [297] J. M. Morales and J. Perez-Ruiz, “Point estimate schemes to solve the probabilistic power flow,” *IEEE Transactions on Power Systems*, vol. 22, 11 2007.



- [298] K. Li, S. Li, D. Li, and Q. Niu, *Two-Point Estimate Method for Probabilistic Optimal Power Flow Computation Including Wind Farms with Correlated Parameters*, 2013, vol. 10.1007/978-3-642-37105-9.
- [299] G. Verbic and C. Canizares, “Probabilistic optimal power flow in electricity markets based on a two-point estimate method,” *IEEE Transactions on Power Systems*, vol. 21, 2006.
- [300] H. Hong, “An efficient point estimate method for probabilistic analysis,” *Reliability Engineering & System Safety*, vol. 59, 1998.
- [301] L. Zhi-Zhao, W. Li, and M. Yang, “Two general extension algorithms of latin hypercube sampling,” *Mathematical Problems in Engineering*, vol. 2015, 2015.
- [302] Y. Yuan, J. Zhou, P. Ju, and J. Feuchtwang, “Probabilistic load flow computation of a power system containing wind farms using the method of combined cumulants and gram charlier expansion,” *IET Renewable Power Generation*, vol. 5, 2011.
- [303] J. Munkhammar, L. Mattsson, J. Rydn, and F. Rapallo, “Polynomial probability distribution estimation using the method of moments,” *PLoS ONE*, vol. 12, 4 2017.
- [304] A. Schellenberg, W. Rosehart, and J. Aguado, “Cumulant-based probabilistic optimal power flow (p-opf) with gaussian and gamma distributions,” *IEEE Transactions on Power Systems*, vol. 20, 05 2005.
- [305] L. Cohen, “Generalization of the gram-charlier/edgeworth series and application to time-frequency analysis,” *Multidimensional Systems and Signal Processing*, vol. 9, 10 1998.
- [306] A. C. Miller and T. R. Rice, “Discrete approximations of probability distributions,” 1983.
- [307] E. Rosenblueth, “Point estimates for probability moments,” *Proceedings of the National Academy of Sciences*, vol. 72, 10 1975.
- [308] B. G. M. Husslage, G. Rennen, E. R. VanDam, and D. Hertog, “Space-filling latin hypercube designs for computer experiments,” *Optimization and Engineering*, vol. 12, 12 2011.

- [309] J. Helton, F. Davis, and J. Johnson, "A comparison of uncertainty and sensitivity analysis results obtained with random and latin hypercube sampling," *Reliability Engineering & System Safety*, vol. 89, 2005.
- [310] G. G. Wang and S. Shan, "Review of metamodeling techniques in support of engineering design optimization-parts a and b," in *ASME 2006 International Design Engineering Technical Conferences and Computers and Information in Engineering Conference - Philadelphia, Pennsylvania, USA (September 10/13, 2006)*, vol. 2006, 2006.
- [311] A. Olsson, G. Sandberg, and O. Dahlblom, "On latin hypercube sampling for structural reliability analysis," *Structural Safety*, vol. 25, 2003.
- [312] H. Yu, C. Chung, K. Wong, and J. Zhang, "A probabilistic load flow calculation method with latin hypercube sampling," *Automation of Electric Power Systems*, vol. 33, 2009.
- [313] C. Ong, "Refinement strategies for stratified sampling methods," *Reliability Engineering & System Safety*, vol. 91, 2006.
- [314] C. Sallaberry, J. Helton, and S. Hora, "Extension of latin hypercube samples with correlated variables," *Reliability Engineering & System Safety*, vol. 93, 2008.
- [315] P. Z. G. Qian, "Nested latin hypercube designs," *Biometrika*, vol. 96, 12 2009.
- [316] X. He and P. Z. G. Qian, "Nested orthogonal array-based latin hypercube designs," *Biometrika*, vol. 98, 09 2011.
- [317] D. Williamson, "Exploratory ensemble designs for environmental models using k-extended latin hypercubes," *Environmetrics*, vol. 26, 06 2015.
- [318] K. Dongbum, K. Kyungnam, and H. Jongchul, "Comparative study of different methods for estimating weibull parameters: A case study on jeju island, south korea," *Energies*, vol. 11, 2018. [Online]. Available: <https://doi.org/10.3390/en11020356>
- [319] S. Varricchio, N. Martins, and L. Garcia Lima, "A newton-raphson method based on eigenvalue sensitivities to improve harmonic voltage performance,"

- IEEE Transactions on Power Delivery*, vol. 18, 01 2003. [Online]. Available: <https://ieeexplore.ieee.org/document/1159940>
- [320] S. Varricchio and N. Martins, "Filter design using a newton-raphson method based on eigenvalue sensitivity," in *IEEE 2000 Power Engineering Society Summer Meeting - Seattle, WA, USA (16-20 July 2000)*, (Cat. No.00CH37134), vol. 2, 2000. [Online]. Available: <https://ieeexplore.ieee.org/document/867470>
- [321] M. Van Valkenburg, *Network Analysis*. Prentice Hall, Inc, 1959, vol. 6.
- [322] S. Varricchio, N. Martins, T. L. Leonardo, and C. J. Sandoval, "Studying harmonic problems using a descriptor system approach," in *IPST 99 International Conference on Power Systems Transients, June 20-24, 1999, Budapest, Hungary*, 1999.
- [323] S. Varricchio, S. Gomes, and N. Martins, "Modal analysis of industrial system harmonics using the s-domain approach," *IEEE Transactions on Power Delivery*, vol. 19, 07 2004. [Online]. Available: <https://ieeexplore.ieee.org/document/1308350>
- [324] N. P. C. Gomes, S.; Martins, "Modal analysis applied to s-domain models of ac networks," in *IEEE 2001 Winter Meeting of the IEEE Power Engineering Society - Columbus, OH, USA (28 Jan.-1 Feb. 2001)* (Cat. No.01CH37194), vol. 3, 2001. [Online]. Available: <https://ieeexplore.ieee.org/document/4077113>
- [325] Y. Cui and X. Wang, "Modal frequency sensitivity for power system harmonic resonance analysis," *IEEE Transactions on Power Delivery*, vol. 27, 2012. [Online]. Available: <https://ieeexplore.ieee.org/document/4077113>
- [326] K. G. C. C. Rauma, Kalle; Md Hasan, "Resonance analysis of a wind power plant with modal approach," in *IEEE-2012, IEEE 21st International Symposium on Industrial Electronics (ISIE) - Hangzhou, China (2012.05.28-2012.05.31)*, 2012. [Online]. Available: <https://ieeexplore.ieee.org/document/6237408>
- [327] E. H. L. Aarts and J. Korst, *Simulated Annealing and Boltzmann Machines: A Stochastic Approach to Combinatorial Optimization and Neural Computing*, 1st ed. Wiley, 1989.
- [328] S. Kirkpatrick, C. D. Gelatt, and M. P. Vecchi, "Optimization by simulated annealing," *Science*, vol. 220, 1983.

- [329] A. Lagana, M. L. Gavrilova, V. Kumar, Y. Mun, C. J. K. Tan, and O. Gervasi, *An Efficient Simple Cooling Schedule for Simulated Annealing*, 2004, vol. 3045.
- [330] V. Laarhoven, P. J. M., and E. H. L. a. Aarts, *Simulated Annealing: Theory and Applications*, 1st ed., ser. Mathematics and Its Applications 37. Springer Netherlands, 1987.
- [331] J. M. Thompson and K. A. Dowsland, "Variants of simulated annealing for the examination timetabling problem," *Annals of Operations Research*, vol. 63, 1996.
- [332] B. Luke, *Practical Considerations for Simulated Annealing Implementation*, 1st ed., ser. Simulated Annealing. IntechOpen, 2005.
- [333] M. Locatelli, "Convergence of a simulated annealing algorithm for continuous global optimization," *Journal of Global Optimization*, vol. 18, 11 2000.
- [334] J. C. Das, *Power System Harmonics and Passive Filter Designs*, 1st ed., ser. IEEE Press Series on Power Engineering. Wiley-IEEE Press, 2015.
- [335] "Power quality and integration of wind farms in weak grids in india," in *Ris National Laboratory, Roskilde, April 2000*.
- [336] F. Blaabjerg, Z. Chen, and S. Kjaer, "Power electronics as efficient interface in dispersed power generation systems," *IEEE Transactions on Power Electronics*, vol. 19, 2004.
- [337] M. Ali, B. Wu, and R. Dougal, "An overview of smes applications in power and energy systems," *IEEE Transactions on Sustainable Energy*, vol. 1, 2010.
- [338] N. Flourentzou and G. Agelidis, V.G.and Demetriades, "Vsc-based hvdc power transmission systems: An overview," *IEEE Transactions on Power Electronics*, vol. 24, 2009.
- [339] X. Jiang, X. Fang, J. Chow, E. Edris, A. A.and Uzunovic, M. Parisi, and L. Hopkins, "A novel approach for modeling voltage-sourced converter-based facts controllers," *IEEE Transactions on Power Delivery*, vol. 23, 10 2008.
- [340] R. Middlebrook, "Input filter considerations in design and application of switching regulators," in *IEEE Ind. Appl. Soc. Annu. Meet, 1976*, 1976, pp. 366–382.

- [341] F. Freijedo, A. Yepes, O. Lopez, A. Vidal, and J. Doval-Gandoy, "Three-phase pll's with fast postfault retracking and steady-state rejection of voltage unbalance and harmonics by means of lead compensation," *IEEE Transactions on Power Electronics*, vol. 26, 2011.
- [342] M. R. P. Fei Wang; Duarte, J.L.; Hendrix, "Modeling and analysis of grid harmonic distortion impact of aggregated dg inverters," *IEEE Transactions on Power Electronics*, vol. 26, 2011.
- [343] R. Beres, X. Wang, F. Blaabjerg, M. Liserre, and C. Bak, "Optimal design of high-order passive-damped filters for grid-connected applications," *IEEE Transactions on Power Electronics*, 2015.
- [344] S. Jian, "Small-signal methods for ac distributed power systemsa review," *IEEE Transactions on Power Electronics*, vol. 24, 11 2009.
- [345] J. Jiao and R. M. Nelms, "Regulating output impedance using a pi controller to improve the stability of a single phase inverter under weak grid," in *IEEE 16th International Conference on Environment and Electrical Engineering (EEEIC) - Florence, Italy (2016.6.7-2016.6.10)*, 2016.
- [346] M. Yang, Wen; Wang, "Impedance modeling and output impedance coupling analysis of three-phase grid-connected inverters," in *IEEE International Power Electronics and Application Conference and Exposition (PEAC) - Shenzhen (2018.11.4-2018.11.7)*, 2018.
- [347] Q.-C. Zhong and Y. Zeng, "Control of inverters via a virtual capacitor to achieve capacitive output impedance," *IEEE Transactions on Power Electronics*, vol. 29, 10 2014.
- [348] Y. He, C.-t. Lai, S.-h. Chung, X. Zhang, and W. Wu, "Use of series negative impedance to cancel the effect of equivalent grid impedance on the grid-connected inverter stability in the dpgs," in *IEEE Applied Power Electronics Conference and Exposition (APEC) - San Antonio, TX, USA (2018.3.4-2018.3.8)*, 2018.
- [349] Q.-C. Zhong and Y. Zeng, "Universal droop control of inverters with different types of output impedance," *IEEE Access*, 2016.

- [350] T. Messo, R. Luhtala, A. Aapro, and T. Roinila, "Accurate impedance model of a grid-connected inverter for small-signal stability assessment in high-impedance grids," *IEEJ Journal of Industry Applications*, vol. 8, 5 2019.
- [351] P. Ling, P. Zhang, and C. Guo, "An impedance reshaping control strategy to enhance adaptability to grid for grid-connected inverters," in *China International Conference on Electricity Distribution (CICED)*, 2018.
- [352] "Ieee recommended practices and requirements for harmonic control in electrical power systems," Institute of Electrical and Electronic Engineers, Standard, 1992.
- [353] P. Daly and J. Morrison, "Understanding the potential benefits of distributed generation on power delivery systems," in *IEEE Bologna Power Tech Conference (June 23-26, 2003)*, Bologna, Italy, 2003.
- [354] C. Borges and D. M. Falcon, "Impact of distributed generation allocation and sizing on reliability, losses and voltage profile," in *IEEE Bologna Power Tech Conference Proceedings (June 23-26, 2003)*, Bologna, Italy, 2003.
- [355] W. Xiao, W. Dunford, and A. Capel, "A novel modeling method for photovoltaic cells," in *IEEE 35th Annual Power Electronics Specialists Conference - Aachen, Germany (20-25 June 2004)*, 2004.
- [356] I. H. Altas and A. Sharaf, "A photovoltaic array simulation model for matlab-simulink gui environment," in *International Conference on Clean Electrical Power - Capri, Italy (2007.05.21-2007.05.23)*, 2007.
- [357] M. Villalva, J. Gazoli, and E. Filho, "Comprehensive approach to modeling and simulation of photovoltaic arrays," *IEEE Transactions on Power Electronics*, vol. 24, 2009.
- [358] W. Zhang, W. Li, M. Zhao, and X. Liu, "Simulation of active power filter with one-cycle control under unipolar operation by pscad/emtsc," 2011.
- [359] M. Ropp and S. Gonzalez, "Development of a matlab/simulink model of a single-phase grid-connected photovoltaic system," *IEEE Transactions on Energy Conversion*, vol. 24, 2009.

- [360] R. Dugan, *Electrical Power Systems Quality*, 2nd ed. McGraw-Hill, 2004.
- [361] P. Dahono, A. Purwadi, and Qamaruzzaman, “An lc filter design method for single-phase pwm inverters,” in *International Conference on Power Electronics and Drive Systems, PEDS 95 - Singapore (21-24 Feb. 1995)*, 1995.
- [362] A. Al-Abduallah, A. Iqbal, A.-A. Al-Hamadi, K. Alawi, and M. Saleh, “Five-phase induction motor drive system with inverter output lc filter,” in *7th IEEE GCC Conference and Exhibition (GCC) - Doha, Qatar (2013.11.17-2013.11.20)*, 2013.
- [363] N. Li, N. Zhi, H. Zhang, Y. Wang, and Z. Wang, “A novel output lc filter design method of high power three-level npc converter,” in *IEEE International Power Electronics and Application Conference and Exposition (PEAC) - Shanghai, China (2014.11.5-2014.11.8)*, 2014.
- [364] Y. Xiao, J. Zhao, and M. Shijie, “Theory for the design of c-type filter,” in *11th International Conference on Harmonics and Quality of Power - Lake Placid, NY, USA (12-15 Sept. 2004)*, 2004.
- [365] *Power Electronics: Converters, Applications, and Design, Third edition*, 3rd ed. John Wiley & Sons, Inc., 2002.
- [366] Z. W. Wang, C. Shen, and F. Liu, “Probabilistic analysis of small signal stability for power systems with high penetration of wind generation,” *IEEE Transactions on Sustainable Energy*, 2016.
- [367] H. Chavez, R. Baldick, and S. Sharma, “Regulation adequacy analysis under high wind penetration scenarios in ercot nodal,” *IEEE Transactions on Sustainable Energy*, vol. 3, pp. 743–750, 10 2012.