CHAPTER 8

BIBLIOGRAPHY

REFERENCES:

[1]. Connolly, D., MacLaughlin, S. & Leahy, M., "Locating Potential Sites for Pumped Hydroelectric Energy Storage", Proc. of the Electrical Energy Storage Applications and Technologies (EESAT) Conference, Seattle, USA, 4-7 October 2009.

[2]. Connolly, D. & MacLaughlin, S., "The Potential for Freshwater Pumped Hydroelectric Energy Storage in County Clare"'. Limerick Clare Energy Agency, 2010.

[3]. Connolly, D., MacLaughlin, S. & Leahy, M., "Development of a computer program to locate potential sites for pumped hydroelectric energy storage". Energy, pp. 375-381, 2010.

[4]. Deane, J. P., Ó Gallachóir, B. P. & McKeogh, E. J., "Techno-economic review of existing and new pumped hydro energy storage plant". Renewable and Sustainable Energy Reviews, pp. 1293- 1302, 2010.

[5]. Battery Types, Duracell, http://www.duracell.com.au/pages/learningcentrerechargeable batteries.asp, October, 2015.

[6]. Nickel Cadmium Fibre Plate Batteries: "Dimensional and Electrical Data", Storage Battery Systems Inc., 2010

[7]. Holzman, D. C. "The Vanadium Advantage: Flow Batteries Put Wind Energy in the Bank". National Center for Biotechnology, 2007

[8]. Menictas, C., Hong, D., Yan, Z., Wilson, J., Kazacos, M. & Skyllas & Kazacos, M., "Status of the Vanadium Redox Battery Development Program.", Proc. of the Electrical Engineering Congress, pp. 299-306, Sydney, Australia, June 1994.

[9]. Technology and Comparisons, Electricity Storage Association (ESA), http://electricitystorage.org/tech/technologies_comparisons.htm, November, 2015.

[10]. Jian Cao & Ali Emadi, "A New Battery / Supercapacitor Hybrid Energy Storage System", POWER ELECTRONICS, VOL. 27, NO. 1, JANUARY 2012.

[11]. Alireza Khaligh, Zhihao Li, "Battery, Supercapacitor, Fuel Cell, and Hybrid Energy Storage Systems for Electric, Hybrid Electric, Fuel Cell, and Plug-In Hybrid Electric

Vehicles: State of the Art", IEEE TRANSACTIONS ON VEHICULAR TECHNOLOGY, VOL. 59, NO. 6, JULY 2010.

[12]. Phatiphat Thounthong, Viboon Chunkag, Panarit Sethaku , "Comparative Study of Fuel-Cell Vehicle Hybridization with Battery or Supercapacitor Storage Device", IEEE TRANSACTIONS ON VEHICULAR TECHNOLOGY, VOL. 58, NO. 8, OCTOBER 2009.

[13]. Ying Wu, Hongwei Gao, "Optimization of Fuel Cell and Supercapacitor for Fuel-Cell Electric Vehicles", IEEE TRANSACTIONS ON VEHICULAR TECHNOLOGY, VOL. 55, NO. 6, NOVEMBER 2006.

[14]. Alireza Khaligh, Zhihao Li. "Battery, Ultracapacitor, Fuel Cell, and Hybrid Energy Storage Systems for Electric, Hybrid Electric, Fuel Cell, and Plug-In Hybrid Electric Vehicles: State of the Art", IEEE TRANSACTIONS ON VEHICULAR TECHNOLOGY, VOL. 59, NO. 6, JULY 2010.

[15]. M. Y. Ayad, M. Becherif, S. AitCheikh and M. Wack. "The use of Supercapacitors in electrical vehicle: modeling, sizing and control", Vehicle Power and Propulsion Conference (VPPC), 2010 IEEE.

[16]. Zhang Enhui, Qi Zhiping, Wei Tongzhen. "Research on combination of series and parallel with Supercapacitor Module", 2010 2nd IEEE International Symposium on Power Electronics for Distributed Generation Systems.

[17]. C. C. Chan, "The State of the Art Electric and Hybrid Vehicles," Invited Paper for the Proceedings of the IEEE, vol. 90, pp. 247-275, 2002.

[18]. J. M. Miller, D. Goel, D. Kaminski, H. P. Shoner, and T. Jahns, "Making the case for a next generation automotive electrical system," presented at International Congress on Transportation Electronics, 1998.

[19]. R. H. Staunton, C. W. Ayers, L. D. Marlino, J. N. Chiasson, and T. A. Burress, "U.S. Department of Energy,Year 2006 Report - Evaluation of 2004 Toyota Prius Hybrid Electric Drive System," Oak Ridge National Laboratory, Oak Ridge, Tennessee 37831 May 2006.

[20]. J. G. Kassakian, "Automotive electrical systems-the power electronics market of the future," presented at IEEE Applied Power Electronics Conference and Exposition, 2000.

[21]. A. Emadi, M. Ehsani, and J. M. Miller, "Vehicle Electric Power Systems-Land,Sea,Air and Space Vehicles", Marcel Dekker, ISBN 0-8247-4751-8, 2004.

[22]. L. Guzzella and A. Sciarretta, "Vehicle Propulsion Systems - Introduction to Modeling and Optimization", Springer, ISBN 3-540-25195-2, 2005.

[23]. Mamadou Bailo Camara, Hamid Gualous, Fredric Gustin, and Alian Berthon, "Design and New Control of DC/DC Converters to Share Energy Between Supercapacitors and Batteries in Hybrid Vehicles" IEEE TRANSACTION ON VEHICULAR TECHNOLOGY, VOL.57, NO.5, SEPTEMBER 2008.

[24]. P. Caratozzolo, M. Serra, and J. Riera, "Energy management strategies for hybrid electric vehicles," presented at IEEE Electric Machines and Drives Conference, IEMDC'03, 2003.

[25]. Phaneendra babu bobba and K.R.Rajagopal, "Modelling and Analysis of Hybrid Energy Storage Systems Used in Electrical Vehicles" 978-1-4673-4508-8/12, 2012 IEEE

[26]. R. Langari and J.-S. Won, "Integrated Drive Cycle Analysis for Fuzzy Logic Based Energy Management in Hybrid Vehicles," presented at IEEE International Conference on Fuzzy Systems, 2003.

[27]. J. S. Won, "Intelligent Energy Mangament Agent for Parallel Hybrid Electric Vehicles," Texas A&M University, 2003, pp. 104.

[28]. J. Hellgren and K. Jonasson, "Comparison of two algorithms for Energy management of hybrid Powertrains," Chalmers University of Technology, Sweden and Lund University, Sweden, 2004.

[29]. A. Lohner and W. Evers, "Intelligent power management of a supercapacitor based hybrid power train for light-rail vehicles and city busses," presented at IEEE Power Electronics Specialists Conference,PESC 04, 2004.

[30]. M. Endo, T. Takeda, Y. J. Kim, K. Koshiba, and K. Ishii, "High Power Electric Double Layer Capacitor (EDLCes) from Operating Principle to Pore Size Control in Advanced Activated Carbons," Carbon Science, vol. 1, pp. 117-128, 2001.

[31]. A. Rufer, P. Barrade, D. Hotellier, and P. Derron, "Supercapacitive energy storage: Power electronic solutions and applications," presented at Associazione Nazionale Azionamenti Elettrici, Seminario Interattivo, Azionamenti elettrici: Evoluzione Tecnologica e Problematiche Emergenti, Bressanone, Italy, 2002.

[32]. R. Kotz and M. Carlen, "Principles and applications of electrochemical capacitors," Electrochimica Acta - Pergamon -Elsevier Science, vol. 45, pp. 2483–2498, 2000. References 242.

[33]. B. E. Conway, 'Electrochemical Supercapacitors: Scientific Fundamentals and Technological Applications", Springer, ISBN 0306457369, 1999.

[34]. J. M. Miller and R. Smith, "Ultra-capacitor assisted electric drives for transportation," presented at IEEE International Electric Machines and Drives Conference, 2003.

[35]. G. L. Bullard, H. B. Sierra-Alcazar, H. L. Lee, and J. L. Morris, "Operating Principles of the Ultracapacitor," IEEE Transactions on Magnetics, vol. 25, pp. 102-106, 1989.

[36]. A. F. Burke, "Prospects for Ultracapacitors in Electric and Hybrid Vehicles," presented at 11th Annual Battery Conference on Applications and Advances, 1996.

[37]. R. A. Huggins, "Supercapacitors and electrochemical pulse sources," ELSEVIER journal on Solid Sate Ionics, vol. 134, pp. 179-195, 2000.

[38]. A. Namisnyk, "A survey of Electrochemical Supercapacitor Technology", University of Technology Sydney, June 2003.

[39]. J. R. Anstrom, B. Zile, K. Smith, H. Hofmann, and A. Batra, "Simulation and field-testing of hybrid ultra-capacitor/battery energy storage systems for electric and hybrid-electric transit vehicles," presented at IEEE Applied Power Electronics Conference and Exposition, APEC 2005.

[40]. A. C. Baisden and A. Emadi, "ADVISOR-based model of a battery and an ultracapacitor energy source for hybrid electric vehicles," IEEE Transactions on Vehicular Technology, vol. 53, pp. 199-205, 2004.

[41]. P. Barrade and A. Rufer, "The use of supercapacitors for energy storage traction systems," presented at IEEE Vehicle Power and Propulsion Conference, 2004.

[42]. Fangcheng liu, Jinjun liu, Bin Zhang, Haodong ― "Zhang fast charging system of electrical vehicle (EV) based on Hybrid Energy Storage" 978-1-4577-1216-6/12, 2012 IEEE.

[43]. F. Gagliardi and M. Pagano, "Experimental Results of on-board Battery- Ultracapacitor System for Electric Vehicle Applications," presented at Proceedings of the 2002 IEEE International Symposium on Industrial Electronics, 2002.

[44]. A. G. Simpson and G. R. Walker, "Lifecycle costs of ultracapacitors in electric vehicle applications," presented at IEEE Power Electronics Specialists Conference, 2002.

[45]. A. Burke, "Ultracapacitors: Why, How, and Where is the Technology," Report of the Institute of Transportation Studies, University of California, Davis. Paper:UCD-ITS-REP-00-17, 2000.

[46]. P. P. Barker, "Ultracapacitors for Use in Power Quality and Distributed Resource Applications," presented at IEEE Power Engineering Society, 2002.

[47]. R. E. Araujo, Castro, Pinto and Pedro Melo, "Combined Sizing and Energy Management in EVs with Batteries and Supercapacitors, IEEE transactions on Vehicular Technology, Vol. 63, no. 7, September, 2014.

[48]. Yu Zhang, Zhenhua Jiang, Xunwei Yu, "Small Signal Modeling and Analysis of Battery Supercapacitor Hybrid Energy Storage Systems", The National Science Foundation under grants ECCS-0652300, ECCS-0748032 and ECCS-0821126. 978-1-4244-4241-6/2009, IEEE.

[49]. Noshirwan, Alexander Kusko, "Battery Management for Hybrid Electric Vehicles using Supercapacitors as a supplementary Energy Storage System", 978-1-4673-1000-0/12―2012, IEEE.

[50]. B. E. Conway and W. G. Pell, "Power limitations of supercapacitor operation associated with resistance and capacitance distribution in porous electrode devices," ELSEVIER Journal of Power Sources, vol. 015, pp. 169 -181, 2002.

[51]. R. L. Spyker and R. M. Nelms, "Double Layer Capacitor/DC-DC Converter System Applied to Constant Power Loads," presented at Proceedings of the 31st Intersociety Energy Conversion Engineering Conference, IECEC 96, 1996.

[52]. Nassim Rizoug, P. Bartholomeus, P. Moigne, "Modeling and Characterizing Supercapacitor using online methods", IEEE Transactions on Industrial Electronics, Vol. 57, no.12, 3980-3912, December, 2010.

[53]. L. Zubieta and R. Bonert, "Characterization of double-layer capacitors for power electronics applications," IEEE Transactions on Industry Applications, vol. 36, pp. 199 - 205, 2000.

[54]. R. E. Vermillion, "Nonlinearity in high-C capacitors," European Journal of Physics, vol. 19, pp. 173-178, 1998.

[55]. P. Barrade and A. Rufer, "Current Capability and Power Density of Supercapacitors: Considerations on Energy Efficiency," presented at EPE 2003, 10th European Conference on Power Electronics and Applications, 2003.

[56]. N. Rizoug, P. Bartholomeus, B. Vulturescu, P. L. Moigne, and X. Pierre, "Voltage Sharing in Supercapacitor Modules: Experimental Study," presented at Proceedings of the 35th IEEE Power Electronics Specialists Conference, 2004.

[57]. D. Doerffel and S. A. Sharkh, "A critical review of using the Peukert equation for determining the remaining capacity of lead-acid and lithium-ion batteries," Elsevier Jounal of Power Sources, vol. 155, pp. pp 395-400, 2006.

[58]. D. Napoli, F. Crescimbini, A. Lidozzi, L. Solero, M. Pasquali, A. Puccetti, and E. Rossi, "Design and testing of a Fuel-Cell powered propulsion system supported by a Hybrid UC Battery storage," SAE Technical Paper Series 2004-01-1303, 2004.

[59]. T. Markel, M. Zolot, K. B. Wipke, and A. Pesaran, "Energy Storage System Requirements for Hybrid Fuel Cell Vehicles," in Advanced Automotive Battery Conference, 2003.

[60]. M. L. Puterman, Markov, "Decision Processes - Discrete Stochastic Dynamic Programming", Wiley Interscience, ISBN 0-471-61977-9, 1994.

[61]. D. Linden, T. B. Reddy, "Handbook of Batteries", McGraw Hill Publication, 3[rd] Edition, 2001.

[62]. M. Treiber, A. Hennecke, and D. Helbing, "Congested traffic states in empirical observations and microscopic simulations", Phys, Rev. E, Volt. 62, pp. 1805-1824, 2000.

[63]. A. Kesting, M. Treiber, and D. Helbing, "Usual lane-changing model MOBIL for car following models", Transport. Res. Record, Vol. 1999, pp. 86-94, 2007.

[64]. M. Treiber, A. Kesting, and D. Helbing, "Three-phase traffic theory and two phase models with a fundamental diagram in the light of empirical stylized facts", Transport. Res. B, Methodol., vol. 44, pp. 983-1000, 2010.

[65]. M. Treiber and A. Kesting, "Verkehrsdynamik und-SimulationDaten", Modelle und Anwendungen der Verkehrsflussdynamik. Berlin: Springer-Verlag, 2010.

[66]. A. Kesting, M. Treiber, M. Schnhof, and D. Helbing, "Adaptive cruise control design for active congestion avoidance", Transport. Res. C., Emerging Technology, Vol. 16, no. 6, pp. 668-683, 2008.

[67]. A. Kesting, M. Treiber, and D. Helbing, "Enhanced intelligent driver model to access the impact of driving strategies on traffic capacity", Philos. Trans. Royal Soc. A, Vol. 368, pp. 4585-4605, 2010.

[68]. R. Bones, "Churning losses of discs and gears running partially submerged in oil", Proc. ASME Int. Power Trans. Gearing Conference, Chicago, 1989.

[69]. Y. Diab, F. Ville, P. Velex, "Windage losses in high speed gears", Journal of Mechanical Design, Vol. 26, 2004.

[70]. B. Hhn, K. Michaelis, R. Dbereiner, "Load carrying capacity properties of fast biodegradable gear lubricants", Journal of STLE Lubricant Engineering, Vol. 32, 1999.

[71]. M. Ehsani, Y. Gao, S. E. Gay and A. Emadi, "Modern Electric, Hybrid Electric and Fuel Cell Vehicles", London: CRC press LLC, 2005.

[72]. T. D. Gillespie, "Fundamental of Vehicle Dynamics", Society of Automotive Engineers, Inc., Warrendale, PA, 1992.

[73]. R. Pratap, "Getting Started with MATLAB 7: A Quick introduction for Scientists and Engineers", Oxford University Press, 2006.

[74]. S. M. Lukic, S. G. Wirasingha, F. Rodriguez, J. Cao, and A. Emadi, "Power Management of an Ultracapacitor/Battery Hybrid Energy Storage System in an HEV," presented at IEEE Vehicle Power and Propulsion Conference, 2006.

[75]. S. M. Naylor, V. Pickert, and D. J. Atkinson, "Fuel Cell Drive Train Topologies-Computer Analysis of Potential Systems," presented at The 3rd IET International Conference on Power Electronics, Machines and Drives, 2005.

[76]. T. R. Crompton, "Battery Reference Book: Butterworth – Heinemann", ISBN 0750625679, 1995.

[77]. J. Larminie and J. Lowry, "Electric Vehicle Technology: Wiley", ISBN 0-470-85163-5, 2003.

[78]. J. T. Economou, "Intelligent Energy Source SoC Modelling for a Hybrid Electric Vehicle," presented at IEEE ISIE, Dubrovnik,Croatia, 2005.

[79]. J. V. Mierlio, P. V. d. Bossche, and G. Maggetto, "Models of energy sources for EV and HEV: fuel cells, batteries, ultracapacitors, flywheels and engine-generators," Elsevier Jounal of Power Sources, vol. 128, pp. 76-89, 2004.

[80]. J. B. Olson and E. D. Sexton, "Operation of lead-acid batteries for HEV applications," The Fifteenth Annual Battery Conference on Applications and Advances, 2000.

[81]. E. Surewaard, M. Tiller, D. Lizen, and D. Linzen, "A comparison of Diverse Methods for Battery and Supercapacitor Modeling", SAE Future Transportation Technology Conference- SAE Technical Paper Series 2003-01-2290, 2003.

[82]. S. Buller, E. Karden, D. Kok, and R. W. D. Doncker, "Modeling the Dynamic Behaviour of Supercapacitors Using Impedance Spectroscopy," IEEE Transactions on Industrial Applications, vol. 38, pp. 1622- 1626, 2002.

[83]. E. Surewaard, E. Karden, and M. Titler, "Advanced Electric Storage System Modeling in Modelica," The 3rd International Modelica Conference, 2003.

[84]. ANSOFT, "SIMPLORER - High-Performance Electromechanical System Simulation, "http://www.ansoft.com/products/em/simplorer/.

[85]. Monzer Al Sakka, Joeri Van Mierlo and Hamid Gualous, "DC/DC Converters for Electric Vehicles", Vrije University Brussel, Belgium, 2009.

[86]. J. W. Dixon and Micah Ortúzar, "Ultracapacitors + DC-DC Converters in Regenerative Braking System". IEEE Aerospace and Electronic Systems Magazine, Volume 17 – No. 8, pp.16-21, August, 2000.

[87]. Andersson T. & Groot J., "Alternative Energy Storage System for Hybrid Electric Vehicles." M.Sc thesis, Chalmers University of Technology, 2003.

[88]. Ashtiani C., Wright R. & Hunt G., "Ultracapacitors for Automotive Applications" In: Journal of Power Sources, 2006.

[89]. L. C. Rosario, P. C. K. Luk, B. A. White, "Power and Energy Management of Multiple Energy Storage Systems in Electric Vehicle", Department of Aerospace Power and Sensors, DCMT, Shrivenham, Cranfield University, United Kingdom, 2007.

[90]. Azalia Mirhoseini, Farinaz Koushanfar, "Hybrid Super Capacitor-battery power-supply optimization for Energy Efficiency", Dept. of Electrical and Computer Engineering, Rice University, Houston, Texas, EDAA, 2011.

[91]. Andersson B. & Johansson P., "Comparison of Simulation Programs for Super Capacitor Modeling", M.Sc thesis, Chalmers University of Technology, 2008.

[92]. Nesscap, "Nesscap - Products: Ultracapacitor (EDLC)", http://www.nesscap.com/ products_edlc.htm, 2005.

[93]. Technical Review, "SURVEY OF OPPORTUNITIES FOR THE USE OF ELECTRIC POWER IN VEHICLES.", 2010.

[94]. Dhameja, S., "Electric vehicle battery systems." Boston: Newnes, 2002.

[95]. Halderman J.D. & Martin T., "Hybrid and Alternative Fuel Vehicles" New Jersey: Pearson Prentice Hall, 2006.

[96]. Rashid M.H., "Microelectronic Circuits: Analysis and Design." Boston: PWS, 1999.

[97]. Doerffel D., "Testing and Characterisation of Large High-Energy Lithium-Ion Batteries for Electric and Hybrid Electric Vehicles", University of Southhampton, 2007.

[98]. http://in.mathworks.com/help/physmod/sps/examples/energy-management-systems-for-a-hybrid-electric-source-application-for-a-more-electric-aircraft.html

[99]. http://in.mathworks.com/examples/simpower/mw

[100]. http://in.mathworks.com/examples/statistics/community

[101]. http://in.mathworks.com/examples/simulink/mw/simulink_product

[102]. http://in.mathworks.com/examples/simulink/mw/simulink_product-sldemo_engine-modeling-engine-timing-using-triggered-subsystems

[103]. http://in.mathworks.com/matlabcentral/fileexchange/52948-dc-dc-converter-circuitry-model

[104]. http://in.mathworks.com/matlabcentral/fileexchange/54379-dc-dc-converter-universal-block

[105]. http://in.mathworks.com/matlabcentral/fileexchange/51090-electrical-power-source-for-simscape

[106]. http://in.mathworks.com/help/physmod/sps/powersys/ug/simulating-with-continuous-integration-algorithms.html?s_tid=srchtitle

[107]. http://in.mathworks.com/videos/hybrid-electric-vehicle-modeling-and-simulation-81751.html

[108]. http://in.mathworks.com/matlabcentral/answers

[109]. http://in.mathworks.com/help/sldo/ug/optimization-convergence.html

[110]. http://powersimtech.com/wp-content/uploads/2015/05/Tutorial-Ultracapacitor-Model.pdf

[111]. http://powersimtech.com/wp-content/uploads/2015/05/Tutorial-HEV-Design-Suite.pdf

[112]. http://powersimtech.com/wp-content/uploads/2013/04/Tutorial-How-to-use-Lithium-Ion-battery-model.pdf

[113]. http://powersimtech.com/wp-content/uploads/2013/05/Tutorial-Boost-PFC.pdf

[114]. http://in.mathworks.com/matlabcentral/fileexchange/28441-hybrid-electric-vehicle-model-in-simulink

[115]. http://in.mathworks.com/company/newsletters/articles/how-modeling-helps-embedded-engineers-develop-applications-for-socs.html

[116]. http://in.mathworks.com/examples/simpower/mw/sps_product-parallel_battery   SC boost converter-supercapacitor-model

[117]. http://in.mathworks.com/matlabcentral/fileexchange/9379-imprecise-probability-propagation-toolbox

[118]. J. Miller, "Power electronics in hybrid electric vehicle application," in Proc. IEEE Conf. APEC03, Feb., vol. 1, pp. 23–29.

[119]. P. Thounthong, S. Rael, and B.Davat, "Control of fuel cell/supercapacitorshybrid power sources," in Proc. IEEE Conf. IECON, Nov. 2005, pp. 768–773.

[120]. H. Yap, N. Schofield, and C. Bingham, "Hybrid energy/power sources for electric vehicle traction systems," IEEE Conf. PEMD, Mar./Apr. 2004, vol. 1, pp. 61–66.

[121]. W. Lhomme, P. Delarue, P. Barrade, A. Bouscayrol, and A. Rufer, "Design and control of a supercapacitor storage system for traction application," IEEE Conf. IAS05, Oct., vol. 3, pp. 2013–2020.

[122]. F. Codeca, S.M. Savaresi, and V. Manzoni, "The mix estimation algorithm for battery state-of-charge estimator-analysis of the sensitivity to model errors," ASME Dynamic Systems and Control Conference 2009, DSCC2009. pp. 97-104.

[123]. G.L. Plett, "Extended Kalman filtering for battery management systems of LiPB-based HEV battery packs - Part 2. Modeling and identification," Journal of Power Sources, vol. 134, no. 2, pp. 262-276, 2004.

[124]. T. Smith, J. Mars, and G. Turner, "Using supercapacitors to improve battery performance," IEEE Conf. PESC02, Jun., vol. 1, pp. 124–128.

[125]. A. Rufer and P. Barrade, "A supercapacitor-based energy storage system for elevators with soft commutated interface," IEEE Trans. Ind. Appl., vol. 38, no. 5, pp. 1151–1159, Sep./Oct. 2002.

[126]. G. Nielson and A. Emadi, "Hybrid energy storage systems for high-performance hybrid electric vehicles," Vehicle Power and Propulsion Conf., Chicago, IL, Sep. 2011, pp. 1–6.

[127]. F. L. Luo and H. Ye, Advanced DC/DC Converters. Boca Raton, FL: CRC Press, 2004.

[128]. O. C. Onar, J. Kobayashi, D. C. Erb, and A. Khaligh, "A bidirectional high-power-quality grid interface with a novel bidirectional noninverted buck-boost converter for PHEVs," IEEE Trans. Veh. Technol., vol. 61, no. 5, pp. 2018–2032, Jun. 2012.

[129]. S. Kim and S. Sul, "Control of rubber tyred gantry crane with energy storage based on supercapacitor bank," IEEE Trans. Power Electron., vol. 21, no. 5, pp. 1420–1427, Sep. 2006.

[130]. S. Pay and Y. Baghzouz, "Effectiveness of battery-supercapacitor combination in electric vehicles," IEEE Bologna Power Tech. Conf., Bologna, Italy, Jun. 2003.

[131]. W. Yan, V. Utkin, and G. Rizoni, "Power flow control for a series hybrid electric vehicle," IEEE ISIE 2005, Dubrovnik, Croatia, pp. 331–336.

[132]. D. Connolly, "A Review of Energy Storage Technologies – for the Integration of fluctuating renewable energy', University of Limerick, October, 2010.

[133]. IEEE Standard for Batteries – 1725 – 2011, IEEE Power Engineering Society, Sponsored by Stationery Battery Committee, June 2011.

[134]. Wencong Su, H. Eichi, Wente Zeng, et al., "A Survey on the Electrification of Transportation in a Smart Grid Environment," Industrial Informatics, IEEE Transactions on, vol. 8, no. 1, pp. 1-10, 2012.

[135]. H. Blanke, O. Bohlen, S. Buller, et al., "Impedance measurements on lead-acid batteries for state-of-charge, state-of-health and cranking capability prognosis in electric and hybrid electric vehicles," Journal of Power Sources, vol. 144, no. 2, pp. 418-25, 2005.

[136]. S. Rodrigues, N. Munichandraiah, and A.K. Shukla, "A review of state-of-charge indication of batteries by means of A.C. impedance measurements," Journal of Power Sources, vol. 87, no. 1–2, pp. 12-20, 2000.

[137]. M.A. Roscher, O.S. Bohlen, and D.U. Sauer, "Reliable State Estimation of Multicell Lithium-Ion Battery Systems," Energy Conversion, IEEE Transactions on, vol. 26, no. 3, pp. 737-743, 2011.

[138]. B.S. Bhangu, P. Bentley, D.A. Stone, et al., "Nonlinear observers for predicting state-of-charge and state-of-health of lead-acid batteries for hybrid-electric vehicles," Vehicular Technology, IEEE Transactions on, vol. 54, no. 3, pp. 783-794, 2005.

[139]. I.-S. Kim, "Nonlinear state of charge estimator for hybrid electric vehicle battery," IEEE Transactions on Power Electronics, vol. 23, no. 4, pp. 2027-2034, 2008.

[140]. J. Cao and A. Emadi, "A new battery/ultracapacitor hybrid energy storage system for electric, hybrid, plug-in hybrid electric vehicles," IEEE Trans. Power Electron., vol. 271, no. 1, pp. 122–132, Jan. 2012.

[141]. Z. Amjadi and S. S. Williamson, "Design and control of a Luo converter for variably loaded hybrid electric vehicle energy storage system," Int. J. Power Electron., vol. 3, no. 4, pp. 399–416, Apr. 2011.

[142]. M.A. Roscher, O. Bohlen, and J. Vetter, "OCV Hysteresis in Liion Batteries Including Two-Phase Transition Materials," International Journal of Electrochemistry,, vol. 2011, 2011.

[143]. W. Han, M. Hibino, and T. Kudo, "Hysteresis on the electrochemical lithium insertion and extraction of hexagonal tungsten trioxide: Influence of residual ammonium," Solid State Ionics, vol. 128, no. 1–4, pp. 25-32, 2000.

[144]. T. Zheng and J.R. Dahn, "Hysteresis observed in quasi opencircuit voltage measurements of lithium insertion in hydrogen-containing carbons," Journal of Power Sources, vol. 68, no. 2, pp. 201-203, 1997.

[145]. A.J. Forsyth and S.V. Mollov, "Modelling and control of DC-DC converters", Power Engineering Journal, vol. 12, no. 5, pp. 229-236, Oct. 1998.

[146]. P. Pany, R.K. Singh, and R.K. Tripathi, "Bidirectional DC-DC converter fed drive for electric vehicle system", International Journal of Engineering, Science and Technology, vol. 3, no. 3, pp. 101-110.

[147]. W. Jianhua, Z. Fanghua, G. Chunying, and C. Ran, "Modeling and analysis of a buck/boost bidirectional converter with developed PWM switch model", IEEE ICPE & ECCE 2011, pp. 705-711, 2011.

[148]. A.H. Anbuky and P.E. Pascoe, "VRLA battery state-of-charge estimation in telecommunication power systems," Industrial Electronics", IEEE Transactions on, vol. 47, no. 3, pp. 565-573, 2000.

[149]. M. Verbrugge and E. Tate, "Adaptive state of charge algorithm for nickel metal hydride batteries including hysteresis phenomena," Journal of Power Sources, vol. 126, no. 1-2, pp. 236-49, 2004.

[150]. N. A. Windarko and C. Jaeho, "Hysteresis modeling for estimation of State-of-Charge in NiMH battery based on improved Takacs model," Telecommunications Energy Conference, 2009. INTELEC 2009. 31st International, 2009, pp. 1-6.

[151]. M. Thele, O. Bohlen, D.U. Sauer, et al., "Development of a voltage-behavior model for NiMH batteries using an impedance-based modeling concept," Journal of Power Sources, vol. 175, no. 1, pp. 635-643, 2008.

[152]. M. Chen and G.A. Rincon-Mora, "Accurate electrical battery model capable of predicting runtime and I-V performance," Energy Conversion, IEEE Transactions on, vol. 21, no. 2, pp. 504-511, 2006.

[153]. U.S. Kasavajjula, W. Chunsheng, and P.E. Arce, "Discharge model for LiFePO4 accounting for the solid solution range," Journal of the Electrochemical Society, vol. 155, no. 11, pp. 866-74, 2008.

[154]. S. G. Wirasingha and A. Emadi, "Classification and review of control strategies for plug-in hybrid electric vehicles," IEEE Trans. Veh.Technol., vol. 60, no. 1, pp. 111–122, Jan. 2011.

[155]. C. Quinn, D. Zimmerle, and T. H. Bradley, "An evaluation of state-of-charge limitations and actuation signal energy content on plug-in hybrid electric vehicle, vehicle-to-grid reliability, economics," IEEE Trans. Smart Grid, vol. 3, no. 1, pp. 483–491, Mar. 2012.

[156]. Z. Amjadi and S. S. Williamson, "Modeling, simulation, control of an advanced Luo converter for plug-in hybrid electric vehicle energy storage system," IEEE Trans. Vehicular Technology, vol. 60, no. 1, pp. 64–75, Oct. 2010.

[157]. Z. Amjadi and S. S. Williamson, "Power-electronics-based solutions for plug-in hybrid electric vehicle energy storage and management systems," IEEE Trans. Industrial Electronics, vol. 57, no. 2, pp. 608–616, Feb. 2010.

[158]. Rui Araujo, Ricardo Casto, Claudio Pinto, "Combined Sizing and Energy Management in EVs with Batteries and Supercapacitors", IEEE Transactions on Vehicular Technology, Vol. 63, No. 7, September, 2014.

[159]. K. K. Rohitha, G.K.Hewawasam, Kamal Premaratne and Mei-Ling Shyu, "Rule Mining and Classification in a Situation Assessment Application: A Belief-Theoretic Approach for Handling Data Imperfections", IEEE TRANSICTIONS ON SYSTEMS, MAN, AND CYBERNETICS-PART B:CYBERNETICS, VOL.37, NO. 6, DECEMBER 2007.

[160]. Hongxia fang, Krishnendu Chakrabarty, Zhiyuan Wang and Xinli Gu, "Diagnosis of Board-Level Functional Failures Under Uncertainty Using Dempster- Shafer Theory", IEEE TRANSICTIONS ON COMPUTER AIDED DESIGN OF INTEGRATED CIRCUITS AND SYSTEMS, VOL.31, NO.10, OCTOBER 2012.

[161]. Ronald R. Yager and Naif Alajlan, "Multicriteria Decision-Making With Imprecise Importance Weights", IEEE TRANSICTIONS ON FUZZY SYSTEMS, VOL.22, NO.4, AUGAST 2014.

[162]. Glenn Shafer, "Dempster-Shafer Theory", Ronald G. Harper, University of Kansas, Lawrence, Kansas 66045.

[163]. Andino Maseleno and Md. Mahmud Hasan, "The Dempster-Shafer Theory Algorithm and its Application to Insect diseases Detection", International Journal of advanced Science and Technology, Vol.50, January, 2013.

[164]. U. Rakowsky, "Fundamentals of Dempster-Shafer theory and its application to system safety and reliability modelling-RTA", 2007, December-Special Issue.

[165]. Robin R. Murphy, "Dempster-Shafer Theory for Sensor Fusion in Autonomous Mobile Robots", IEEE TRANSACTIONS AND AUTOMATION, VOL.14, NO.2, APRIL 1998.

[166]. Dr.K. R. Kachot, ―Probability statistics and numerical analysis‖, Mahajan Publishing house, 2010.

[167]. H.Partab, ― "Art and Science of Utilization of Electrical Energy".Dhanpatrai & Co., 2014.