

REFERENCES

- Adekunle, K. F. (2015). Surface treatments of natural fibres—a review: Part 1. *Open Journal of Polymer Chemistry*, 5(03), 41.
- Aruniit, A., Krumme, A., Poltimäe, T., & Kaspar, T. A. L. L. (2012). Preliminary study of the influence of post curing parameters to the particle reinforced composite's mechanical and physical properties. *Materials science*, 18(3), 256-261.
- Asdrubali, F., Baldinelli, G., Bianchi, F., Libbra, A., & Muscio, A. (2010). Comparative analysis of different methods to evaluate the thermal conductivity of homogenous materials. *Proceedings of ASME-ATI-UIT*.
- Bankvall, C. (1973). Guarded hot plate apparatus for the investigation of thermal insulations. *Matériaux et Construction*, 6(1), 39-47.
- Barbero, E. J. (1998). Introduction to composite materials design. Taylor & Fancos. *Ann Arbor, MI*.
- Behzad, T., & Sain, M. (2007). Measurement and prediction of thermal conductivity for hemp fiber reinforced composites. *Polymer Engineering & Science*, 47(7), 977-983.
- Bourchak, M., Khan, A., & Juhany, K. A. (2013). Effect of Preheating and Post-Curing Time on the Mechanical Properties of Epoxy Resin. *Advanced Composites Letters*, 22(5), 096369351302200501.
- Cao, Y., & Cameron, J. (2007). The effect of curing conditions on the properties of silica modified glass fiber reinforced epoxy composite. *Journal of reinforced plastics and composites*, 26(1), 41-50.
- Caruso, J. J., & Chamis, C. C. (1986). Assessment of simplified composite micromechanics using three-dimensional finite-element analysis. *Journal of Composites, Technology and Research*, 8(3), 77-83.
- Chandana, E., & Hussian, S. A. (2013). Thermal conductivity characterization of bamboo fiber reinforced in epoxy resin. *IOSR Journal of Mechanical and Civil Engineering*, 9(6).

Chavan, V. R., Dinesh, K. R., Veeresh, K., Algur, V., & Shettar, M. (2018). Influence of post curing on GFRP hybrid composite. In *MATEC Web of Conferences* (Vol. 144, p. 02011). EDP Sciences.

Composites Basics: Materials-Print Version Page 3,4,5 of 21, http://www.mdacomposites.org/mda/psgbridge_CB_print_materials.html [Accessed: 06/03/2020]

Czichos, H., & Saito, T. (2006). *Springer handbook of materials measurement methods* (Vol. 978). L. Smith (Ed.). Berlin: Springer.

Das, M. (2016) Thermal Characteristics Of Epoxy Composites Filled With Natural Fiber And Particulate [thesis]

Devireddy, S. B. R., & Biswas, S. (2016). Physical and thermal properties of unidirectional banana–jute hybrid fiber-reinforced epoxy composites. *Journal of Reinforced Plastics and Composites*, 35(15), 1157-1172.

Dubois, S., & Lebeau, F. (2015). Design, construction and validation of a guarded hot plate apparatus for thermal conductivity measurement of high thickness crop-based specimens. *Materials and Structures*, 48(1-2), 407-421.

Elleuch, R., Zidi, M., & Bradai, C. (1999). Effects of post-cure on the mechanical properties of woven glass-polyester composite by macro and micro-mechanical methods. *Science and Engineering of Composite Materials*, 8, 25-34.

Evitherm. Measurement methods [Internet]. (2016) [http:// www.evitherm.org / default.asp?ID=308](http://www.evitherm.org/default.asp?ID=308) [Accessed: 18-02-2016]

Furtos, G., Silaghi-Dumitrescu, L., Moldovan, M., Baldea, B., Trusca, R., & Prejmerean, C. (2012). Influence of filler/reinforcing agent and post-curing on the flexural properties of woven and unidirectional glass fiber-reinforced composites. *Journal of Materials Science*, 47(7), 3305-3314.

Gillham, J. K. (1986). Formation and properties of thermosetting and high T_g polymeric materials. *Polymer Engineering and Science*, 26(20), 1429-1433.

Gowayed, Y., & Hwang, J. C. (1995). Thermal conductivity of composite materials made from plain weaves and 3-D weaves. *Composites engineering*, 5(9), 1177-1186.

Gudapati, S. K., Supraja, K., & Prasad, A. R. (2018). Thermal Conductivity Characterization Of Areca Palm Fiber Reinforced Polymer Composites. *International Journal of Pure and Applied Mathematics*, 119(17), 1871-1880.

Gudapati, S. K., Supraja, K., & Prasad, A. R. (2018). Thermal Conductivity Characterization Of Areca Palm Fiber Reinforced Polymer Composites. *International Journal of Pure and Applied Mathematics*, 119(17), 1871-1880.

Gupta, M. K., Srivastava, R. K., & Bisaria, H. (2015). Potential of jute fibre reinforced polymer composites: a review. *International Journal of Fiber and Textile Research*, 5(3), 30-38.

Hashin, Z. (1979). Analysis of properties of fiber composites with anisotropic constituents. [thesis]

<http://thermophysical.tainstruments.com/PDF/technotes/TPN-67%20Principal%20Methods%20of%20Thermal%20Conductivity%20Measurement.pdf> [Accessed: 18-02-2016]

<http://www.Polytechnichub.Com/Modes-Heat-Transfer/>. [Online]

https://www.engineeringtoolbox.com/thermal-conductivity-plastics-d_1786.html (Accessed on Dt.14/02/2020)

Jose, J. P., Thomas, S., Kuruvilla, J., Malhotra, S. K., Goda, K., & Sreekala, M. S. (2012). Advances in polymer composites: macro-and micro composites—state of the art, new challenges, and opportunities. *Polymer Composites; Wiley: Weinheim, Germany*, 1, 3-16.

Joshi, S. C., Lam, Y. C., & Tun, U. W. (2003). Improved cure optimization in pultrusion with pre-heating and die-cooler temperature. *Composites Part A: Applied Science and Manufacturing*, 34(12), 1151-1159.

Karaca, E., Kahraman, N., Omeroglu, S., & Becerir, B. (2012). Effects of fiber cross sectional shape and weave pattern on thermal comfort properties of polyester woven fabrics. *Fibres & Textiles in Eastern Europe*, (3 (92)), 67-72.

Kawabata, S., & Rengasamy, R. S. (2002). Thermal conductivity of unidirectional fibre composites made from yarns and computation of thermal conductivity of yarns.

Kim, J. I., Kang, P. H., & Nho, Y. C. (2004). Positive temperature coefficient behavior of polymer composites having a high melting temperature. *Journal of Applied Polymer Science*, 92(1), 394-401.

Kumar, D. S., Shukla, M. J., Mahato, K. K., Rathore, D. K., Prusty, R. K., & Ray, B. C. (2015). Effect of post-curing on thermal and mechanical behavior of GFRP composites. *Proceeding of IOP Publishing*, 012012.

Martin, A. M. (2013). Introduction of fibre reinforced polymers–polymers and composites: concepts, properties and processing. *Intech* [http://doi.org/10, 54629](http://doi.org/10.54629).

McAlvin, J.E. (2015). Heat Resistant Vinyl Ester Resins for Composite Applications.

Mirmira, S. R. (1999). *Effective thermal conductivity of fibrous composites: experimental and analytical study* (Doctoral dissertation, Texas A & M University).

Mohajerani, A., Hui, S.-Q., Mirzababaei, M., Arulrajah, A., Horpibulsuk, S., Abdul Kadir, A. Rahman MT, Maghool, F. (2019). Amazing Types, Properties, and Applications of Fibres in Construction Materials. *Materials*, 12(16), 2513. doi:10.3390/ma12162513

Mohammed, L., Ansari, M. N., Pua, G., Jawaid, M., & Islam, M. S. (2015). A review on natural fiber reinforced polymer composite and its applications. *International Journal of Polymer Science*, 2015.

Mohapatra, R. C., Mishra, A., & Choudhury, B. B. (2014). Investigations on thermal conductivity of palm fibre reinforced polyester composites. *IOSR Journal of Mechanical and Civil Engineering (IOSR-JMCE)*, 11(1), 48-52.

Muralidhar, K. (1990). Equivalent conductivity of a heterogeneous medium. *International journal of heat and mass transfer*, 33(8), 1759-1766.

Mutnuri, B. (2006). Thermal conductivity characterization of composite materials.

Nielsen, L. E., & Landel, R. F. (1994). Mechanical properties of polymers and composites, 2nd edn. M.

Prasad, M. M., Vinod, B., & Sudev, L. J. (2014). Effect of Fiber Orientations on Thermal Properties of PALF Reinforced Bisphenol: A Composite. *The International Journal of Science and Technology*, 2(7), 275.

Raju, G. U., & Kumarappa, S. (2012). Experimental study on mechanical and thermal properties of epoxy composites filled with agricultural residue. *Polymers from renewable resources*, 3(3), 117-138.

Raju, G. U., Gaitonde, V. N., & Kumarappa, S. (2012). Experimental study on optimization of thermal properties of groundnut shell particle reinforced polymer composites. *International Journal of Emerging Sciences*, 2(3), 433-454.

Ravi, M., Dubey, R. R., Shome, A., Guha, S., & Kumar, C. A. (2018, March). Effect of surface treatment on Natural fibers composite. In *IOP conference series: materials science and engineering*.

Ray, B. C., & Rathore, D. (2014). Durability and integrity studies of environmentally conditioned interfaces in fibrous polymeric composites: Critical concepts and comments. *Advances in colloid and interface science*, 209, 68-83.

Reid, D. (2005). Guarded hot plate apparatus design and construction for thermal conductivity measurements. *Master's, Ryerson University, Toronto*.

Sair, S., Oushabi, A., Kammouni, A., Tanane, O., Abboud, Y., & El Bouari, A. (2018). Mechanical and thermal conductivity properties of hemp fiber reinforced polyurethane composites. *Case studies in construction materials*, 8, 203-212.

Salgado-Delgado, R., Olarte-Paredes, A., Salgado-Delgado, A. M., Vargas-Galarza, Z., Lopez-Lara, T., Hernández-Zaragoza, J. B., ... & Martínez-Barrera, G. (2016). An Analysis of the Thermal Conductivity of Composite Materials (CPC-30R/Charcoal from Sugarcane Bagasse) Using the Hot Insulated Plate Technique. *Advances in Materials Science and Engineering*, 2016.

Sawyer, W. G., Freudenberg, K. D., Bhimaraj, P., & Schadler, L. S. (2003). A study on the friction and wear behavior of PTFE filled with alumina nanoparticles. *Wear*, 254(5-6), 573-580.

Springer, G. S., & Tsai, S. W. (1967). Thermal conductivities of unidirectional materials. *Journal of Composite Materials*, 1(2), 166-173.

Srivastava, V. K., Shembekar, P. S., & Prakash, R. (1988). Fracture behaviour of fly-ash filled FRP composites. *Composite structures*, 10(4), 271-279.

Supreeth, S., Vinod, B., & Sudev, L. J. (2014). Effect of Fiber Length on Thermal Properties of PALF Reinforced Bisphenol: A Composite. *The International Journal of Science and Technoledge*, 2(7), 229.

Supreeth, S., Vinod, B., & Sudev, L. J. (2014). Effect of Fiber Length on Thermal Properties of PALF Reinforced Bisphenol: A Composite. *The International Journal of Science and Technoledge*, 2(7), 229.

Takagi, H., Nakagaito, A. N., & Liu, K. (2014). Heat transfer analyses of natural fibre composites. *WIT Transactions on the Built Environment*, 137, 237-244.

Takagi, H., Nakagaito, A. N., & Liu, K. (2015). Heat transfer analyses of natural fibre composites. *WIT Transactions on State-of-the-art in Science and Engineering*, 87, 217-223.

Teja, M. S., Ramana, M. V., Sriramulu, D., & Rao, C. J. (2016). Experimental investigation of mechanical and thermal properties of sisal fibre reinforced composite and effect of SiC filler material. *Materials Science and Engineering*, 149, 012095.

Tong, X. C. (2011). Characterization methodologies of thermal management materials. In *Advanced Materials for Thermal Management of Electronic Packaging* (pp. 59-129). Springer, New York, NY.

Uzay, C., Boztepe, M. H., Bayramoğlu, M., & Geren, N. (2017). Effect of post-curing heat treatment on mechanical properties of fiber reinforced polymer (FRP) composites. *Materials Testing*, 59(4), 366-372.

Varun Mittal, (2016) Preparation and Characterisation of Bagasse Wheat straw fibers/epoxy blended composites.

Vilas, J. L., Laza, J. M., Garay, M. T., Rodriguez, M., & Leon, L. M. (2001). Unsaturated polyester resins cure: Kinetic, rheologic, and mechanical-dynamical analysis. I. Cure kinetics by DSC and TSR. *Journal of Applied Polymer Science*, 79(3), 447-457.

Xingang, L., & Weilin, Q. (1997). An improved single-plate method for measuring the thermal resistance of fibrous materials. *Measurement Science and Technology*, 8(5), 525.

Yüksel, N. (2010). The investigation of structure and operating parameters effect on the heat transfer coefficient in porous structures [thesis]. *Bursa: Uludag University*.

Yüksel, N. (2016). The review of some commonly used methods and techniques to measure the thermal conductivity of insulation materials. In *Insulation materials in context of sustainability*. IntechOpen.

Yüksel, N., Avcı, A., & Kılıç, M. (2010). The temperature dependence of effective thermal conductivity of the samples of glass wool reinforced with aluminium foil. *International communications in heat and mass transfer*, 37(6), 675-680.