

CONTENTS

| Chapt. No. | Title | Page No. |
|-----------------------|--|---------------------|
| | List of Figures | i |
| | List of Tables | iv |
| | Nomenclature | vii |
| 1 | INTRODUCTION | 1 |
| 1.1 | Composite Materials | 1 |
| 1.2 | Applications of Composite Material | 1 |
| 1.3 | Characteristics and Classification of the Composite Materials | 2 |
| 1.4 | Fiber Reinforced Polymer Composite | 2 |
| 1.4.1 | Synthetic Fibers | 4 |
| 1.4.2 | Natural Fibers | 4 |
| 1.4.3 | Polymers-Resins | 6 |
| 1.4.3.1 | Polyester | 6 |
| 1.4.3.2 | Epoxy | 6 |
| 1.4.3.3 | Vinyl ester | 6 |
| 1.4.3.4 | Phenolic | 7 |

| | | | |
|----------|---------|--|----|
| | 1.4.3.5 | Polyurethane | 7 |
| | 1.5 | Selection of Resin | 7 |
| | 1.6 | Mechanical and Thermal Behaviour of Fiber Reinforced composites | 8 |
| 2 | | LITERATURE REVIEW | 10 |
| | 2.1 | Curing of Polymer Composite | 10 |
| | 2.1.1 | Stages of Curing | 12 |
| | 2.2 | Effect of Post Process Curing and In-Process Curing on Mechanical Properties of The Composite Plates | 12 |
| | 2.3 | Thermal Conductivity | 14 |
| | 2.4 | Thermal Properties of Fiber Reinforced Polymer Composite (FRPC) | 14 |
| | 2.5 | Thermal Conductivity Measurement of Fiber Reinforced Polymer Composite (FRPC) | 15 |
| | 2.5.1 | Guarded Hot Plate (GHP) Method | 16 |
| | 2.5.1.1 | Construction of Guarded Hot Plate (GHP) | 16 |
| | 2.5.1.2 | Principle of working of Guarded Hot Plate (GHP) | 18 |
| | 2.6 | Effect of Fiber Properties on Mechanical and Thermal Behaviour of Composite | 18 |
| | 2.7 | Use of Fillers in Composites | 19 |
| | 2.8 | Effect of Filler Material on Mechanical And Thermal Behaviour of Composites | 22 |
| 3 | | RESEARCH STATEMENT AND OBJECTIVES | 23 |

| | | |
|----------|---|-----------|
| 3.1 | Research Motivation | 23 |
| 3.2 | Research Objectives | 24 |
| 3.3 | Research Scheme | 26 |
| 4 | EXPERIMENTAL SETUP AND METHODOLOGY | 27 |
| 4.1 | Post Process Curing (PPC)of Composite Materials | 27 |
| 4.2 | In Process Curing (IPC)of Composites Materials | 27 |
| 4.3 | Preparation of Composite Specimens | 28 |
| 4.4 | Taguchi Method and Analysis of Variance (ANOVA) | 29 |
| 4.5 | Mechanical Characterization of Composite Materials | 31 |
| 4.5.1 | Mechanical Properties | 31 |
| 4.5.1.1 | Tensile test | 31 |
| 4.5.1.2 | Procedure for Conducting Tensile test | 33 |
| 4.5.1.3 | Flexural test | 33 |
| 4.5.1.4 | Procedure for Conducting Flexural test | 35 |
| 4.6 | Thermal Characterization | 41 |
| 4.7 | Development of Apparatus for Measuring Thermal Conductivity based on GHP Method using Calorimeter Principle | 42 |
| 4.7.1 | Components and Materials | 42 |

| | | | |
|----------|---------|---|-----------|
| | 4.7.1.1 | Hot Plate | 42 |
| | 4.7.1.2 | Cold Plate Assembly | 43 |
| | 4.7.1.3 | Heater Plate | 44 |
| | 4.7.1.4 | Overhead Tank | 44 |
| | 4.7.1.5 | Coolant Inlet and Outlet Valves | 44 |
| | 4.7.1.6 | Control/Display Unit | 45 |
| | 4.7.1.7 | Assembly of Hot and Cold Plate | 46 |
| | 4.7.1.8 | Experimental set up for Measuring Thermal Conductivity | 47 |
| | 4.7.2 | Experimental Methodology | 49 |
| 5 | | RESULTS AND DISCUSSION | 53 |
| | 5.1 | Tensile Properties of the Composites Prepared with Post Process Curing (PPC) | 53 |
| | 5.2 | Flexural Properties of the Composites Prepared with Post Process Curing (PPC) | 54 |
| | 5.3 | Tensile and Flexural Properties of the Composites Prepared with In Process Curing (IPC) | 55 |
| | 5.4 | Tensile strength of Jute-Vinyl ester Composite (JVC-PPC) | 56 |
| | 5.5 | Tensile strength of Basalt-Vinyl ester Composite (BVC-PPC) | 57 |
| | 5.6 | Tensile strength of Carbon-Vinyl ester Composite (CVC-PPC) | 58 |
| | 5.7 | Flexural strength of Jute-Vinyl ester Composites (JVC-PPC) | 59 |

| | | |
|----------|---|-----------|
| 5.8 | Flexural strength of Basalt-Vinyl ester Composites (BVC-PPC) | 60 |
| 5.9 | Flexural strength of Carbon-Vinyl ester Composites (CVC-PPC) | 61 |
| 5.10 | Tensile strength of Jute-Vinyl ester composites (JVC-IPC) | 62 |
| 5.11 | Flexural strength of Jute-Vinyl ester Composites (JVC-IPC) | 63 |
| 5.12 | Regression Analysis (PPC) | 64 |
| 5.13 | Regression Analysis (IPC) | 64 |
| 5.14 | Effect of Volume Fraction of Bamboo (Natural) and Glass Fibers (Synthetic) on Thermal Conductivity. | 65 |
| 5.15 | Validation of Experimental Results | 66 |
| 5.15.1 | Comparative Cut Bar Technique | 66 |
| 5.15.2 | Series Model Method (Rule of Mixture) | 68 |
| 5.16 | Effect of Fillers on Mechanical and Thermal Conductivity of Jute-Polyester Composite (JPC) | 72 |
| 6 | CONCLUSION AND FUTURE SCOPE | 77 |
| 6.1 | Conclusion | 77 |
| 6.2 | Future Scope | 79 |
| | REFERENCES | 80 |
| | LIST OF PUBLICATIONS | 87 |