

REFERENCES

1. H.R. Marten (1962) The use of models for analysis of machine tool structures, International Journal of Machine Tool Design and Research, 153-163.
2. S. Taylor, S. A. Tobias (1965) Lumped constants method for the prediction of the vibration characteristics of machine tool structures, Advances in Machine Tool Design and Research, 37 – 52.
3. A Cowlay, M.A.Fawcett (1967) Analysis of machine tool structure by computing techniques, Advances in Machine Tool Design and Research, 119 – 137.
4. R. C. Bahl, P.C. Pandey (1978) Investigations in to deformation behavior of ribbed machine tool column, 8 th AIMTDR conference I.I.T. Bombay, 50-53.
5. Y.K. Gupta, S. Somsundaram (1978) Analysis of stiffened machine tool column by finite element method, 8 th AIMTDR conference I.I.T. Bombay, 54-57.
6. S.K.Kark, S. Hinduja, A. Cowley (1979) A study of the modal shapes of machine tool structure, International Journal of Machine Tool Design and Research, 213-221.
7. G.H. Morgan, P.A. McKeon (1979) Materials for machine tool structure, 20th Int. proceeding AMTDR, 429-434.
8. J. Radhakrishna Murthy, G.C. Reddy (1979) Optimization of functional properties of machine tool structure – A finite element analysis, 20th Int. Proceeding AMTDR, 435-442.
9. S.E. Oviawe, T. Tay (1982). Development of a machine tool structure using composite synthetic granite, 23 rd AMTDR, 31-37.
10. CMTI, Machine tool design hand book, Tata McGraw hill publishing co. ltd, New Delhi, 1982.

REFERENCES

11. M. Rahman, M.A. Mansur, W.D. Ambrose and K.H. Chua (1987) Design fabrication and performance of a Ferro cement machine tool bed, International Journal of Machine Tools and Manufacture, Vol. 27 No.4, 431-442.
12. D. C. Montgomery, Design and Analysis of Experiments, 4th ed., John Wiley & sons Inc., 1997.
13. I.A. Choudhury, M.A. El-Baradie (1997) Surface roughness prediction in the turning of high-strength steel by factorial design of experiments, Journal of Materials Processing Technology, 67, 55–61.
14. W.H. Yang, Y.S. Tarn (1998) Design optimization of cutting parameters for turning operations based on Taguchi method, Journal of Materials Processing Technology, 84, 122–129.
15. J. D. Thiele, S. N. Melkote (1999) Effect of cutting edge geometry and work piece hardness on surface generation in the finish hard turning of AISI 52100 steel, Journal of Materials Processing Technology, 94, 216-226.
16. Balkrishna C. Rao, Yung C. Shin (1999) A comprehensive dynamic cutting force model for chatter prediction in turning, International Journal of Machine Tools and Manufacture, 39, 1631-1654.
17. Y.S. Tarn, J.Y.Kao, E.C.lee (2000) Chatter suppression in turning operations with a tuned vibration absorber, Journal of Materials Processing Technology, 105, 55-60.
18. W.S. Lin, B.Y. Lee, C.L. Wu (2001) Modeling the surface roughness and cutting force for turning, Journal of material processing technology, 108, 286–293.
19. J.Paulo Davim (2001) A note on the determination of optimal cutting conditions for surface finish obtained in turning using design of experiments, Journal of Material Processing Technology, 116, 305–308.
20. O. B. Abouelatta, J. Madl (2001) Surface roughness prediction based on cutting parameters and tool vibrations in turning operations, Journal of Material Processing Technology 118, 269-277.
21. B.Y. Lee, Y.S. Tarn (2001) Surface roughness inspection by computer vision in turning operations, International Journal of Machine Tools & Manufacture, 41, 1251–1263.

REFERENCES

22. M.Y.Noordin, V. C. Venkatesh, C. L. Chan, A. Abdullah (2001) Performance evaluation of cemented carbide tools in turning AISI 1010 steel, *Journal of material processing technology*, 116, 16-21.
23. N.K. Mehta Machine tool design and Numerical Control, Tata Mc-Graw Hill Publishing Company Ltd., New Delhi, Second Edition, 2002.
24. A.E. Diniz, R. Micaroni (2002) Cutting conditions for finish turning process aiming: the use of dry cutting, *International Journal of Machine Tools & Manufacture*, 42, 899–904.
25. C. X. (Jack) Feng, X. Wang (2002) Development of Empirical Models for Surface Roughness Prediction in Finish Turning, *International Journal of Advance Manufacturing Technology*, 20, 348–356.
26. P.V.S. Suresh, P. Venkateswara Rao, S.G. Deshmukh (2002) A genetic algorithmic approach for optimization of surface roughness prediction model *International Journal of Machine Tools & Manufacture*, 42, 675–680.
27. Banson E. Clancy, Yung C. Shin (2002) A comprehensive chatter prediction model for face turning operation including tool wear effect, *International Journal of Machine Tools and Manufacture*, 42, 1035-1044.
28. I. Puertas Arbizu, C.J. Luis Perez (2003) Surface roughness prediction by factorial design of experiments in turning processes, *Journal of Material Processing Technology*, 143–144, 390–396.
29. Chang Xue Fang, Xian Feng Wang (2003) Surface roughness predictive modeling: neural networks versus regression, *IIE Transactions* 35, 11–27 DOI: 10.1080/07408170390116634.
30. M.Y. Noordin, V.C. Venkatesh, S. Sharif, S. Elting, A. Abdullah (2004) Application of response surface methodology in describing the performance of coated carbide tools when turning AISI 1045 steel, *Journal of Material Processing Technology*, 145, 46–58.
31. Y. Kelvin Chou, Hui Song (2004) Tool nose radius effects on finish hard turning. *Journal of Material Processing Technology*, 148, 259–268.

REFERENCES

32. Ramezanali Mahdavinejad (2005) Finite element analysis of machine and work piece instability in turning, *International Journal of Machine Tools and Manufacture*, 45, 753-760.
33. H. Oktema, T. Erzurumlu , H. Kurtaran (2005) Application of response surface methodology in the optimization of cutting conditions for surface roughness, *Journal of Materials Processing Technology*, 170, 11–16.
34. T. Ozel, Y. Karpat (2005) Predictive modeling of surface roughness and tool wear in hard turning using regression and neural networks, *International Journal of Machine Tools & Manufacture*, 45 467–479. doi:10.1016/j.ijmachtools.2004.09.007.
35. Yusuf Sahin, A. Riza Motorcu AR (2005) Surface roughness model for machining mild steel with coated carbide tool. *Materials and Design*, 26, 321–326. doi:10.1016/j.matdes.2004.06.015.
36. Mohamed A. Dabnum, M.S.J.Hashmi, M.A.EL-Baradie (2005) Surface roughness prediction model by design of experiments for turning machinable glass–ceramic (Macor), *Journal of Material Processing Technology*, 164–165, 1289–1293.
37. Tugrul Ozel, Tsu-Kong Hsu, Erol Zeren (2005) Effects of cutting edge geometry, workpiece hardness, feed rate and cutting speed on surface roughness and forces in finish turning of hardened AISI H13 steel, *International Journal of Advance Manufacturing and Technology*, 25, 262–269. DOI 10.1007/s00170-003-1878-5.
38. G. Boothroyd, W. A. Knight Fundamentals of Machining and Machine Tools, 3rd ed., CRC press, Taylor & Francis group; 2006.
39. Z.W. Zhong, L.P. Khoo, S.T. Han (2006) Prediction of surface roughness of turned surfaces using neural networks, *International Journal of Advance Manufacturing and Technology*, 28, 688–693. DOI 10.1007/s00170-004-2429-4.
40. E. Daniel Kirby, Zhe Zhang, Joseph C. Chen, Jacob Chen (2006) Optimizing surface finish in a turning operation using the Taguchi parameter design method, *International Journal of Advance Manufacturing and Technology*, 30, 1021–1029 DOI 10.1007/s00170-005-0156-0.
41. W. Grzesik, T. Wanat (2006) Surface finish generated in hard turning of quenched alloy steel parts using conventional and wiper ceramic inserts, *International Journal of Machine Tools & Manufacture*, 46, 1988–1995.R

42. A.M.A. Al-Ahmari (2007) Predictive machinability models for a selected hard material in turning operations, *Journal of Materials Processing Technology*, 190, 305-311.
43. Ersan Aslan, Necip Camuscu, Burak Birgoren (2007) Design optimization of cutting parameters when turning hardened AISI 4140 steel (63 HRC) with Al₂O₃ + TiCN mixed ceramic tool, *Materials and Design*, 28, 1618–1622.
44. Julie Z. Zhang, Joseph C. Chen, E. Daniel Kirby (2007) Surface roughness optimization in an end-milling operation using the Taguchi design method, *Journal of Materials Processing Technology*, 184, 233–239.
45. Tugrul Ozel , Yigit Karpat , Luis Figueira, J. Paulo Davim (2007) Modeling of surface finish and tool flank wear in turning of AISI D2 steel with ceramic wiper inserts, *Journal of Material Processing Technology*, 189, 192–198.
46. M. Nalbant, H. Gokkaya, G. Sur (2007) Application of Taguchi method in the optimization of cutting parameters for surface roughness in turning, *Materials and Design* 28, 1379–1385.
47. Dilbag Singh., P. Venkateswara Rao (2007) A surface roughness prediction model for hard turning process, *International Journal of Advance Manufacturing and Technology*, 32, 1115–1124. DOI 10.1007/s00170-006-0429-2.
48. Jenn-Tsong Horng, Nun-Ming Liu, Ko-Ta Chiang (2008) Investigating the machinability evaluation of Hadfield steel in the hard turning with Al₂O₃/TiC mixed ceramic tool based on the response surface methodology, *Journal of Materials Processing Technology*, 208, 532–541.
49. D.I. Lalwani, N.K. Mehta, P.K. Jain (2008) Experimental investigations of cutting parameters influence on cutting forces and surface roughness in finish hard turning of MDN250 steel, *Journal of Materials Processing Technology*, 206, 167–179.
50. M. Joseph Davidson, K. Balasubramanian, G.R.N. Tagore (2008) Surface roughness prediction of flow-formed AA6061 alloy by design of experiments, *Journal of Materials Processing Technology*, 202, 41- 46.

REFERENCES

51. J. Paulo Davim, V.N. Gaitondeb, S.R. Karnik (2008) Investigations into the effect of cutting conditions on surface roughness in turning of free machining steel by ANN models, *Journal of Materials Processing Technology*, 205, 16–23.
52. G. Petropoulos, F. Mata, J. Paulo Davim (2008) Statistical study of surface roughness in turning of peek composites, *Materials and Design*, 29, 218–223.
53. K. Palanikumar (2008) Application of Taguchi and response surface methodologies for surface roughness in machining glass fiber reinforced plastics by PCD tooling, *International Journal of Advance Manufacturing and Technology*, 36, 19–27. DOI 10.1007/s00170-006-0811-0.
54. N. Muthukrishnan, J. Paulo Davim (2009) Optimization of machining parameters of Al/SiC-MMC with ANOVA and ANN analysis, *Journal of Materials Processing Technology*, 209, 225–232.
55. M. Cemal Cakir, Cihat Ensarioglu, Ilker Demirayak (2009) Mathematical modeling of surface roughness for evaluating the effects of cutting parameters and coating material, *Journal of Materials Processing Technology*, 209, 102–109.
56. M. Anthony Xavior, M.Adithan (2009) Determining the influence of cutting fluids on tool wear and surface roughness during turning of AISI 304 austenitic stainless steel, *Journal of Materials Processing Technology*, 209, 900–909.
57. Durmus Karayel (2009) Prediction and control of surface roughness in CNC lathe using artificial neural network, *Journal of Materials Processing Technology*, 209, 3125-313
58. V. N. Gaitonde , S. R. Karnik , Luis Figueira, J. Paulo Davim (2009) Analysis of Machinability During Hard Turning of Cold Work Tool Steel (Type: AISI D2), *Materials and Manufacturing Processes*, 24: 1373–1382. DOI: 10.1080/10426910902997415
59. M. Vijaya Kini, A.M. Chincholkar (2010) Effect of machining parameters on surface roughness and material removal rate in finish turning of $\pm 30^{\circ}$ glass fibre reinforced polymer pipes, *Materials and Design*, 31, 3590–3598.

REFERENCES

60. H. H. Shahabi, M. M. Ratnam (2010) Noncontact roughness measurement of turned parts using machine vision, International Journal of Advance Manufacturing and Technology, 46, 275–284.
61. Nikolaos I. Galanis, Dimitrios E. Manolakos (2010) Surface roughness prediction in turning of femoral head, International Journal of Advance Manufacturing and Technology, 51, 79–86. DOI 10.1007/s00170-010-2616-4.
62. Nikos C. Tsourveloudis (2010) Predictive Modeling of the Ti6Al4V Alloy Surface Roughness, Journal of Intelligent and Robotic System, 60, 513–530. DOI 10.1007/s10846-010-9427-6.
63. Suleyman Neseli, Suleyman Yaldiz, Erol Turkes (2011) Optimization of tool geometry parameters for turning operations based on the response surface methodology, Measurement 44, 580–587.
64. Ilhan Asilturk, Harun Akkus (2011) Determining the effect of cutting parameters on surface roughness in hard turning using the Taguchi method, Measurement, 44, 1697–1704.
65. Ilhan Asiltürk, Mehmet Cunkas (2011) Modeling and prediction of surface roughness in turning operations using artificial neural network and multiple regression method, Expert Systems with Applications, 38, 5826–5832.
66. Tadeusz Leppert (2011) Effect of cooling and lubrication conditions on surface topography and turning process of C 45 steel, International Journal of Machine Tools and Manufacture, 51, 120-126.
67. Esteves Correia, J. Paulo Davim (2011) Surface roughness measurement in turning carbon steel AISI 1045 using wiper inserts, Measurement, 44,1000–1005.
68. Ahmad Hamdan , Ahmed A. D. Sarhan , Mohd Hamdi (2012) An optimization method of the machining parameters in high-speed machining of stainless steel using coated carbide tool for best surface finish, International Journal of Advance Manufacturing and Technology, 58, 81–91. DOI 10.1007/s00170-011-3392-5.
69. S. Ramesh, L. Karunamoorthy, K. Palanikumar (2012) Measurement and analysis of surface roughness in turning of aerospace titanium alloy (gr5), Measurement, 45, 1266–1276.

REFERENCES

70. Hamdi Aouici, Mohamed Athmane Yallese, Kamel Chaoui, Tarek Mabrouki, Jean-Francois Rigal (2012) Analysis of surface roughness and cutting force components in hard turning with CBN tool: Prediction model and cutting conditions optimization, *Measurement*, 45, 344–353.
71. Catalin Fetecau, Felicia Stan (2012) Study of cutting force and surface roughness in the turning of polytetrafluoroethylene composites with a polycrystalline diamond tool, *Measurement* 45, 1367–1379.
72. R. Suresh, S. Basavarajappa b, G.L. Samuel (2012) Some studies on hard turning of AISI 4340 steel using multilayer coated carbide tool, *Measurement*, 45, 1872–1884.
73. Satish Chinchanikar , S.K. Choudhury (2013) Effect of work material hardness and cutting parameters on performance of coated carbide tool when turning hardened steel: An optimization approach, *Measurement* 46, 1572–1584, <http://dx.doi.org/10.1016/j.measurement.2012.11.032>
74. D. Philip Selvaraj, P. Chandramohan, M. Mohanraj (2014) Optimization of surface roughness, cutting force and tool wear of nitrogen alloyed duplex stainless steel in a dry turning process using Taguchi method, *Measurement* 49, 205–215, <http://dx.doi.org/10.1016/j.measurement.2013.11.037>