

REFERENCES

- [1] J. Dwight, "Aluminium Design and Construction," *Taylor Fr. e-Library*, 1999.
- [2] C. J. D. W.M. Thomas, E.D. Nicholas, J.C. Needham, M.G. Much, P. Temple-Smith, "Friction stir butt welding, GB Patent No. 9125978.8, International patent application No. PCT/GB92/02203, (1991).," no. 9125978, 1991.
- [3] K. Elangovan and V. Balasubramanian, "Influences of tool pin profile and tool shoulder diameter on the formation of friction stir processing zone in AA6061 aluminium alloy," *Mater. Des.*, vol. 29, pp. 362–373, 2008.
- [4] K. Elangovan and V. Balasubramanian, "Influences of tool pin profile and welding speed on the formation of friction stir processing zone in AA2219 aluminium alloy," *J. Mater. Process. Tech.*, vol. 200, pp. 163–175, 2008.
- [5] ESAB, "Friction stir welding," in *Technical Handbook ESAB*, 2009, p. 27.
- [6] "USA WELD. (2009). MIG WELDERS . Available: <http://www.usaweld.com/SearchResults.asp?Cat=20>."
- [7] N. T. Kumbhar and K. Bhanumurthy, "Friction Stir Welding of Al 6061 Alloys," *Asian J. Exp. Sci.*, vol. 22, no. 2, pp. 63–74, 2008.
- [8] R. S. Mishra and Z. Y. Ma, "Friction stir welding and processing," *Mater. Sci. Eng. R Reports*, vol. 50, no. 1–2, pp. 1–78, 2005.
- [9] P. Cavaliere and F. Panella, "Effect of tool position on the fatigue properties of dissimilar 2024-7075 sheets joined by friction stir welding," *J. Mater. Process. Technol.*, vol. 206, no. 1–3, pp. 249–255, Sep. 2008.
- [10] J. Hilgert, H. Schmidt, and J. F. Santos, "Bobbin Tool FSW - A Moving Geometry Model," *COSMOL Conf 2009 Milan*, 2009.
- [11] J. Hilgert, H. N. B. Schmidt, J. F. dos Santos, and N. Huber, "Thermal models for bobbin tool friction stir welding," *J. Mater. Process. Technol.*, vol. 211, no. 2, pp. 197–204, Feb. 2011.
- [12] R. S. Mishra and M. W. Mahoney, "Friction Stir Welding and Processing," *ASM Int.*, p. 368, 2007.
- [13] P. L. Threadgill, M. M. Z. Ahmed, J. P. Martin, J. G. Perrett, and B. P. Wynne,

- “The use of bobbin tools for friction stir welding of aluminium alloys,” *Thermec 2009*, vol. 638–642, no. Pts 1-4, pp. 1179–1184, 2009.
- [14] G. Sylva and R. Edwards, “A Feasibility Study for Self Reacting Pin Tool Welding Of Thin Section Aluminum,” *5th Int. Frict. Stir Weld. Symp.*, p. 11, 2004.
- [15] L. Rd, “Vision for Welding Industry,” 2000.
- [16] J. R. Davis, “Aluminum and Aluminum Alloys,” *Light Met. Alloy.*, p. 66, 2001.
- [17] P. R. Roberge, *Handbook of Corrosion Engineering -McGraw-Hill*. 1999.
- [18] “Occupational Outlook Handbook 1996,”
<http://www.bls.gov/ooh/production/welders-cutters-solderers-and-brazers.htm> (last accessed Oct. 22, 2016).
- [19] T. J. Minton, “Friction stir welding of commercially available superplastic aluminium,” *PhD. Thesis, Dep. Eng. Des. Brunel Univ. London.*, no. September, p. 252, 2008.
- [20] “Friction Stir Welding- Global Welding & Cutting,” *ESAB(2009) Tech. Handb.*, pp. 1–45.
- [21] S. W. Kallee, E. D. Nicholas, W. M. T. Friction, and S. Welding, “Friction Stir Welding : Invention , Innovations and Industrialisation, Berlin, (2002),”
<http://www.twi-global.com/technical-knowledge/published-papers/friction-stir-welding-invention-innovations-and-industrialisation-march-2002/> (Last Accessed 25/10/2016).
- [22] G. J. Grant, D. Herling, W. Arbegast, C. Allen, and C. Degen, “Superplastic Forming of Aluminum Multisheet Structures Fabricated Using Friction Stir Welding and Refill Friction Stir Spot Welding,” in *6th International Symposium on Friction Stir Welding*, 2006, p. 17.
- [23] TWI, “Assessment of Bobbin Friction Stir Welding for the Joining of Aluminium Alloys,” 2008.
- [24] W. M. Thomas, “Recent Developments of FSW Technologies : Evaluation of Root Defects , Composite Refractory Tools for Steel Joining and ...,” *Trends Weld. Res. Proc. 8th Int. Conf.*, pp. 25–34, 2009.
- [25] W. M. Thomas, C. S. Wiesner, D. J. Marks, and D. G. Staines, “Conventional and bobbin friction stir welding of 12% chromium alloy steel using composite

- refractory tool materials,” *Sci. Technol. Weld. Join.*, vol. 14, no. 3, pp. 247–253, 2009.
- [26] B. E. F. Marie, D. Allehaux, “Development of the Bobbin Tool technique on various aluminium alloys,” in *Fifth international symposium on friction stir welding, Metz, France*, 2004, no. September, pp. 14–16.
- [27] A. K. Lakshminarayanan and V. Balasubramanian, “Process parameters optimization for friction stir welding of RDE-40 aluminium alloy using Taguchi technique,” *Trans. Nonferrous Met. Soc. China*, vol. 18, no. 3, pp. 548–554, 2008.
- [28] J. Schneider, “Interfacial sticking and slipping in the friction stir welding process,” *Mater. Sci. Eng. A*, vol. 435–436, pp. 297–304, 2006.
- [29] J. Schneider, A. Nunes, and M. Brendel, “The Influence of Friction Stir Weld Tool Form and Welding Parameters on Weld Structure and Properties : Nugget Bulge in Self-Reacting Friction Stir Welds,” *8th Int. Symp. Frict. Stir Weld.*, 2010.
- [30] S. K. Chionopoulos, C. H. I. Sarafoglou, D. I. Pantelis, and V. J. Papazoglou, “Effect of Tool Pin and Welding Parameters on Friction Stir Welded (Fsw) Marine Aluminium Alloys,” in *ICMEN Conf Proceeding*, 2008, no. October, pp. 1–10.
- [31] P. Cavaliere, a. Squillace, and F. Panella, “Effect of welding parameters on mechanical and microstructural properties of AA6082 joints produced by friction stir welding,” *J. Mater. Process. Technol.*, vol. 200, no. 1–3, pp. 364–372, May 2008.
- [32] S. M. Chowdhury, D. L. Chen, S. D. Bhole, and X. Cao, “Effect of pin tool thread orientation on fatigue strength of friction stir welded AZ31B-H24 Mg butt joints,” *Procedia Eng.*, vol. 2, no. 1, pp. 825–833, Apr. 2010.
- [33] A. Scialpi, L. A. C. De Filippis, and P. Cavaliere, “Influence of shoulder geometry on microstructure and mechanical properties of friction stir welded 6082 aluminium alloy,” *Mater. Des.*, vol. 28, no. 4, pp. 1124–1129, Jan. 2007.
- [34] L. Dubourg, F. Nadeau, M. Jahazi, A. Manufacturing, T. Centre, C. Canada, and A. T. Centre, “Process window optimization for FSW of thin and thick sheet Al alloys using statistical methods,” *6th Int. Symp. Frict. Stir Weld.*, pp. 1–12, 2006.
- [35] P. Prakash, S. K. Jha, and S. P. Lal, “A STUDY OF PROCESS PARAMETERS

- OF FRICTION STIR WELDED AA 6061 ALUMINUM ALLOY,” *Int. J. Innov. Res. Sci. Eng. Technol.*, vol. 2, no. 6, pp. 2304–2309, 2013.
- [36] I. R. M. Rama Narsu M, “An Experimental Investigation of the Effect of Variation of Tool Geometry and Optimization of Process Parameters on Friction Stir Welded Aluminum Alloys,” *Int. J. Res. Aeronaut. Mech. Eng.*, vol. 1, no. 7, pp. 261–266, 2013.
- [37] I. R. M and A. C. S. Kumar, “A study of process parameter of friction stir welded AA6061 aluminium alloy in O and T6 conditions,” *ARPJ. Eng. Appl. Sci.*, vol. 6, no. 2, pp. 61–66, 2011.
- [38] J. Singh, “Effect of Tool Rotational Speed on Mechanical Properties of Friction Stir Welded Aluminium Alloys,” *Int. J. Latest Trends Eng. Technol.*, vol. 3, no. 1, pp. 353–357, 2013.
- [39] S. T. Amancio-Filho, S. Sheikhi, J. F. dos Santos, and C. Bolfarini, “Preliminary study on the microstructure and mechanical properties of dissimilar friction stir welds in aircraft aluminium alloys 2024-T351 and 6056-T4,” *J. Mater. Process. Technol.*, vol. 206, no. 1–3, pp. 132–142, 2008.
- [40] N. Singh, R. Singh, and H. Lal, “EXPERIMENTAL STUDY OF FRICTION STIR WELDING OF ALUMINIUM,” *Int. J. Adv. Sci. Technol.*, vol. 1, no. 1, 2013.
- [41] P. Prasanna, B. S. Rao, and G. K. M. Rao, “EXPERIMENTAL AND NUMERICAL EVALUATION OF FRICTION STIR WELDS OF AA6061-T6 ALUMINIUM ALLOY,” *ARPJ. Eng. Appl. Sci.*, vol. 5, no. 6, pp. 1–18, 2010.
- [42] W. M. Thomas, K. I. Johnson, and C. S. Wiesner, “Friction stir welding-recent developments in tool and process technologies,” *Adv. Eng. Mater.*, vol. 5, no. 7, pp. 485–490, 2003.
- [43] C. E. D. Rowe and T. Wayne, “Advances in Tooling Materials for Friction Stir Welding,” *TWI Cedar Met. Ltd*, pp. 1–11, 2006.
- [44] T. Minton and D. J. Mynors, “Utilisation of engineering workshop equipment for friction stir welding,” *J. Mater. Process. Technol.*, vol. 177, no. 1–3, pp. 336–339, Jul. 2006.
- [45] L. Dubourg and P. Dacheux, “Design and properties of FSW tools : a literature review,” *6th Int. Symp. Frict. Stir Weld.*, 2006.

- [46] L. Cederqvist, C. D. Sorensen, A. P. Reynolds, and T. Öberg, “Improved process stability during friction stir welding of 5 cm thick copper canisters through shoulder geometry and parameter studies,” *Sci. Technol. Weld. Join.*, vol. 14, no. 2, pp. 178–184, 2009.
- [47] R. M. Leal, C. Leitão, A. Loureiro, D. M. Rodrigues, and P. Vilac, “Material flow in heterogeneous friction stir welding of thin aluminium sheets : Effect of shoulder geometry,” *Mater. Sci. Eng. A*, vol. 498, pp. 384–391, 2008.
- [48] C. Dawes and W. Thomas, “Development of Improved Tool Designs for Friction Stir Welding of Aluminium,” in *1st International Symposium on Friction Stir Welding*, 1991, pp. 1–10.
- [49] L. Cederqvist, “FSW to Manufacture and Seal 5 cm Thick Copper Canisters for Sweden’s Nuclear Waste,” in *6th International Symposium on Friction Stir Welding*, 2006, pp. 360–365.
- [50] S. J. Vijay and N. Murugan, “Influence of tool pin profile on the metallurgical and mechanical properties of friction stir welded Al–10wt.% TiB₂ metal matrix composite,” *Mater. Des.*, vol. 31, no. 7, pp. 3585–3589, Aug. 2010.
- [51] K. Kumar, S. V Kailas, and T. S. Srivatsan, “Influence of Tool Geometry in Friction Stir Welding,” *Mater. Manuf. Process.*, vol. 23, pp. 188–184, 2008.
- [52] A. Arora, A. De, and T. Debroy, “Toward optimum friction stir welding tool shoulder diameter,” *Scr. Mater.*, vol. 64, no. 1, pp. 9–12, 2011.
- [53] R. Nandan, T. Debroy, and H. Bhadeshia, “Recent advances in friction-stir welding – Process, weldment structure and properties,” *Prog. Mater. Sci.*, vol. 53, no. 6, pp. 980–1023, Aug. 2008.
- [54] Y. H. Zhao, S. B. Lin, L. Wu, and F. X. Qu, “The influence of pin geometry on bonding and mechanical properties in friction stir weld 2014 Al alloy,” *Mater. Lett.*, vol. 59, no. 23, pp. 2948–2952, 2005.
- [55] S. S. Sabari, S. Malarvizhi, and V. Balasubramanian, “The effect of pin profiles on the microstructure and mechanical properties of underwater friction stir welded AA2519- T87 aluminium alloy,” *Int. J. Mech. Mater. Eng.*, pp. 1–14, 2016.
- [56] J. C. McClure, E. Coronado, S. Aloor, B. . Nowak, L. E. Murr, and A. C. Nunes, “Effect of Pin tool Shape on Metal Flow During Friction Stir Welding,” *Trends*

Weld. Res. Porc., pp. 257–261, 2003.

- [57] I. Radisavljevic, A. Zivkovic, V. Grabulov, and N. Radovic, “Influence of pin geometry on mechanical and structural properties of butt friction stir welded 2024-T351 aluminum alloy,” *Hem. Ind.*, vol. 69, no. 3, pp. 323–330, 2015.
- [58] G. Padmanaban and V. Balasubramanian, “Selection of FSW tool pin profile, shoulder diameter and material for joining AZ31B magnesium alloy – An experimental approach,” *Mater. Des.*, vol. 30, no. 7, pp. 2647–2656, Aug. 2009.
- [59] R. Palanivel and P. K. Mathews, “THE TENSILE BEHAVIOUR OF FRICTION-STIR- WELDED DISSIMILAR ALUMINIUM ALLOYS,” *Mater. Technol.*, vol. 45, no. 6, pp. 623–626, 2011.
- [60] J. M. S. Al-murshdy, “Friction Stir Welding of 6061 Aluminum Alloy with Different Pin Tools and Rotation Speed,” *J. Babylon Univ. Sci.*, vol. 24, no. 3, pp. 539–551, 2016.
- [61] Y. N. Zhang, X. Cao, S. Larose, and P. Wanjara, “Review of tools for friction stir welding and processing,” *Can. Metall. Q.*, vol. 51, no. 3, pp. 250–261, 2012.
- [62] S. Lin, Y. Zhao, S. Lin, F. Qu, and L. Wu, “Influence of pin geometry on material flow in friction stir welding process Influence of pin geometry on material flow in friction stir welding process,” *Mater. Sci. Technol.*, vol. 22, no. 1, pp. 45–50, 2006.
- [63] G. Buffa, J. Hua, R. Shivpuri, and L. Fratini, “Design of the friction stir welding tool using the continuum based FEM model Design of the friction stir welding tool using the,” *Mater. Sci. Eng. A*, vol. 419, no. January, pp. 381–388, 2006.
- [64] M. Guerra, C. Schmidt, J. C. McClure, L. E. Murr, and A. C. Nunes, “Flow patterns during friction stir welding,” *Mater. Charact.*, vol. 49, no. 2, pp. 95–101, 2002.
- [65] W. Deqing, L. Shuhua, and C. Zhaoxia, “Study of friction stir welding of aluminum,” *J. Mater. Sci.*, vol. 39, no. 5, pp. 1998–1999, 2004.
- [66] R. Rai, a De, H. K. D. H. Bhadeshia, and T. DebRoy, “Review: friction stir welding tools,” *Sci. Technol. Weld. Join.*, vol. 16, no. 4, pp. 325–342, May 2011.
- [67] M. K. Sued, “Fixed Bobbin FSW of Marine Grade Aluminium,” *PhD. thesis, Mech. Eng. Univ. Canterbury, New Zeal.*, no. April, p. 400, 2015.
- [68] M. K. Sued, D. Pons, J. Lavroff, and E. H. Wong, “Design features for bobbin

- friction stir welding tools : Development of a conceptual model linking the underlying physics to the production process,” *Mater. Des.*, vol. 54, pp. 632–643, 2014.
- [69] M. W. Mahoney, C. G. Rhodes, J. G. Flintoff, W. H. Bingel, and R. a. Spurling, “Properties of friction-stir-welded 7075 T651 aluminum,” *Metall. Mater. Trans. A*, vol. 29, no. 7, pp. 1955–1964, 1998.
 - [70] N. T. Kumbhar, S. K. Sahoo, I. Samajdar, G. K. Dey, and K. Bhanumurthy, “Microstructure and microtextural studies of friction stir welded aluminium alloy 5052,” *Mater. Des.*, vol. 32, no. 3, pp. 1657–1666, Mar. 2011.
 - [71] T. Neumann, R. Zettler, P. Vilaca, J. F. Dos Santos, and L. Quintino, “Analysis of self-reacting friction stir welds in a 2024-T351 alloy,” *Frict. Stir Weld. Process. IV*, pp. 55–72, 2007.
 - [72] L. Ceschini, I. Boromei, G. Minak, a. Morri, and F. Tarterini, “Effect of friction stir welding on microstructure, tensile and fatigue properties of the AA7005/10vol.%Al₂O₃p composite,” *Compos. Sci. Technol.*, vol. 67, no. 3–4, pp. 605–615, Mar. 2007.
 - [73] P. Cavaliere and A. Squillace, “Effect of welding parameters on mechanical and microstructural properties of dissimilar AA6082-AA2024 joints produced by Friction Stir Welding,” *Mater. Sci. Forum*, vol. 519–521, pp. 1163–1168, 2006.
 - [74] C. D. Donne, “Investigations on Residual Stresses in Friction Stir Welds,” *3rd Int. Symp. Frict. Stir Welding, Kobe, Japan*, no. September, pp. 1–10, 2001.
 - [75] M. James, M. Mahoney, and D. Waldron, “Residual stress measurements in friction stir welded aluminum alloys,” in *Proceedings of the 1st International Symposium on Friction Stir Welding, California, USA*, 1999, pp. 1–9.
 - [76] A. P. Reynolds, W. Tang, T. Gnaupel-Herold, and H. Prask, “Structure , properties , and residual stress of 304L stainless steel friction stir welds,” *Scr. Mater.*, vol. 48, no. May, pp. 1289–1294, 2003.
 - [77] S. Rajakumar, C. Muralidharan, and V. Balasubramanian, “Influence of friction stir welding process and tool parameters on strength properties of AA7075-T 6 aluminium alloy joints,” *Mater. Des.*, vol. 32, no. 2, pp. 535–549, 2011.
 - [78] A. L. Lafly, D. Alléhaux, F. Marie, C. D. Donne, and H. Döker, “Impact of friction

- stir welding techniques on microstructure changes and mechanical properties,” *Weld. World*, vol. 49, no. 9 SPEC. ISS., pp. 444–457, 2005.
- [79] A. R. Yazdipour, A. M. Shafiei, and H. J. Aval, “An investigation of the microstructures and properties of metal inert gas and friction stir welds in aluminum alloy 5083,” *Indian Acad. Sci.*, vol. 36, no. 4, pp. 505–514, 2011.
 - [80] S. Rajakumar, V. Balasubramanian, and a Razalrose, “Friction stir and pulsed current gas metal arc welding of AZ61A magnesium alloy: A comparative study,” *Mater. Des.*, vol. 49, no. August 2013, pp. 267–278, 2013.
 - [81] F. F. Wang, W. Y. Li, J. Shen, S. Y. Hu, and J. F. dos Santos, “Effect of tool rotational speed on the microstructure and mechanical properties of bobbin tool friction stir welding of Al-Li alloy,” *Mater. Des.*, vol. 86, no. September, pp. 933–940, 2015.
 - [82] M. Ericsson, R. Sandström, and J. Hagström, “Fatigue of friction stir welded AlMgSi-alloy 6082,” *2nd FSW Symp. , 26-28 June 2000 - Gothenburg, Sweden*, p. 9, 2000.
 - [83] B. Das, S. Pal, and S. Bag, “Defect Detection in Friction Stir Welding Process Using Signal Information and Fractal Theory,” in *Procedia Engineering*, 2016, vol. 144, pp. 172–178.
 - [84] Y. G. Kim, H. Fujii, T. Tsumura, T. Komazaki, and K. Nakata, “Three defect types in friction stir welding of aluminum die casting alloy,” *Mater. Sci. Eng. A*, vol. 415, pp. 250–254, 2006.
 - [85] R. Leal and A. Loureiro, “Defect formation in friction stir welding of aluminium alloys,” *Adv. Mater. Forum II*, vol. 455–456, pp. 299–302, 2004.
 - [86] Y. S. Sato, H. Takauchi, S. H. C. Park, and H. Kokawa, “Characteristics of the kissing-bond in friction stir welded Al alloy 1050,” *Mater. Sci. Eng. A*, vol. 405, no. June, pp. 333–338, 2005.
 - [87] Z. Zhang, Y. L. Liu, and J. T. Chen, “Effect of shoulder size on the temperature rise and the material deformation in friction stir welding,” *Int J Adv Manuf. Technol.*, vol. 45, pp. 889–895, 2009.
 - [88] M. G. Fontana, “Corrosion Engineering,” *3rd ed.*, McGraw-Hill, 1987.
 - [89] I. J. Polmear, “Light Alloys - From Traditional Alloys to Nanocrystals (Fourth

- Edition),” *Butterworth-Heinemann: Oxford.*, 2005.
- [90] R. Pierre, “Corrosion Engineering-Principles and Practice,” *McGraw-Hill*, 2008.
 - [91] “<http://corrosion-doctors.org/Corrosion-Thermodynamics/Potential-pH-diagram-aluminum.htm>.” .
 - [92] I. L. Muller and J. R. Galvele, “Pitting potential of high purity binary aluminium alloys-I. AlCu alloys. Pitting and intergranular corrosion,” *Corros. Sci.*, vol. 17, no. 3, p. 100, 1977.
 - [93] J. R. Davis, “Metals Handbook,” *9th Ed. ASM Int. Ohio*, vol. 13, pp. 104–122, 1987.
 - [94] G. Svenningsen, “Corrosion of aluminium alloys,” *Dep. Mater. Technol. 7491 Trondheim, Norw.*, vol. 1, p. 7491, 1992.
 - [95] C. S. Paglia and R. G. Buchheit, “The time-temperature-corrosion susceptibility in a 7050-T7451 friction stir weld,” *Mater. Sci. Eng. A*, vol. 492, no. 1–2, pp. 250–254, 2008.
 - [96] J. R. Galvele and S. M. de De Micheli, “Mechanism of intergranular corrosion of Al-Cu alloys,” *Corros. Sci.*, vol. 10, no. 11, pp. 795–807, 1970.
 - [97] J. F. Li, Z. Q. Jia, C. X. Li, N. Birbilis, and C. Cai, “Exfoliation corrosion of 7150 Al alloy with various tempers and its electrochemical impedance spectroscopy in EXCO solution,” *Mater. Corros.*, vol. 60, no. 6, pp. 407–414, 2009.
 - [98] D. J. Kelly and M. J. Robinson, “The Influence of Heat Treatment and Grain Shape on the Exfoliation Corrosion of Aluminium-Lithium Alloy 8090,” in *Aluminium-Lithium: Sixth International Aluminium-Lithium Conference, 1991, Garmisch – Partenkirchen (FRG).*, 1992, vol. 49, no. 10, pp. 679–684.
 - [99] C. Vargel, “Corrosion of aluminium (First Edition) 2004,” *Elsevier*, 2004.
 - [100] C. S. Paglia and R. G. Buchheit, “A look in the corrosion of aluminum alloy friction stir welds,” *Scr. Mater.*, vol. 58, no. 5, pp. 383–387, 2008.
 - [101] M. Jariyaboon, A. J. Davenport, and S. W. Williams, “The effect of welding parameters on the corrosion behaviour of friction stir welded AA2024 – T351,” *Corros. Sci.*, vol. 49, pp. 877–909, 2007.
 - [102] K. Surekha, B. S. Murty, and K. P. Rao, “Effect of processing parameters on the corrosion behaviour of friction stir processed AA 2219 aluminum alloy,” *Solid*

- State Sci.*, vol. 11, no. 4, pp. 907–917, 2009.
- [103] A. Squillace, A. De Fenzo, G. Giorleo, and F. Bellucci, “A comparison between FSW and TIG welding techniques: Modifications of microstructure and pitting corrosion resistance in AA 2024-T3 butt joints,” *J. Mater. Process. Technol.*, vol. 152, no. 1, pp. 97–105, 2004.
- [104] S. Maggiolino and C. Schmid, “Corrosion resistance in FSW and in MIG welding techniques of AA6XXX,” *J. Mater. Process. Technol.*, vol. 197, no. 1–3, pp. 237–240, Feb. 2008.
- [105] M. Abbass, H. Ameen, and K. Hassan, “Effect of heat treatment on corrosion resistance of friction stir welded AA 2024 aluminum alloy,” *Am. J. Sci. Ind. Res.*, vol. 2, no. 2, pp. 297–306, 2011.
- [106] E. Litwinski, “Effect of FSW Process and Parameters on Corrosion Susceptibility,” *Microsc. Microanal.*, vol. 11, no. S02, pp. 1596–1597, Aug. 2005.
- [107] F. Gharavi, K. A. Matori, R. Yunus, N. K. Othman, and M. Synthesis, “Investigation of the Nugget Zone Corrosion Behavior in Friction Stir Welded Lap Joints of 6061-T6 Aluminum Alloy,” *Mater. Res.*, vol. 17, no. 6, pp. 1563–1574, 2014.
- [108] A. S. Hassan, T. S. Mahmoud, F. H. Mahmoud, and T. A. Khalifa, “Corrosion Behaviour of Dissimilar A319 and A356 Cast Aluminum Alloys Joined By Friction Stir Welding (FSW),” *Proc. World Congr. Eng. London, U.K.*, vol. II, 2010.
- [109] J. B. Lumsden, M. W. Mahoney, G. Pollock, and C. G. Rhodes, “Intergranular Corrosion Following Friction Stir Welding of Aluminum Alloy 7075-T651,” *Corrosion*, vol. 55, no. 12, pp. 1127–1135, 1999.
- [110] D. Alléhaux and F. Marie, “Mechanical and Corrosion Behaviour of the 2139 Aluminium-Copper Alloy Welded by the Friction Stir Welding Using the Bobbin Tool Technique,” *Mater. Sci. Forum*, vol. 519–521, pp. 1131–1138, 2006.
- [111] Flir, *The Ultimate Infrared Handbook for R&D Professionals*. 2013.
- [112] C. Ibarra-castanedo, S. Sfarra, M. Genest, and X. Maldague, “Infrared Vision : Visual Inspection Beyond the Visible Spectrum,” *Springer-Verlag London (outside USA) 2015*, pp. 41–59.

- [113] C. Ibarra-castanedo, Jose Ricardo, Tarpani, and M. Xavier PV, “Nondestructive testing with thermography,” *Eur. J. Phys.*, vol. 34, no. November, pp. S91–S109, 2013.
- [114] G. C. Holst, *COMMON SENSE APPROACH TO THERMAL IMAGING*. SPIE - The International Society for Optical Engineering Bellingham, Washington USA, 2000.
- [115] C. J. Hellier, *Hanbook of nondestructive evaluation*, McGRAW-HILL. 2001.
- [116] A. Rogalski, “History of infrared detectors,” *OPTO–ELECTRONICS Rev.*, vol. 20, no. 3, pp. 279–308, 2012.
- [117] M. M. Kutin, S. S. Risti, M. R. Prvulovi, M. M. Prokolab, N. M. Markovi, and M. R. Radosavljevi, “Application of thermography during tensile testing of butt welded joints,” *FME Trans.*, vol. 39, no. 3, pp. 133–138, 2011.
- [118] C. Meola, G. M. Carlomagno, A. Squillace, and A. Vitiello, “Non-destructive evaluation of aerospace materials with lock-in thermography,” *Eng. Fail. Anal.*, vol. 13, no. 3 SPEC. ISS., pp. 380–388, 2006.
- [119] C. Meola, G. M. Carlomagno, A. Squillace, and G. Giorleo, “Non-destructive control of industrial materials by means of lock-in thermography,” *Meas. Sci. Technol.*, vol. 13, no. 10, pp. 1583–1590, 2002.
- [120] J. Liu, X. Gao, L. Zhang, and J. Zhang, “On the Use of Infrared Thermography for Analysis of Fatigue Damage in Ti6Al4V-Welded Joints,” *J. Mater. Eng. Perform.*, vol. 23, no. August, pp. 2965–2972, 2014.
- [121] N. P. Avdelidis, T.-H. Gan, C. Ibarra-Castanedo, and X. P. V. Maldague, “Infrared thermography as a non-destructive tool for materials characterisation and assessment,” *Proc. SPIE - Int. Soc. Opt. Eng.*, vol. 8013, pp. 801313-801313–7, 2011.
- [122] E. T. Akinlabi and S. a Akinlabi, “Designs of Temperature Measuring Device for a Re-Configured Milling Machine,” *IJMAIMME*, vol. 7, no. 11, pp. 2211–2215, 2013.
- [123] C. Casavola, a Cazzato, and V. Moramarco, “Thermographical analysis of friction stir welding and laser assisted friction stir welding,” *13th IMEKO TC15 Youth Symp. Exp. Solid Mech. 2014*, pp. 15–19, 2014.

- [124] R. Cojocaru, V. Verbi, L. Bo, C. Ciuc, and A. Perianu, "Monitoring and control methods of friction stir welding process," in *International Conference "Structural integrity of welded structures" Monitoring, Timisoara, Romania*, 2011, p. 2011.
- [125] J. . Męzyk and S. . Kowieski, "The application of thermal imaging method for monitoring the FSW processes," *11th IMEKO TC14 Int. Symp. Meas. Qual. Control. ISMQC 2013*, pp. 217–220, 2013.
- [126] R. Valery, E. A. Kolubaev, and S. Tarasov, "Thermography Inspection of Friction Stir Welding," *Int. Conf. Phys. Mesomech. Multilevel Syst.*, no. September, pp. 535–538, 2014.
- [127] K. Elangovan and V. Balasubramanian, "Influences of pin profile and rotational speed of the tool on the formation of friction stir processing zone in AA2219 aluminium alloy," *Mater. Sci. Eng. A*, vol. 459, pp. 7–18, 2007.
- [128] J. Hilgert, H. Schmidt, J. F. Santos, and N. Huber, "Bobbin Tool FSW- A Moving Geometry Process Model," *COSMOL Conf 2009 Milan*, pp. 1–10, 2009.
- [129] Z. Zhang and H. W. Zhang, "Numerical studies on controlling of process parameters in friction stir welding," *J. Mater. Process. Technol.*, vol. 209, no. 1, pp. 241–270, Jan. 2009.
- [130] J. Verne, "From the Earth to the Moon," 1865.
- [131] C. J. Heathcock, "THE SELECTION , PROCESSING AND APPLICATION OF 6000 SERIES ALUMINIUM EXTRUSION ALLOYS," 12 Creek Street, Brisbane Queensland, 4000, 2001.
- [132] Aalco metals Ltd, "Aluminium Alloy 6082 - T6~T651 Plate," pp. 24–25, 2013.
- [133] Aalco Metals Ltd, "Aluminium alloy Specifications Datasheet." pp. 1–6, 2016.
- [134] N. Oiwa, Y. Ishii, K. Nezaki, and K. Tsuchiya, "Deformation Behavior of Friction Stir Welding," in *3rd Int. Symposium on FSW*, 2001, pp. 1–9.
- [135] L. V Kamble, S. N. Soman, and P. K. Brahmankar, "Understanding the Fixture Design for friction stir welding research experiments," *Elsevier Mater. Today Proceeding*, vol. 4, no. 2 PA, pp. 1277–1284, 2017.
- [136] G. Luan, G. Li, W. Wang, and J. Kang, "The Fundamental Research of the Friction Flow Welding," in *The 8th international Friction Stir Welding Symposium, Germany, 18-20 May 2010*, 2010, no. May, p. 11.

- [137] J. Davenport, S. W. Kallee, and J. G. Wylde, "Creating a stir in the rail industry ,
Published in Railway Gazette International, November 2001," <http://www.twi-global.com/technical-knowledge/published-papers/creating-a-stir-in-the-rail-industry-november-2001/>.
- [138] T. W.M., N. E.D., and S. S.D, ". Aluminum Proceedigs,"
www.twi.co.uk/j32k/protected/band_8/spwmtfeb2001.html.
- [139] H. J. Liu, J. C. Hou, and H. Guo, "Effect of welding speed on microstructure and mechanical properties of self-reacting friction stir welded 6061-T6 aluminum alloy," *Mater. Des.*, vol. 50, pp. 872–878, 2013.
- [140] K. J. Colligan, A. K. O. Donnell, J. W. Shevock, M. T. Smitherman, and G. J. Hostetter, "Friction Stir Welding of Thin Aluminum Using Fixed Gap Bobbin Tools," *9th Int. Symp. Frict. Stir Welding, Von Braun Center, Huntsville, Alabama, USA*, pp. 1–17, 2012.
- [141] V. Richter-Trummer, E. Suzano, M. Beltrão, A. Roos, J. F. dos Santos, and P. M. S. T. de Castro, "Influence of the FSW clamping force on the final distortion and residual stress field," *Mater. Sci. Eng. A*, vol. 538, pp. 81–88, 2012.
- [142] W. J. Arbegast and A. K. Patnaik, "Process Parameter Development and Fixturing Issues for Friction Stir Welding of Aluminum Beam Assemblies," in *SAE AeroTech Conference, Dallas, Texas, USA*, 2005, p. 4271.
- [143] D. M. Rodrigues, a. Loureiro, C. Leita, R. M. Leal, B. M. Chaparro, and P. Vilaça, "Influence of friction stir welding parameters on the microstructural and mechanical properties of AA 6016-T4 thin welds," *Mater. Des.*, vol. 30, no. 6, pp. 1913–1921, Jun. 2009.
- [144] P. Cavaliere, G. Campanile, F. Panella, and A. Squillace, "Effect of welding parameters on mechanical and microstructural properties of AA6056 joints produced by Friction Stir Welding," *J. Mater. Process. Technol.*, vol. 180, pp. 263–270, 2006.
- [145] R. Zettler, J. F. Santos, T. Donath, F. Beckmann, and D. Lohwasser, "Material flow in friction stir butt welded aluminium alloys .," *6th Int. Symp. Frict. Stir Weld.*, 2006.
- [146] F. C. D. F. Marie, B. Guerin, D. Deloison, D. Aliaga, , Suresnes, "Investigation on

Bobbin Tool Friction Stir Welding of 2000 serie aluminium thin sheets,” in *7th International Symposium on Friction Stir Welding*, 2008, no. May, pp. 20–22.