

List of Figures

FIGURE NO.	TITLE	PAGE NO.
2.1	Schematic of experimental apparatus used for anodic polarization studies	8
2.2	Schematic anodic polarization curve	8
2.3	Protected buried pipeline by Impressed Current System	9
2.4	Schematic Diagram of ESSC Process	15
2.5	Line Diagram of ESSC Process	17
2.6	Line Diagram of SASC Process	17
2.7	Undercut caused by welding current	22
2.8	Magnetic steering devices with solenoids	23
2.9	Control of slag flow with outer magnetic field	24
2.10	Effect of current on Dilution, Bead width, Penetration, Bead thickness	25
2.11	The effect of current on the deposition rate and penetration of cladding	25
2.12	Effect of welding voltage on Dilution, Bead width, Penetration and Bead thickness.	26
2.13	The effect of voltage on the deposition rate and penetration of cladding deposited on MIL-S- 23284 class 1 steel using 30 by 0.5 mm strip of Ni alloy 625.	27
2.14	Effect of welding Speed on Dilution, Bead width, Penetration and Bead thickness.	28
2.15	The effect of travel speed on the deposition rate and penetration of cladding deposited on MIL-S- 23284 class 1 steel using 30 by 0.5 mm strip of Ni alloy 625.	28
2.16	Effect of stick out on Dilution, Bead width, Penetration and Bead thickness	29
2.17	Dilution calculation	30
2.18	The effect of current & travel speed on dilution of cladding deposited on MIL-S- 23284 class 1 steel using 30 by 0.5 mm strip of Ni alloy 625	31
2.19	Comparative dilution for different processes.	32
2.20	Ternary diagram of Fe-Cr-Ni system with mode of solidification	40
2.21	Mode of solidification with ferrite morphology	40
2.22	316L weld metal with 0.14% N	41
2.23	316L weld metal without any N addition showing AF mode	42
2.24	Relationship of solidification type to the pseudo binary diagram	42
2.25	FA mode weld metal in 312 austenitic stainless steel	42
2.26	Weld interface in single-layer cladding after PWHT, Etchant : Aquaregia, 400X	47

2.27	Base metal region adjoining weld interface after PWHT in single-layer cladding. Etchant: Nital, 200X	47
2.28	Microhardness distributions across clad interface	47
2.29	Schematic principles of operation of Vickers hardness machine	50
2.30	Detail of indentation	51
2.31	Principle & working of SEM	53
2.32	Principle of EDAX Analysis	54
2.33	Schematic diagram of Three electrode test cell	57
2.34	Tafel plot for activation controlled corrosion rates.	58
2.35	Tafel plot for diffusion controlled corrosion rates.	59
2.36	Determine Tafel Slopes from Tafel Plots.	59
2.37	Corrosion current flow activation controlled Tafel Plots.	60
2.38	Corrosion currents from different controlled Tafel plots.	60
2.39	Cyclic polarization scan with positive hysteresis	63
2.40	Cyclic polarization scan with negative hysteresis	63
2.41	Ideal Curve of Single Loop EPR Test Method	65
2.42	Overlay of EPR test on 316 L Austenitic stainless steel welded joint.	65
2.43	Ideal Curve for Double Loop EPR Test Method	67
2.44	Step Structure : (500X)	69
2.45	Dual Structure: (250X)	69
2.46	Ditch Structure (500X)	69
2.47	Isolated Ferrite: (250X)	70
2.48	Inter-dendritic ditch: (250X)	70
2.49	End grain pitting-I(500X)	70
2.50	End grain pitting-II(500X)	70
2.51	Apparatus of Practice B Test	71
2.52	Bend test after copper – copper sulfate 16 % sulfuric acid test	73
2.53	Passing Test Specimen (View the Bend Area 20X)	73
2.54	Falling Test Specimen—Many Inter-granular Fissures (View the Bend Area 20X)	73
2.55	Doubtful Test Specimen—Traces of Inter-granular Fissures & “orange-peel” surface (View the Bend Area 20X)	73
2.56	Disbonding in the interface region between parent material (bottom) and an austenitic overlay weld metal (top)	75
2.57	Martensite (light etching) in parent material / weld overlay interface region of an as-welded SAW overlay	75
2.58	A comparatively narrow dark etching band of tempered martensite and carbides seen in an electroslog welded overlay after PWHT	75

2.59	Ultrasonic top view scans showing the area of disbonding after testing. Left: No disbonding. Right: With some disbonding. Classification A1 (5%, isolated disbonded areas)	77
2.60	Ultrasonic scans showing significant disbonding. Classification C2 with 10-30% interlinking disbonded regions according to ASTM G 146-01	77
2.61	A bright field image of welding overlay without PWHT	79
2.62	Potentiodynamic polarization curves for Type 347 SS overlay welds, as-welded and with PWHT, in 3.5 wt.% NaCl	79
2.63	Pits formed in the d/g interface of Type 347 SS overlay welds with PWHT after potentiodynamic polarization curve measurement in 3.5 % NaCl solution.	80
2.64	SEM micrographs showing the cross-section morphologies of pits formed in (a) the as-welded, and (b) the PWHT Type 347 SS overlay welds after potentiodynamic polarization curve measurements in 3.5 wt.% NaCl solution.	81
2.65	Relation between Nb/C and IGC rate in two different heat treatments: (a) PWHT (6 h) + LTA and (b) PWHT (40 h or 50 h) + LTA.	82
2.66	Relation between %ferrite and IGC rate in two different heat treatments: (a) PWHT (6 h) + LTA (b) PWHT (40 h or 50 h) + LTA.	83
2.67	Bend test results for examination of reheat embrittlement caused by sigma phase formation after PWHT + LTA. The upper limit of %niobium is shown by a horizontal, dotted line. The number attached to each symbol is the vol% of ferrite.	84
2.68	(a) BSE image and (b) EDX analysis of mirror-polished Type 308NbL weld metal. Whitish particles rich in niobium are seen not only at α - γ grain boundaries but also in their vicinities.	85
2.69	Scanning electron micrographs of RPV clad, gray= γ austenite, dark gray= δ ferrite plus σ phase, backscattered electron (BSE) mode: (a) K001, (b) K002J.	87
2.70	Typical microstructural characteristics of inside of δ -ferrite, gray= γ austenite, white gray= new austenite (γ'), dark gray= δ -ferrite, black= σ phase, backscattered electron (BSE) mode: (a) K001, (b) K002J.	88
3.1	Strip cut at 45 ⁰ angle	92
3.2	Flux on both the side of the strip while staring the weld	92
3.3	Continuous cladding by ESSC Process	93
3.4	Weld overlay developed by ESSC Process	93
3.5	Taper grinding of cladded samples	94
3.6	Coil Heating Furnace	94
3.7	Graph Plotting Devices	94
3.8	PWHT cycle for both weld overlay	95

3.9	Vicker Hardness Test	96
3.1	Square base Indentation	96
3.11	Corrosion cell	97
3.12	Experimental Setup of corrosion testing	97
3.13	Location of corrosion test	97
3.14	Masking of Sample	97
3.15	Experimental Setup for EPR test	104
3.16	Argon purging	104
4.1	Potentiodynamic scans of 309 L cladde ^d weld overlay develop with 160mm / min. welding speed at different locations in 0.1 N HHO ₃ Solution	109
4.2	Potentiodynamic scans of 309 L cladde ^d weld overlay develop with 180mm / min. welding speed at different location in 0.1 N HHO ₃ Solution	110
4.3	Potentiodynamic scans of 309 L cladde ^d weld overlay develop with 200 mm / min. welding speed at different location in 0.1 N HHO ₃ Solution	111
4.4	Potentiodynamic scans of 309 L Nb cladde ^d weld overlay develop with 160mm / min. welding speed at different location in 0.1 N HHO ₃ Solution	112
4.5	Potentiodynamic scans of 309 L Nb cladde ^d weld overlay develop with 180mm / min. welding speed at different location in 0.1 N HHO ₃ Solution	113
4.6	Potentiodynamic scans of 309 L Nb cladde ^d weld overlay develop with 200 mm / min. welding speed at different location in 0.1 N HHO ₃ Solution	114
4.7	Potentiodynamic scans of 309 L cladde ^d weld overlay develop with 160mm / min. welding speed at different location in 0.1 N HCl Solution	116
4.8	Potentiodynamic scans of 309 L cladde ^d weld overlay develop with 180mm / min. welding speed at different location in 0.1 N HCl Solution	117
4.9	Potentiodynamic scans of 309 L cladde ^d weld overlay develop with 200 mm / min. welding speed at different location in 0.1 N HCl Solution	118
4.10	Potentiodynamic scans of 309 L Nb cladde ^d weld overlay develop with 160mm / min. welding speed at different location in 0.1 N HCl Solution	119

4.11	Potentiodynamic scans of 309 L Nb cladded weld overlay develop with 180mm / min. welding speed at different location in 0.1 N HCl Solution	120
4.12	Potentiodynamic scans of 309 L Nb cladded weld overlay develop with 200 mm / min. welding speed at different location in 0.1 N HCl Solution	121
4.13	Potentiodynamic scans of 309 L cladded weld overlay develop with 160mm / min. welding speed at different location in 0.1 N H ₂ SO ₄ Solution	123
4.14	Potentiodynamic scans of 309 L cladded weld overlay develop with 180mm / min. welding speed at different location in 0.1 N H ₂ SO ₄ Solution	124
4.15	Potentiodynamic scans of 309 L cladded weld overlay develop with 200 mm / min. welding speed at different location in 0.1 N H ₂ SO ₄ Solution	125
4.16	Potentiodynamic scans of 309 L Nb cladded weld overlay develop with 160mm / min. welding speed at different location in 0.1 N H ₂ SO ₄ Solution	126
4.17	Potentiodynamic scans of 309 L Nb cladded weld overlay develop with 180mm / min. welding speed at different location in 0.1 N H ₂ SO ₄ Solution	127
4.18	Potentiodynamic scans of 309 L Nb cladded weld overlay develop with 200 mm / min. welding speed at different location in 0.1 N H ₂ SO ₄ Solution	128
4.19	Potentiodynamic scans of 309 L cladded weld overlay develop with 160mm / min. welding speed at different location in .5 % NaCl Solution	130
4.20	Potentiodynamic scans of 309 L cladded weld overlay develop with 180mm / min. welding speed at different location in .5 % NaCl Solution	131
4.21	Potentiodynamic scans of 309 L cladded weld overlay develop with 200 mm / min. welding speed at different location in .5 % NaCl Solution	132
4.22	Potentiodynamic scans of 309 L Nb cladded weld overlay develop with 160mm / min. welding speed at different location in .5 % NaCl Solution	133
4.23	Potentiodynamic scans of 309 L Nb cladded weld overlay develop with 180mm / min. welding speed at different location in 3.5 % NaCl Solution	134

4.24	Potentiodynamic scans of 309 L Nb clad weld overlay developed with 200 mm / min. welding speed at different location in .5 % NaCl Solution	135
4.25	Base Metal (Etchant : 5 % Nital , Magnification : 250X)	138
4.26	Taper section of 309L Nb clad weld overlay developed	138
4.27(a)	clad region of 309 L clad weld overlay 160 WS	140
4.27(b)	Interface region of 309 L Clad 160 WS	140
4.28(a)	Clad region of 309 L Clad 180 WS	140
4.28(b)	Interface region of 309 L Clad 180 WS	140
4.29(a)	clad region of 309 L Clad 200 WS	140
4.29(b)	Interface region of 309 L Clad 200 WS	140
4.30(a)	Clad region of 309 L Nb Clad 160 WS	141
4.30(b)	Interface region of 309 L Nb Clad 160 WS	141
4.31(a)	Clad region of 309 L Nb Clad 180 WS	141
4.31(b)	Interface region of 309 L Nb Clad 180 WS	141
4.32(a)	Clad region of 309 L Nb Clad 200 WS	141
4.32(b)	Interface region of 309 L Nb Clad 200 WS	141
4.33	EDAX analysis of clad region of 309L clad weld overlay developed with 160mm/ min welding speed	144
4.34	EDAX analysis of clad region of 309L clad weld overlay developed with 180mm/ min welding speed	145
4.35	EDAX analysis of clad region of 309L clad weld overlay developed with 200mm/ min welding speed	146
4.36	EDAX analysis of clad region of 309L Nb clad weld overlay developed with 160mm/ min welding speed	147
4.37	EDAX analysis of clad region of 309L Nb clad weld overlay developed with 160mm/ min welding speed	148
4.38	EDAX analysis of clad region of 309L Nb clad weld overlay developed with 200 mm/ min welding speed	149
4.39	EDAX analysis of interface region of 309L clad weld overlay developed with 160mm/ min welding speed	150
4.40	EDAX analysis of interface region of 309L clad weld overlay developed with 180mm/ min welding speed	151
4.41	EDAX analysis of interface region of 309L clad weld overlay developed with 200 mm/ min welding speed	152
4.42	EDAX analysis of interface region of 309LNb clad weld overlay developed with 160 mm/ min welding speed	153
4.43	EDAX analysis of interface region of 309LNb clad weld overlay developed with 180 mm/ min welding speed	154

4.44	EDAX analysis of interface region of 309LNb cladde ^d weld overlay developed with 200 mm/ min welding speed	155
4.45	EDAX analysis of particle at cladde ^d region of 309L Nb cladde ^d weld overlay developed with 160 mm/ min welding speed	159
4.46	EDAX analysis of particle at cladde ^d region of 309L Nb cladde ^d weld overlay developed with 180 mm/ min welding speed	160
4.47	EDAX analysis of particle at cladde ^d region of 309L Nb cladde ^d weld overlay developed with 200 mm/ min welding speed (900 X magnification)	161
4.48	EDAX analysis of clad region of 309 L cladde ^d weld overlay developed with 180 mm/ min welding speed	162
4.49	EDAX analysis at interface of 309 L cladde ^d weld overlay developed with 180 mm/ min welding speed	163
4.50	EDAX analysis of base metal near interface of 309 L cladde ^d weld overlay developed with 180 mm/ min welding speed	164
4.51	EDAX analysis of clad region of 309 LNb cladde ^d weld overlay developed with 180 mm/ min welding speed	165
4.52	EDAX analysis base metal of 309 L cladde ^d weld overlay developed with 180 mm/ min welding speed	166
4.53	EDAX analysis at interface of 309 LNb cladde ^d weld overlay developed with 180 mm/ min welding speed	167
4.54	EDAX analysis of base metal near interface of 309 L Nb cladde ^d weld overlay developed with 180 mm/ min welding speed	168
4.55	EDAX analysis of base metal ne of 309 L Nb cladde ^d weld overlay developed with 180 mm/ min welding speed	169
4.56	Effect of welding speed on Hardness Value of 309 L cladde ^d weld overlay	172
4.57	Effect of welding speed on Hardness Value of 309 L Nb cladde ^d weld overlay	172
4.58	Potentiodynamic scans of Base Metal at different WS in 0.1N HNO ₃ solution	173
4.59	Potentiodynamic scans of 309L cladde ^d weld overlays at different welding speed in 0.1N HNO ₃ solution	174
4.60	Potentiodynamic scans of interface of 309L cladde ^d weld overlays at different welding speed in 0.1N HNO ₃ solution	175
4.61	Potentiodynamic scans of 309L Nb cladde ^d weld overlays at different welding speed in 0.1N HNO ₃ solution	176
4.62	Potentiodynamic scans of interface of 309L Nb cladde ^d weld overlays at different welding speed in 0.1N HNO ₃ solution	177

4.63	Potentiodynamic scans of Base metal at different welding speed in 0.1N HCl solution	178
4.64	Potentiodynamic scans of 309L clad weld overlays at different WS in 0.1N HCl Solution	179
4.65	Potentiodynamic scans of interface of 309L clad weld overlays at different welding speed in 0.1N HCl solution	180
4.66	Potentiodynamic scans of 309LNb clad weld overlays at different WS in 0.1N HCl Solution	181
4.67	Potentiodynamic scans of interface of 309L Nb clad weld overlays at different welding speed in 0.1N HCl solution	182
4.68	Potentiodynamic scans of Base Metal at different WS in 0.1N H ₂ SO ₄ solution	183
4.69	Potentiodynamic scans of 309L clad weld overlays at different welding speed in 0.1N H ₂ SO ₄ solution	184
4.70	Potentiodynamic scans of interface of 309L clad weld overlays at different welding speed in 0.1N H ₂ SO ₄ solution	185
4.71	Potentiodynamic scans of 309L Nb clad weld overlays at different welding speed in 0.1N H ₂ SO ₄ solution	186
4.72	Potentiodynamic scans of interface of 309L Nb clad weld overlays at different welding speed in 0.1N H ₂ SO ₄ solution	187
4.73	Potentiodynamic scans of Base Metal at different WS in 3.5 % NaCl solution	188
4.74	Potentiodynamic scans of 309L clad weld overlays at different welding speed in 3.5 % NaCl solution	189
4.75	Potentiodynamic scans of interface of 309L clad weld overlays at different welding speed in 3.5 % NaCl solution	190
4.76	Potentiodynamic scans of 309L Nb clad weld overlays at different welding speed in 3.5 % NaCl solution	191
4.77	Potentiodynamic scans of interface of 309L Nb clad weld overlays at different welding speed in 3.5 % NaCl solution	192
4.78	Cyclic polarization scans of base metal at different welding speed in 6% FeCl ₃ Solution	193
4.79	Cyclic polarization scans of 309L clad weld overlays at different welding speed in 6% FeCl ₃ Solution	194
4.80	Cyclic polarization scans of 309LNb Clad weld overlays at different welding speed in 6% FeCl ₃ Solution	195

4.81	Cyclic polarization scans of Interface 309L cladded weld overlays at different welding speed in 6% FeCl ₃ Solution	196
4.82	cyclic polarization scans of interface 309LNb Cladded weld overlays at different welding speed in 6% FeCl ₃ Solution	197
4.83	EPR scans of 309L cladded weld overlays at different welding speed in 0.1 H ₂ SO ₄ + 0.01 M NaCl Solution	198
4.84	EPR scans of interface of 309L cladded weld overlays at different welding speed in 0.1 H ₂ SO ₄ + 0.01 M NaCl Solution	199
4.85	EPR scans of 309LNb cladded weld overlays at different welding speed in 0.1 H ₂ SO ₄ + 0.01 M NaCl Solution	200
4.86	EPR scans of interface of 309LNb cladded weld overlays at different welding speed in 0.1 H ₂ SO ₄ + 0.01 M NaCl Solution	201
4.87 (a)	Cladded region of 309 L Clad 160 WS	204
4.87 (b)	Cladded region of 309 L Nb Clad 160 WS	204
4.88 (a)	Cladded region of 309 L Clad 180 WS	204
4.88 (b)	Cladded region of 309 L Nb Clad 180 WS	204
4.89 (a)	Cladded region of 309 L Clad 200 WS	204
4.89 (b)	Cladded region of 309 L Nb Clad 200 WS	204
4.90 (a)	Interface region of 309 L Clad 160 WS	205
4.90(b)	Interface region of 309 L Nb Clad 160 WS	205
4.91(a)	Interface region of 309 L Clad 180 WS	205
4.91(b)	Interface region of 309 L Nb Clad 180 WS	205
4.92(a)	Interface region of 309 L Clad 200 WS	205
4.92(b)	Interface region of 309 L Nb Clad 200 WS	205
4.93	Potentiodynamic scans of cladded region of 309 L & 309 L Nb cladded weld overlay develop with 160 mm / min. welding speed in 0.1 N HHO ₃ Solution	208
4.94	Potentiodynamic scans of cladded region of 309 L & 309 L Nb cladded weld overlay develop with 180 mm / min. welding speed in 0.1 N HHO ₃ Solution	209
4.95	Potentiodynamic scans of cladded region of 309 L & 309 L Nb cladded weld overlay develop with 200 mm / min. welding speed in 0.1 N HHO ₃ Solution	210
4.96	Potentiodynamic scans of Interface region of 309 L & 309 L Nb cladded weld overlay develop with 160 mm / min. welding speed in 0.1 N HHO ₃ Solution	211

4.97	Potentiodynamic scans of Interface region of 309 L & 309 L Nb cladded weld overlay develop with 180 mm / min. welding speed in 0.1 N HHO ₃ Solution	212
4.98	Potentiodynamic scans of Interface region of 309 L & 309 L Nb cladded weld overlay develop with 200 mm / min. welding speed in 0.1 N HHO ₃ Solution	213
4.99	Potentiodynamic scans of cladded region of 309 L & 309 L Nb cladded weld overlay develop with 160 mm / min. welding speed in 0.1 N H ₂ SO ₄ solution	215
4.100	Potentiodynamic scans of cladded region of 309 L & 309 L Nb cladded weld overlay develop with 180 mm / min. welding speed in 0.1 N H ₂ SO ₄ solution	216
4.101	Potentiodynamic scans of cladded region of 309 L & 309 L Nb cladded weld overlay develop with 200 mm / min. welding speed in 0.1 N H ₂ SO ₄ solution	217
4.102	Potentiodynamic scans of Interface region of 309 L & 309 L Nb cladded weld overlay develop with 160 mm / min. welding speed in 0.1 N H ₂ SO ₄ solution	218
4.103	Potentiodynamic scans of Interface region of 309 L & 309 L Nb cladded weld overlay develop with 180 mm / min. welding speed in 0.1 N H ₂ SO ₄ solution	219
4.104	Potentiodynamic scans of Interface region of 309 L & 309 L Nb cladded weld overlay develop with 200 mm / min. welding speed in 0.1 N H ₂ SO ₄ solution	220
4.105	Potentiodynamic scans of cladded region of 309 L & 309 L Nb cladded weld overlay develop with 160 mm / min. welding speed in 0.1 N HCl solution	222
4.106	Potentiodynamic scans of cladded region of 309 L & 309 L Nb cladded weld overlay develop with 180 mm / min. welding speed in 0.1 N HCl solution	223
4.107	Potentiodynamic scans of cladded region of 309 L & 309 L Nb cladded weld overlay develop with 200 mm / min. welding speed in 0.1 N HCl solution	224
4.108	Potentiodynamic scans of Interface region of 309 L & 309 L Nb cladded weld overlay develop with 160 mm / min. welding speed in 0.1 N HCl solution	225
4.109	Potentiodynamic scans of Interface region of 309 L & 309 L Nb cladded weld overlay develop with 180 mm / min. welding speed in 0.1 N HCl solution	226

4.110	Potentiodynamic scans of Interface region of 309 L & 309 L Nb cladded weld overlay develop with 200 mm / min. welding speed in 0.1 N HCl solution	227
4.111	Potentiodynamic scans of cladded region of 309 L & 309 L Nb cladded weld overlay develop with 160 mm / min. welding speed in 3.5 % NaCl solution	229
4.112	Potentiodynamic scans of cladded region of 309 L & 309 L Nb cladded weld overlay develop with 180 mm / min. welding speed in 3.5 % NaCl solution	230
4.113	Potentiodynamic scans of cladded region of 309 L & 309 L Nb cladded weld overlay develop with 200 mm / min. welding speed in 3.5 % NaCl solution	231
4.114	Potentiodynamic scans of Interface region of 309 L & 309 L Nb cladded weld overlay develop with 160 mm / min. welding speed in 3.5 % NaCl solution	232
4.115	Potentiodynamic scans of Interface region of 309 L & 309 L Nb cladded weld overlay develop with 180 mm / min. welding speed in 3.5 % NaCl solution	233
4.116	Potentiodynamic scans of Interface region of 309 L & 309 L Nb cladded weld overlay develop with 200 mm / min. welding speed in 3.5 % NaCl solution	234
4.117	Cyclic polarization scans of 309 L & 309 L Nb cladded weld overlay develop with 160 mm / min. welding speed at cladded region in 6 % FeCl ₃ Solution	236
4.118	Cyclic polarization scans of 309 L & 309 L Nb cladded weld overlay develop with 180 mm / min. welding speed at cladded region in 6 % FeCl ₃ Solution	237
4.119	Cyclic polarization scans of 309 L & 309 L Nb cladded weld overlay develop with 200 mm / min. welding speed at cladded region in 6 % FeCl ₃ Solution	238
4.120	Cyclic polarization scans of 309 L & 309 L Nb cladded weld overlay develop with 160 mm / min. welding speed at interface region in 6 % FeCl ₃ Solution	239
4.121	Cyclic polarization scans of 309 L & 309 L Nb cladded weld overlay develop with 180 mm / min. welding speed at interface region in 6 % FeCl ₃ Solution	240
4.122	Cyclic polarization scans of 309 L & 309 L Nb cladded weld overlay develop with 200 mm / min. welding speed at interface region in 6 % FeCl ₃ Solution	241

4.123	Cyclic polarization scans of 309 L & 309 L Nb cladded weld overlay develop with 160 mm / min. welding speed at cladded region after PWHT in 6 % FeCl ₃ Solution	242
4.124	Cyclic polarization scans of 309 L & 309 L Nb cladded weld overlay develop with 180 mm / min. welding speed at cladded region after PWHT in 6 % FeCl ₃ Solution	243
4.125	Cyclic polarization scans of 309 L & 309 L Nb cladded weld overlay develop with 200 mm / min. welding speed at cladded region after PWHT in 6 % FeCl ₃ Solution	244
4.126	Cyclic polarization scans of 309 L & 309 L Nb cladded weld overlay develop with 160 mm / min. welding speed at interface region after PWHT in 6 % FeCl ₃ Solution	245
4.127	Cyclic polarization scans of 309 L & 309 L Nb cladded weld overlay develop with 180 mm / min. welding speed at interface region after PWHT in 6 % FeCl ₃ Solution	246
4.128	Cyclic polarization scans of 309 L & 309 L Nb cladded weld overlay develop with 200 mm / min. welding speed at interface region after PWHT in 6 % FeCl ₃ Solution	248
4.129	EPR scans of cladded region of 309 L & 309 L Nb cladded weld overlays developed with 160 mm / min. welding speed in 0.1 H ₂ SO ₄ + 0.01 M NaCl Solution	249
4.130	EPR scans of cladded region of 309 L & 309 L Nb cladded weld overlays developed with 180 mm / min. welding speed in 0.1 H ₂ SO ₄ + 0.01 M NaCl Solution	250
4.131	EPR scans of cladded region of 309 L & 309 L Nb cladded weld overlays developed with 200 mm / min. welding speed in 0.1 H ₂ SO ₄ + 0.01 M NaCl Solution	251
4.132	EPR scans of interface region of 309 L & 309 L Nb cladded weld overlays developed with 160 mm / min. welding speed in 0.1 H ₂ SO ₄ + 0.01 M NaCl Solution	252
4.133	EPR scans of interface region of 309 L & 309 L Nb cladded weld overlays developed with 180 mm / min. welding speed in 0.1 H ₂ SO ₄ + 0.01 M NaCl Solution	253
4.134	EPR scans of interface region of 309 L & 309 L Nb cladded weld overlays developed with 200 mm / min. welding speed in 0.1 H ₂ SO ₄ + 0.01 M NaCl Solution	254

4.135	EPR scans of clad region of 309 L & 309 L Nb clad weld overlay developed with 160 mm / min. welding speed in 0.1 H ₂ SO ₄ + 0.01 M NaCl Solution after PWHT	255
4.136	EPR scans of clad region of 309 L & 309 L Nb clad weld overlay developed with 180 mm / min. welding speed in 0.1 H ₂ SO ₄ + 0.01 M NaCl Solution after PWHT	256
4.137	EPR scans of clad region of 309 L & 309 L Nb clad weld overlay developed with 200 mm / min. welding speed in 0.1 H ₂ SO ₄ + 0.01 M NaCl Solution after PWHT	257
4.138	EPR scans of interface region of 309 L & 309 L Nb clad weld overlay developed with 160 mm / min. welding speed in 0.1 H ₂ SO ₄ + 0.01 M NaCl Solution after PWHT	258
4.139	EPR scans of interface region of 309 L & 309 L Nb clad weld overlay developed with 180 mm / min. welding speed in 0.1 H ₂ SO ₄ + 0.01 M NaCl Solution after PWHT	259
4.140	EPR scans of interface region of 309 L & 309 L Nb clad weld overlay developed with 200 mm / min. welding speed in 0.1 H ₂ SO ₄ + 0.01 M NaCl Solution after PWHT	260
4.141(a)	Clad region of 309 L Clad at 160 WS as welded condition	263
4.141(b)	Clad region of 309 L Clad at 160 WS after PWHT	263
4.142(a)	Clad region of 309 L Clad at 180 WS as welded condition	263
4.142(b)	Clad region of 309 L Clad at 180 WS after PWHT	263
4.143(a)	Clad region of 309 L Clad at 200 WS as welded condition	263
4.143(b)	Clad region of 309 L Clad 200 at WS after PWHT	263
4.144(a)	Clad region of 309 L Nb Clad 160 WS	264
4.144(b)	Clad region of 309 L Nb Clad at 160 WS after PWHT	264
4.145(a)	Clad region of 309 L Nb Clad 180 WS	264
4.145(b)	Clad region of 309 L Nb Clad at 180 WS after PWHT	264
4.146(a)	Clad region of 309 L Nb Clad 200 WS	264
4.146(b)	Clad region of 309 L Nb Clad at 200 WS after PWHT	264
4.147(a)	Interface region of 309 L Clad at 160 WS as welded condition	265
4.147(b)	Interface region of 309 L Clad at 160 WS after PWHT	265
4.148(a)	Interface region of 309 L Clad at 180 WS as welded condition	265
4.148(b)	Interface region of 309 L Clad at 180 WS after PWHT	265
4.149(a)	Clad region of 309 L Clad at 200 WS as welded condition	266
4.149(b)	Interface region of 309 L Clad 200 at WS after PWHT	266
4.150(a)	Interface region of 309 L Nb Clad at 160 WS as welded condition	266
4.150(b)	Interface region of 309 L Nb Clad at 160 WS after PWHT	266

4.151(a)	Interface region of 309 L Nb Clad at 180 WS as welded condition	266
4.151(b)	Interface region of 309 L Nb Clad at 180 WS after PWHT	266
4.152(a)	Cladded region of 309 L Nb Clad at 200 WS as welded condition	267
4.152(b)	Interface region of 309 L Nb Clad 200 at WS after PWHT	267
4.153	Cyclic polarization scans of base metal at different welding speed after PWHT in 6% FeCl ₃ Solution	271
4.154	Cyclic polarization scans of cladded region of 309L cladded weld overlays at different welding speed after PWHT in 6% FeCl ₃ Solution	272
4.155	Cyclic polarization scans of clad region of 309LNb Cladded weld overlays at different welding speed after PWHT in 6% FeCl ₃ Solution	273
4.156	Cyclic polarization scans of interface region 309L cladded weld overlays at different welding speed after PWHT in 6% FeCl ₃ Solution	274
4.157	Cyclic polarization scans of interface region of 309LNb Cladded weld overlays at different welding speed in 6% FeCl ₃ Solution	275
4.158	EPR scans of clad region of 309L cladded weld overlays after PWHT at different welding speed in 0.1 H ₂ SO ₄ + 0.01 M NaCl Solution	277
4.159	EPR scans of clad region of 309LNb cladded weld overlays at after PWHT at different welding speed in 0.1 H ₂ SO ₄ + 0.01 M NaCl Solution	278
4.160	EPR scans of interface of 309L cladded weld overlays after PWHT at different welding speed in 0.1 H ₂ SO ₄ + 0.01 M NaCl Solution	279
4.161	EPR scans of interface of 309LNb cladded weld overlays after PWHT at different welding speeds in 0.1 H ₂ SO ₄ + 0.01 M NaCl Solution	280