

Chapter – 6

REFERENCES

6. References

- [1] Gonzalez JA. Electrostatic protection. In: Scott RA. (ed) *Textiles for protection*. 1st ed. England: Woodhead, 2005, pp. 503-508.
- [2] Paasi J, Coletti G, Fast L, et al. ESD-protective clothing for electronics industry - A new European research project ESTAT-Garments. In: *6th Dresden Textile conference*, June 2002, pp. 19-20.
- [3] Temneanu M, Yilmaz AE, Ardeleanu AS, et al. Influence of knitting techniques on ESD performances. In: 2014 *International conference and exposition on electrical and power engineering (EPE)*, IEEE, Romania October 2014, pp. 406.
- [4] Passi J. Assessment of ESD threats to electronic components, *Journal of Electrostatics* 2005; 63:589-596.
- [5] Seyam AF, Oxenham W, Castle P, et al. Static generation and control in textile systems, NTC Project C04-NS07. *National Textile Center Research Briefs – Chemistry Competency* 2005, pp. 2.
- [6] Merrill R and Issaq E. ESD design methodology. In: *Proc.1993 EOS/ESD Symposium*, Orlando, FL, Sept.1993, pp. 233-237.
- [7] Paasi J and Nurmi S. Electrostatic testing of ESD-protective clothing for electronics industry, In: *Paper presented at the Electrostatics 2003 conference, & Inst. Phys. conference*, Edinburgh, March 2003 & 2004, 178:239-246.
- [8] Merrill R and Issaq E. ESD design methodology. In: *Proc. EOS/ESD Symposium EOS-15* (New York: ESDA) 1993, pp. 233-237.
- [9] Donciu C. Core conductive yarn based integral knitted esd garments Part I. Metallic core conductive yarns investigation. *Advanced Materials Research* 2013; 772: 467-473.
- [10] ANSI/ESD S20.20-2007. Protection of electrical and electronic parts, assemblies and equipment.
- [11] IEC 61340-5-1:2007. Protection of electronic devices from electrostatic phenomena.
- [12] Saini P and Choudhary V. Electrostatic charge dissipation and electromagnetic interference shielding response of polyaniline based conducting fabrics, *Indian Journal of Pure and Applied Physics* 2013; 51:112-117.

- [13] Saini V, Choudhary BP, Singh RB, et al. Polyaniline-MWCNT nanocomposites for microwave absorption and EMI shielding. *Materials Chemistry and Physics* 2009; 113: 919–926.
- [14] Saini P, Choudhary V, Dhawan SK. Improved microwave absorption and electrostatic charge dissipation efficiencies of conducting polymer grafted fabrics prepared via in situ polymerization. *Polym Adv Technol* 2012; 23: 343–349.
- [15] Nalwa HS. *Handbook of organic conductive molecules and polymers*. New York: H S Wiley, 1997, pp. 3.
- [16] Chubb JN. A Standard proposed for assessing the electrostatic suitability of materials. *J Electrostat* 2007; 65: 607-610.
- [17] Soyaslan D, Çömlekçi S, Göktepe Ö. Determination of electromagnetic shielding performance of plain knitted and 1×1 rib structures with coaxial text fixture relating to ASTM D4935. *J Text Inst* 2010; 10: 890–897.
- [18] Chung D. Electromagnetic interference shielding effectiveness of carbon materials, *Carbon* 2001; 39: 279–285.
- [19] Koprowska J, Pietranik M, Stawski W. New type textiles with shielding properties. *Fibres & Textiles in Eastern Europe* 2004; 12(3): 39–42.
- [20] Clayton RP. *Introduction to Electromagnetic Compatibility*, John Willey & Sons Inc., USA, (1992) pp 633-665.
- [21] Perumalraj R, Dasaradan BS. Electromagnetic shielding Fabric. *Asian Textile Journal* 2008; 17(10): 62-68.
- [22] Perumalraj R, Dasaradan BS. Electrically conductive polymer materials for EMI shielding. *Asian Textile Journal* 2009; 18(1) 49-57.
- [23] Ramstorp M. *Introduction to contamination control and cleanroom technology*. Sweden: Wiley-VCH, 2000, pp. 1-3.
- [24] ANSI/EIA-541-1988. Dimensions and tolerances for tape and reel materials for the automatic handling of surface mount materials.
- [25] Saini P, Choudhary V, Singh BP, et al. Enhanced microwave absorption behavior of polyaniline-CNT/polystyrene blend in 12.4-18.0 GHz range. *Synth Metals* 2011; 161: 1522.
- [26] Boone W. Evaluation of cleanroom/ESD garment fabrics: test methods and results. In: *Proceedings of the 1998 EOS/ESD Symposium*, 1998, pp.(98) 10-17.

-
- [27] Philip E. *Handbook of fiber finish technology*. New York, USA: Marcel Dekker, 1998, pp. 273-278.
- [28] Adrian G. The charging of insulators. *Journal of Electrostatics* 2001; 51-52 & 82-90.
- [29] Castle G. Contact charging between insulators. *Journal of Electrostatics* 1997; 40-41 & 3-12.
- [30] Hersh S. Resistivity and Static Behavior of Textile Surfaces. In: Schick JM. (ed) *Surface Characteristics of Fibers and Textiles*, New York, USA: Marcel Dekker, 1975, pp. 229-237.
- [31] Hebeish AA, El-Gamal MA, Said TS, et al. Major factors affecting the performance of ESD protective Fabrics. *The Journal of The Textile Institute* 2010; 101: 389–398.
- [32] Marchini F. Advanced applications of metalized fibres for electrostatic discharge and radiation shielding. *Journal of Industrial Textiles* 1991; 20(3): 153-166.
- [33] Wilson N. The nature and incendiary behavior of spark discharges from textile surfaces. *Journal of Electrostatics* 1985; 16: 231 – 245.
- [34] Yoshihiko O, Sugiura N, Nakaoka Y. Dissipation of triboelectric charge into air from textile surface. *Textile Research Journal* 1996; 66(5): 337-342.
- [35] Gonzalez JA, Rizvi SA, Crown EM, et al. A laboratory protocol to assess the electrostatic propensity of protective-clothing systems, *The Journal of Textile Institute* 2001; 92:315-327.
- [36] Brown L and Burns D. The ESD control process is a tool for managing quality. *Electronic Packaging and Production* 1990; pp. 50-53.
- [37] Zhang X. Antistatic and Conductive Textiles. In: Pan N & Sun G. (eds) *Functional textiles for improved performance, protection and health*, UK: Woodhead, 2011, pp. 27-32.
- [38] Cheng KB, Lee KC, Ueng TH, Mou KJ. Electrical and impact properties of the hybrid knitted inlaid fabric reinforced polypropylene composites. *Composites Part A* 2002; 33(9): 1219–1226.
- [39] Cheng KB, Cheng TW, Lee KC, Ueng TH, Hsing WH. Effect of yarn constituent and fabric specifications on electrical properties of hybrid woven fabrics. *Composites Part A* 2003; 34(10): 971–978.
- [40] Perumalraj R, Dasaradan BS, Sampath VR. Study on Electromagnetic shielding conductive fabrics. *National Conference on Functional Textiles and Apparels*, PSG
-

- Tech., Coimbatore, 2007, pp.187-203.
- [41] Perumalraj R, Ganeshbabu C, Saravanan L, Sujatha K. Protective conductive textiles, *National conference on signals systems and security (NCSSS 2006)*, BIT, Sathy, 2006, pp. 311-316.
- [42] Koprowska J, Pietranik M, Stawski W. New Type of Textiles with Shielding Properties. *Fibers & Textiles in Eastern Europe* 2004; 12(3): 39-42.
- [43] Chen HC, Lee KC, Lin JH. Electromagnetic and electrostatic shielding properties of co-weaving-knitting fabrics reinforced composites. *Composites Part A* 2004; 35: 1249-1256.
- [44] Nema SK, Jhala PB. *Plasma technologies for textile and apparel*. Woodhead publishing India Pvt. Ltd., 2015, pp. 152.
- [45] Owen J. *Electrostatic Discharge Control*. Ch. 4, McGraw, NY, pp. 52-55.
- [46] Donciu C. ESD garments with bilayer structure. *Advanced Materials Research* 2014; 837: 682–687.
- [47] Donciu C. Core conductive yarn based integral knitted ESD garments Part II. Carbon composite yarns investigation. *Advanced Materials Research* 2013; 772:474–479.
- [48] Standard EN 1149-1. Test methods for measurement of surface resistivity.
- [49] Standard IEC 61340-5-1. Protection of electronic devices from electrostatic phenomena – General requirements.
- [50] AATCC Test Method 76-2000. Electrical surface resistivity of fabrics.
- [51] King RWP. Electrical currents and fields induced in cells in the human brain by radiation from hand-held cellular telephones. *Journal of Applied Physics* 2000; 87(2): 893-900.
- [52] Gandhi OP. Electromagnetic fields: Human safety issues. *Annu. Rev. Biomedical Engineering* 2002; 4: 211-234.
- [53] Hocking B and Westerman R. Neurological effects of radiofrequency radiation. *Journal of Occupational Medicine and Toxicology (Lond.)* 2003; 53 (2): 123-127.
- [54] Tan KS, Hinberg I and Wadhwani J. Electromagnetic interference in medical devices: Health canada's past and current perspectives and activities, *IEEE international symposium. Electromagnetic Compatibility* 2001; 2: 1283-1288.
- [55] Baldwin D and Manz P. *Semiconductor Industrial Hygiene Handbook: Monitoring, Ventilation, Equipment and Ergonomics*. USA: Noyes pub, 1994, pp. 25.

-
- [56] Abdi MM, Kassim AB, Ekramul Mahmud HNM, et al. Electromagnetic interference shielding effectiveness of new conducting polymer composite. *Journal of Macromolecular Science, Part A: Pure and Applied Chemistry* 2010; 47: 71–75.
- [57] Chung D. Electromagnetic interference shielding effectiveness of carbon materials. *Carbon* 2001; 39: 279–285.
- [58] Perumalraj R and Dasaradan B. Electromagnetic shielding effectiveness of copper core-woven fabrics, *The Journal of The Textile Institute* 2009; 100:512–524.
- [59] Cheng KB, Lee, ML, Ramakrishna S. et al. Electromagnetic shielding effectiveness of stainless steel/polyester woven fabrics. *Textile Research J* 2001; 1: 42–49.
- [60] Perumalraj R, Nalankilli, Balasaravanan TR, et al. Electromagnetic shielding tester for conductive textile materials. *Indian Journal of Fibre and Textile Research* 2010; 35: 361-365.
- [61] Wu F, Xu Z, Wang Y, et al. Electromagnetic interference shielding properties of solid-state polymerization conducting polymer. *RSC Advances* 2014; 73.
- [62] Chung DDL. Electromagnetic interference shielding effectiveness of carbon materials. *Carbon* 2001; 39(2): 279-285.
- [63] Kitain M. *Cleanrooms in pharmaceutical production*, Mikkeli University of Applied Sciences, March 2010, pp. 1-5.
- [64] NPCS Board of Consultants & Engineers. *Handbook on medical and surgical disposable products*, Asia pacific business press, 2014, pp. 20-30.
- [65] Ramstorp M., *Introduction to contamination control and cleanroom technology*, Germany: Wiley-VCH, 2000, pp. 1-5.
- [66] Cheremisinoff P. *Air pollution control and design for industry*, New York: Marcel Dekker, 1977, pp.114-116.
- [67] Purchas D and Sutherland K. *Handbook of filter media (2nd Edition)*. UK: Elsevier Advanced Technology, 2002, pp. 61-62.
- [68] Horrocks A and Anand S. *Handbook of technical textiles, Vol. 2: Technical textile applications (2nd Edition)*, UK: Woodhead, 2000, pp. 347-348.
- [69] George ER, Kepka S and Miller B. Particle release from fabrics during wear. *Aerosol Science and Technology* 1990; 13: 1-7.
- [70] Ogulata R and Mavruz S. Investigation of porosity and air permeability values of plain knitted fabrics. *Fibres & Textiles in Eastern Europe* 2010, 18: 71-75, 82.
-

-
- [71] TS 391 EN ISO 9237. Textiles-determination of the permeability of fabrics to air, Turkish Standards Institution, Ankara.
- [72] Karaguzel B. Characterization and role of porosity in knitted fabrics, *MSc Thesis*, North Carolina State University, Department of Textile Engineering, Chemistry and Science, 2004.
- [73] Smith WC. *Smart textile coatings and laminate*. Cambridge, U.K.: Woodhead, 2010, pp. 3-9.
- [74] Amin HN. High functional textile garments for electrostatic discharge control. *Textile Asia* 2013; 3:23-26.
- [75] Amin HN and Bihola DV. Analysis of dielectric strength of laminates made from conductive knitted fabrics. *International journal of Advance Engineering and Research Development* 2015; 02: 233-237.
- [76] Amin HN and Bihola DV. Analysis of Surface resistivity and Volume resistivity of laminates made from conductive knitted fabrics. *International journal of Advance Engineering and Research Development* 2015; 02: 238-242.
- [77] Amin HN and Bihola DV. Study of conductive textile laminates by direct examination SEM method. *International journal of Advance Engineering and Research Development* 2015; 02: 263-267.
- [78] Hongu T, Takigami M, Phillips OG. *New Millennium Fibers*. England: Woodhead, 2005, pp.1-8.
- [79] Chudasama D. Wearable Electronics. *International Journal of Electrical and Electronics Engineering Research* 2014; 4: 27-32.
- [80] Devaux E, Koncar V, Kim B, Campagne C, Roux C, Rochery M, Saihi D. Processing and characterization of conductive yarns by coating or bulk treatment for smart textile applications. *Transactions of the institute of measurement and control* 2007; 29 (3/4): 355–376.
- [81] Negru D, Buda C-T, Avram D. Electrical conductivity of woven fabrics coated with carbon black particles. *Fibres & Textiles in Eastern Europe* 2012; 1(90): 53-56.
- [82] Kim B, Koncar V, Dufour C. Poly- aniline- coated PET conductive yarns: Study of electrical, mechanical and electro- mechanical properties. *Journal of applied polymer science* 2006; 101(3): 1252–1256.
- [83] Gasana E, Westbroek P, Hakuzi- mana J, De Clerck K, Priniotakis G, Kiekens P,
-

- Tseles D. Electroconductive textile structures through electroless deposition of polypyrrole and copper at polyaramide surfaces. *Surface & Coatings Technology* 2006; 201: 3547-3551.
- [84] Amin HN, Bihola DV and Shah VD. Study nano scale applications of inherently electrically conductive polymers (ICPs) for ESD control in textiles. *International Journal of Eng Sci and Futuristic Tech* 2015; 1: 25-32.
- [85] Kulshreshtha AK and Vasile C. *Handbook of polymer blends and composites*. Vol. 2, UK: Rapra Technology Limited, 2002, pp. 335-338.
- [86] Kang YS, Lee HJ, Namgoong J, Jung B and Lee H. Decrease in electrical conductivity upon oxygen exposure in polyanilines doped with HCl. *Polymer* 1999; 40(9): 2209.
- [87] Riaz U and Ashraf SM. Nanostructured polymer blends, conductive polymer composites and blends. In: Thomas S, Shanks R & Chandrasekharakurup S. (eds) *Nanostructured polymer blends*. Elsevier, 2014, pp. 509-512.
- [88] Kuhn HH and Child AD. Electrically Conducting textiles, (Chap. 35). In: Scotheim TA, Elsenbaumer RL and Reynolds JB (eds), *Handbook of Conducting Polymers*. New York: Marcel Dekker, 1998, pp. 993–1013.
- [89] Muthukumar N and Thilagavathi G. Development and characterization of electrically conductive polyaniline coated fabrics. *Ind Journal of Chem Tech* 2012; 19: 434-441.
- [90] Kuhn HH, Child AD and Kimbrell WC. Toward real applications of conductive polymers. *Synthetic Material* 1995; 71(1-3) Pt. 3: 2139-2142.
- [91] MacDiarmid AG. Synthetic metals: A novel role for organic polymers. *Synthetic Materials* 2001; 125: 11-22.
- [92] Amin HN. Studies on different aspects of electrical characteristics of conductive textiles. *Master of Engineering dissertation work, Faculty of Technology & Engineering, The Maharaja Sayajirao University of Baroda, Vadodara, July 2005*.
- [93] Amin HN and Bihola DV. Study on different methodologies to impart conductive characteristics in textiles for ESD/Radiation protection. *International journal of Advance Engineering and Research Development* 2015; 02: 252-257.
- [94] Anderson K and Seyam AM The road to true wearable electronics. *Textile magazine* 2004; 1.
- [95] Neelakandan R and Madhusoothanan M. EMI shielding effectiveness of copper core

- yarn woven fabrics. In: *Proceedings of the HPTEX 2002 on 7th, 8th and 9th, KCT*, Coimbatore, India, 2002.
- [96] Gong RH, *Specialist yarn and fabric structures: developments and application*. London: Woodhead, 2011, pp. 36.
- [97] Lin JH and Lou CW. Electrical properties of laminates made from a new fabric with pp/stainless steel commingled yarn. *Textile Research Journal* 2003; 73: 322-326.
- [98] Chen HC, Lin JH and Lee KC. electromagnetic shielding behavior of conductive woven fabrics reinforced thermoplastic composites. In: *Proceedings of the textile institute 83rd World conference (83rd TIWC)*, Shanghai, China, May 2004, pp. 23-27.
- [99] Su CL and Chern JT. Effect of stainless steel containing fabrics on electromagnetic shielding effectiveness. *Textile Research Journal* 2004; 74: 51-54.
- [100] Cheng K, Ueng TH and Dixon G. electrostatic discharge properties of the stainless steel/polyester woven fabrics. *Textile Research Journal* 2001; 71: 732-738.
- [101] Chen HC, Lee KC, Lin JH and Koch M. Fabrication of conductive woven fabric and analysis of electromagnetic shielding via measurement and empirical equation. *Journal of Material Process Technology* 2007; 184(1-3): 124-130.
- [102] Cheng KB, Cheng TW, Nadaraj RN, et al. Electromagnetic shielding effectiveness of the twill copper woven fabrics. *Journal of Reinforced Plastics and Composites* 2006; 25(7): 699-709.
- [103] Passi J, Coletti G, Fast L, Lemaire P, Vogel C, Peltoniemi T, Reina G, Börjesson A and Smallwood J. ESD-protective clothing for electronics industry. *A new European research project ESTAT-Garments. presented at the 6th Dresden textile conference*. Dresden, Germany. June, 2002.
- [104] Xuf P, Tao XM, et al. Electromechanical behaviour of fibers coated with an electrically conductive polymer. *Textile Research Journal* 2004; 74(10): 929-936.
- [105] Maclaga B, Fisher WK. Static dissipation mechanism in carpets containing conductive fibers. *Textile Research Journal* 2001; 71(4): 281-286.
- [106] Bhat NV, Seshadri DT and Radhakishnan S. Preparation, characterisation and performance of conductive fabrics: Cotton+PANi. *Textile Research Journal* 2004; 74(2): 155-166.
- [107] Luttgens G and Wilson N. *Electrostatic Hazards*. Butterworth-Heinemann, pp. 37-38.
- [108] ASTM D257. standard test methods for DC resistance or conductance of insulating

materials

- [109] Rakshit PB, Jain RC, Shrinet V, et al. Synthesis and characterization of cycloaromatic polyamines to cure epoxy resin for industrial applications. *Polymer-plastics Technology and Engineering* 2011; 50: 674-680.
- [110] Air permeability tester FX 3300 LabAir IV, source <http://www.textest.ch>.
- [111] ASTM D737. Standard test method for air permeability of textile fabrics