

---

## CONTENTS

	<b>PAGE</b>
<b>List of Figures</b>	vi
<b>List of Tables</b>	ix
<b>Chapter 1 INTRODUCTION</b>	1
<b>Chapter 2 REVIEW OF LITERATURE</b>	5
2.1 Nanotechnology	5
2.1.1 Developments in nanotechnology	6
2.1.2 Nanotechnology in textile	7
2.1.2.1 Significance of nanopartilces	9
2.1.2.2 Silica	12
2.1.2.3 Application of nano-sized SiO <sub>2</sub>	12
2.2 Composite materials	14
2.2.1 Nanocomposite materials	14
2.2.2 Polymer nanocomposite	15
2.2.3 Types of polymer nanocomposites	16
2.2.3.1 Polymer / Nanotube Composites	17
2.2.3.2 Polymer / Layered Nanofiller Composites	17
2.2.3.3 Polymer / Nanopowder Composites	19
2.2.3.3.1 Direct Mixing	19
2.2.3.3.2 Sol-Gel Processing	20
2.2.3.3.3 Graft Polymerization	20
2.3 Preparation of nanocomposite	21
2.3.1 Filament / Film preparation stage	21
2.3.2 Finishing stage	22
2.3.3 Garment processing stage	25
2.4 Testing and analysis of polymer nanocomposite materials	25
2.4.1 Structural analysis of nanocomposite materials	26
2.4.1.1 Analysis by microscopy	27
2.4.1.1.1 Scanning Electron Microscopy	27
2.4.1.1.2 Energy Dispersive X-ray Analysis	29
2.4.1.1.3 Transmission Electron	31

---

---

---

Microscopy	
2.4.1.1.4 High Resolution Transmission	32
Electron Microscopy	
2.4.1.1.5 Atomic Force Microscope	33
2.4.1.1.6 Scanning Tunneling Microscopy	35
2.4.1.2 Analysis by spectroscopy	36
2.4.1.2.1 Infrared spectroscopy	36
2.4.1.2.2 Raman Spectroscopy	40
2.4.1.2.3 Ultraviolet-Visible Spectroscopy	41
2.4.1.3 Analysis by X-rays	43
2.4.1.3.1 Wide Angle X-Ray Diffraction	43
2.4.1.3.2 X-Ray Photoelectron Spectroscopy	45
2.4.2 Thermal analysis	47
2.4.2.1 Thermo gravimetric analysis	47
2.4.2.2 Differential scanning calorimetry and Differential thermal analysis	47
2.5 Present status of research in polymer nanocomposite materials	49
2.6 Possible applications	52
2.7 Objectives	53
<b>Chapter 3 MATERIALS AND EXPERIMENTAL METHOD</b>	56
3.1 Materials	57
3.1.1 Film	57
3.1.2 Filament	58
3.1.3 Fabric	59
3.2 Equipments for experimental work	60
3.2.1 Equipments used for preparation of nanocomposite materials	60
3.2.1.1 Magnetic stirrer with heater (for film)	60
3.2.1.2 Melt spinning pilot plant (for filament)	60

---

3.2.1.3	Equipment used for preparation of polymeric nanocomposite fabric	61
3.2.1.3.1	Padding mangle with curing chamber	61
3.2.2	Equipments for testing and analysis	62
3.3	Experimental methods	63
3.3.1	Part-I: Preparation of Polymer/SiO <sub>2</sub> nanocomposite film	63
3.3.2	Part-II: Preparation of Polymer/SiO <sub>2</sub> nanocomposite filament	65
3.3.3	Part-III: Preparation of Polymer/SiO <sub>2</sub> nanocomposite fabric	68
3.3.3.1	Preparation of silica nano padding liquor	68
3.3.3.2	Application to fabric	68
3.3.4	Testing and Analysis	70
3.3.4.1	Structural Properties	70
3.3.4.1.1	Scanning Electron Microscopy	70
3.3.4.1.2	Fourier Transform Infrared Spectroscopy	71
3.3.4.1.3	X-Ray diffraction	71
3.3.4.1.4	Differential scanning calorimeter	72
3.3.4.1.5	Rheological measurement-MFI	74
3.3.4.2	Mechanical Properties	75
3.3.4.2.1	Tensile strength Tester	75
3.3.4.2.2	Tearing Tester	76
3.3.4.2.3	Crease recovery tester	77
<b>Chapter 4</b>	<b>RESULTS AND DISCUSSION</b>	78
4.1	Part-I: Polymer silica nanocomposite film	78
4.1.1	Structural analysis	80
4.1.1.1	Surface morphological analysis through SEM	80
4.1.1.2	FTIR spectral analysis	81

---

4.1.1.3	X-ray diffraction Analysis	86
4.1.1.4	Thermal analysis	88
4.1.2	Mechanical properties	93
4.1.2.1	Tensile property	93
4.1.2.2	Young's modulus and work of rupture	97
4.2	Part-II: polymer silica nanocomposite filament	100
4.2.1	Structural analysis	103
4.2.1.1	Surface morphological analysis through SEM	104
4.2.1.2	Elemental analysis	107
4.2.1.3	FTIR spectral analysis	109
4.2.1.3	X-ray diffraction analysis	114
4.2.1.3	Thermal analysis	116
4.2.2	Mechanical properties	122
4.2.2.1	Tensile strength	122
4.2.2.2	Young's modulus and work of rupture	128
4.3	Part-III: Polymer silica nanocomposite fabric	131
4.3.1	Structural analysis	132
4.3.1.1	Surface morphological analysis through SEM	132
4.3.1.2	FTIR spectral analysis	133
4.3.1.3	X-ray diffraction analysis	135
4.3.1.4	Thermal analysis	138
4.3.2	Mechanical properties	139
4.3.2.1	Tensile strength	140
4.3.2.2	Young's modulus and work of rupture	143
4.3.2.3	Tearing strength	144
4.3.2.4	Crease recovery angle	145
<b>Chapter 5</b>	Conclusions	147
	Scope for further study	149
	Abbreviations	150
	References	152

---

<b>SR. NO.</b>	<b>FIGURE NO.</b>	<b>FIGURE DESCRIPTION</b>	<b>PAGE</b>
1	2.1	Applications of nanoparticles	11
2	2.2	Illustration of different types of polymer layered silicates (PLS) composites.	18
3	2.3	Two approaches of graft polymerization.	20
4	2.4	Schematic Representations of the Possible Nanocomposite Particle Morphologies	22
5	2.5	Schematic drawing of nanosol finishing of textiles by conventional application techniques, A: padding, B: casting, C: spraying.	23
6	2.6	Mechanism of plasma-substrate interaction	24
7	2.7	Schematic Diagram of Scanning Electron Microscope	29
8	2.8	Elemental analysis of nanoparticles by EDX.	30
9	2.9	Schematic of a transmission electron microscope	31
10	2.10	Schematic representation of the components of an atomic force microscope	33
11	2.11	A schematic view of a scanning tunneling microscope (STM).	35
12	2.12	(a) Schematic illustration of FTIR; (b) Michelson interferometer, configured for FTIR	38
13	2.13	A schematic of Raman spectroscopy	40
14	2.14	A schematic of Ultraviolet-Visible (UV-VIS) Spectroscopy	41
15	2.15	Schematic of Wide Angle X-Ray Diffraction	44
16	2.16	Schematic view of X-Ray Photoelectron Spectroscopy	46
17	2.17	Schematic diagram of DSC/DTA	48
18	3.1	Polyamide chips	57
19	3.2	Polypropylene chips	57
20	3.3	Magnetic stirrer with heater	63
21	3.4	Schematic diagram of polyamide silica nanocomposite film preparation	64
22	3.5	Melt spinning pilot plant	66

23	3.6	Two bowl padding mangle with stenter	69
24	3.7	Scanning electron microscope	70
25	3.8	FTIR Spectrometer instrument	71
26	3.9	X-Ray diffractometer	72
27	3.10	Differential Scanning Calorimeter	73
28	3.11	Melt Flow Indexer	75
29	3.12	Lloyd LRX tensile strength tester	76
30	3.13	Elmendorf tearing tester	77
31	3.14	Crease recovery tester	77
32	4.1	Polyamide untreated (a) and treated (b to f) films	79
33	4.2	SEM micrographs of pure polyamide and polyamide/SiO <sub>2</sub> nanocomposite films, a) pure polyamide film, b) polyamide+0.1% nano SiO <sub>2</sub> , c) polyamide+0.3% nano SiO <sub>2</sub> , d) polyamide+0.5% nano SiO <sub>2</sub> , e) polyamide+0.7% nano SiO <sub>2</sub> , f) polyamide+ 1.0% nano SiO <sub>2</sub> .	81
34	4.3	IR absorption peaks of pure polyamide (a) and polyamdie/Silica nanocomposite films (b to f).	82
35	4.4	XRD pattern of pure polyamide film (PA)	86
36	4.5	XRD pattern of polyamide silica nanocomposite film (NPA4)	87
37	4.6	Combined XRD patterns of PA and NPA4 samples	88
38	4.7	DSC curves of pure polyamide (a) and polyamide silica nanocomposite films (b to f)	91
39	4.8	Percentage change in Enthalpy ( $\Delta H$ ) of polyamide/silica nanocomposite film	92
40	4.9	Stress strain behavior of pure polyamide (a) and polyamide/Silica nanocomposite films (b to f).	95
41	4.10	Effect of nano silica on stress property of film	96
42	4.11	Effect of nano silica on young's modulus of treated and untreated polyamide films	98
43	4.12	Effect of nano silica on stiffness of treated and untreated polyamide films	98

44	4.13	Effect of nano silica on work at maximum load of treated and untreated polyamide films	99
45	4.14	Polypropylene pure (a) and nanocomposite (b to h) filaments	102
46	4.15	SEM photographs of Pure Polypropylene filaments (PP)	103
47	4.16	SEM photographs of PP filaments with 0.1% SiO <sub>2</sub> (NPP1)	103
48	4.17	SEM photographs of PP filaments with 0.3% SiO <sub>2</sub> (NPP2)	104
49	4.18	SEM photographs of PP filaments with 0.5% SiO <sub>2</sub> (NPP3)	104
50	4.19	SEM photographs of PP filaments with 0.7% SiO <sub>2</sub> (NPP4)	104
51	4.20	SEM photographs of PP filaments with 1.0% SiO <sub>2</sub> (NPP5)	105
52	4.21	SEM photographs of PP filaments with 1.25% SiO <sub>2</sub> (NPP6)	105
53	4.22	SEM photographs of PP filaments with 1.5% SiO <sub>2</sub> (NPP7)	105
54	4.23	SEM cross-sectional photographs of PP filaments with 0.7% SiO <sub>2</sub> (NPP4)	106
55	4.24	EDX spectrum of pure polypropylene filament	107
56	4.25	EDX spectrum of polypropylene silica nanocomposite filament	108
57	4.26	IR absorption peaks of pure polypropylene (a) and polypropylene/Silica nanocomposite filaments (b to h).	112
58	4.27	XRD pattern of pure polypropylene filament (PP)	114
59	4.28	XRD pattern of polypropylene silica nanocomposite filament (NPP4)	115
60	4.29	Combined XRD patterns of PP and NPP4 samples	116
61	4.30	DSC curves of pure polypropylene (a) and polypropylene silica nanocomposite filaments (b to h)	120
62	4.31	Effect of SiO <sub>2</sub> concentration on enthalpy of PP filament	121

63	4.32	Effect of SiO <sub>2</sub> concentration on % crystallinity of PP filament	122
64	4.33	Stress strain behavior of pure polypropylene (a) and polypropylene/SiO <sub>2</sub> nanocomposite filaments (b to h)	126
65	4.34	Tenacity of pure polypropylene and polypropylene silica nanocomposite filament	127
66	4.35	Effect of nano silica on young's modulus of treated and untreated polypropylene filaments	129
67	4.36	Effect of nano silica on work of rupture of treated and untreated polypropylene filaments	130
68	4.37	SEM microphotographs of polyester fabric treated with silica nano particles	131
69	4.38	IR absorption peaks of untreated polyester fabric (PT)	133
70	4.39	IR absorption peaks of treated polyester fabric (NPT3)	134
71	4.40	XRD pattern of pure polyester fabric (PT)	136
72	4.41	XRD pattern of polyester silica nanocomposite fabric (NPT3)	136
73	4.42	Combined XRD patterns of PT and NPT3 samples	137
74	4.43	DSC curve of pure polyester fabric (PT)	138
75	4.44	DSC curve of polyester fabric treated with 5 gpl nano silica (NPT3)	139
76	4.45	Load elongation behavior of pure polyester fabric (warp way)	140
77	4.46	Load elongation behavior of 5 gpl polyester fabric (warp way)	141
78	4.47	Load elongation behavior of pure polyester fabric (weft way)	141
79	4.48	Load elongation behavior of 5 gpl polyester fabric (weft way)	142

<b>SR. NO.</b>	<b>TABLE NO.</b>	<b>TABLE DESCRIPTION</b>	<b>PAGE</b>
1	2.1	Nano materials and techniques to enhance mechanical properties of textiles	51
2	3.1	Specifications Polyamide chips	57
3	3.2	SiO <sub>2</sub> Specifications	58
4	3.3	Fabric specifications	59
5	3.4	Melt spinning pilot plant specifications	60
6	3.5	Compositions of nanocomposites preparation by formic acid mixing	64
7	3.6	Spinning Parameters	67
8	3.7	Compositions of polypropylene SiO <sub>2</sub> nanocomposite filament	68
9	3.8	Compositions of polyester SiO <sub>2</sub> nanocomposite fabric	69
10	4.1	Compositions of nanocomposite preparation by formic acid mixing	78
11	4.2	FTIR characterization peaks of pure polyamide and polyamide / Silica nanocomposite films	85
12	4.3	Enthalpy ( $\Delta H$ ) of pure polyamide and polyamide/silica nanocomposite film	88
13	4.4	Effect of SiO <sub>2</sub> nano silica on tensile property of nanocomposite films	96
14	4.5	Effect of nano silica on young's modulus, stiffness and work of rupture	97
15	4.6	Compositions of polypropylene SiO <sub>2</sub> nanocomposite filament	101
16	4.7	Elemental analysis data of pure polypropylene filament	107
17	4.8	Elemental analysis data of polypropylene silica nanocomposite filament	108
18	4.9	FTIR characterization peaks of pure polypropylene and polypropylene / Silica nanocomposite filaments.	113

---

---

19	4.10	Effect of SiO <sub>2</sub> concentration on melting point of PP and enthalpy of melting ( $\Delta H$ )	116
20	4.11	Effect of SiO <sub>2</sub> nano particles on tensile property of polypropylene filaments	121
21	4.12	Effect of nano silica on young's modulus and work of rupture	128
22	4.13	Compositions of polypropylene SiO <sub>2</sub> nanocomposite filament	131
23	4.14	FTIR characterization peaks of pure polyester and polyester/Silica nanocomposite fabric	134
24	4.15	Enthalpy ( $\Delta H$ ) of treated and untreated polyester fabric	138
25	4.16	Tensile strength of polyester fabric	140
26	4.17	Effect of nano silica on young's modulus and work of rupture of polyester fabric.	143
27	4.18	Tearing Strength of polyester fabric	144
28	4.19	Crease Recovery Angle of Polyester fabric	145

---