## List of Figures

Figure 1.1 Absorption mechanisms implemented by lipidic nanocarriers for	7
improving the oral bioavailability of drug substances	/
Figure 1.2 Possible transcellular mechanism of nanocarrier uptake by the intestinal	0
barrier	8
Figure 2.1 HW/ replication stores	10
Figure 2.1 HIV replication steps.	
Figure 2.2 The HIV-1 protease complex with an inhibitor	23
Figure 2.3Schematic transverse sections of peyer's patch lymphoid follicle and	20
overlying follicle associated epithelium (FAE)	
Figure 2.4 Schematic representation of a solid lipid nanoparticle	
Figure 2.5 Structure of Hydrogenated castor oil	
Figure 2.6 Schematic representation of a nanoemulsion droplet	
Figure 2.7 Schematic representation of the critical steps in oral drug absorption and	
the possible influences of lipid based formulations.	
Figure 2. 8 Structural formula of Darunavir	
Figure 2. 9 Structural formula of Atazanavir sulfate	58
Figure 3.1 UV spectrum of Darunavir (10 ppm)	84
Figure 3.2 Overlay Spectra of Darunavir	
Figure 3.3 Calibration plot of Darunavir in Methanol: DCM (7:3) at 267 nm	
Figure 3.4 UV interference result of (a) Darunavir solution and mixture of Darunavir	05
and glyceryl behenate and (b) Darunavir solution and mixture of	
Darunavir and glyceryl palmitostearate	87
Figure 3.5 UV interference result of (a) Darunavir solution and mixture of Darunavir	
and hydrogenated castor oil and (b) Darunavir solution and mixture of	
Darunavir and trimyristin	88
Figure 3.6 UV interference result of (a) Darunavir solution and mixture of Darunavir	
and tripalmitin and (b) Darunavir solution and mixture of Darunavir	
	88
Figure 3.7 Overlay Spectra of Darunavir	
Figure 3.8 Calibration plot of Darunavir in SGF: methanol (1:0.5) at 267 nm	
Figure 3.9 Overlay Spectra of Darunavir	
Figure 3.10 Calibration plot of Darunavir in SIF: methanol (1:0.5) at 267 nm	93
Figure 3.11 Chromatogram of Darunavir using HPLC	
Figure 3.12 Calibration plot of Darunavir using HPLC	
Figure 3.13 Mass spectrum of Darunavir	97
Figure 3.14 Standard peaks obtained from LCMS analysis (blank sample, 25, 50 and	
100 ng/ml Darunavir samples)	98
Figure 3.15 Standard peaks obtained from LCMS analysis (250, 500, 750 and 1000	
ng/ml Darunavir samples)	99
Figure 3.16 Calibration plot of Darunavir using LCMS in plasma	99

Figure 3.17 Standard peaks obtained from LCMS analysis of Darunavir in spleen	.101
Figure 3.18 Calibration plot of Darunavir using LCMS in spleen	.101
Figure 3.19 UV spectrum of ATZ (10 μg/ml)	.102
Figure 3.20 Overlay Spectra of ATZ	.103
Figure 3.21 Calibration plot of ATZ in Methanol: DCM (7:3) at 267 nm	.103
Figure 3.22 UV interference result of (a) ATZ solution and mixture of ATZ and glyceryl behenate and (b) ATZ solution and mixture of ATZ and glyceryl palmitostearate	
Figure 3.23 UV interference result of (a) ATZ solution and mixture of ATZ and	
hydrogenated castor oil and (b) ATZ solution and mixture of ATZ and trimyristin	.106
Figure 3.24 UV interference result of (a) ATZ solution and mixture of ATZ and tripalmitin and (b) ATZ solution and mixture of ATZ and sodium oleate.	
Figure 3.25 Overlay spectra of ATZ in Simulated gastric fluid	
Figure 3.26 Calibration plot of ATZ in SGF: methanol (1:0.5) at 249 nm	
Figure 3.27 Overlay spectra of ATZ in simulated intestinal fluid: methanol (1:0.5)	
Figure 3.28 Calibration plot of ATZ in SIF: methanol (1:0.5) at 249 nm	.111
Figure 3.29 HPLC Chromatogram of Atazanavir sulfate	.113
Figure 3.30 Calibration plot of Atazanavir sulfate using HPLC	.113
Figure 3.31 Chromatogram of Atazanavir sulfate in plasma	.115
Figure 3.32 Calibration plot of Atazanavir sulfate in plasma	.116
Figure 3.33 Chromatogram of Atazanavir sulfate in spleen	.118
Figure 3.34 Calibration plot of Atazanavir sulfate in spleen	.118
Figure 4.1 Mass spectrum of peptide	.122
Figure 4.2 Diagrammatic representation of preparation of solid lipid nanoparticles	.124
Figure 4.3 Thermal cycle for freeze drying	.127
Figure 4.4 Schematic representation of peptide coupling to nanoparticles	.130
Figure 4.5 Thermal graph of freeze drying cycle for lyophilization of Darunavir loaded SLNs	
Figure 4.6 Thermal graph of freeze drying cycle for lyophilization of ATZ loaded SLNs	.153
Figure 5.1 Particle size distribution of Dar-SLN1 formulation	.171
Figure 5.2 Particle size distribution of Dar-SLN2 formulation	
Figure 5.3 Particle size distribution of Dar-SLN3 formulation	.171
Figure 5.4 Zeta potential of Dar-SLN1 formulation by Malvern Zetasizer	.172
Figure 5.5 Zeta potential of Dar-SLN2 formulation by Malvern Zetasizer	.172
Figure 5.6 Zeta potential of Dar-SLN3 formulation by Malvern Zetasizer	.172
Figure 5.7 Transmission electron microscopic image of Dar-SLN1 formulation	.173
Figure 5.8 Transmission electron microscopic image of Dar-SLN2 formulation	.174
Figure 5.9 Transmission electron microscopic image of Dar-SLN3 formulation	.174

Figure 5.10 Field emission scanning electron microscopic image of Dar-SLN1 formulation	175
Figure 5.11 Field emission scanning electron microscopic image of Dar-SLN2	.175
formulation	.175
Figure 5.12 Field emission scanning electron microscopic image of Dar-SLN3	
formulation	.176
Figure 5.13 Overlay plot of DSC thermograms of pure drug, lipid and physical	
mixtures of drug and lipid in various ratios	.177
Figure 5.14 Overlay plot of DSC thermograms of (a) pure drug, (b) placebo solid	
lipid nanoparticles and (c) Darunavir loaded solid lipid nanoparticles	
(Dar-SLN2)	
Figure 5.15 FT-IR spectrum of Darunavir	
Figure 5.16 FT-IR spectrum of hydrogenated castor oil	
Figure 5.17 FT-IR spectrum of physical mixture of drug and HCO	
Figure 5.18 FT-IR spectrum of placebo solid lipid nanoparticles	
Figure 5.19 FT-IR spectrum of Darunavir loaded SLNs (Dar-SLN02)	
Figure 5.20 <i>In-vitro</i> drug release profiles of plain Darunavir suspension and	
Darunavir loaded nanoparticles	.183
Figure 5.21 SDS Page images. Lane 1,2,3 = Peptide (standard), Lane 3,4,5 =	104
Formulation (quantity equivalent to standard peptide)	
Figure 5.22 Calibration plot of BSA	
Figure 5.23 Transmission electron microscopic image of DNE-3 formulation	,10/
in comparison with plain Darunavir suspension	188
Figure 5.25 Plot of cumulative % drug release from DNE-3 versus root of time	
Figure 5.26 Particle size distribution of ALN-23 formulation by Malvern Zetasizer	
Figure 5.27 Zeta potential distribution of ALN-23 formulation by Malvern Zetasizer	
Figure 5.28 Transmission electron microscopic image of ALN-23 formulation	
Figure 5.29 Field emission scanning electron microscopic image of ALN-23	
formulation	
Figure 5.30 Overlay plot of DSC thermograms of (a) pure ATZ, (b) lipid, (c)	
physical mixture of drug and lipid and (d) lyophilized ATZ loaded	
SLNs	.193
Figure 5.31 FT-IR spectrum of Atazanavir sulfate	
Figure 5.32 FT-IR specctrum of physical mixture of ATZ and HCO	
Figure 5.33 FT-IR spectrum of lyophilized formulation ALN-23	
Figure 5.34 SDS Page images. Lane 1,2,3 = Peptide (standard), Lane 3,4,5 =	
Formulation (quantity equivalent to standard peptide)	.196
Figure 5.35 In-vitro drug release profiles of plain ATZ suspension and ATZ loaded	
nanoparticles	.198
Figure 6.1 MTT dye reduction by mitochondrial reductase enzyme of viable cells	.202
Figure 6.2 Diagram of Caco-2 monolayer grown on a permeable filter support	.205

for counting	
Figure 6.4 Schematic representation of preparation of various samples for MT	T
assay	
Figure 6.5 Viability of Caco-2 cells in presence of various samples of placebo SLN and Darunavir loaded SLNs	
Figure 6.6 % relative reduction in cell uptake of Darunavir in presence of various endocytic inhibitors (n=6)	
Figure 6.7 % relative reduction in cell uptake of Atazanavir sulfate in presence various endocytic inhibitors (n=6)	of
Figure 6.8 Cell uptake in Molt-4 cell line. (A) DAPI-nuclei staining (B) SLNs (Compared Merged Merge	C)
Figure 6.9 Cell uptake in Caco-2 cell line. (A) DAPI-nuclei staining (B) SLNs (Company)	
Merged	
Figure 7.1 Comparison of plasma concentration vs time profile after or administration of Darunavir suspension, marketed tablet, Dar-SLN Dar-SLN2 and Dar-SLN3 formulations to rats	1,
Figure 7.2 Plasma concentration of Darunavir from Darunavir suspension and Da SLN2 after intragastric administration	ır-
Figure 7.3 Comparison of $AUC_{0-t}$ obtained after intragastric administration of Darunavir suspension and optimized Darunavir loaded SLNs (Darunavir Loaded SLNs)	of ar-
SLN2)Figure 7.4 Plasma concentration of Darunavir from Darunavir suspension and Da	
SLN2 after intrduodenal administration	
Figure 7.5 Comparison of AUC <sub>0-t</sub> obtained after intraduodenal administration of Darunavir suspension and optimized Darunavir loaded SLNs (Da SLN2)	ır-
Figure 7.6 Plasma concentration versus time profile of Darunavir from Dar-SLN2	
presence and absence of cycloheximide	
Figure 7.7 Comparison of AUC <sub>0-t</sub> of Darunavir upon Dar-SLN2 administration presence and absence of cycloheximide	in
Figure 7.8 Comparison of Darunavir concentration obtained in liver, spleen, kidne and heart upon administration of plain drug suspension and Darunav loaded SLNs	ir
Figure 7.9 Comparison of Darunavir concentration obtained in lung, stomac	
intestine and brain upon administration of plain drug suspension ar  Darunavir loaded SLNs	nd
Figure 7.10 Photographic image of section of intestine before treatment with acet acid	ic
Figure 7.11 Photographic image of section of intestine after treatment with acet acid	

Figure 7.12 Comparison of Darunavir amount in PP and Non-PP region upon oral	
administration of Dar-SLNs	248
Figure 7.13 Comparison of plasma concentration vs time profile after oral	
administration of peptide grafted Darunavir SLNs (Pept-Dar-SLN) and	
non-peptide grafted Darunavir SLNs (Dar-SLN2) rats (n=3)	250
Figure 7.14 Comparison of Darunavir concentration obtained in liver, spleen,	,
kidney, and heart upon administration of peptide grafted- and non-	
peptide grafted SLNs of Darunavir	252
Figure 7.15 Comparison of Darunavir concentrations obtained in lung, stomach,	
intestine and brain upon administration of peptide grafted- and non-	
peptide grafted SLNs of Darunavir	253
Figure 7.16 Comparison of plasma concentration versus time profile after oral	
administration of Darunavir nanoemulsion, Darunavir suspension and	-
marketed tablet	255
Figure 7.17 Comparison of Darunavir concentration obtained in liver, spleen,	
kidney, and heart upon administration of plain drug suspension and	l
Darunavir loaded nanoemulsion	259
Figure 7.18 Comparison of Darunavir concentration obtained in lung, stomach,	
intestine and brain upon administration of plain drug suspension and	_
Darunavir loaded lipid nanoemulsion	
Figure 7.19 Comparison of plasma concentration versus time profile after oral	
administration of plain ATZ suspension, ATZ loaded SLNs and peptide	
grafted ATZ loaded SLNs	
Figure 7.20 Comparison of ATZ concentration obtained in liver, spleen, kidney, and	
heart upon administration of ATZ suspension, ATZ loaded SLNs and	
peptide grafted ATZ loaded SLNs	
Figure 7.21 Comparison of ATZ concentration obtained in lung, stomach, intestine	
and brain upon administration of ATZ suspension, ATZ loaded SLNs	
and peptide grafted ATZ loaded SLNs	266