

BIBLIOGRAPHY

BIBLIOGRAPHY

- Adhikary, A. K.      1963      Cytotaxonomical studies in some  
species of Sida (Malvaceae).  
Trans. Bose Res. Inst. 26(3):59-83.
- 
- 1974      Precise determination of centromere  
location.  
Cytologia 39 : 11-16.
- Ahuja, B. S.      1964      Floral anatomy and gametophytes of  
H. micranthus Linn.  
Proc. Nat. Acad. Sci. India sect. 3  
34(2) : 73-82.
- Babcock, E. B.      1942      Genetics and Evolutionary process  
in Crepis.  
Amer. Nat. 76 : 337-363.
- \* Bates, D. M.      1965      Notes on the cultivated Malvaceae :  
Hibiscus.  
Baileya 13 : 56-129.
- 
- 1967      Chromosome numbers in Malvaceae I.  
Genetes Herbarium 10 : 39-46.

- Bates, D. M. and 1970 Chromosome number in the Malvales  
Blanchard, O. J. Jr. II. New or otherwise noteworthy  
counts relevant to classification  
in the Malvaceae tribe Malveae.  
Amer. J. Bot. 57(8): 927-931.
- Bentham, G. and 1862 Genera Plantarum. London. 1: 195.  
Hooker, J. D.
- Bhatt, R. P. and 1976 Cytotaxonomy of Malvaceae I.  
Dasgupta, A. Chromosome number and karyotype  
analysis of Hibiscus, Azanza and  
Urena. Cytologia 41: 207-217.
- \* Borssum, Waalkes and 1966 Malesian Malvaceae revised.  
Van Steeins, C.G.G.J. Blumea 14 : 24-84.
- \* Breslavetz, L. et al. 1934 Zytologische Untersuchungen der  
Bastpflanzen. Zeits. Zucht. Reihe A,  
Pflanzenzuchtung 19 : 229-235.
- Brink, B. V. D., 1966 Proposal on Hibiscus and  
Borssum, Waalkes and Malvaviscus.  
Van Steeins, C.G.G.J. Taxon 15 : 43.
- \* Camp, W. H. and 1943 The structure and origin of species  
Gilly, C. L. with a discussion of interspecific  
variability and related nomencla-  
tural problems.  
Brittonia 4 : 323-385.

- \* Cavanilles, A. J. 1785 - Monodelphiae classis dissertationes.  
1790
- Celariar, R. P. 1956 Tertiary butyl alcohol dehydration  
of chromosome smears.  
Stain. Tech. 31 : 155-157.
- Chaudhuri, S. K. and 1965 Pollen morphological studies of  
Malik, M. the order Malvales I.  
Bull. Bot. Soc. Bengal 19 : 32-36.
- Chaudhuri, S. K. 1965 Pollen morphological studies of  
the order Malvales II.  
Bull. Bot. Soc. Bengal 19 : 147-158.
- Chennaveeraiah, M.S. 1960 Karyomorphological studies in  
Aegilops.  
Acta. Horti. Gotoburgensis 23(4) :  
84 - 178.
- \_\_\_\_\_ 1962 Some aspects of the cytotaxonomy  
of Aegilops.  
Proc. of Summer School Bot.  
Darjeeling : 2-15.
- \_\_\_\_\_ and 1965 Chromosome number and karyomorphology  
Subbarao, G. in Hibiscus cannabinus and  
H. sabdariffa. J. of Karnatak Univ.  
Sci. 9 : 78-87.

- Clements, F. E. and 1920 Year Book.
- Hall, H. W. Carnegie Inst. Wash., 1919.
- Cooke, T. 1958 The flora of the Presidency of  
Bombay (Repr. ed.) (Malvaceae).  
1 : 110-120. Calcutta.
- Darlington, C. D. and 1955 Chromosome Atlas of flowering  
Wyllie, A. P. plants (II ed.). London.
- Darlington, C. D. 1956 Chromosome Botany. London.
- Davie, J. H. 1933 Cytological studies in the  
Malvaceae and certain related  
families. J. Genet. 28 : 33-67.
- Duthie, J. F. 1903 Flora of the Upper Gangetic Plain,  
(Malvaceae) 1: 87-93. Calcutta.
- Edlin, H. L. 1935 A critical revision of certain  
taxonomic groups of the Malvales.  
The New Phytol. 35(1) : 1-20.
- \* Exell and Meeuse 1961 Fl. Zambes, Malvaceae. 1 : 420.
- \* Fabricius 1759 En. Meth. Plantarum (I ed.). 155.

- Ford, C. E. 1938 A contribution to a cytogenetical survey of the Malvaceae.  
Genetica 20 : 431-452.
- Gajapathy, C. 1962 Cytological observations in some dicotyledons.  
Sci. and Cult. 28 : 375-376.
- Gamble, J. S. 1957 The flora of the Presidency of Madras (Repr. ed.) (Malvaceae).  
1 : 68-71, Calcutta.
- Gill, L. S. and 1975 IOPB Chromosome number reports  
Abubakar, A. M. XLVIII Taxon 24(2/3) : 373-386.
- Goodspeed, T. H. 1954 The genus Nicotiana.  
Chron. Bot. 16(1-21) : 1-526.
- Hazra, R. and 1971-a Chromosome studies in different  
Sharma, A. species and varieties of Sida with  
special reference to accessory  
chromosomes.  
Cytologia 36(2) : 285-297.
- 1971-b Further studies on cytotaxonomy of  
Malvaceae.  
Genet. Iber. 23(4) : 145-166.

- \* Hochreutiner, B.P.G. 1900 Revision du genre Hibiscus.  
Ann. Conserv. Jard. Bot. Geneve  
4 : 23-191.
- \* \_\_\_\_\_ 1924 Generes nouveaux et discutees de  
la famille, des Malvacees.  
Candollea 2 : 79.
- \* Hu, Shiu-ying 1955 Flora of China, Malvaceae. 41-60.
- Hutchinson, J. 1926 The families of flowering plants,  
(Malvaceae) 1 : 195-196. London.
- Hutchinson, J. B. 1931 The genetics of cotton IV. The  
inheritance of cotton colour and  
petal size in Asiatic cotton.  
J. Genet. 24 : 325-352.
- Hutchinson, A. H. 1936 The polygonal presentation of  
polyphase phenomena.  
Trans. Roy. Soc. Can. Series -3;  
Sect. V; 30 : 19-26.
- Hutchinson, J. and 1958 Flora of West Tropical Africa,  
Dalziel, J. M. (II ed.) 1 : 335.

- Hutchinson, J. 1964 The genera of flowering plants,  
(Malvaceae). 1 : 30. Oxford.
- \_\_\_\_\_ 1967 The genera of flowering plants,  
(Malvaceae). 2: 536-567. Oxford.
- Hu~~u~~ziwara, Y. 1958 Karyotype analysis in some genera  
of Compositae IV. The karyotypes  
within the genera Gymnaster,  
Kalimeris and Heteropap<sup>p</sup>us.  
Cytologia 23 : 33-45.
- Joshi, A. B. and 1953 Hibiscus esculentus.  
Hardas, M. W. Curr. Sci. 22 : 384.
- \* Jussieu, A. L. De 1789 Genera plantarum. 271. Paris.
- Kachecheba, J. L. 1972 The cytotaxonomy of some species  
of Hibiscus.  
Kew Bull. 27 (3) : 425-435.
- \* Kearny 1951 The American Genera of Malvaceae.  
Amer. Midl. Nat. 46 : 93.
- Kootin-Sanwu, M. 1969 IOPB. Chromosome number reports XXII.  
Taxon 18 : 433-442.



- \* Kuwada, H. 1961 Studies on the inter-specific hybrids between Hibiscus rosus<sup>e</sup> and H. coccir<sup>e</sup>us, H. moschat<sup>e</sup>usa and H. mutabilis.  
Tech. Bull. Fac. Agric. Kagawa Univ. 13 : 1-7.
- Lawrence, G. H. M. 1951 Taxonomy of vascular plants (II rept. ed. - 1969). 234-248. New York.
- \* Linnaeus, C. 1737 Genera plantarum ( I ed.).  
\_\_\_\_\_ 1753 Species plantarum. 2 : 683-697. London.  
\_\_\_\_\_ 1754 Genera plantarum (5 ed.). 310. London.
- \* \_\_\_\_\_ 1763 Philosophia Botanica. Vienna.
- \* Löve, A. 1960 Taxonomy and chromosomes - a retrospection.  
Fedde, Rep. 62 : 192-202.
- Löve, D. and 1961 The Hutchinson polygraph - a method  
Nadeau, L. for simultaneous expression of



- Menzel, M. Y. 1966 The pachytene chromosomal complement of Hibiscus cannabinus. Cytologia 31 : 36-42.
- Meyer, J. R. 1945 Prefixing with para-dichlorobenzene to facilitate chromosome study. Stain Techn., 20 : 121-125.
- \* Miller 1754 Gard. Dic. (abridged ed. 4).
- Nakajima, G. 1936 Chromosome numbers in some crops and wild angiosperms. Japan J. Genet. 12 : 211-218.
- Narasingarao, M.B.V. 1935 Chromosome numbers in two species of Hibiscus (H. sabdariffa L. and H. cannabinus L.). Curr. Sci. 4 : 162 and 175.
- Prain, D. 1903 Bengal Plants, (Malvaceae). 1 : 262-269. Calcutta.
- Prasad, S. S. 1963 Pollen grain morphology of certain Malvaceae. Jour. Indian Bot. Soc. 42 : 463-468.
- Purewal, S. S. and 1947 Hibiscus esculentus.  
Randhawa, G. S. Indian J. Agric. Sci. 17 : 129.

- Rakshit, S. C. and Kundu, B. C. 1970 Revision of Indian species of Hibiscus.  
Bull. Bot. Surv. India 12(1-4) :  
151 - 175.
- Rao, L. N. 1941 Cytology of Hibiscus trionum L.  
New Phytol. 40 : 326-335.
- Rao, N. S. 1947 A note on breaking dormancy in  
Crotalaria medicaginea.  
Sci. and Cult. 12(10): 503.
- Rao, C. V. 1952 Floral anatomy of some Malvales and  
its bearing on the affinities of  
families included in the order.  
J. Indian Bot. Soc. 31 : 171-203.
- Rao, H. S. 1967 Chromosome counts of new forest  
plants. Ind. Forester 93(3):243-254.
- Santapau, H. 1955 Contributions to the Botany of  
the Dangs Forest, Bombay State.  
J. Gujarat Rest. Soc. 17 : 1-59.
- \_\_\_\_\_ 1962 The Flora of Saurashtra. Part I.  
31-58. Rajkot.

- 
- 1967 The Flora of Khandala on the  
Western Ghats of India.  
Rec. Bot. Surv. India 16(1) :  
15-20. (ed. 3, Revised).
- Schumann, K. 1890 Malvaceae, In Engler and Prantl's  
Die naturlichen Pflanzenfamilien  
III (6) : 30-53.
- Sharma, A. K. and 1955 A new technique for the study of  
Sarkar, S. K. chromosomes of Palms.  
Nature 176 : 261.
- Sharma, A. K. and 1962 Polyploidy and chromosome  
Sharma, A. evolution in Hibiscus.  
La Cellule 62 : 281-300.
- 
- 1972 Chromosome techniques. Theory  
and Practice ( II ed.).  
London.
- Singh, F. and 1970 Chromosomal polymorphism within  
Khoshoo, T. N. the Hibiscus rosasinensis Complex.  
Caryologia 23(1) : 19-27.

- Skovsted, A. 1935 Chromosome numbers in Malvaceae - I.  
J. Genet. 31 : 263-296.
- \* \_\_\_\_\_ 1941 Chromosome numbers in Malvaceae-II.  
Compt. Rend. Labor. Carlsberg  
23 : 195-242.
- Stebbins, G. L. 1959 Genes, chromosomes and evolution.  
In W. B. Turrill (ed.) "Vistas in  
Botany" 258-290.
- Thombre, M. V. 1959 Chromosome number in some common  
flowering plants.  
Curr. Sci. 28 : 206-207.
- Tjio, J. H. 1948 The somatic chromosomes of some  
tropical plants.  
Hereditas 34 : 135-146.
- Tjio, J. H. and 1950 The use of Oxyquinoline in  
Levan, A. chromosome analysis.  
Ann. Estac. Exp. Aula Dei. 2 : 21-64.
- Turresson, G. 1923 The scope and import<sup>ance</sup> of geneco-  
logy. Hereditas 4 : 171-176.
- Turrill, W. B. 1938 The expansion of Taxonomy.  
Biol. Rev. 13 : 342-373.

- 
- 1954 Synthetic taxonomy as illustrated  
by studies on some species of  
British Flora - VIII ed. conger.  
Ist. Bot. Rapp. and Comm. Sect.,  
9, 10 : 181-184.
- Wanscher, J. H. 1934 The basic chromosome number of  
the higher plants.  
The New Phytol. 33 : 101-126.
- Warming, E. 1895 Hand book of systematic Botany.  
English ed. Trans. Potter. London.
- Wise, D. A. 1973 Genome relationship of Hibiscus  
mutabilis.  
J. Hered. 64(5) : 285-288.
- Youngman, W. 1927 Studies in the cytology of the  
Hibisceae.  
Ann. Bot. 41 : 755-778.
- 
- 1931 Studies in the cytology of the  
Hibisceae III. A study of the  
prophase of the nucleus of the  
pollen mother cell of Thespesia  
populnea.  
Ann. Bot. 45 : 211-227.
- 

\* Not consulted in original.