



CHAPTER 10

BIBLIOGRAPHY

CHAPTER 1

- [1] J. -S. Lai, Fang Zheng Peng, "Multilevel converters-A new breed of power converters," Ind. Applic. Conf., IAS-95, Vol. 3, pp. 2348–2356., Oct. 1995.
- [2] J. Rodríguez, Jih-Sheng Lai , Fang Zheng Peng, "Multilevel inverters: A survey of topologies; controls, and applications," IEEE Trans. Ind. Elecrtron., Vol. 49, No. 4, pp.724– 738, Aug. 2002.
- [3] M. E. Ahmed, S. Mekhilef, "Design and implementation of a multi level three-phase inverter with less switches and low output voltage distortion," Journal of Power Electronics, Vol. 9, No. 4, pp.593–603, Jul. 2009.
- [4] R. Teodorescu, F. Blaabjerg, J.K. Pedersen, E. Cengelci, P.N. Enjeti, "Multilevel inverter by cascading industrial VSI," IEEE Trans. Ind. Elecrtron., Vol. 49, No. 4, pp. 832–838, Aug. 2002.
- [5] B. K. Bose, "Power electronics and motor drives recent progress and perspective," IEEE Trans. Ind. Elecrtron., Vol. 56, No.2, pp. 581–588, Feb. 2009.
- [6] Y. S. Lai, F.-S. Shyu, "Topology for hybrid multilevel inverter," IEE Proc. Eletc Power Appli., Vol. 149, No.6, pp. 449–458, Nov. 2002.
- [7] J. Zhou, L. Zhengxi, "Research on hybrid modulation strategies based on general hybrid topology of multilevel inverter," SPEEDAM '08, Ischia, pp. 784–788, 2008.
- [8] B. McGrath, D. G. Holmes, M. Manjrekar, and T. A. Lipo,"An improved modulation strategy for a hybrid multilevel inverter," IEEE Conference. Record of the Industry Applications Conference, 2000. pp. 2086-2093.
- [9] Cassiano Rech and José Renes Pinheiro, "Hybrid Multilevel Converters: Unified Analysis and Design Considerations," IEEE Transactions on Industrial Electronics, vol. 54, No. 2, April 2007, pp. 1092-1104.
- [10] Xingtao Sun. "Hybrid Control Strategy for A Novel Hybird Multilevel Inverter" in ICEEE, 2010, pp.1-4.
- [11] Xingtao Sun; Zhang Yun . "Hybrid Control Strategy for A Novel Asymmetrical Multilevel Inverter," in International Conference on Intelligent System Design and Engineering Application, Volume: 1, 2010, Page(s): 827 – 830.
- [12] S. Vazquez, J.I. Leon, L.G. Franquelo, J.J. Padilla, J.M. Carrasco, "DC voltage ratio Control strategy for multilevel cascaded converters fed with a single DC source," IEEE Trans. Ind. Elecrtron.,: Vol. 56, No. 7, pp. 2513–2521, Jul. 2009.
- [13] M. Ortuzar, R. Carmi, J. Dixon, L. Moran, "Voltage source active power filter, based

- on multi-stage converter and ultracapacitor dc-link," IEEE -IECON '03, Vol. 3, pp. 2300– 2305, Virginia, Nov. 2003.
- [14] H. Liu, L.M. Tolbert, S. Khomfoi, B. Ozpineci, D. Zhong, "Hybrid cascaded multilevel inverter with PWM control method," IEEE- PESC 08, pp. 162–166, Rhodes, Jun. 2008.
- [15] J. Rao, Y. Li, "Power flow management of a new hybrid cascaded multilevel inverter," Int. Conf. on Elect. Mach. and Sys., pp. 58–63, Korea, Oct. 2007.
- [16] V. Oleschuk, F. Profumo, A. Tenconi, R. Bojoi, A.M. Stankovic, "Cascaded three-level inverters with synchronized space-vector modulation," IEEE 41st IAS, Vol. 2, pp. 595–602, Florida, Oct. 2006.
- [17] K. Corzine, Y. Familiant, "A new cascaded multilevel H-bridge drive," IEEE Trans. Power. Elecrtron., Vol. 17, pp. 125–131, Jan. 2002.
- [18] Z. Du, L. M. Tolbert, J. N. Chiasson, and B. Ozpineci, "Cascade multilevel inverter using a single dc source," in Proceedings of the Applied Power Electronics Conference (APEC), 2006, pp. 426–430, dallas TX.
- [19] J. Rodriguez, J.-S. Lai, and F. Z. Peng, "Multilevel inverters: A survey of topologies, controls, and applications," IEEE Trans. Ind. Electron., vol. 49, no. 4, pp. 724–738, Aug. 2002.
- [20] B. P. McGrath and D. G. Holmes, "Multicarrier PWM strategies for multilevel inverters," IEEE Trans. Ind. Electron., vol. 49, no. 4, pp. 858– 867, Aug. 2002.
- [21] B.P. McGrath and D.G. Holmes, "A comparison of multicarrier PWM strategies for cascaded and neutral point clamped multilevel inverters", in Proc. IEEE PESC'00, 2000, pp. 674-679.
- [22] M.Calais, L. J. Borle and V.G. Agelidis, "Analysis of Multicarrier PWM Methods for a Single-phase Five Level Inverter", in Proc. 32nd IEEE Power Electronics Specialists Conference,PESC'01,July 2001,pp 1351-1356.
- [23] Madhav D. Manjrekar, Peter K. Steimer and Thomas A. Lipo "Multilevel Power Conversion System: A Competitive Solution For High- Power Applications", IEEE Transactions on Industry Applications, v. 36, pp. 834- 841, May/June 2000.
- [24] M.D. Manjrekar and T.A. Lipo, "A Generalized Structure of Multilevel Power Converter," IEEE PEDES, Perth, Australia, pp. 62-67, Dec. 1998.
- [25] M.D. Manjrekar and T.A. Lipo, "A Hybrid Multilevel Inverter Topology for Drive Applications," IEEE APEC, Anaheim, California, pp. 523-529, Feb. 1998.

- [26] C. Rech, J.R. Pinheiro, "Impact of Hybrid Multilevel Modulation Strategy on Input and Output Harmonic Performances", in Proc. Of APEC, pp. 444-450, 2005.
- [27] V. G. Agelidis and M. Calais, "Application specific harmonic performance evaluation of multilevel PWM techniques," in Proc. IEEE Appl. Power Electron. Conf., May 1998, vol. 1, pp. 172–178.
- [28] J. Steinke, "Switching Frequency Optimal PWM Control of a Three-Level Inverter," IEEE Transactions on Power Electronics, Vol. 7, No. 3, pp. 487–496, July 1992.
- [29] P. Palanivel, Subhransu Sekhar Dash, "Control of Three Phase Cascaded Multilevel Inverter using Various Novel Pulse Width Modulation Techniques" LATEST TRENDS on CIRCUITS, ISSN: 1792-4227, ISBN: 978-960-474-198-4, pp.70-79.
- [30] Jing Zhao, Xiangning He, Yunlong Han, Yan Chen, Rongxiang Zhao , "A Novel PWM Control Method to Eliminate the Effect of Dead Time on the Output Waveform for Hybrid Clamped Multilevel Inverters ", APEC, 2010, pp.1534-1541.

CHAPTER 2

- [1] R. H. Baker and L. H. Bannister, "Electric Power Converter," U.S. Patent 3 867 643, Feb. 1975.
- [2] A. Nabae, I. Takahashi, and H. Akagi, "A New Neutral-point Clamped PWM Inverter," IEEE Transactions on Industry Applications, vol. IA-17, Sept./Oct. 1981, pp. 518–523.
- [3] R. H. Baker, "Bridge Converter Circuit," U.S. Patent 4 270 163, May 1981.
- [4] P. W. Hammond, "Medium Voltage PWM Drive and Method", US Patent Number 05,625,545, assigned to Halmar Robicon Group, April 1997.
- [5] F. Z. Peng and J. S. Lai, "Multilevel Cascade Voltage-source Inverter with Separate DC Source," U.S. Patent 5 642 275, June 24, 1997.
- [6] P. W. Hammond, "Four-quadrant AC-AC Drive and Method," U.S. Patent 6 166 513, Dec. 2000.
- [7] M. F. Aiello, P. W. Hammond, and M. Rastogi, "Modular Multi-level Adjustable Supply with Series Connected Active Inputs," U.S. Patent 6 236 580, May 2001.
- [8] J. P. Lavieville, P. Carrere, and T. Meynard, "Electronic Circuit for Converting Electrical Energy and a Power Supply Installation Making Use Thereof," U.S. Patent 5 668 711, Sept. 1997.
- [9] T. Meynard, J.-P. Lavieville, P. Carrere, J. Gonzalez, and O. Bethoux, "Electronic Circuit for Converting Electrical Energy," U.S. Patent 5 706 188, Jan. 1998.

- [10] J. Rodriguez, J. S. Lai and F. Z. Peng, "Multilevel Inverters: Survey of Topologies, Controls and Applications," IEEE Transactions on Industry Applications, vol. 49, no. 4, Aug. 2002, pp. 724–738.
- [11] J. S. Lai and F. Z. Peng, "Multilevel Converters – A New Breed of Power Converters", IEEE Transactions on Industry Applications, vol. 32, May/June 1996, pp. 509–517.
- [12] L. M. Tolbert, F. Z. Peng, and T. Habetler, "Multilevel Converters for Large Electric drives", IEEE Transactions on Industry Applications, vol. 35, Jan./Feb 1999, pp. 36–44.
- [13] E. Cengelci, S. U. Sulistijo, B. O. Woom, P. Enjeti, R. Teodorescu, and F. Blaabjerg, "A New Medium Voltage PWM Inverter Topology for Adjustable Speed Drives", in Conf. Rec. IEEE-IAS Annu. Meeting, St. Louis, MO, Oct. 1998, pp. 1416–1423.
- [14] R. H. Baker, "High-Voltage Converter Circuit", US Patent Number 04,203,151, May 1980.
- [15] M. Fracchia, T. Ghiara, M. Marchesini, M. Mazzucchelli, "Optimized Modulation Techniques for the Generalized N-Level Converter", Proceeding of the IEEE Power Electronics Specialist Conference, 1992, Vol. 2, pp. 1205-1213.
- [16] T.A. Meynard, H. Foch, "Multi-level Conversion: High Voltage Choppers and Voltage source Inverters", Proceedings of the IEEE Power Electronics Specialist Conference, 1992, Vol. 1, pp. 397-403.
- [17] S. Ogasawara, J. Takagali, H. Akagi, A. Nabae, "A Novel Control Scheme of a Parallel Current-Controlled PWM Inverter", IEEE Trans. on Ind. App., Sep./Oct. 1992, Vol. 28, Num. 5, pp. 1023-1030.
- [18] F. Ueda, M. Asao, K. Tsuboi, "Parallel-Connections of Pulse width Modulated Inverters Using Current Sharing Reactors", IEEE Trans. on Power Elect, Nov. 1995, Vol. 10, Num. 6, pp. 673-679.
- [19] H. Stemmler, P. Guggenbach, "Configurations of High-Power Voltage Source Inverters Drives", Proceeding of the European Conference on Power Electronics And Applications, Sep. 1993, Vol. 10, Num. 6, pp. 7-14.
- [20] T. Kawabata, Y. Kawabata, K. Nishiyama, "New Configuration of High-Power Inverter Drives", Proceeding of IEEE International Symposium on Industrial Applications, Jun. 1996, Vol. 2, pp. 7-14.
- [21] K. A. Corzine, S. D. Sudhoff, "High State Count Power Converters: an Alternate

- Direction in Power Electronics Technology”, SAE Transaction, Journal of Aerospace, 1998, Section 1, pp. 124-135.
- [22] M. R. Baiju, K. Gopakumar, K. K. Mohapatra, V. T. Somasekhar, L. Umannand, “A High Resolution Multilevel Voltage Space Phasor Generation for an Open-end Winding Induction Motor Drive”, European Power Electronics and Drive Journal, Sep./Oct./Nov. 2003, Vol. 13, Num. 4, pp. 29-37.
- [23] K. A. Corzine, M.W. Wielebski, F. Z. Peng, J. Wang, “Control of Cascaded Multi-Level Inverters ”, IEEE Trans. on Power Elect., May 2004, Vol. 19, Num. 3, pp 732-738.
- [24] K. A. Corzine, J. R. Baker, “Reduced Parts-Count Multi-Level Rectifiers”, IEEE Trans. On Ind. Elect., Vol. 49, Num. 4, Aug. 2002, pp. 766-774.
- [25] G. Sinha, T. A. Lipo, “A Four Level Rectifier Inverter System for Drive Applications”, IEEE Industry Application Magazine, Jan./Feb. 1998, Vol. 4, Num. 1, pp. 66-74.
- [26] Y. Cheng, M.L. Crow, “A Diode-Clamped Multi-Level Inverter for the StatCom/BESS”, IEEE Power Engineering Society Winter Meeting, Jan. 2002, Vol. 1, pp. 470-475.
- [27] R. W. Menzies, Y. Zhaung, “Advanced Static Compensation Using a Multilevel GTO Thyristor Inverter”, IEEE Trans. on Power Delivery, Apr.1995,Vol.10,Num.2, pp,732- 738.
- [28] F. Z. Peng, “A Generalized Multilevel Inverter Topology with Self Voltage Balancing”, Proc. of the IEEE Industry Applications Society Conference, Oct. 2000, Vol. 3, pp. 2024- 2031.
- [29]] X. Yaun, I. Barbi, “Fundamental of a New Diode Clamping Multilevel Inverter”, IEEE Trans. on Power Elect., Jul. 2000, Vol. 15, Num. 4, pp. 711-718.
- [30] Y. Fukuta, G. Venkataramanan, “DC Bus Ripple Minimization in Cascaded H-Bridge Multilevel Converters under Staircase Modulation”, Proc. of the IEEE Industry Applications Society Conference, Oct. 2002, Vol. 3, pp. 1988-1993.
- [31] K. Yamanaka, K. Yamada, A. Kumagae, T. Terada, Three-Level Neutral Point Clamping Type Inverter Circuit, US Patent Number 06,226,192, assigned to Kabushiki Kaisha Yaskawa Denki, May 2001.
- [32] J. P. Lyons, V. Vlatkovic, P. M. Espelange, A. A. M. Esser, F. F. Want, “Five Level High Power Motor Drive Converter and Control System”, US Patent Number

- 06,580,031, assigned to General Electric Company, May 2000.
- [33] G. A. Duba, E. S. Thaxton, J. Walter, "Modular Static Power Converter Connected in a Multi-Level, Multi-Phase, Multi-Circuit Configuration", US Patent Number 05,933,339, assigned to Electric Boat Corporation, August 1999.
 - [34] Y. Khersoonsky, "Step Switched PWM Sine Generator", US Patent Number 06,556,461, assigned to Power Paragon Incorporated, April 2003.
 - [35] S. Bernet, T. Bruckner, P. Steimer, "Three-Point Converter and Method for its Operation", US Patent Number 06,219,265, assigned to ABB Research Limited, April 2001.
 - [36] P. Steimer, "Operating a Power Electronic Circuit Arrangement Having Multiple Power Converters", US Patent Number 06,009,002, assigned to Asea Brown Boveri, December 1999.
 - [37] M. F. Escalante, J. C. Vannier, and A. Arzande, "Flying Capacitor Multilevel Inverters and DTC Motor Drive Applications", IEEE Transactions on Industry Electronics, vol. 49, no. 4, Aug. 2002, pp. 809–815.
 - [38] L. M. Tolbert and F. Z. Peng, "Multilevel Converters as a Utility Interface for Renewable Energy Systems", in Proceedings of 2000 IEEE Power Engineering Society Summer Meeting, pp. 1271–1274.
 - [39] L. M. Tolbert, F. Z. Peng, and T. G. Habetler, "A Multilevel Converter-based Universal Power Conditioner," IEEE Transactions on Industry Applications, vol. 36, no.2, Mar./Apr. 2000, pp. 596–603.
 - [40] C. Hochgraf, R. Lasseter, D. Divan, and T. A. Lipo, "Comparison of multilevel Inverters for static var compensation", in Conf. Rec. IEEE-IAS Annu. Meeting, Oct. 1994, pp. 921–928.
 - [41] P. Hammond, "A new approach to enhance power quality for medium voltage ac drives", IEEE Trans. Ind. Applicat., vol. 33, pp. 202–208, Jan./Feb. 1997.
 - [42] M. D. Manjrekar, P. K. Steimer, and T. A. Lipo, "Hybrid multilevel power Conversion system: a competitive solution for high-power applications", IEEE Trans. Ind. Applicat., vol. 36, pp. 834–841, May/June 2000.
 - [3]. R. Lund, M. Manjrekar, P. Steimer, and T. Lipo, "Control strategy for a hybrid seven-level inverter", in Proc. European Power Electronics Conf. (EPE'99), Lausanne, Switzerland, 1999, CD-ROM.
 - [44] P. W. Wheeler, L. Empringham, et al., "Improved Output Waveform Quality for

- Multilevel H-Bridge Chain Converters Using Unequal Cell Voltages”, IEE Power Electronics and Variable Speed Drives Conference, pp. 536–540, 2000.
- [45] R. Marquardt, “Stromrichterschaltungen mit verteilten energiespeichern”, Patent DE10 103 031A1, 24 Jan., 2001.
- [46] A. Lesnicar and R. Marquardt, “An innovative modular multilevel converter Topology suitable for a wide power range”, in IEEE Bologna Power Tech Conference Proceedings, vol. 3, 2003, p. 6.
- [47] M. Hiller, “Converter circuit comprising distributed energy stores”, Patent 7,577,008, Aug. 18, 2009.
- [48] S. Kouro, M. Malinowski, K. Gopakumar, J. Pou, L. G. Franquelo, B. Wu, J. Rodriguez, M. A. Perez, and J. I. Leon, “Recent advances and industrial applications of multilevel converters”, IEEE Transactions on Industrial Electronics, vol. 57, no. 8, pp. 2553–2580, 2010, 0278- 0046.
- [49] G.Waltrich and I. Barbi, “Three-phase cascaded multilevel inverter using power cells with two inverter legs in series”, IEEE Transactions on Industrial Electronics, vol. 57, no. 8, pp. 2605–2612, 2010, 0278-0046.
- [50] Chen, A. and Xiangning He, "Research on hybrid-clamped multilevel inverter topologies", IEEE Trans. Ind. Electron., vol.53, no.6, Dec.2006, pp.1898- 1907.
- [51] C. Rech and J. R. Pinheiro, “Hybrid multilevel converters: Unified analysis and design considerations,” IEEE Trans. Ind. Electron., vol. 54, no. 2, Apr. 2007 , pp. 1092–1104.
- [52] M. Veenstra and A. Rufer, “Control of a hybrid asymmetric multilevel inverter for competitive medium-voltage industrial drives”, IEEE Trans. Ind. Appl., vol. 41, no. 2, pp. 655–664, Mar./Apr. 2005.
- [53] P. Steimer and M. Manjrekar, “Practical medium voltage converter topologies for high power applications”, in Conf. Rec. IEEE IAS Annu. Meeting, 2001, pp. 1723–1730.
- [54] T. Gopalarathnam, M. Manjrekar, and P. Steimer, “Investigations on a unified controller for a practical hybrid multilevel power converter”, in Proc. IEEE APEC, 2002, pp. 1024–1030.
- [55] Xingtao Sun, “Hybrid Control Strategy for A Novel Hybird Multilevel Inverter”, in ICEEE, 2010, pp. 1-4.
- [56] Xiaomin Kou, Keith A. Corzine and Mike W. Wielebski, "Overdistention Operation of Cascaded Multilevel Inverters", IEEE Transactions on Industry Applications, vol.

- 42, NO. 3, May, 2006, pp. 817-824.
- [57] Rech C, Pinheiro H and Grundling HA, " Analysis and comparison of hybrid multilevel voltage source inverters," Power Electronics Specialists Conference, Feb, 2002, pp.491-496.
- [58] Xingtao Sun; Zhang Yun . "Hybrid Control Strategy for A Novel Asymmetrical Multilevel Inverter," in International Conference on Intelligent System Design and Engineering Application, Volume: 1, 2010, Page(s): 827 – 830.
- [59] S. Bernet, R. Teichmann, A. Zuckerberger, and P. Steimer, "Comparison of high-power IGBTs and hard-driven GTOs for high-power inverters", IEEE Trans. Ind. Appl., vol. 35, no. 2, Mar./Apr. 1999, pp. 487–495.
- [60] J. Rodríguez, J. Lai, and F. Peng, "Multilevel inverters: a survey of topologies, controls and applications", IEEE Transactions on Industry Applications, vol. 49, no. 4, Aug. 2002, pp. 724-738.
- [61] S. Khomfoi, L. M. Tolbert, "Multilevel Power Converters", Power Electronics Handbook, 2nd Edition Elsevier, 2007,ISBN 978-0-12- 088479-7, Chapter 17, pp.451482.
- [62] J. Liao, K. Corzine, M. Ferdowsi, "A new control method for single-DC-source cascaded H-Bridge multilevel converters using phase-shift modulation", IEEE Applied Power Electronics Conference and Exposition, Feb. 2008, pp.886-890.
- [63] S. Mariethoz, A. Rufer, "Multisource DC-DC converter for the supply of hybrid multilevel inverter", IEEE Industry Applications Conference, Oct. 2006, pp. 982-987.
- [64] J. N. Chiasson, B. Özpineci, Z. Du, and L. M. Tolbert, "A five-level three-phase hybrid cascade multilevel inverter using a single DC Source for a PM synchronous motor drive", IEEE Applied Power Electronics Conference, Anaheim, CA, February 25 - March 1, 2007, pp. 1504-1507.
- [65] Z. Du, B. Ozpineci, L. M. Tolbert, J. N. Chiasson, "Inductorless DC-AC cascaded H-Bridge multilevel boost inverter for electric/hybrid electric vehicle applications", IEEE Industry Applications Conference, Sept. 2007, pp. 603-608.
- [66] J. N. Chiasson, B. Özpineci, Z. Du, and L. M. Tolbert, "Conditions for capacitor voltage regulation in a five-level cascade multilevel inverter:application to voltage-boost in a PM drive", IEEE International Electric Machines and Drives Conference, Antalya, Turkey, May 3 – 5, 2007, pp.731-735.

- [67] H. Liu, Khomfoi, L. M. Tolbert, B. Ozpineci, Z. Du, "Hybrid cascaded multilevel inverter with PWM method", IEEE Power Electronics Specialists Conference, Rhodes, Greece, June 15-19, 2008.
- [68] H. Liu, L. M. Tolbert, B. Ozpineci, Z. Du, "Hybrid cascaded multilevel inverter with single DC source", IEEE International Midwest Symposium on Circuits and systems, Knoxville, TN, August 10-13, 2008, pp 426-430.

CHAPTER 3

- [1] J. Rodriguez, J.-S. Lai, and F. Z. Peng, "Multilevel inverters: A survey of topologies, controls, and applications," IEEE Trans. Ind. Electron., vol. 49, no. 4, Aug 2002, pp. 724–738.
- [2] B. P. McGrath and D. G. Holmes, "Multicarrier PWM strategies for multilevel inverters," IEEE Trans. Ind. Electron., vol. 49, no. 4, pp. 858– 867, Aug. 2002.
- [3] M. Calais, L. J. Borle and V.G. Agelidis, "Analysis of Multicarrier PWM Methods for a Single-phase Five Level Inverter", in Proc. 32nd IEEE Power Electronics Specialists Conference, PESC'01, July 2001, pp 1351-1356.
- [4] K. A. Corzine, S. D. Sudhoff, E. A. Lewis, D. H. Schmucker, R. A. Youngs, and H. J. Hegner, "Use of multilevel converters in ship propulsion drives," in Proc. All Electric Ship Conf., London, U.K., Sept. 1998, pp. 155-163.
- [5] A. Nabae, I. Takahashi, and H. Akagi, "A new neural point clamped PWM inverter," IEEE Trans. Ind. Appl., 1981, vol. 1A-17, pp. 518-522.
- [6] V. G. Agelidis and M. Calais, "Application specific harmonic performance evaluation of multilevel PWM techniques," in Proc. IEEE Appl. Power Electron. Conf., May 1998, vol. 1, pp. 172–178.
- [7] B. P. McGrath, D.G. Holmes, M. Manjrekar, and T. A Lipo, "An improved modulation strategy for a hybrid multilevel inverter," in Conf. Rec. IEEE IAS Annu. Meeting, Oct. 2000, vol. 4, pp. 2086–2093.
- [8] G. Carrara, S. Gardella, M. Marchesoni, R. Salutari, and G. Scitutto, "A New Multilevel PWM Method: A Theoretical Analysis," IEEE Trans. on Power Electronics, vol. 7, no. 3, pp. 497-505, July 1992.
- [9] B.P. McGrath and D.G. Holmes, "A comparison of multicarrier PWM strategies for cascaded and neutral point clamped multilevel inverters", in Proc. IEEE PESC'00, 2000, pp. 674-679.
- [10] D.G. Holmes and B.P. McGrath, "Opportunities for harmonic cancellation with carrier

- based PWM for two level and multilevel cascaded inverters”, IEEE TRANSACTIONS ON INDUSTRY APPLICATIONS, VOL. 37, NO. 6, NOVEMBER/DECEMBER 2001, pp. 574-582.
- [11] J. Rodriguez, S. Kouro, J. Rebolledo, and J. Pontt, “A reduced switching frequency modulation algorithm for high power multilevel inverters,” in Proc. IEEE 36th Power Electron. Spec. Conf., Jun. 2005, pp. 867–872.
 - [12] M.G. Hosseini Aghdam, S.H. Fathi, and G.B. Gharehpetian, “Analysis of multi-carrier PWM methods for asymmetric multi-level inverter,” in Proc. ICIEA, 2008, pp. 2057- 2062.
 - [13] A. Radan, A. H. Shahirinia, and M. Falahi, “Evaluation of carrier-based PWM methods for multi-level inverters,” in Proc. IEEE Int. Symp. Indust. Electron., Jun.4–7, 2007, pp. 389– 394.
 - [14] M.D. Manjrekar, P.K. Steimer, T. A. Lipo, “Hybrid Multilevel Power Conversion System: A Competitive Solution For High- Power Applications”, IEEE Transactions on Industry Applications, v. 36, pp. 834-841,May/June 2000.
 - [15] M.D. Manjrekar and T.A. Lipo, “A Generalized Structure of Multilevel Power Converter,” IEEE PEDES, Perth, Australia, pp. 62-67, Dec. 1998.
 - [16] M.D. Manjrekar and T.A. Lipo, “A Hybrid Multilevel Inverter Topology for Drive Applications,” IEEE APEC, Anaheim, California, pp. 523-529, Feb. 1998.
 - [17] C. Rech, J.R. Pinheiro, “Impact of Hybrid Multilevel Modulation Strategy on Input and Output Harmonic Performances”, in Proc. Of APEC, pp. 444-450, 2005.
 - [18] Jeevananthan, S., Nandhakumar, R., and Dananjayan, P. “Inverted Sine Carrier for Fundamental Fortification in PWM Inverters and FPGA Based Implementations”, Serbian Journal of Electrical Engineering, Vol. 4, No. 2, pp. 171-187.
 - [19] Seyezhai, R. and Mathur, B. L. “Performance Evaluation of Inverted Sine PWM Techniques for an Asymmetric Multilevel Inverter”, Journal of Theoretical and Applied Information Technology, Vol. 2, No. 2, pp. 91-98.
 - [20] R.Seyezhai Dr.B.L.Mathur,” Hybrid Multilevel Inverter using ISPWM Technique for Fuel Cell Applications”, International Journal of Computer Applications (0975 – 8887), Volume 9– No.1, November 2010, pp. 41-47.
 - [21] Seyezhai, R. and Mathur, B. L. “Implementation and control of Variable Frequency ISPWM Method for an Asymmetric Multilevel Inverter”, European Journal of Scientific Research, Vol. 39, Issue 4, pp. 558-568.

- [22] C.Govindaraju and Dr.K.Baskaran, "Optimized Hybrid Phase Disposition PWM Control Method for Multilevel Inverter" International Journal of Recent Trends in Engineering, Vol 1, No. 3, May 2009.
- [23] J. Steinke, "Switching Frequency Optimal PWM Control of a Three-Level Inverter," IEEE Transactions on Power Electronics, Vol. 7, No. 3, pp. 487–496, July 1992.
- [24] A.M Hava, R.J Kerman , and T.A Lipo, "Carrier-based PWM-VSI Overmodulation Strategies: Analysis, Comparison, and Design," IEEE Trans. Power.Electron., vol.13, no.4, pp.674-689. Jul.1998.
- [25] L. M. Tolbert and T. G. Habetler, "Novel Multilevel Inverter Carrier-Based PWM Method", IEEE Transactions on Industry Applications, Vol. 35, No. 5, pp. 1098-1106, September/October 1999.
- [26] Leon M. Tolbert, Fang Z.Peng, ,Thomas G. Habetler, "Multilevel PWM Methods at Low Modulation Indices" APEC '99,Dallas, Texas, March 14-18, pp 1032-1039.
- [27] P. Palanivel and Subhransu Sekhar , "Multicarrier Pulse Width Modulation Based Three Phase Cascaded Multilevel Inverter Including Over Modulation and Low Modulation Indices" Dash International Journal of Engineering Studies, ISSN 0975-6469 Volume 1, Number 2 (2009), pp. 71–82.
- [28] P.Palanivel, Subhransu Sekhar Dash, "Control of Three Phase Cascaded Multilevel Inverter using Various Novel Pulse Width Modulation Techniques" LATEST TRENDS on CIRCUITS, ISSN: 1792-4227, ISBN: 978-960-474-198-4, pp.70-79.
- [29] Jing Ning and Yuyao He, "Phase-Shifted Suboptimal Pulse-Width Modulation Strategy for Multilevel Inverter" ICIEA, IEEE, 2006, pp. 1-5.
- [30] Jing Zhao, Xiangning He and Rongxiang Zhao, "A Novel PWM Control Method for Hybrid-Clamped Multilevel Inverters", IEEE TRANSACTIONS ON INDUSTRIAL ELECTRONICS, VOL. 57, NO. 7, pp 2365 2373, JULY 2010.
- [31] M. Ma, L. Hu, A. Chen, and X. He, "Reconfiguration of carrier-based modulation strategy for fault tolerant multilevel inverters," IEEE Trans. Ind. Electron., vol. 22, no. 5, pp. 2050– 2060, Sep. 2007.
- [32] Jing Zhao, Xiangning He, Yunlong Han, Yan Chen, Rongxiang Zhao , "A Novel PWM Control Method to Eliminate the Effect of Dead Time on the Output Waveform for Hybrid Clamped Multilevel Inverters ", IEEE, 2010, pp.1534-1541.
- [33] Bin Wu, "High-Power converters and AC drives" ISBN: 9780471731719 DOI:10.1002/0471773719 Copyright © 2006 the Institute of Electrical and

Electronics Engineers, Inc.

- [34] S.Saeed Fazel, "Investigation and comparison of multi-level converters for medium voltage applications" Doctoral thesis, von der Fakultät IV- Elektrotechnik und Informatik der Technische Universität Berlin, Berlin 2007.

CHAPTER 4 – 5

- [1] <http://www.mathworks.in/videos/getting-started-with-simulink-69027.html>
- [2] <http://www.mathworks.in/help/simulink/examples/>
- [3] http://www.mathworks.in/help/physmod/sps/powersys/ref/power_fftscope.html
- [4] <http://www.mathworks.in/products/simpower/>
- [5] Leon M. Tolbert, Fang Z.Peng, ,Thomas G. Habetler, "Multilevel PWM Methods at Low Modulation Indices" APEC '99,Dallas, Texas, March 14-18, pp 1032-1039
- [6] Jing Ning Yuyao He, "Phase-Shifted Suboptimal Pulse-Width Modulation Strategy for Multilevel Inverter" ICIEA, IEEE, 2006
- [7] Bin Wu, "High-Power converters and AC drives" ISBN: 9780471731719
DOI:10.1002/0471773719 Copyright © 2006 the Institute of Electrical and Electronics Engineers, Inc.

CHAPTER 6

- [1] <http://www.ti.com>
- [2] <http://www.ti.com/lit/an/spraaq7b/spraaq7b.pdf>
- [3] <http://www.ti.com/cn/lit/an/spraaq7b/spraaq7b.pdf>
- [4] <http://www.fairchildsemi.com/ds/CD/CD4049UBC.pdf>
- [5] <http://www.irf.com/product-info/datasheets/data/ir2110.pdf>
- [6] http://www.avagotech.com/pages/en/optocouplers_plastic/plastic_digital_optocoupler/10_mbd_logic_gate/hcpl-2630/

CHAPTER 7

- [1] <http://www.vishay.com/docs/91070/91070.pdf>
- [2] <http://www.alldatasheet.com/view.jsp?Searchword=2n3773>
- [3] <http://products.semelab-tt.com/pdf/bipolar/2N3501.pdf>
- [4] <http://www.fairchildsemi.com/ds/BD/BD135.pdf>
- [5] <http://www.fairchildsemi.com/pf/TI/TIP122.html>
- [6] Electronic Devices and Circuits by J.B Gupta

CHAPTER 8

- [1] <http://www.mathworks.in/help/matlab/ref/csvread.html>

- [2] <http://www.mathworks.in/help/matlab/ref/xlsread.html>
- [3] <http://www.mathworks.in/videos/getting-started-with-simulink-69027.html>
- [4] <http://www.mathworks.in/help/simulink/examples/>
- [5] http://www.mathworks.in/help/physmod/sps/powersys/ref/power_fftscope.html
- [6] <http://www.mathworks.in/products/simpower/>
- [7] <http://www.ti.com/lit/an/spraaq7b/spraaq7b.pdf>
- [8] <http://www.ti.com/cn/lit/an/spraaq7b/spraaq7b.pdf>