LIST OF FIGURES

Figure	Title	Page		
INO.				
Fig. 2.1.	General structure of SLN.			
Fig 2.2	Creation and stabilization of nanoparticles, from the perspective of surface energetics.	30		
Fig 2.3	Potential energy curve for approach of two nanoparticles.	32		
Fig 2.4:	ematic of the two general nanoparticles production techniques			
Fig 2.5	Principle of nearl mill type: pearls are moved by the stirrer.	35		
Figure 2.6	Solubility Cs of RMKP 22 microparticles (MP) with a mean diameter of 2400 nm and of two RMKP 22 nanosuspensions with diameters of 800 and 300 nm (Ns-800, Ns-300), (Modified from Ref. Muller R. H. 1996).	47		
Figure 2.7	Electron micrograph of prednisolone nanosuspension (Muller R.H.1996).	48		
Fig .3.1	Calibration Curve of SQ in Methanol	98		
Fig. 3.2	Calibration Curve of SO in Water	99		
Fig.3.3	Calibration Curve of SO in 0.1 N HCl	100		
Fig. 3.4	Calibration Curve of SO in pH 4.5 Buffer	101		
Fig. 3.5	Calibration curve of SO in pH 7.2 Buffer	102		
Fig. 3.6	Calibration Curve of ADF in water	103		
Fig. 3.7	Calibration Curve of ADF in IPA	107		
Fig. 3.8	Calibration Curve of ADF in DCM: IPA	108		
Fig. 3.9	Calibration Curve of ADF in 0.1 N HCl	109		
Fig. 3.10	Calibration Curve of ADF in pH 4.5 Buffer	110		
Fig. 3.11	Calibration curve of ADF in pH 7.2 Phosphate Buffer	111		
Fig. 4.1.	Effect of emulsifier concentration on mean narticle diameter and PDI	124		
Fig. 4.2	DSC thermogram of Saquinavir (A), Stearic acid (B), Glyceryl monostearate (C), SQ loaded GMS SLNs (D), SQ loaded lyophilized SLNs - SOSI N (E)	127		
Fig. 4.3	X ray diffraction spectra of SQ (A), Stearic acid (B) and SQ loaded SLN (C), sucrose (D)	129		
Fig.4.4 A)	TEM image of SQ loaded SA SLN (bar indicates 500 nm); B) TEM image of a single particle (bar indicates 100 nm)	130		
Fig. 4.5	In vitro release of SQ from SQSLN	132		
Fig. 4.6	In vitro release of SQ from SQMLN	132		
Fig. 4.7.	Short term stability study of SQ Stearic acid SLN dispersion stored at	134		
Fig. 4.8	SQ SLN dispersion stored at 2 – 8 °C	135		
Fig. 4.9	Saquinavir lyophilized SLNs stored at 2 – 8 °C	135		
Fig. 4.10	Drug content of Saquinavir SLNs dispersion and lyophilized SLNs stored at $2 - 8$ ⁰ C	136		
Fig. 4.11	Mean Particle diameter and PDI of Saquinavir lyophilized SLNs stored at room temp.	137		
Fig. 4.12	Zeta potential and drug content of Saquinavir lyophilized SLNs stored at R.T.	137		
Fig 5.1	Particle size distribution of Bulk Saquinavir by Malvern Mastersizer	146		
Fig.5.2	Particle size distribution of Saquinavir nanosuspension after 10 hrs	146		
Fig. 5.2a:	Response surface plot showing the influence of Volume of milling media and concentration of surfactant on Mean particle diameter on Day 0.	151		
Fig 5.2b:	Corresponding contour plot showing the effect of factors on Mean particle diameter - Day 0.	151		

*

,

Fig. 5.3a:	Response surface plot showing the influence of Volume of milling media and concentration of surfactant on Mean particle diameter on Day 7.	153	
Fig 5.3b:	Corresponding contour plot showing the effect of factors on Mean particle diameter - Day 7.	153	
Fig. 5.4	DSC thermograms of Saquinavir (A) and Saquinavir lyophilized Nanosuspension (B).	156	
Fig. 5.5.	XRD of Bulk Saguinavir (A) and Saguinavir Nanosuspension (B)	157	
Fig. 5.6	Optical microscope image of Saquinavir Bulk	157	
Fig 5.7	TEM image of Saquinavir Nanosuspension (Bar indicates 0.4 µm)	158	
Fig 5.8	In vitro release of Saquinavir suspension and Saquinavir Nanosuspension in 0.1 N HCl	159	
Fig. 6.1	Plasma concentration- time curve after oral and I.V. administration of Saquinavir Microsuspension (SMS).		
Fig 6.2	Plasma concentration time profile of SMS, SNS and SQSLN after oral Administration.	168	
Fig 6.3	Concentration (μ g/gm) time profile of ^{99m} Tc labeled SMS, SNS and SQSLN in different organs	174	
Fig 7.1	Effect of emulsifier concentration on mean particle diameter	189	
Fig. 7.2.	Effect of drug loading on entrapment efficiency	190	
Fig. 7.3.	DSC thermograms of, Adefovir (A) Physical mixture (B) and Adefovir loaded SLNs(C)	191	
Fig 7.4	X ray diffractogram of ADF (A), ADF SLN (B), Physical mixture (C) and Dynasan 114 (D)	193	
Fig 7.5	TEM image of Adefovir loaded SLNs sample (Bar indicates 500 nm)	194	
Fig. 7.6	In vitro release of Adefovir loaded SLNs in pH 1.2, PB 4.5 and PB 7.2	195	
Fig. 7.7.	Short term stability study of SLN dispersion	196	
Fig. 7.8	Particle Size, PDI & Zeta potential of Adefovir SLNs dispersion stored at 2-8 ^{0}C	197	
Fig. 7.9.	P. size, PDI and Zeta potential of Adefovir lyophilized SLNs stored at 2 - $8^{0}C$	198	
Fig. 7.10.	Drug content of Adefovir SLN dispersion & Lyophilized SLNs stored at 2-8°C	198	
Fig. 7.11.	Mean Particle diameter and PDI of Adefovir lyophilized SLNs stored at room temp	199	
Fig. 7.12.	Zeta potential & Drug content of Adefovir SLNs lyophilized and stored at room temp	200	
Fig 8.1	Particle size distribution of Bulk Adefovir by Malvern Mastersizer	210	
Fig. 8.2	Particle size distribution of Adefovir nanosuspension after 18 hrs of milling	210	
Fig. 8.3a:	Response surface plot showing the influence of Volume of milling media and concentration of surfactant on Mean particle diameter on Day 0.	211	
Fig 8.3b:	Corresponding contour plot showing the effect of factors on Mean particle diameter - Day 0.	215	
Fig. 8.4a:	Response surface plot showing the influence of Volume of milling media and concentration of surfactant on Mean particle diameter on Day 7.	217	
Fig 8.4b:	Corresponding contour plot showing the effect of factors on Mean particle diameter on Day 7.	217	

XIII

Fig. 8.5	DSC thermograms of ADF (A) and lyophilized Nanosuspension (B).	221
Fig. 8.6	X Ray diffractogram of ADF and ARDX	222
Fig 8.7	Optical image of Adefovir bulk sample	223
Fig. 8.8	TEM image of Adefovir Nanosuspension (Bar indicates 0.4 μm)	223
Fig. 8.9	In vitro release ADF from AMS and ANS	224
Fig 9.1.	Chromatographic Characterization of ^{99m} Tc ADF Solid Lipid nanoparticles	229
Fig. 9.2	Plasma concentration- time curve after oral and I.V. administration of Adefovir Microsuspension (AMS).	231
Fig 9.3	Plasma concentration time profile of AMS, ANS and ADSLN after oral administration.	231
Fig 9.4	Concentration time profile of ^{99m} Tc labeled AMS, ANS and ADSLN in different organs	232

.

.