

Table of Figures

Figure No.	Title	Pg. No.
Fig. 1.1	Different ubiquitin linkage types and their role in cellular signalling.	6
Fig. 1.2	Schematic overview of the ubiquitin proteasome pathway.	7
Fig. 1.3	Domain organization of <i>UBA1</i> .	8
Fig. 1.4	Transfer of ubiquitin to E2 by E1.	9
Fig. 1.5	Transfer of activated ubiquitin from E2 to substrate with the help of E3.	11
Fig. 1.6	Structural classification of E2s.	13
Fig. 1.7	Important structural features of UBC domain.	14
Fig. 1.8	Model showcasing isopeptide bond formation during ubiquitin chain formation.	15
Fig. 1.9	Cartoon view of UBC4 (PDB 1QCQ).	16
Fig. 1.10	Ribbon diagram of UBC1.	18
Fig. 1.11	Models of polyubiquitin chain synthesis.	25
Fig. 1.12	Regulation of protein levels by ubiquitination.	26
Fig. 2.1	Sequence comparison of two proteins UBC1 (<i>S. Cerevisiae</i>) and E2-25K (<i>Homo sapien</i>) using Clustal Omega.	35
Fig. 2.2	Sequence alignment of E2-25K and c-UBC1.	36
Fig. 2.3	Graphical representation of strategy used to generate <i>c-UBC1</i> .	39
Fig. 2.4	Yeast expression vector YEp96/UbWT, expresses synthetic ubiquitin under <i>cup1</i> promoter.	39
Fig. 2.5	Vector map of pET-28a.	42
Fig. 2.6	Various components used to set up polyubiquitination assay for UBC1 and c-UBC1.	45
Fig. 2.7	Gel picture showing amplicons of <i>c-UBC1</i> .	48

Fig. 2.8	Gel picture showing screening for <i>c-UBC1</i> and <i>UBC1</i> in YEp96.	49
Fig. 2.9	Gel picture showing insert release of <i>UBC1</i> and <i>c-UBC1</i> fragments from YEp96 plasmid.	49
Fig. 2.10	Confirmation of <i>c-UBC1</i> in YEp96 by DNA sequencing.	50
Fig. 2.11	Representative graph showcasing growth profile of YWO5 cells with $\Delta ubc1$ mutation transformed with plasmids expressing <i>UBC1</i> and <i>c-UBC1</i> .	51
Fig. 2.12	Survival of <i>Saccharomyces cerevisiae</i> strain YWO5 transformed with plasmids expressing <i>UBC1</i> and <i>c-UBC1</i> under heat stress (37°C) at various time intervals.	52
Fig. 2.13	Graph showing thermotolerance profiles of <i>Saccharomyces cerevisiae</i> strain YWO5 with $\Delta ubc1$ mutation transformed with plasmids carrying genes for <i>UBC1</i> and <i>c-UBC1</i> .	53
Fig. 2.14	Antibiotic stress complementation of <i>Saccharomyces cerevisiae</i> strain YWO5 by variants of E2 namely, <i>UBC1</i> and <i>c-UBC1</i> .	54
Fig. 2.15	Gel picture showing confirmation of cloning of <i>UBC1</i> and <i>c-UBC1</i> in pET 28(a) by insert release.	55
Fig. 2.16	Gel profile showing over expression and purification of <i>UBC1</i> .	56
Fig. 2.17	Gel profile showing over expression and purification of <i>c-UBC1</i> .	56
Fig. 2.18	Gel picture displaying purified proteins <i>UBC1</i> and <i>c-UBC1</i> .	57
Fig. 2.19	Far-UV CD spectra of <i>UBC1</i> and <i>c-UBC1</i> .	58
Fig. 2.20	Intrinsic fluorescence emission spectra of guanidine hydrochloride denaturation of <i>UBC1</i> .	59
Fig. 2.21	Intrinsic fluorescence emission spectra of	60

	guanidine hydrochloride denaturation of c-UBC1.	
Fig. 2.22	Change in λ_{\max} values of guanidine hydrochloride denaturation curves of UBC1 and c-UBC1.	60
Fig. 2.23	Fluorescence resonance energy transfer spectra showing the fluorescence of extrinsic fluorophore ANS bound to UBC1.	61
Fig. 2.24	Fluorescence resonance energy transfer spectra showing the fluorescence of extrinsic fluorophore ANS bound to c-UBC1.	61
Fig. 2.25	Western blot of ubiquitin thioester assay of the E2 conjugating enzymes UBC1 and c-UBC1.	62
Fig. 2.26	Secondary structure prediction of c-UBC1 using SWISS-MODEL and its comparison to UBC1.	64
Fig. 2.27	Secondary structure prediction of c-UBC1 using Phyre ² and its comparison to ubc1 (chosen as template by the database).	65
Fig. 3.1	Sites of amino acid replacement in UBC4	69
Fig. 3.2 (a)	Interactors of UBC4.	77
Fig. 3.2 (b)	Interactors of UBC5.	78
Fig. 3.2 (c)	Interactors of UBC4 and UBC5.	79
Fig. 3.3	Diagrammatic representation for physical interactions of UBC4 and UBC5.	80
Fig. 3.4	Agarose gel showing screening for variants of UBC4.	95
Fig. 3.5 (a)	DNA sequencing showing confirmation of UBC4 in YEp96.	95
Fig. 3.5 (b)	DNA sequencing showing confirmation of E15G substitution in UBC4 in YEp96 plasmid.	96
Fig. 3.5 (c)	DNA sequencing showing confirmation of T20A substitution in UBC4 in YEp96 plasmid.	96
Fig. 3.5 (d)	DNA sequencing showing confirmation of A42S	96

	substitution in UBC4 in YEp96 plasmid.	
Fig. 3.5 (e)	DNA sequencing showing confirmation of I68V substitution in UBC4 in YEp96 plasmid.	96
Fig. 3.5 (f)	DNA sequencing showing confirmation of S69N substitution in UBC4 in YEp96 plasmid.	97
Fig. 3.5 (g)	DNA sequencing showing confirmation of A81S substitution in UBC4 in YEp96 plasmid.	97
Fig. 3.5 (h)	DNA sequencing showing confirmation of N82S substitution in UBC4 in YEp96 plasmid.	97
Fig. 3.5 (i)	DNA sequencing showing confirmation of H126Q substitution in UBC4 in YEp96 plasmid.	98
Fig. 3.5 (j)	DNA sequencing showing confirmation of R132K substitution in UBC4 in YEp96 plasmid.	98
Fig. 3.5 (k)	DNA sequencing showing confirmation of P133A substitution in UBC4 in YEp96 plasmid.	98
Fig. 3.5 (l)	DNA sequencing showing confirmation of R140K substitution in UBC4 in YEp96 plasmid.	99
Fig. 3.6	Analysis of expression levels and stabilities of variants of UBC4 at various time points	100
Fig. 3.7	Growth curves of UBC4 mutants of MHY508 cells of <i>S. cerevisiae</i>	101
Fig. 3.8	Functional complementation under heat stress at 24h by variants of UBC4	103
Fig. 3.9	Complementation by UBC4 variants under protein translation inhibitors in MHY508 strain of <i>S. Cerevisiae</i> .	105