

CHAPTER 6

BIBLIOGRAPHY

- Agata I, Nakaya Y, Nishibe S, Hisada S, Kimura K (1984). Studies on the constituents of medicinal plants in Hokkaido. II. On the whole herb of *Fraseria tetrapetala* Pall. (2). *Yakugaku Zasshi* 104: 418-421.
- Agrawal R, Kapadia L (1982). Treatment of piles with indigenous drugs-pilex tablets and ointment along with styplon. *Probe* 21: 201-204.
- Alexander T, Michael M, Enrique FZ (2005). Dual and Pan- Peroxisome Proliferator-Activated Receptors (PPAR) Co-Agonism: The Bezafibrate Lessons. *Cardiovascular Diabetology* 4:1-5.
- Al-Shamma A, Mitscher L (1979). Comprehensive survey of indigenous Iraqi plants for potential economic value. I. Screening results of 327 species for alkaloids and antimicrobial agents. *J Nat Prod* 42: 633-642.
- American Diabetes Association (ADA), (2006). <http://www.diabetes.org/home.jsp.10/24/06>
- Anne NS, Sarah T, Michaela K, Silke K, Bernd F (2004). Two insulin-responsive glucose transporter isoforms and the insulin receptor are developmentally expressed in rabbit preimplantation embryos. *Reproduction* 1470-1626.
- Anon (1982). A trial of bhringaraja ghanasatwavati on the patients of Kosta-shakhasrita Kamala (with special reference to hepatocellular jaundice). *J Natl Integ Med Ass* 24: 265-269.
- Anonymous, 1976, The Wealth of India Raw Materials, Publication and Information Directorate, CSIR, New Delhi, vol. 10, 251.
- Asthana JG, Jain S, Mishra A, Vijaykanth MS (2001). Evaluation of antileprotic herbal drug combinations and their combination with Dapsone. *Indian Drugs* 38: 82-86.
- Atal CK, Sharma ML, Kaul A, Khajuria A (1986). Immunomodulating agents of plant origin. I: Preliminary screening. *J. Ethnopharmacol.* 18: 133-141.
- Attele AS, ZhouYP, Xie JT, Wu JA, Zhang L, Dey L, Pugh W, Rue PA, Polonsky KS, Yuan CS (2002). Antidiabetic Effects of *Panax ginseng* Berry Extract and the Identification of an Effective Component. *Diabetes* 51: 1851-1858.
- Babu PS, Prince PSM (2004). Antihyperglycaemic and antioxidant effect of hyponidd, an ayurvedic herbomineral formulation in streptozotocin-induced diabetic rats *Journal of Pharmacy and Pharmacology* 56: 1435-1442.
- Badar VA, Thawani VR, Wakode PT, Shrivastava MP, Gharpure KJ, Hingorani LL, Khiyani RM (2005). Efficacy of *Tinospora cordifolia* in allergic rhinitis. *J. Ethnopharmacol.* 96: 445-449.

- Balasubramaniam KB, Arasaratnam R, Nageswaran A, Anushiyanthan S, Mugunthan N (1992). Studies on the effect of *Gymnema sylvestre* on diabetes. *J. Nat. Sci. Coun.* 20: 81- 89.
- Bapat RD, Rege NN, Koti RS, Desai NK, Dahanukar SA (1995). Can we do away with PTBD? *HPB Surg.* 9: 5-11.
- Baskaran K, Ahamath BK, Shanmugasundaram KR, Shanmugasundaram ERB (1990). Antidiabetic effect of a leaf extracts from *Gymnema sylvestre* in non-insulin dependent Diabetes mellitus patients. *J. Ethnopharmacol.* 30: 295-305.
- Basnet P, Kadota S, Pandey RR, Takahashi T, Kojima Y, Shimizu M, *et al* (1995). Screening of traditional medicines for their hypoglycemic activity in streptozotocin (STZ)-induced diabetic rats and a detailed study on *Psidium guajava*. *Wakan Iyakugaku Zasshi* 12: 109-117.
- Baynes JW (1991). Role of oxidative stress in development of complications in diabetes. *Diabetes* 40: 405-412.
- Bhakuni DS, Dhar ML, Dhar MM, Dhawan BN *et al* (1971). Screening of Indian plants for biological activity: Part III. *Ind. J. Exp. Biol.* 9: 91-102.
- Bhargava K, Krishnaswamy N, Seshadri T (1970). Isolation of demethyl wedelolactone and its glucoside from *Eclipta alba*. *Indian J. Chem.* 8: 664-665.
- Bhattacharya SK, Satyan KS, Chakrabarti A (1997). Effect of Trasina, an Ayurvedic herbal formulation, on pancreatic islet superoxide dismutase activity in hyperglycaemic rats. *Indian J. Exp. Biol.* 35: 297-299.
- Bishayee A, Chatterjee M (1994). Hypolipidaemic and antiatherosclerotic effect of oral *Gymnema sylvestre* R.Br. leaf extract in albino rats fed on a high fat diet. *Phytotherapy Res.* 8: 118-120.
- Bishayi B, Roychowdhury S, Ghosh S, Sengupta M (2002) Hepatoprotective and immunomodulatory properties of *Tinospora cordifolia* in CCl₄ intoxicated mature albino rats. *J. Toxicol. Sci.*, 27: 139-146.
- Bloor SJ (1999): Novel pigments and copigmentation in the blue marguerite dais *Phytochemistry* 50: 1395-1399.
- Bohlmann F, Zdero C (1970). Polyacetylene compounds. Part 173. Constituents of *Eclipta erecta*. *Chem Ber.* 103: 834-841.
- Broker R, Bhatt JV (1953). Symposium on antibacterial substances from soil, plants and other sources. XV. Phagocytic coefficient as a measure for evaluating plant antibiotics. *Indian J. Pharm.* 15: 309-310.
- Brownlee M (2001). Biochemistry and molecular cell biology of diabetic complications. *Nature* 414: 813-820.
- Carper DA, Wistow G, Nishimura C (1989). A superfamily of NADPH-dependent reductases in eukaryotes and prokaryotes. *Exp Eye Res* 49: 377-388.
- Chandra T, Sadique J, Somasundaram S (1987). Effect of *Eclipta alba* on inflammation and liver injury. *Fitoterapia* 58: 23-32.
- Charles FE, Mary NL, Adam BG, Barbara GJ (2004). Ras/Mitogen-Activated Protein Kinase Signaling Activates Ets-1 and Ets-2 by CBP/p300 Recruitment. *Molecular and Cellular Biology* 24: 10954-10964.
- Chaudhuri RK, Singh AK, Ghosal S (1975). Chemical constituents of gentianaceae. XVIII. Structure of Enicoflavine. Monoterpene alkaloid from *Enecostemma hyssopifolium*. *Chemical Industry (London)* 3: 127-128.
- Chintalwar G, Jain A, Sipahimalani A, Banerji A, Sumariwalla P, Ramakrishnan R, Sainis K (1999). An immunologically active arabinogalactan from *Tinospora cordifolia*. *Phytochemistry* 52: 1089-1093.
- Collier M, Small M (1991). The role of the polyol pathway in diabetes mellitus *British Journal of Hospital Medicine* 45: 38-40.
- Crabbe MJC, Goode D (1998). Aldose reductase: a window to the treatment of diabetic complications ? *Prog Retin Eye Res* 17: 313-383.
- Dabral P, Sharma R (1983). Evaluation of the role of rumalaya and geriforte in chronic arthritis-a preliminary study. *Probe* 22: 120-127.

- Dahanukar SA (1986). Study of influences of plant products on adaptive processes, Ph.D. Thesis, Mumbai University, Mumbai
- Dahanukar SA, Thatte UM, Pai N, More PB, Karandikar SM (1988). Immunotherapeutic modification by *Tinospora cordifolia* of abdominal sepsis induced by caecal ligation in rats. *Indian J. Gastroenterol.* 7: 21-23.
- Dahlqvist A (1964). Method for assay of intestinal disaccharidases. *Anal. Biochem.* 7:18-25.
- Daniel M, Sabnis SD (1978). Chemical Systematics of Family Gentianaceae. *Current Science* 47: 109-111.
- Darrell BD, Sandrine B, Martin TJ, Christophe G; Martin YE, Mark P, Dongfang Z, Robert CC, Donald MA, Sheldon LE, Heinrich T, David S, Ronald KC, Dale AE (2002). Insulin signaling coordinately regulates cardiac size, metabolism, and contractile protein isoform expression. *Journal of Clinical Investigation* 109: 629-639.
- Debelmas A, Hache J (1976). Toxicity of several medicinal plants of Nepal including some behavioral and central nervous system effects. *Plant. Med. Phytother.* 10: 128-138.
- Desai PD, Ganguly AK, Govindachari TR, Joshi BS, Kamat VN, Manmade AH, Mohamed PA, Nagle SK, Nayak RH, Saksena AK, Sathe SS, Vishwanathan N (1966). Chemical investigation of some Indian plants: Part II. *Indian Journal of Chemistry* 4: 457-459.
- Dhaliwal KS (1999). Method and composition for treatment of diabetes. US Patent 5886029.
- Dhar ML, Dhar MM, Dhawan BN, Mehrotra BN, Ray C (1968). Screening of Indian plants for biological activity: Part I. *Indian J. Exp. Biol.* 6: 232-247.
- Dhawan B, Saxena P (1958). A preliminary report evaluation of some indigenous drugs for stimulant effect on the rat uterus. *Indian J. Med. Res.* 46: 808-311.
- Dhuley JN (1997). Effect of some Indian herbs on macrophage functions in ochratoxin-A treated mice. *J. Ethnopharmacol.* 58: 15-20.
- Diwanay S, Chitre D, Patwardhan B (2004). Immunoprotection by botanical drugs in cancer chemotherapy. *J. Ethnopharmacol.* 90: 49-55.
- Dixit S, Achar M (1981). Study of bhringaraja (*Eclipta alba*) therapy in jaundice in children. *J Sci. Res. Pl. Med.* 2: 96-100.
- Dixit S, Achar M. (1979). Bhringaraja (*Eclipta alba* Linn.) In the treatment of infective hepatitis. *Curr. Med. Pract.* 23: 237-242.
- Donald V, Judith VG, Charlotte PW (2002). Fundamentals of Biochemistry. John Wiley and Sons, Inc. New York, NY.
- Ducluzeau PH, Fletcher LM, Vidal H, Laville M, Tavaré JM (2002). Molecular Mechanisms of Insulin-Stimulated Glucose Uptake in Adipocytes. *Diabetes Metab. (Paris)* 28: 85-92.
- Dugani CB, Klip A (2005). Glucose Trasporter 4: cycling, compartments and controversies. *EMBO reports* 6: 1137-1142.
- Duke JA, Atchley AA (1986). Handbook of proximate analysis tables of higher plants. CRC Press. Boca Raton, USA. pp 67.
- Eldar-Finkelman, Hagit; Krebs, Edwin G (1997). Phosphorylation of insulin receptor substrate 1 by glycogen synthase kinase 3 imparirs insulin action. *Proceedings of the National Academy of Science* 94: 9660-9664.
- Fisher RB, Parsons DS (1949a). A preparation of surviving rat small intestine for the study of absorption. *J. Physiol.* 110, 36-46.
- Fisher RB, Parsons DS (1949b). Glucose absorption from surviving rat small intestine. *J. Physiol.* 110, 281-293.
- Freemark, Michael (2003). Clinical Perspective: Pharmacologic Approaches to the Prevention of Type 2 Diabetes in High Risk Pediatric Patients. *Journal of Clinical Endocrinology & Metabolism* 88: 3-13.

- Fushiki T, Kojima A, Imoto T, Inoue K, Sugimoto E (1992). Extract of *Gymnema sylvestre* leaves and purified Gymnemic acid inhibits glucose-stimulated Gastric Inhibitory Peptide secretion in rats. *J. Nutr.* 122: 2367-2373.
- Galicia HE, Contreras AA, Santamaria AL, Ramos RR, Miranda CAA, Vega GLM, Saenz FJL, Aguilar AFJ (2002). Studies on Hypoglycemic Activity of Mexican Medicinal Plants. *Proc. West. Pharmacol. Soc.* 45:118-124.
- Gangan VD, Pradhan P, Sipahimalani AT, Banerji A (1994) Cordifolisides A, B, C: norditerpene furan glycosides from *Tinospora cordifolia*. *Phytochemistry* 37: 781-786.
- Garkal P (1997). Experimental and clinical studies with *Tinospora cordifolia* in the immuno compromised host. M.D. dissertation in Pharmacology, University of Mumbai, India.
- Gene WC, Murtaza AS, Chonjian Z, Donald SF (2002). Expression profiling of pancreatic β -cells: Glucose regulation of secretory and metabolic pathway genes. *Proceedings of the National Academy of Science* 97: 5773-5778.
- Georg R, Jan SW, David JE, Willem S (2000). Insulin Recruits GLUT4 from Specialized VAMP-2 carrying Vesicles as well as from the Dymanic Endosomal/Trans-Golgi Network in Rat Adipocytes. *Molecular Biology of the Cell* 11: 4079-4091.
- Ghisalberti E, Skelton B, White A (1995). Structural study of torquatone, an acylphloroglucinol derivative from *Eucalyptus* species. *Aust. J. Chem.* 48: 1771-1774.
- Ghosal S, Jaiswal DK (1980). Chemical constituents of gentianaceae XXVIII: Flavonoids of *Enicostemma hyssopifolium* (willd.) verd. *Journal of Pharmaceutical Sciences* 69: 53-56.
- Ghosal S, Singh AK, Sharma PV, Chaudhuri RK (1974). Chemical constituents of gentianaceae IX: Natural occurrence of erythrocentaurin in *Enicostemma hyssopifolium* and *Swertia lawii*. *Journal of Pharmaceutical Sciences* 63: 944-945.
- Goel HC, Prasad J, Singh S, Sagar RK, Agrawala PK, Bala M, Sinha AK, Dogra R (2004). Radioprotective potential of an herbal extract of *Tinospora cordifolia*. *J. Radiat. Res. (Tokyo)* 45: 61-68.
- Goel HC, Prem Kumar I, Rana SV (2002). Free radical scavenging and metal chelation by *Tinospora cordifolia*, a possible role in radioprotection. *Indian J. Exp. Biol.* 40: 727-734.
- Gopal R, Gnanamani A, Udayakumar R, Sadulla S (2004). *Enicostemma littorale* Blume-A potential hypolipidemic plant *Natural Product Radiance* 3: 401-405.
- Govindachari T, Nagarajan K, Pai B (1956). Wedelolactone from *Eclipta alba*. *J. Sci. Ind. Res.-B* 15: 664-665.
- Govindachari TR, Sathe SS, Vishwanathan N (1966). Gentianine, an artifact in *Enicostemma littorale*. *Indian Journal of Chemistry* 4: 201-202.
- Grant BD, Vihang NA, Ronald EM (2006). PPAR δ : A Dagger in the Heat of the Metabolic Syndrome. *The Journal of Clinical Investigation* 116: 590-597.
- Grover JK, Rath SS, Vats V (2002). Amelioration of experimental diabetic neuropathy and gastropathy in rats following oral administration of plant (*Eugenia jambolana*, *Mucuna pruriens* and *Tinospora cordifolia*) extracts. *Indian J. Exp. Biol.* 40: 273-276.
- Grover JK, Vats V, Rath SS (2000) Anti-hyperglycemic effect of *Eugenia jambolana* and *Tinospora cordifolia* in experimental diabetes and their effects on key metabolic enzymes involved in carbohydrate metabolism. *J. Ethnopharmacol.* 73: 461-470.
- Grover JK, Vats V, Rath SS, Dawar R (2001). Traditional Indian anti-diabetic plants attenuate progression of renal damage in streptozotocin induced diabetic mice. *J. Ethnopharmacol.* 76: 233-238.
- Grover JK, Yadav S, Vats V (2002). Medicinal plants of India with anti-diabetic potential. *J Ethnopharmacol.* 81: 81-100.
- Grover JK, Yadav S, Vats V (2002). Medicinal plants of India with anti-diabetic potential. *J Ethnopharmacol.* 81: 81-100.

- Gupta S, Yadava J, Tandon J (1993) Antisecretory (antidiarrhoeal) activity of indian medicinal plants against *Escherichia coli* enterotoxin-induced secretion in rabbit and guinea pig ileal loop models. *Int. J. Pharmacog.* 31: 198-204.
- Gupta SS, Seth CB (1962a). Experimental studies on pituitary diabetes Part II. comparison of blood sugar level in normal and anterior pituitary extract induced hyperglycaemic rats treated with a few Ayurvedic remedies. *Ind. J. Med. Res.* 50: 708-714.
- Gupta SS, Seth CB, Variyar MC (1962b). Experimental studies on pituitary-diabetes Part I, inhibitory effect of a few ayurvedic antidiabetic remedies on anterior pituitary extract induced hyperglycemia in albino rats. *Ind. J. Med. Res.* 50: 73-81.
- Gupta SS, Varma SCL, Garg VP, Rai M (1967). Antidiabetic effect of *Tinospora cordifolia*. I. Effect on fasting blood sugar level, glucose tolerance and adrenaline induced hyperglycemia. *Ind. J. Exp. Biol.* 55: 733-745.
- Guzman A, Guerrero RO (2005). Inhibition of aldose reductase by herbs extracts and natural substances and their role in prevention of cataracts. *Rev. Cubana Plant Med.* 10: 3-4.
- Hadke S, Kulkarni S (1989). Screening of *in vitro* antibacterial activity of *Terminalia chebula*, *Eclipta alba* and *Ocimum sanctum*. *Indian J. Med. Sci.* 43: 113-117.
- Halliwell B, Gutteridge JMC (1989). Free Radicals in Biology and Medicine, 2nd ed., Oxford University Press, Oxford.
- Han B, Yang O, Kim Y, Han Y (1994). Screening of the platelet activating factor (paf) antagonistic activities on herbal medicines. *Yakhak Hoe Chi* 38: 462-468.
- Haraguchi H, Kanada M, Fukuda A, Naruse K, Okamura N, Yagi A (1998). An inhibitor of aldose reductase and sorbitol accumulation from *Anthocephalus chinensis*. *Planta Medica* 64: 68-69.
- Haraguchi H, Ohmi I, Sakai S, Fukuda A, Toihara Y, Fujimoto T, et al (1996). Effect of *Polygonum hydropiper* sulfated flavonoids on lens aldose reductase and related enzymes. *J. Nat. Prod.* 59: 443-445.
- Hayman, S, Kinoshita JH (1965). Isolation and properties of lens aldose reductase. *J. Biol. Chem.* 240: 877-882.
- Hediger M, Rhoads D (1994). Molecular physiology of sodium-glucose cotransporters. *Physiol. Rev.* 74: 993-1026.
- Hemadri K, Rao SS (1989). *Ethnobot.* 1: 61-66.
- Henderson P (1993). The 12-transmembrane helix transporters. *Curr. Opin. Cell Biol.* 5: 708-721.
- Heyningen RV (1959). Formation of polyols by the lens of the rat with sugar cataract. *Nature* 184: 194-195.
- Hong-Min I, Fumiyuki K, Yoshisuke T (1992). Isolation and Structure elucidation of Gymnemic Acids, antisweet principles *Gymnema sylvestre*. *Chem. Pharm. Bull.* 40: 1366-1375.
- Hostettmann KM, Jacot-Guillarmod A (1978). Xanthones et C-glucosides flavoniques du genre *Gentiana* (sous-genre *Gentianella*). *Phytochemistry* 17: 2083-2086.
- http://www.sigmaaldrich.com/Area_of_Interest/Life_Science/Cell_Signaling/Scientific_Resources/Pathway_Slides_Charts/PPAR_Signaling_Pathway.html.1/27/07.
- Ijyalakshimi K, Mishra S, Prasad S (1979). Nematicidal properties of some indigenous plant materials against second stage juveniles of meloidogyne incognita (koffoid and white) chitwood. *Indian J. Entomol.* 41: 326-331.
- Ikram M, Khattak SG, Gilani SN (1987). Antipyretic studies on some indigenous Pakistani medicinal plants: II. *J. Ethnopharmacol.* 19: 185-192.
- Jagetia GC, Baliga MS (2004). The evaluation of nitric oxide scavenging activity of certain Indian medicinal plants in vitro: a preliminary study. *J. Med. Food* 7: 343-348.
- Jagetia GC, Nayak V, Vidyasagar MS (1998). Evaluation of the antineoplastic activity of guduchi (*Tinospora cordifolia*) in cultured HeLa cells. *Cancer Lett.* 127: 71-82.
- Jahfar M (2003). Glycosyl composition of polysaccharide from *Tinospora cordifolia*. *Acta Pharm.* 53: 65-69.

- Jahfar M, Azadi P (2004). Glycosyl composition of polysaccharide from *Tinospora cordifolia*. II. Glycosyl linkages. *Acta Pharm.* 54: 73-78.
- Jain S, Singh P (1988). A dithienylacetylene ester from *Eclipta erecta* Linn. *Indian J. Chem. Ser. B* 27: 99-100.
- Jain SP, Singh SC, Puri HS (1994). Medicinal Plants of Neterhat, Bihar, India *Pharmaceutical Biology* 32: 44-50.
- Jan H, Philip L, James KP, Dietbrand C, Imdadali SB, Mendel T, Christiane B, Patrick WJ (1999). Complete Genomic Structure and Mutational Spectrum of PHKA2 in Patients with X-Linked Liver Glycogenosis Type I and II. *American Journal of Human Genetics* 64: 1541-1549.
- Jana U, Chattopadhyay RN, Shw BP (1999). Preliminary studies on anti-inflammaory activity of *Zingiber officinale* Rosc., *Vitex negundo* Linn. and *Tinospora cordifolia* (Willid) Miers in albino rats. *Indian J. Pharm.* 31: 232-233.
- Jayaram S, Thyagarajan S, Panchanadam M, Subramanian S (1987). Anti-hepatitis-B virus properties of *Phyllanthus niruri* Linn. and *Eclipta alba* Hassk: *in vitro* and *in vivo* safety studies. *Bio-Medicine* 7: 9-16.
- Jensen SR, Schripsema J (2002). *Gentianaceae - Systematics and Natural History*. Struwe L & Albert V Eds. Cambridge University Press, pp. 573-631.
- Jing C, Henry SB, Ronald KA, Lu-Hai W (1996). Stat5 is a physiological substrate of the insulin receptor. *Proceedings of the National Academy of Sciences* 94: 2295-2300.
- Joslin Diabetes Center (JDC). (2006) Learn About Diabetes. http://www.joslin.org/LearnAboutDiabetes_Index_home.asp.2/1/2007
- Juan PM., Dong W, Beatriz L, Hong Y, Xia M, Ru Y, Vivo D, Darryl C (2004). GLUT1 deficiency and other glucose transporter diseases. *European Journal of Endocrinology* 150: 627-633.
- Jung SH, Lee YS, Lim SS, Kim YS, Shin KH (2002). Isoflavonoids from the rhizomes of *Belamcanda chinensis* and their effects on aldose reductase and sorbitol accumulation in streptozotocin induced diabetic rat tissues. *Arch. Pharm. Res.* 25: 306-312.
- Juvenile Diabetes Research Foundation International (JDRFI). (2006) <http://www.jdrf.org/.2/1/2007>.
- Kador PF (1988). The role of aldose reductase in the development of diabetic complications. *Med. Res. Rev.* 8: 325-352.
- Kaldas M, Hostettmann K, Jacot-Guillarmod A (1974). Contribution à la phytochimie du genre *Gentiana* IX. Etude de composés flavoniques et xanthoniques dans les feuilles de *Gentiana campestris* l. 1ère communication. *Helv. Chim. Acta* 57: 2557-2561.
- Kaldas M, Hostettmann K, Jacot-Guillarmod A (1975). Contribution à la phytochimie du genre *Gentiana*, XIII. Etude des composés flavoniques et xanthoniques dans les feuilles de *Gentiana campestris* L. 2^{ème} communication. *Helv. Chim. Acta* 58: 2188-2192.
- Kang KA, Lee KH, Kim SY, Kim HS, Kim JS, Hyun JW (2007). Cytoprotective Effects of KIOM-79 on Streptozotocin Induced Cell Damage by Inhibiting ERK and AP-1. *Biol. Pharm. Bull.* 30: 852-858.
- Kapil A, Sharma S (1997). Immunopotentiating compounds from *Tinospora cordifolia*. *J. Ethnopharmacol.* 58: 89-95.
- Kapur RD (1948). Action of some indigenous drugs on uterus. A preliminary note. *Indian J. Med. Res.* 36: 47.
- Kar A, Choudhary BK, Bandyopadhyay NG (2003). Comparative evaluation of hypoglycaemic activity of some Indian medicinal plants in alloxan diabetic rats. *J. Ethnopharmacol.* 84: 105-108.
- Kavimani S, Manisenthkumar KT (2000). Effect of methanolic extract of *Enicostemma littorale* on Dalton's ascitic lymphoma. *Journal of Ethnopharmacology* 71: 349-352.
- Khanna A, Chander R, Kapoor N (1991). Hypolipidemic activity of abana in rats. *Fitoterapia* 62: 271-274.
- Khare AK, Tandon RN, Tewari JP (1983). Hypoglycaemic activity of an indigenous drug (*Gymnema sylvestre*, 'Gurmar') in normal and diabetic persons. *Indian J. Physiol. Pharmacol.* 27: 257-258.

- Kinloch RA, Treherne JM, Furness LM, Hajimohamadreza I (1999). The pharmacology of apoptosis. *Trends Pharmacol. Sci.* 20: 35-42.
- Kirtikar KR, Basu BD (1975). Indian Medicinal Plants, M/s Bishen Singh, Mahendra Pal Singh, New Connaught Place; Dehradun, Vol 1. 2nd Ed.
- Kohda H, Tanaka S, Yamakoa Y, Yahara S, Nohara T, Tanimoto T, et al (1989). Studies on lens-aldose reductase inhibitor in medicinal Plants. II. Active constituents of *Monochasma savatierii* Franch. Et Maxim. *Chem. Pharm. Bull.* 37: 3153-3154.
- Koivisto VA, Defronzo RA. (1984) *Acta. Endocrin. Suppl.* 262: 107-111.
- Kraime MR, Tisch RM (1999). The Role of Environmental Factors in Insulin-Dependent Diabetes Mellitus: An Unresolved Issue, Environmental Health Perspectives Supplements vol. 107, no. S5.
- Krishnaswamy N, Seshadri T, Sharma B (1966). Synthesis of alpha-terthienylmethanol, a component of *Eclipta alba*. *Curr. Sci.* 35: 542.
- Kumarasamy Y, Byres M, Cox PJ, Delazar A, Jaspars M, Nahar L, Shoeb M, Sarker SD (2004). Isolation, Structure Elucidation, and Biological Activity of Flavone 6-C-Glycosides from *Alliaria petiolata*. *Chemistry of Natural Compounds* 40: 122-128.
- Kusumoto I, Nakabayashi T, Kida H, Miyashiro H, Hattori M, Namba T, Shimotohno K (1995). Screening of various plant extracts used in ayurvedic medicine for inhibitory effects on human immunodeficiency virus type 1 (HIV-1) protease. *Phytother. Res.* 9: 180-184.
- KuzukoY, Kayoko A, Shigenoby A, Kouji M (1989). Structure Studies of New Anitsweet Constituents from *Gymnema sylvestris*. *Tetrahedron Lett.* 30: 1130-1106.
- Lamba SS, Buch KY, Lewis HI, Lamba J (2000). Phytochemicals as potential hypoglycemic agents. *Stud. Nat. Prod.Chem.* 21: 457-496.
- Latha M, Pari L, Sitasawad S, Bhonde R (2004). *Scoparia dulcis* a traditional antidiabetic plant, protects against streptozotocin-induced oxidative stress and apoptosis *in vitro* and *in vivo*. *J. Biochem. Toxicol.* 18: 261-272.
- Lauge S, Renee BE, Jane SC, Renuka PC, Soren O, Michael L, Jakob B et al (2003). Assembly of high-affinity insulin receptor agonists and antagonists from peptide building blocks. *Proceedings of the National Academy of Sciences* 100: 4435-4439.
- Lee HS (2002). Rat Lens Aldose Reductase Inhibitory Activities of *Coptis japonica* Root-Derived Isoquinoline Alkaloids. *J. Agric. Food Chem.*, 50: 7013-7016.
- Lee S, Shim SH, Kim JS, Shin KH, Kang SS (2005). Aldose reductase inhibitors from the fruiting bodies of *Ganoderma Applanatum*. *Biol. Pharm. Bull.* 28: 1103-1105.
- Leyon PV, Kuttan G (2004a). Effect of *Tinospora cordifolia* on the cytokine profile of angiogenesis-induced animals. *Int. Immunopharmacol.* 4: 1569-1575.
- Leyon PV, Kuttan G (2004b). Inhibitory effect of a polysaccharide from *Tinospora cordifolia* on experimental metastasis. *J. Ethnopharmacol.* 90: 233-237.
- Lodish HF, Berk A, Matsudaira P, Kaiser C, Krieger M, Scott M, Zipursky L, Darnell JE (2004). *Molecular Cell Biology*, 5th Ed. Scientific American Press, N.Y.
- Lowry OH, Rosebrough NH, Farr AL, Randall RJ (1951). Protein measurement with the folin phenol reagent. *J. Biol. Chem.* 193: 265-275.
- Lukic ML, Stosic-Grujicic S, Shahin A (1998). Effector mechanisms in multiple low dose streptozotocin induced diabetes. *Dev. Immunol.* 6: 119-128.
- Mahajan VR, Jolly CI (1985). A new hypoglycemic agent from *Tinospora cordifolia* Miers. *Indian Drugs* 23: 119-120.
- Mahomoodally MF, Fakim AG, Subratty AH (2004). A kinetic model for in-vitro intestinal uptake of L-tyrosine and D (+)- glucose across rat everted gut sacs in the presence of *Momordica charantia*, a medicinal plant used in traditional medicine against diabetes mellitus. *Journal of Cell and Molecular Biology* 3: 39-44.
- Mainzen S, Prince P, Menon V P (2003). Hypoglycaemic and hypolipidaemic action of alcohol extract of *Tinospora cordifolia* roots in chemical induced diabetes in rats. *Phytother. Res.* 17: 410-413.

- Mainzen S, Prince P, Menon V P (2001). Antioxidant action of *Tinospora cordifolia*-root extract in alloxan diabetic rats. *Phytother. Res.* 15: 213-218.
- Mainzen S, Prince P, Menon VP, Gunasekaran G (1999). Hypolipidaemic action of *Tinospora cordifolia* roots in alloxan diabetic rats. *J. Ethnopharmacol.* 64: 53-57.
- Ma-Ma K, Nyunt N, Maung KT (1978). The protective effect of *Eclipta alba* on carbon tetrachloride-induced acute liver damage. *Toxicol. Appl. Pharmacol.* 45: 723-728.
- Manandhar NP (1998). Ethnobotanical Census on herbal Medicine of Banke District, Nepal, *CANS Journal* 25: 57-63.
- Manjrekar PN, Jolly CI, Narayanan S (2000). Comparative studies of the immunomodulatory activity of *Tinospora cordifolia* and *Tinospora sinensis*. *Fitoterapia* 71: 254-257.
- Mariot P, Gilon P, Nenquin M, Henquin JC (1998). Tolbutamide and Diazoxide Influence Secretion by Changing the Concentration the Action of Cytoplasmic Ca^{2+} in β -cells. *Diabetes.* 47: 365-373.
- Maroo J, Ghosh A, Mathur R, Vasu VT, Gupta S (2003a). Antidiabetic efficacy of *Enicostemma littorale* methanol extract in alloxan induced diabetic rats. *Pharmaceutical Biology* 41: 388-391.
- Maroo J, Vasu VT, Aalinkeel R, Gupta S (2002). Glucose lowering effect of aqueous extract of *Enicostemma littorale* Blume in diabetes: A possible mechanism of action. *J. Ethnopharmacol.* 81: 317-320.
- Maroo J, Vasu VT, Gupta S (2003b). Dose dependent hypoglycemic effect of *Enicostemma littorale* Blume in alloxan induced diabetic rats. *Phytomedicine* 10: 196-199.
- Mary NK, Babu BH, Padikkala J (2003). Antiatherogenic effect of Caps HT2, a herbal Ayurvedic medicine formulation. *Phytomedicine.* 10: 474-482.
- Maryam A, Rao LV, Robert SM, Leonard J, Maureen CJ, Bernard T, Susan H (1992). Developmental Expression and Cellular Localization of Glucose Transporter Molecules during Preimplantation Development. *Development* 115: 305-312.
- Masayuki Y, Toshiyuki M, Masashi K, Yuhao L, Nubotoshi M, Johji Y, Hisash M (1997). Medicinal Foodstuffs (IX1) The Inhibitors of Glucose Absorption from the leaves of *Gymnema sylvestre* R.Br. (Asclepiadaceae): Structures of Gymneomosides A and B. *Chem. Pharm. Bull.* 45: 1671-1676.
- Massias M, Carbonnier J, Molho D (1981). Xanthones and C-glucosylflavones from *Gentiana corymbifera*. *Phytochemistry* 20: 1577-1578.
- Massias M, Carbonnier J, Molho D (1982). *Biochem. Syst. Ecol.* 10: 319-327.
- Mathew S, Kuttan G (1997). Antioxidant activity of *Tinospora cordifolia* and its usefulness in the amelioration of cyclophosphamide induced toxicity. *J. Exp. Clin. Cancer Res.* 16: 407-411.
- Mathur SK (1992). Immunotherapeutic modification of Escherichia coli peritonitis and bacteremia by *Tinospora cordifolia*. *J. Postgrad. Med.* 38: 102.
- Matsuda H, Nishida N, Yoshikawa M (2002). Antidiabetic principles of natural medicines. V. Aldose reductase inhibitors from *Myrcia multiflora* DC. (2): Structures of myrciacitrins III, IV, and V. *Chem. Pharm. Bull.* 50: 429-431.
- Maurya R, Manhas LR, Gupta P, Mishra PK, Singh G, Yadav PP (2004). Amritosides A, B, C and D: clerodane furano diterpene glucosides from *Tinospora cordifolia*. *Phytochemistry* 65: 2051-2055.
- Mehrotra R, Katiyar CK, Gupta AP (2000). Hepatoprotective compositions and composition for treatment of conditions related to hepatitis B and E infection. US Patent 749296.
- Melo P, Nascimento M, Morsm W, Suarez-Kurtz G (1994). Inhibition of the myotoxic and hemorrhagic activities of crotalid venoms by *Eclipta prostrata* (Asteraceae) extracts and constituents. *Toxicon* 32: 595-603.
- Mendes N, Pereira N, De Souza C, De Oliveira LM (1984). Preliminary laboratory studies for the verification of molluscicidal activity of several species from the Brazilian flora. *Rev. Saude Publ. Sao Paulo* 18: 348-354.
- Meyre-Silva C, Yunes RA, Santos ARS, Margo JD, Delle-Monache F, Cechinel Filho V (1999). Isolation of a C-Glycoside Flavonoid with Antinociceptive Action from *Aleurites moluccana* Leaves. *Planta medica* 65: 293-294.

- Minshi Z (1989). An experimental study of the anti-hsv II action of 500 herbal drugs. *J. Trad. Chinese Med.* 9: 113-116.
- Misra P, Pal N, Guru P, Katiyar J, Tandon J (1991). Antimalarial activity of traditional plants against erythrocytic stages of *Plasmodium berghei*. *Int. J. Pharmacog.* 29: 19-23.
- Mizokami H, Tomita-Yokotani K, Yoshitama K (2008). Flavonoids in the leaves of *Oxalis corniculata* and sequestration of the flavonoids in the wing scales of the pale grass blue butterfly, *Pseudozizeeria maha*. *Journal of Plant Research* 121: 133-136.
- Mors W, Nascimento DM, Parente J, Da Silva M, Melo P, Suarez-Kurtz G (1989) Neutralization of lethal and myotoxic activities of south american rattlesnake venom by extracts and constituents of the plant *Eclipta prostrata* (Asteraceae). *Toxicon* 27: 1003-1009.
- Murali B, Upadhyaya UM, Goyal RK (2002). Effect of chronic treatment with *Enicostemma littorale* in non-insulin-dependent diabetic (NIDDM) rats: *J. Ethnopharmacol.* 81: 199-204.
- Nadkarni KM (1993). Indian Materia Medica , Popular prakashan, Bombay, Vol. 1: 596-599.
- Nadkarni KM, Nadkarni AK (1976). Indian Materia Medica, Popular Prakasan Pvt. Ltd; Mubai, Vol. 1. 3rd Ed.
- Nagarkatti DS, Rege NN, Desai NK, Dahanukar SA (1994). Modulation of Kupffer cell activity by *Tinospora cordifolia* in liver damage. *J. Postgrad. Med.* 40: 65-67.
- Nair PK, Rodriguez S, Ramachandran R, Alamo A, Melnick SJ, Escalon E, Garcia PI Jr, Wnuk SF, Ramachandran C (2004). Immune stimulating properties of a novel polysaccharide from the medicinal plant *Tinospora cordifolia*. *Int. Immunopharmacol.* 4: 1645-1659.
- Naovi S, Khan M, Vohora S (1991). Anti-bacterial, anti-fungal and anthelmintic investigations on Indian medicinal plants. *Fitoterapia* 62: 221-228.
- National Institute of Diabetes and Digestive and Kidney Disease. (NIDDK) (2006) <http://www.niddk.nih.gov/dm/pubs/statistics/index.htm.1/12/07>.
- Nayampalli SS, Ainapure SS, Samant BD, Kudtarkar RG, Desai NK, Gupta KC (1988). A comparative study of diuretic effects of *Tinospora cordifolia* and hydrochlorothiazide in rats and a preliminary phase I study in human volunteers. *J. Postgrad. Med.* 34: 233-236.
- Nayampalli SS, Desai NK , Ainapure SS (1988). Antiallergic properties *Tinospora cordifolia* in animal models. *Indian Journal of Pharmacology* 18: 250.
- Nemmani KV, Jena GB, Dey CS, Kaul CL, Ramarao P (2002). Cell proliferation and natural killer cell activity by polyherbal formulation, Immu-21 in mice. *Indian J. Exp. Biol.* 40: 282-287.
- Nene Y, Thapliyal P, Kumar K, Labdev (1968). Screening of some plant extracts for antifungal properties. *J. Sci. Tech. B* 6: 226-228.
- NIH Genes and Disease (2007). Chapter 14:6. A57<http://www.ncbi.nlm.nih.gov/books/bvfcgi?rid=gnd.TOC&dept=2.1/25/07>
- Osamu S, Eishin O, Toshihiro O, Yutaka I, Yoichi M, Kuniaki N, Kazuie I (2000). Mutation Analysis of the GLUT2 in Patients with Fanconi-Bickel Syndrome. *Pediatric Research* 48: 586-589.
- Pachaly P (1988). Analytical Studies on the Structure of Natural Products from Menispermaceae Drugs. *Arch. Pharm. Res.* 11: 14-32.
- Pachaly P, Schneider C (1981). In: Barbosa-Filho JM, Ca-Cunha EVL, Gray AI, Cordell GA (editor). Academic Press, Illinois. Alkaloids of the Menispermaceae. In: The Alkaloids 54: 1-190.
- Pahadiya S, Sharma J (2003). Alteration of lethal effects of gamma rays in Swiss albino mice by *Tinospora cordifolia*. *Phytother. Res.* 17: 552-554.
- Pal S, Narasimham N (1943). The alkaloid in *Eclipta alba* (Hassk). *J. Indian Chem. Soc.* 20: 181.
- Peer F, Sharma MC (1989). Therapeutic evaluation of *Tinospora cordifolia* in carbon tetrachloride induced hepatopathy in goats. *Indian Journal of Veterinary Medicine* 9: 154.

- Pendse VK, Dadhich AP, Mathur PN, Bal MS, Madam BR (1977). Anti-inflammatory, immunosuppressive and some related pharmacological actions of the water extract of Neem Giloe (*Tinospora cordifolia*)-A preliminary report. *Indian J. Pharm.* 9: 221-224.
- Pithayanukul P, Lapett B, Bavovada R, Pakmanee N, Suttisri R (2007). Inhibition of proteolytic and hemorrhagic activities by ethyl acetate extract of *Eclipta prostrata* against Malayan Pit Viper Venom. *Pharmaceutical Biology* 45: 282-288.
- Pollack ML, Wilmore JH, Fox SM. (1984) Exercise in Health and Disease. WB Saunders, Philadelphia.
- Prakash A, Pasalu I, Mathur K (1979). Ovicidal activity of *Eclipta alba* Hassk. (Compositae). *Curr. Sci.* 48: 1090.
- Prakash AO, Mathur S, Mathur R (1986). Effect of feeding *Gymnema sylvestre* leaves on blood glucose in Beryllium nitrate treated rats. *J. Ethnopharmacol.* 18: 143-146.
- Prince PS, Padmanabhan M, Menon VP (2004). Restoration of antioxidant defence by ethanolic *Tinospora cordifolia* root extract in alloxan-induced diabetic liver and kidney. *Phytother. Res.* 18: 785-787.
- Prince PS, Kamalakkannan N, Menon VP (2004). Restoration of antioxidants by ethanolic *Tinospora cordifolia* in alloxan-induced diabetic Wistar rats. *Acta Pol. Pharm.* 61: 283-287.
- Prince PS, Menon VP (1999). Antioxidant activity of *Tinospora cordifolia* roots in experimental diabetes. *J. Ethnopharmacol.* 65: 277-281.
- Raghunathan K, Sharma PV (1969). Effect of *T. cordifolia* on alloxan induced hyperglycaemia. *J. Res. Ind. Med., III.* 2.
- Raghunathan K, Mittra R (1982). Pharmacognosy of Indigenous Drugs. New Delhi: Central Council for Research In Ayurveda & Siddha.
- Raghunathan K, Sharma PV (1969). The aqueous extract of *T. cordifolia* caused reduction of blood sugar in alloxan induced hyperglycemic rats and rabbits. *J. Res. Ind. Med.* 3: 203-209.
- Rai J, Thakar KA (1966). Chemical Investigation of *Enicostemma Littorale* Blume. *Curr. Sci.* 35: 148-149.
- Rai M, Gupta SS (1966). The deposition of the secondary salts over the five pellets in rats was inhibited by the aqueous extract of *T. cordifolia*. *J. Res. Ind. Med.* 10: 113-116.
- Ranic M, Berger M (197). *Diabetes* 28: 147-163.
- Rathi SS, Grover JK, Vikrant V, Biswas NR (2002). Prevention of experimental diabetic cataract by Indian Ayurvedic plant extracts. *Phytother. Res.* 16: 774-777.
- Rawal A, Muddeshwar M, Biswas S (2004). Effect of *Rubia cordifolia*, *Fagonia cretica* Linn, and *Tinospora cordifolia* on free radical generation and lipid peroxidation during oxygen-glucose deprivation in rat hippocampal slices. *Biochem. Biophys. Res. Commun.* 324: 588-596.
- Rege NN (1996). Evaluation of hepatoprotective effects of *Tinospora cordifolia* Ph.D. Thesis. University, Mumbai, India Mumbai.
- Rege NN, Dahanukar SA (1993). Quantitation of microbicidal activity of mononuclear phagocytes: an *in vitro* technique. *J. Postgrad. Med.* 39: 22-25.
- Rege NN, Bapat RD, Koti R, Desai NK, Dahanukar SA (1993). Immunotherapy with *Tinospora cordifolia*: a new lead in the management of obstructive jaundice. *Indian J Gastroenterol.* 12: 5-8.
- Rege NN, Nazareth HM, Bapat RD, Dahanukar SA (1989). Modulation of immunosuppression in obstructive jaundice by *Tinospora cordifolia*. *Indian J. Med. Res.* 90: 478-483.
- Report of the Expert Committee on the Diagnosis and Classification of Diabetes Mellitus (ECD/CDM). (2003) *Diabetes Care.* 26.
- Retnam KR, DeBritt AJ (1988). Preliminary phytochemical screening of three medicinal plants of tirunelveli hills. *Journal of Economy Texas Botany* 22: 677-681.
- Rick W, Stegbauer HP (1970) α -Amylase. Messung der reduzierenden Gruppen. In: Bergmeyer H (Editor) *Methoden der enzymatischen Analyse*. Vol II, 2nd Ed.: 848-853.

- Rosler K, Goodwin RS, Mabry T, Varma SD, Norri J (1984). Flavonoids with anti-cataract activity from *Brickellia arguta*. *J. Nat. Prod.* 47: 316-319.
- Sadique J, Chandra T, Thenmozhi V, Elango V (1987). The antiinflammatory activity of *Enicostemma littorale* and *Mollugo cerviana*. *Biochemical Medicine and Metabolic Biology* 37: 167–176.
- Sankaran J (1984). An all India multicentric clinical survey on a herbal cure-tefroli for hepatitis. *J. Natl. Integ. Med. Ass.* 26: 255-261.
- Sarg T, Salam AN, El-Domiaty M, Khafagy S (1981). The steroid, triterpenoid and flavonoid constituents of *Eclipta alba* (L.) Hassk. (compositae) grown in Egypt. *Sci. Pharm.* 49: 262-264.
- Sarkar K, Ghosh A, Sil PC (2005). Preventive and curative role of 43K Da Protein from the leaves of *Cajanus indicus* L. on the thioacetamide induced hepatocytes in vivo. *Hepatology Research* 33: 39-49.
- Sarkar K, Sil PC (2006). A 43 kDa protein from the herb *Cajanus indicus* L. protects thioacetamide induced cytotoxicity in hepatocytes. *Toxicol In Vitro.* 20: 634–640.
- Sarma DN, Khosa RL, Sahai M (1995). Isolation of jatrorrhizine from *Tinospora cordifolia* roots. *Planta Med.* 61: 98-99.
- Sarma DNK, Khosa RL, Chansauria JPN, Ray AK (1995). Effect. of *T. cordifolia* on brain neurotransmitters in stressed rats. *Fitoterapia* 66: 421.
- Sarma DNK, Khosa RL, Chansauria JPN, Sahai M (1995). Antiulcer activity of *Tinospora cordifolia* Miers and *Centela asiatica* Linn. extracts. *Phytotherapy Research.* 9: 589.
- Saxena A, Singh B, Anand K (1993). Hepatoprotective effects of *Eclipta alba* on subcellular levels in rats. *J. Ethnopharmacol.* 40: 155-161.
- Schmezer P, Eckert C, Liegibel UM (1994). Tissue-specific induction of mutations by streptozotocin *in vivo*. *Mutat. Res.* 307: 495-499.
- Selby JV, Newman B, King MC. (1987) *Am. J. Epidem.* 125: 979-988.
- Shainkin R, Birk Y (1970). α -Amylase inhibitors from wheat. Isolation and characterization. *Biochim. Biophys. Acta* 221: 502–513.
- Shanmugasundaram ERB, Gopinath KL, Shanmugasundaram KR, Rajendran VM (1990a). Possible regeneration of the islets of langerhans in streptozotocin- diabetic rats given *Gymnema sylvestre* leaf extracts. *J. Ethnopharmacol.* 30: 265-279.
- Shanmugasundaram KR, Panneerselvam C, Samudram P, Shanmugasundaram ERB (1983). Enzyme changes and glucose utilization in diabetic rabbits. The effect of *Gymnema sylvestre* R.Br. *J. Ethnopharmacol.* 7: 205-234.
- Shanmugasundaram ERB, Rajeswari G, Baskaran K, Kumar BRR, Shanmugasundaram KR, Ahmath BK (1990b). Use of *Gymnema sylvestre* leaf extract in the control of blood glucose in insulin dependent diabetes mellitus. *J. Ethnopharmacol.* 30: 281-294.
- Sharma A, Singh R, Sehgal V, Handa SS (1991). Antihepatotoxic activity of some plants used in herbal formulations. *Fitoterapia* 62: 131-138.
- Shibano M, Kakutani K, Taniguchi M, Yasuda M, Baba K (2008). Antioxidant constituents in the dayflower (*Commelina communis* L.) and their α -glucosidase-inhibitory activity *Journal of Natural Medicines* 62: 349–353.
- Shim YJ, Doo HK, Ahn SY, Kim YS, Seong JK, Park IS, Kim BH (2003). Inhibitory effect of aqueous extract from the gall of *Rhus chinensis* on α -glucosidase activity and postprandial blood glucose. *J. Ethnopharmacol.* 85: 283–287.
- Sikroria BC, Srivastava SJ, Niranjana GS (1982). Phytochemical studies on *Eclipta alba*. *J. Indian Chem. Soc.* 59: 905.
- Singh B, Saxena K, Chandan B, Agarwal S, Bhatia M, Anand K (1993). Hepatoprotective effect of ethanolic extract of *Eclipta alba* on experimental liver damage in rats and mice. *Phytother. Res.* 7: 154-158.

- Singh N, Singh SM, Shrivastava P (2004). Immunomodulatory and antitumor actions of medicinal plant *Tinospora cordifolia* are mediated through activation of tumor-associated macrophages. *Immunopharmacol Immunotoxicol.* 26: 145-162.
- Singh P (1988). Naturally-occurring thiophene derivatives from *Eclipta* species. *Bioact. Mol.* 7: 179-186.
- Singh P, Bhargava S (1992). A dithienylacetylene ester from *Eclipta erecta*. *Phytochemistry* 31: 2883-2884.
- Singh P, Sharma A, Joshi K, Bohlmann F (1985). A further dithienylacetylene from *Eclipta erecta*. *Phytochemistry* 24: 615-616.
- Skett P (1994). Problems in using isolated and cultured hepatocytes for xenobiotic metabolism based toxicity testing solutions. *Toxicity in vitro* 3: 491-504.
- Sleight S, Wilson BA, Heimark DB, Larner J (2002). Gq/11 is involved in insulin stimulated inositol phosphogly can putative mediator generation in rat liver membranes: colocalization of Gq/11 with the insulin receptor in membrane vesicles. *Biochem. Biophys. Res. Comm.* 293:361-369.
- Sohni YR, Bhatt RM (1996). Activity of crude extract formulation in experimental hepatic amoebiasis and in immunomodulation studies. *J. Ethnopharmacol.* 54: 119-124.
- Sohni YR, Kaimal P, Bhatt RM (1995). The antiamebic effect of crude drug formulation of herbal extracts against *Entamoeba histolytica* in vitro and in vivo. *J. Ethnopharmacol.* 45: 43-52.
- Spinas GA (1999). The Dual Role of Nitric Oxide in Islet beta-Cells. *News Physiol. Sci.* 14: 49-54.
- Srinivasan M, Padmanabhan M, Prince PS (2005). Effect of aqueous *Enicostemma littorale* Blume extract on key carbohydrate metabolic enzymes, lipid peroxides and antioxidants in alloxan-induced diabetic rats. *Journal of Pharmacy and Pharmacology* 57: 497-503.
- Stanely M, Prince P, Menon VP (2000). Hypoglycaemic and other related actions of *Tinospora cordifolia* roots in alloxan-induced diabetic rats. *J. Ethnopharmacol.* 70: 9-15.
- Stanely M, Prince P, Menon VP (2001). Antioxidant action of *Tinospora cordifolia* root extract in alloxan diabetic rats. *Phytother. Res.* 15: 213-218.
- Stanely M, Prince P, Menon VP, Gunasekaran G (1999). Hypolipidaemic action of *Tinospora cordifolia* roots in alloxan diabetic rats. *J. Ethnopharmacol.* 64: 53-57.
- Steven WP, Elizabeth O, Meredith F, Richard HS (1994). Regulation of GLUT2 Glucose Transporter Expression in Liver by Thyroid Hormone: Evidence for Hormonal Regulation of the Hepatic Glucose Transport System. *Endocrinology* 134: 649-653
- Subramanian M, Chintalwar GJ, Chattopadhyay S (2002). Antioxidant properties of a *Tinospora cordifolia* polysaccharide against iron-mediated lipid damage and gamma ray induced protein damage. *Redox Rep.* 7: 137-143.
- Suryanarayana P, Kumar PA, Saraswat M, Petrash JM, Reddy GB (2004). Inhibition of aldose reductase by tannoid principles of *Emblica officinalis*: implications for the prevention of sugar cataract. *Mol. Vis.* 10: 148-154.
- Swaminathan K, Sinha UC, Bhatt RK, Sabata BK, Tavale SS (1989a). Structure of tinosporide, a diterpenoid furanolactone from *Tinospora cordifolia* Miers. *Acta Crystallogr. C* 45: 134-136.
- Swaminathan K, Sinha UC, Ramakumar S, Bhatt RK, Sabata BK (1989b). Structure of columbin, a diterpenoid furanolactone from *Tinospora cordifolia* Miers. *Acta Crystallogr. C* 45: 300-303.
- Tasaduq SA, Singh K, Sethi S, Sharma SC, Bedi KL, Singh J, Jaggi BS, Johri RK (2003). Hepatocurative and antioxidant profile of HP-1, a polyherbal phytomedicine. *Hum. Exp. Toxicol.* 22: 639-645.
- Tateki K, Helen YW, Mark P, Ichihara N, Makoto M, Hohan LKV, Yuan-Tsong C (1998). Clinical and Metabolic Correction of Pompe Disease by Enzyme Therapy in Acid Maltase deficient Quail. *Journal of Clinical Investigation* 101: 827-833.
- Thatte UM, Dahanukar SA (1988). Comparative study of immunomodulating activity of Indian medicinal plants, lithium carbonate and glucan. *Methods Find Exp. Clin. Pharmacol.* 10: 639-644.

- Thatte UM, Chhabria S, Karandikar SM, Dahanukar SA (1987). Immunotherapeutic modification of *E. coli* induced abdominal sepsis and mortality in mice by Indian medicinal plants. *Indian Drugs* 25: 95-97.
- Thatte UM, Dahanukar SA (1989). Immunotherapeutic modification of experimental infections by Indian medicinal plants. *Phytother. Res.* 3: 43-9.
- Thatte UM, Kulkarni MR, Dahanukar SA (1992). Immunotherapeutic modification of *Escherichia coli* peritonitis and bacteremia by *Tinospora cordifolia*. *J. Postgrad. Med.* 38: 13-15.
- Thatte UM, Rao SG, Dahanukar SA (1994). *Tinospora cordifolia* induces colony stimulating activity in serum. *J. Postgrad. Med.* 40: 202-203.
- The Ayurvedic Pharmacopoeia of India, 1989, Ministry of Health and Family Welfare, Department of Health, Govt. of India, part I, 1st Ed. vol. 1: 41.
- Thyagarajan S, Thiruneelakantan K, Subramanian S, Sundaravelu T (1982). *In vitro* inactivation of hbsag by *Eclipta alba* Hassk and *Phyllanthus niruri* L. *Indian J. Med. Res.* 76S: 124-130.
- Tinstorm A, Obrink B (1989). Distribution and dynamics of cell surface associated cell cam 105 in cultured rat hepatocytes. *Experiments in Cellular Research* 186: 132-142.
- Tiwari AK, Madhusudana JR (2002). Diabetes mellitus and multiple therapeutic approaches of phytochemicals: present status and future prospects. *Curr. Sci.* 83: 30-38.
- Tomlinson DR, Stevens EJ, Diemel L (1994). Aldose reductase inhibitors and their potential for the treatment of diabetic complications. *Trends. Pharm. Sci.* 15: 293-297.
- Triratana T, Pariyakanok P, Suwannuraks R, Naengchomnong W (1988). The study of medicinal herbs on coagulation mechanism. *J. Dent. Ass. Thailand* 38: 25-30.
- Ueda H, Kuroiwa E, Tachibana Y, Kawanishi K, Ayala F, Moriyasu M (2004). Aldose reductase inhibitors from the leaves of *Myrciaria dubia* (HB &K) McVaugh. *Phytomedicine* 11: 652-656.
- Upadhyay L, Mehrotra A, Srivastava AK, Rai NP, Tripathi K (2001). An experimental study of some indigenous drugs with special reference to hydraulic permeability. *Indian J. Exp. Biol.* 39: 1308-1310.
- Upadhyay UM, Goyal (2004). Efficacy of *Enicostemma littorale* in type 2 diabetic patients. *Phytotherapy Research* 18: 233-235.
- Usha D (1995). Immunomodulatory action of *Tinospora cordifolia*. M.D. Dissertation in Pharmacology, University of Mumbai, India.
- Vaishwanar I, Kowale C, Jiddewar G (1976). Effect of two ayurvedic drugs shilajeet & eclinol on changes in liver & serum lipids produced by carbon tetrachloride. *Indian J. Exp. Biol.* 14: 58.
- Vasu VT, Ashwinikumar C, Maroo J, Gupta S, Gupta S (2003). Antidiabetic effect of *Enicostemma littorale* Blume aqueous extract in newly diagnosed non-insulin-dependent diabetes mellitus patients (NIDDM): a preliminary investigation. *Oriental Pharmacy and Experimental Medicine* 3: 84-89.
- Vasu VT, Modi H, Thaikootathil JV, Gupta S (2005). Hypolipidaemic and antioxidant effect of *Enicostemma littorale* Blume aqueous extract in cholesterol fed rats. *J. Ethnopharmacol.* 101: 277-282.
- Vedavathy S, Rao KN (1991). Antipyretic activity of six indigenous medicinal plants of Tirumala Hills, Andhra Pradesh, India. *J. Ethnopharmacol.* 33: 193-196.
- Verpoorte R, Dihal P (1987). Medicinal plants of Surinam. IV. Antimicrobial activity of some medicinal plants. *J. Ethnopharmacol* 21: 315-318.
- Vijayasathya V, Sharma L, Prakash A (1981). Indigenous drug treatment for hemorrhoids. *Probe* 20: 285-287.
- Vijayvargia R, Kumar M, Gupta S (2000). Hypoglycemic effect of aqueous extract of *Enicostemma littorale* Blume (chhota chirayata) on alloxan induced diabetes mellitus in rats. *Indian Journal of Exp. Biol.* 38: 781-784.
- Vyas DS, Sharma VN, Sharma HK, Khanna NK (1979). Preliminary study of antidiabetic properties of *Aegle marmelos* and *Enicostemma littorale*. *Journal of Research in Indian Medicine* 14: 2-4.

- Wadood N, Wadood A, Shah SA (1992). Effect of *Tinospora cordifolia* on blood glucose and total lipid levels of normal and alloxan-diabetic rabbits. *Planta Med.* 58: 131-136.
- Wagner H, Fessler B (1986). In vitro 5-lipoxygenase inhibition by *Eclipta alba* extracts and the coumestan derivative wedelolactone. *Planta Med.* 5: 374-377.
- Wagner H, Geyer B, Kiso Y, Hikino H, Rao G (1986). Coumestans as the main active principles of the liver drugs *Eclipta alba* and *Wedelia calendulacea*-1. *Planta Med.* 5: 370-374.
- Wagner H, Ulrich-Merzenich G (2009). Synergy research: Approaching a new generation of phytopharmaceuticals *Phytomedicine* 16 (2009) 97–110
- Waltner-Law ME, Wang, XL, Law BK, Hall RK, Nawano M, Granner DK (2002). Epigallocatechin gallate, a constituent of green tea, represses hepatic glucose production. *Journal of Biol. Chem.* 277: 34933–34940.
- Walton FS, Harmon AW, Paul DS, Drobná Z, Patel YM, Styblo M (2004). Inhibition of insulin-dependent glucose uptake by trivalent arsenicals: possible mechanism of arsenic-induced diabetes. *Toxicol. Appl. Pharmacol.* 198: 424-33.
- Wang, Z, Ma C, Tang S, Xiao H, Kakiuchi N, Kida H, Hattori M (2008). Qualitative and Quantitative Analysis of Swertia Herbs by High Performance Liquid Chromatography-Diode Array Detector-Mass Spectrometry (HPLC-DAD-MS). *Chem. Pharm. Bull.* 56: 485-490.
- Warren RP, Warren RM, Weninger MG (1969). Inhibition of the sweet taste by *Gymnema sylvestre*. *Nature* 223: 94-95.
- Wikipedia. (2007) Insulin (<http://en.wikipedia.org/wiki/Insulin>. 1/7/2007).
- Wikipedia. (2007) Glucose Transporter (http://en.wikipedia.org/wiki/Glucose_transporter. 1/12/07).
- Wilson TH, Wiseman G (1954). The use of sacs of everted small intestine for the study of transference of substances from the mucosal to the serosal surface. *J. Physiol.* 123, 116-125.
- Wohlmuth H, Penman KG, Pearson T, Lehmann RP (2007). Swertisin chemotype of passionflower (*Passiflora incarnata* L.). *Planta Medica* 73: 918 [Abstract]
- Wolfender JL, Ndjoko K, Hostettmann KM (2001). The potential of LC-NMR in phytochemical analysis. *Phytochemical Analysis* 12: 2–22.
- Wong HY, Law PY, Ho YY (2006). Disease-associated Glut1 single amino acid substitute mutations S66F, R126C, and T295 constitute Glut1-deficiency states in vitro. *Molecular Genetics and Metabolism*. Doi:10.1016/j.ymgme.2006.09.002.
- World Health Organization. (WHO), (2006) Traditional Medicine Factsheet, <http://www.who.int/mediacentre/factsheets/fs134/en/>. 11/5/06.
- Yabe-Nishimura C (1998). Aldose reductase in glucose toxicity: a potential target for the prevention of diabetic complications. *Pharmacol. Rev.* 50: 21-33.
- Yanhong S, Michelle H, Ronald EM (2002). The Peroxisome Proliferator -Activated Receptor δ , an integrator of transcriptional repression and nuclear receptor signaling. *Proceedings of the National Academy of Science* 99: 2613-2618.
- Yuan-Tson C, Jun-Kun H, Jia-Huan D, Barbra BI (1987). Glycogen Debranching Enzyme: Purification, Antibody Characterization, and Immunoblot Analyses of Type III Glycogen Storage Disease. *American Journal of Human Genetics* 41: 1002-1015.
- Zhao TF, Wang X, Rimando AM, Che C (1991). Folkloric medicinal plants: *Tinospora sagittata* var. *cravaniana* and *Mahonia bealei*. *Planta Med.* 57: 505.
- Zheng M (1988). An experimental study of antiviral action of 472 herbs on Herpes simplex virus. *J. Trad. Chin. Med.* 8: 203-206.
- Zou J, Uchiyama M (1993), Chemical constituents of yerbadetajo (*Eclipta prostrata*). *Chung Ts'ao Yao* 24: 174-176.
- Zvezdana R, Doslov-Kokorus, Ivanovic ID, Simic MR, Vajs VE, Kovacevic NN (2006). The HPLC determination of the content of magnoflorine in *Epimedium alpinum* L. *J. Serb. Chem. Soc.* 71: 251–255.