Module V Audio Aids

Unit 6 Record Players

Instructional Objectives:

- 1. State the commonly used speeds of a record player.
- 2. Identify the parts of common record player.
- 3. Arrange in the serial order the operations required to operate HMV Fiesta.
- 4. Operate a record player (HMV Fiesta).
- 5. Record on a stereo reel to reel tape deck music from a stereo recorder HMV Fiesta to Sony reel to reel tape deck.
- 6. Identify a monophonic and stereophonic record player.
- 7. Identify 33 r.p.m., 45 r.p.m. and 78 r.p.m. records.

Module V - Audio Aids

Unit 6 Record Players

&NTRODUCTION: / ,

Among the various audio visual resources that give trainees incentive for learning, the records or recordings have proved to be both practical and effective. Of the many categories described so far under different modules, the audio categories are among the least expensive, the most easily made and having the most versatile application.

The record player and the records are one of the audio resources that are widely used in many self instructional and group situations. You may think that audio resources are unsuitable for skill training as you might not have the experience. But those of you who had taken any language course, can at least appreciate the efficacy of themedium and the difference it makes from normal classroom teaching, in the traditional pattern. Used widely in our country, at present, are the records for teaching language in Arabic, French, Russia etc., due to potential of getting jobs in the countries of Middle East and Europe. The records could very well be used in other vocational education and training as well, with as much ease and convenience if not better, as the language teaching.

We can use the **aural** instruction for skill **training also.** Many, "how to do jobs, can be done at your leisure, speed and convenience, using records. It can also effectively be used for performance tests. We will present to you in this module, an example of how performance test could be operated by a trainee/instructor with audio materials.

There is a wide range of record players available in our country and a variety of records are also available. Each record type is identified by diameter, playing speed, and stylus required. Now-a-days, the recorders are not provided with an amplifier, and the one without the amplifier is called turntable and the one with amplifier is called record player.

STANDARDS OF RECORDS:

- 1. Records of 7, 10 and 12 inches are available .
- 2. Speeds standardised in India are 33 1/3, 45 and 78 rpm.
- 3. Styluses available are 1 mil stylus for microgroove and monophonic records, 3 mil stylus for 78 rpm records, o.2 to 0.7 mil for stereophonic records.

Three important points to remember:-

- 1. Choose appropriate speed
- 2. Select appropriate stylus.
- 3. Select appropriate mode- monophonic or stereophonic.

We are giving you the experience of operating HMV Fiesta but you may use other record players and turntables also. Once you are capable of performing the task in one variety, other makes are also most similar. You can refer to manufacturers instructional manual. After you have attained mastery level, you may go and see turntables and record players of different makes in the Radio & TV Sections.


A GENERALISED AND COMMON RECORD PLAYER- Acquainting and operating the record player.

You are to use the audio cassette for this segment of the unit on Record Players, along with the accompanying drawing, and then again with the record player, or use the cassette with the actual record player and drawing at the same time. You should not take more than 20 minutes for the understanding of the principal parts and identify them, in the test item.

There is also a practical assignment, You must listen to the audio for the performance test, then identify tho parts and operate the recorder for playing two different variety of records.

Note that this does not require use of long sessions consuming too much time and make crecking your work difficult. What you need is:-

- b. As audio cassette and a cassette recorder to play the tape.
- c. A test/item in a jumbled format of the performance checklist, while you must complete, and a drawing where you will be required to mark the parts.
- d. A record player with 45 rpm and 33 1/3 rpm records.



Follow these instructions:-

- Keep cassette recorder on one side and record player on the other side, Keep the drawing and work-book conveniently on the table.
- 2. Run the taps until you hear cue sound a beep or bell.
- 3. The programme starts with the words "Now you are going to have a new experience of learning through an audio source as a part of self-learning process. You will first make yourself conversant with the basic controls and features of this record player.
- 4. Listen carefully the audio and you must do what you are told to do. Timing ofbreaks whereever given between sentences are for you to locate some parts or do an operation or write a response on your work-book. This must be strictly adhered otherwise you will be facing problems.
- 5. Whenever you are asked to stop the tape/cassette do press the pause button and release pause button after the noted timing. Now go ahead and practice.
- 6. You will fillup the performance checklist yourself after the lesson and submit to your instructor after which you will be given a performance test. The list given is in a jumbled form and you may fill in the number in seriation.

AUDIO SCRIPT FOR A GENERALISED RECORD PLAYER

- 1. Friends now you are going to have a new experience of learning through audio source as part of the self learning process. You will first make yourself conversant with the Fiesta basic controls and features of the record player.
- 2. Are you keeping your work-book in front of you? The drawing gives you all the principal parts of your record player. Study them carefully, Identify the corresponding part in the record player in front of you. Got it?
 Stud: carefully the drawing and locate the various parts.
 - Stud, carefully the drawing and locate the various parts on the 'HMV' Fiesta', which you are going to operate.
- 5. STOP the tape-recorder for 5 minutes and after identifying parts re-start. (press the pause button and release it after 5 minutes or as soon as you have finished the work assigned)
- 4. Did you get any difficulty? If so, contact your Training Officer for guidance. If not;

- 5. Cover the drawing where parts are provided, and take the second sheet of drawing, where we have given you the drawing without the name of the parts, but arrows of parts are shown. Now write the parts on this drawing for each arrow. STOP the cassette and then re-start. Do not take more than 5 minutes.
- 6. Did you locate correctly all the parts? Verify with the drawing you have wherein we have marked the parts. If every answer is correct, you may proceed further.
- 7. If not, you should go through the process again, until you are sure you have done your identifications 100% correctly. Remember that your knowledge of the parts is very essential to operate the equipment.
- 8. HERE YOU MAY EITHER STOP THE CASSETTE AND RE-DO THE PROCESS ALL AGAIN IF REQUIRED, OR PROCEED FURTHER.
- You will have to hand-over the sheet on which you have marked the parts to your instructor, at the end of the session. Ensuré this.
- 10. Are you ready to go ahead ? Shall we now go ahead with the operation of the record player ? O.K. We proceed now.
- 11. You must have placed your tape recorder on one side, and the record player in front of you on true horizontal surface. Check this, and be sure your record player is located properly.
- 12. If the speaker is not built in, insert the speaker plug in the speaker socket and
- 13. Place the speaker at a suitable location for listening.
- 14. Plug in power cord.
- 15. If the amplifier is not built in, connect to amplifier as shown in the drawing, Connect amplifier to the power and switch on amplifier.
- 16. In the model in our AV workshop, amplifier is built in.
- 17. Turn on the power switch of your record player.
- 18. You know the speed selector of your record player. Is not ? If not ? If you have doubt, you may refer to your drawing where parts are marked.
- 19. You are provided with two records. One is a 45 rpm and the other is 33 1/3 rpm. Now identify these as 45 and 33 1/3 by looking in the markings on the centre of the records.
- 20. You may now set the speed for the 45 rpm record.

- 21. As you will use the 45 rpm record first, take the same and keep it on the record player.
- 22. Select the proper stylus for this record.
- 23. Locate the pickup arm.
- 24. If your pickup arm has arm weight control, adjust it according to the type of the record.
- 25. Start the record player.
- 26. Unlock and lift the pickup arm.
- 27. Place the stylus gently in the run-in grove near the record edge.
- 28. Do not rub the stylus on the record and make scratches.
- 29. Adjust volume and tone controls.
- 30. After playing for one minute, lift arm vertically, and
- 31. replace it on its rest.
- 32. STOP the record player.
- 33. Remove record.
- 34. Now to use the second record, you rust re-adjust the speed to 33 1/3.
- 35. Select proper stylus.
- 36. Adjust pickup arm weight control, if provided.
- 37, Start your recorder, again
- 38. Unlock and lift the pickup arm, place the stylus gently on the record properly.
- 39. Adjust volume and tone control.
- 40. Play for one minute.
- 41. Lift arm vertically.
- 42. Replace on its rust and lock.
- 43. STOP the record player.
- 44. Remove record.
- 45. Turn off all switches
- 46. Set the speed control lever at OFF and disengage your turntable.
- 47. Disconnect the speaker (and amplifier if provided separately) and cords.
- 48. Place them in their positions.
- 49. Store all cords properly.
- 50. Close the lid and place it in position.

Module V Audio Aids Time: 10 min.
Unit 6 Record Player

Practical Exercise No:50.

A. PROBLEM

Use HMV Fiesta record player and play for 1 minute.

- 1. Setting up
- 2. Operating
- 3. Putting away

Fill in the jumbled list of the performance checklist and hand over the same to your instructor. Obtain correct sequence of operations and follow the same.

B. EQUIPMENT & MATERIALS

- 1. HMV Fiesta Record player.
- 2. Record(s) (45 rpm)


C. POINTS FOR GRADING

- 1. Setting up
- 2. Operating correctly.
- 3. Putting away
- 4. Faultless sequencing.

Time is the essence of this exercise. Strictly adhere to the timing given.

D.Deadline for the project: June 15th.

M V/5/Pr.Ex.50.



Module V

Record Players Unit

Practical Exercise No: 50

Performance Check list for Operating Record Player.

A. SETTING UP

- 1. Place and assemble gently on truly horizontal surface and open case.
- 2. Connect cords.
- 3. If the speaker is not built-in, insert speaker plugs in the speaker receptacles.
- 4. Place speaker at a suitable location for listening.
- 5. Turn on amplifier.
- 6. Turn on motor.

B. OPERATING

- 1. Select Speed, for 45 r.p.m.
- 2. And a 45 rpm record.
- 3. Keep record side 1 facing you on the turn table.
- 4. Select proper stylus for the record (45 r.p.m.).
- 5. Adjust pickup arm weight control if provided.
- 6. Start the turntable.
- 7. Unlock and lift the pickup arm.
- 8. Place the stylus gently in the run-in-groove near · record edge.
- 9. Play (1 minute).
- 10. Adjust volume.
- 11. Adjust tone.
- 12. When 1 minute is over, lift arm vertically and
- 13. Replace it on its rest.

M V/6/Pr.Ex.50(i)

C. PUTTING AWAY

- 1. Lock arm
- 2. Motor off
- 3. Release turntable
- 4. Amplifier off
- 5. Remove record.
- 6. Store all cords.
- 7. Lock lids.
- 8. Keep record player on track.

	Module	V	Audio Aids	
	Unit	6	Record Players	(50)
he	ceunder is r	not in a sequenc	operating record pose. Number 1,2,3, for A,B. and C sep	against each
Α.	SETTING UP		,	
	Turn o	on amplifier. on motor speaker, if the	ently on a truly hore ere is no built-in-s	speaker.
	Open t		s into the receptaci	Le.
_	r	i case.		•
В.	OPERATING			
		t speed of turnt t a 45 rpm recor	cable for 45 rpm red	oord.
	,	-	lus on record gently	·
		turntable.		
			/ side I on the reco	ord player.
		t proper stylus		
			pight if provided.	
		(and lift the p	oickup arm	
,		for one minute.		
	`	t volume.		
	Adjust			•
•	Lift a			
		ce it on rest.		,
€.	PUTTING WAL	<u> 1VA</u>		
	Lock a	erm		
	Amplif	ier off		-
	Remove	record		
	Releas	se turntable		
	Lock 1	lid		,
		all cords.	•	
	Motor			,
		in original pos	sition.	•
ſ	7 V/6/Pr.Ex/	'C 1-1		

_		•	KEY
	Module V	Audio Aids	·
	Unit 6	Record Players	(50)
P (erformance Check lis SETTING UP	st for Operating Record Pla	
	5 Turn on ampl: 6 Turn on motor 3 Place speaker	r, if there is no built—in— ker cords into the receptac	speaker.
B.	2 Select a 45 r 8 Place pickup 6 Start turntab 3 Place record 4 Select proper 5 Adjust pickup	arm stylus on record genticle. properly side I on the record. stylus for the record. arm weight if provided. ft the pickup arm. minute.	ly.
C.	PJTTING AWAY 1 Lock arm 4 Amplifier off 5 Remove record 3 Release turnts 7 Lock lid 6 Store all core 2 Mctr off 8 Place in orig: M V/6/Pr.Ex.50/Kc	able ds ~ inal positio ņ.	·

THE AND NOTE AND THE THE THE ANY ANY PARK AND AND THE	Same allek milit sagar spin filler filler filler sam			
Module V	Audio Aids	Time	10 m	inutos
Unit. 6	Record Players			`
محمد موجود الكامة والمن الموجد المجيد	هم چهند خود نبور کلک کسد سند بنید شده شده جوی میتره بهدر سند بدید بوین گفته کند بیش کات کات باشد	سر نے سید ۱۹۸۸ بیپرین		
Practical Exercise No: 51	Copying from a stereo	disc	to a	n .
audio tape (stereo):	•			

A. PROBLEM

Use sony tape deck TC 366, Phillips GA 242 turn table and phillips Radio AH 778 to record from a stereo record to a stereo tape.

- 1. Setting up
- 2. Operation.
- 3. Recording.
- 4. Playback.
- 5. Packup

Fill in the jumbled list of the performance checklist and hand over the same to your instructor. Obtain the correct sequence before start, and follow the same.

B. EQUIPMENT AND MATERIALS

- 1. Sony tape deck TC 366
- 2. Phillips GA 242 record player.
- 3. Phillips Radio AH 778.
- 4. Tape with reels.
- 5. Record(s). (33 r.p.m.)

C. POINTS FOR GRADING

- 1. Setting up.
- 2. Following correct sequence for operations.
- 3. Recording and playback.
- 4. Packing up.
 You must adhere to the timing.
 which is very important.
- D. Deadline for the project: June 15th.
- M V/5/Pr.Ex.51.

Module V Audio Aids Unit 6 Record Players

Practical Exercise No: 51

Performance Check list for Copying from a stereo disc to an audio tape (storeo).

A. SETTING UP

- 1. Place tape deck and amplifier on table.
- Place record player on table near and connect appropriately to tape decks and amplifier.
- 3. If there are no built in speakers, place speaker and connect appropriately to amplifier.
- 4. Select A/C power source in all the equipment.
- 5. Connect power cords.
- 6. Select speed of tape deck (4.8 cm/sec.)
- 7. Set speed of record player to 33 rpm.
- 8. Select 33 rpm record.
- 9. Check reol rotation with PLAY CONTROL.
- 10. Attach empty reel to wheel that turns.
- 11. Attach supply wheel to the other spindle.
- 12. Thread tape through record/play heads.
- 13. Engage tape end in the slot of take up reel.
- 14. Rotate both reels by hand for about $1\frac{1}{2}$ turns.
- 15. Push rubber caps on both spindles.

B. OPERATING

- Check tape deck for stop mode, if not keep it in stop mode.
- 2. Switch on power to tape deck/amplifier.
- 3. Rewind tape to starting point (take care that tape end does not leave spool).
- 4. Set counter to 000.
- 5. Koep record on turn table, side 1 facing you.
- 6. Select appropriate stylus (33 rpm).
- 7. Adjust pick up arm weight if provided.
- 8. Switch on record player.
- 9. Start turn table.
- 10. Unlock and lift pickup arm.
- 11. Place stylus gently on record edge in the run-in-groove. M V/6/Pr.Ex.51 (i)

C. RECORDING

- Engage record and play (forward) levers for stereo recording (press both L & R buttons).
- 2. Play record for 15 seconds.
- 3. Adjust volume control. The needle should not show red. mark on tape deck.
- 4. Stop Record, tape and rewind tape.
- 5. Check sound recorded. If unsatisfactory repeat 1 to 5. STOP tape and record.
- 6. If satisfactory, rewind again, bring to stop.
- 7. Engage record and play of tape deck.
- 8. Play record for 1 minute.
- 9. Stop tape and record.
- 10. Rewind tape to 000.

D. PLAYBACK

- 1. Bring tape deck control to play/Forward.
- 2. Adjust volume control.
- 3. Play fully 1 minute.
- 4. Lift pickup arm and lock in position.

E. PACK UP

- 1. Rewind tape.
- 2. Switch off tape deck, amplifier and record player.
- 3. Release turn table.
- 4. Remove record and store.
- 5. Remove reels, tape and all connecting cords and store.
- 6. Remove all accessories and store.
- 7. Lock lids.
- M V/6/Pr.Ex. 51 (ii)

la	lodule	v	Audio	 Nids		است مر
	√nit	6	Recor	d Players		
(stered	agains	ist for copying hereunder ist each step into ately.	s not in a	sequence. N	Number 1.	. 2 . 3
A. SETT	ING UP					
Profession, page con	Place	tape deck an	d amplifie	r on table.		
anta -arramenta	Place	e record playe opriately to t	r on table	near and cor	nnect •	
CONTRACTOR IN	If th	mere are no bu ect appropriat	ilt in spea	akers, place lifier.	speaker	and
Paralle Security Const.	Conne	ect power cord	s.			
ensemble and the	Selec	t //C power s	ource in a	ll the equi p o	nent.	
COMP AND MALES	Push	rubber caps o	n both spir	ndles.		
ELECTION THE SE	Engag	e tape end in	the slot o	of take up re	∍el.	
COLUMN PARTITION	Attac	h supply whee	l to the of	ther spindle.		
AND CORP. LONG. LANGE COMMISSION	Attac	ch empty reel	to wheel th	nat turns.	-	
**************************************	Seluc	t speed of ta	pe deck (4.	.8 cm/sec.).		
entremonitorio supertico	Set s	peed of recor	d player to	33 rpm.	÷	
No. of the Management of	Selec	t 33 rpm reco	rd.			
	Check	reel rotatio	n with PLAY	CONTROL.		
complete states, migraph	Threa	d tape throug	h record/pl	lay heads.		
400pmonus	Rotat	e both reels	by hand for	r about 1½ tu	ırns.	
B, OPER	ATING				,	
	· · · · · · · · · · · · · · · · · · ·	tann dock fo	- ctd-			
	stop	tape deck for mode.	r. arob wode	e, ii not kee	p it in	
Parameter Control	Rewin tape	d tape to sta end does not	rting point leave spool	(take care	that	
and the second	Switc	h on power to	tape deck/	amplifier.		
Edinological delication delicatio	Set c	ounter to 000	•			
	Keep :	record on tur	n table, si	de 1 facing	you.	
***************************************	Selec	t appropriate	stylus (33	3 rpm).		
SOME SECURICIES	Start	turn table.				
*CRONCOSCOVOS LOCA	Switch	h on record p	layer.			
na 11/2	:/n_ r	. E1/C 1 1			-	

В.	OPERATION (CONTD)
	Adjust pickup arm weight if provided. Place stylus gently on record edge in the run-in-groove. L'nlock and lift pickup arm.
С.	RECORDING
	Engage record . and play (forward) levers for stereo recording (Press both L & R buttons).
	Play record for 15 seconds.
	Adjust volume control. The needle should not show red mark on tape deck.
	Check sound recorded. If unsatisfactory repeat 1 to 5. STOP tape and record.
	Stop record, tape, and rewind tape.
	If satisfactory, rewind again, bring to stop.
	Engage record & play of tape deck.
	Play record for 1 minute.
	Stop tape and record.
	Rewind tape to 000.
D.	PLAYBACK
	Play fully 1 minute.
	Bring tape deck control to Play/Forward.
	Adjust volume control.
,	Lift pickup arm and lock in position.
Ε.	P.CKUP
	Switch off tape deck.
	Rewind tape.
	Remove record and store.
	Release turn table.
	Remove reels, tape and all connecting cords and store.
	Remove all accessories and store.
	Lock lids.

				KEY	
	 М	Module V Audi	io Aids	`	,
	_ <u>U</u>	lnit 6 Reco	ord Players	(<u>5</u> 1
		mance Check list for copying tape (stereo).	from a stereo	disc to a	Π
Â.	SETT	FING UP			
	· 1	Place tape deck and amplif	ier on table.		
	2	Place record player on table appropriately to tape deck		nect :	
	3	If there are no built in sp connect appropriately to an		speaker a	nc
	5	_ Connect power cords.			
	4	Select N/C power source in	all the equipm	e nt.	
	15	_ Push rubber caps on both sp	oindlés.		
	13	_ Engage tape end in the slo	t of take <mark>up r</mark> e	el.	
	11	_ Attach supply wheel to the	other spindle.		
	10	Attach empty reel to wheel	that turns.	•	
	6	_ Select speed of tape deck ((4.8 cm/sec.).		
	7	Set speed of record player	to 33 rpm.		
	8	Select 33 rpm record.			
	9	_ Check reel rotation with Pl	AY CONTROL.		
	12	_ Thread tape through record,	/Play heads.		
	14	_ Rotate both reels by hand	for about 1½ tu	rns.	
В.	OP ER	RATING			
		Check tape deck for stop mo stop mode.	ode, if not kee	p it in	
	3	Rewind tape to starting po- tape end does not leave sp	int (take care	that	
		_ Switch on power to tape de	ck/amplifier.		
	4	_ Set counter to 000.	,		
	5	_ Keep record on turn table,	side 1 facing	you.	
	6	_ Select appropriate stylus	(33 rpm).		
	9	_ Start turn table.	,		
	8	_ Switch on record pláyer.			


M V/6/Pr.Ex.51/KC 1-1

7 //djust pickup arm weight if provided. 11 Place stylus gently on record edge in the run-in-groove. 10 Unlock and lift pickup arm. C. RECORDING 1 Engage record and play (forward) levers for stereo recording (press both L & R buttons). 2 Play record for 15 seconds: 3 Adjust volume control. The needle should not show red mark on tape deck. Check sound recorded. If unsatisfactory repeat 1 to 5. STOP tape and record. 4 Stop record, tape, and rewind tape. 6 If satisfactory, rewind again, bring to stop. 7 Engage record & play of tape deck. 8 Play record for 1 minute. 9 Stop tape and record. 10 Rewind tape to 000. D. PLAYBACK 3 Play fully 1 minute. 1 Bring tape deck control to play/forward. 2 Adjust volume control. 4 Lift pickup arm and lock in position. E. PACK UP 2 Switch off tape deck, amplifier and record player. 1 Rewind tape. 4 · Remove record and store. 3 Release turn table. 5 Remove reels, tape and all connecting cords and store. 6 Remove all accessories and store.

M V/6/Pr.Ex.51/KC 1-2.

7 Lock lids.

	1					CRITERIO	N TEST	Γ	
	Module	V) was tune to the time to		AUDIO AIDS	wat ayn wa vitt on an ath thin ha	Time	***************************************	Mts.
	Unit	6			Record Pla	yers			
				the alph	nabet of cor swer in the				
1.		/3	rcial re	the fold cord play	lowing is <u>no</u> yer ?	t a commo	n spe	be	
	c. 78 d. 16 2		•	,					
2.	State t	he:	four asp	ects of .	identifying	records.			
	a. b. c.								
3.	practic In what	e i: re: den:	s one wh spect do	ich is d es this (that is ava ifferent fro differ ? Wh ecting to ot	om other t nat makes	urntal it to	oles act	
	a.								
	b.								
4.	HMV Fie		, the re		yer has only onophonic, s		_	and	
, z y	The same		ic) rec			speaker	(s)_(ō	ne,	
5.		ence		from Fie	rntable, wha sta record p			s	•
	a.								•
	b.			,					•
M	V/6-1/CT	•							



6.	Why is it necessary to use radio for playing some inexpensive turntable? What item(s) in the radio is made use of, while playing the record?
	a₊
	b.
7.	The sketch at the end is of a record player. Some of its parts are indicated by letters. Identify them by placing the letters against the corresponding name of parts given.
	speed selector stylus selector
	stylus ` speaker output
	tonepickup arm
	switch volume
	turn table speaker.
8.	Performance checklist for operating a record player is given in a jumbled form, under three different headings. Arrange them in order, under each sub head, by placing numbers in seriatim (1,2,3 etc.) in the sequence of operation to be done. Consider each subhead separately.
9.	Set up, load, and operate a record player- HMV Fiesta. Fix time schedule with the Training Officer.

-			 odule	·		/\ud:	ebin oi	• •	, ,		 :;
			nit			Rec	ord Play	/e r s			eng gen t
8.	The her	perf	 orman	ce chec	klist fo a sequen sequence	r opera ce. Nu	ting removed 1, B, and	cord p 2,3 C sep	layer gi agains	Lven st eac	h
	Α.	SETTI	NG UP		,			lu ban	fantal	surfa	ce à
,,					semble c	ently o	n a tru	TA HOT	12011001	00210	
		-			ifier.					,	. *
		-	Turn	on moto	or 		bud1	+1n-e	noaker :		,
,	ge.	100 mars - 10	Place	speake	er, if the	nere 15	UD DOTT		pount-s		**
					aker core	\$8 1NTO	tue rec	ahracr		x \$.	·
-		-	Dbeu	the cas	30.					• .	,
	В.	OP ER A	TING						•		
	•		Sálan	t sneet	d of turi	ntable f	or 45 r	pm rec	ord.		
		tangung and the Par			'rpm'rec	,				,	
	,	- Company		* 7	arm st	. ,	record	gently	/ • ·	<i>,</i> , ,	~
		-		turnt		, · · ·				-	
					d proper	lv side	I on th	e reco	ord play	er.	-
,	,				er stylu				ž.		
,		,			up arm		•				
	,				lift the	*		-			
		, ,			e minute						
		•	-	st volu	•	• / ·	, ,	΄ ι		, i	
	•	.,	_	st tone			•	,	(
			Lift	•	•	*,		٧.	,		
,			c		on rest.					r	
•	_	, 140,414,41							,		•
	/ U.	PULL	ING W			¥	,*	•			;
٠		-	Lock			•	•			•	•,
	,		, .	ifior o		÷ .	•		,		۲,
	•			VO 1000	·	.,				٠.,	h,
	-	•		ase tur	ntable		* 3,		•	•	
		-	Lock		•		•	•	*,		,
		***	-		ords.		,		-	•	,
		41-81-mp-s-base	•	r off '		**		,			
	1	* /	Plac	o in or	iginal p	position			•	٠,	•
	: .	m v/e	_3/6I		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1						
	1										r

KEY TO CRITERION TEST

Module V

AUDIO AIDS

Unit 6

Record Players.

- 1. State which one of the following is <u>not</u> a common speed of a commercial record player?
 - a. 33 1/3 rpm
 - b. 45 rpm
 - c. 78 rpm
- ** d. 16 2/3 rpm
- 2. State the four aspects of identifying records.
 - a. speed
 - b. diameter
 - c. type of stylus
 - d. mode of playing.
- 3. HMV Fiesta, record player, that is available for your practice is one which is different from other turntables. In what respect does this differ? What makes it to act independently without connecting to other equipment or a radio?
 - a. it has a built in amplifier.
 - b. the amplifier it does not require amplifying system.
- 4. HMV Fiesta, the record player has only one speaker, and it is a monophonic , requiring one speaker.
- 5. You have seen the Soney turntable, what is the main difference it has from Fiesta record player. What is the advantage?

It has stroboscope for Speed setting will be accurate.

6. Why is it necessary to use radio for playing some inexpensive turntable? What item(s) in the radio is made use of, while playing the record?

It has no amplifier.

Speaker and amplifier.

MV/6-1/KCT

7. The sketch at the end is of a record player. Some of its parts are indicated by letters. Identify them by placing the letters against the corresponding name of parts given.

A speed selector	D stylus selector
E stylus	J speaker output
<u>G</u> tone	C pickup arm
F switch	H volume
_B _ turn table	T speaker

- 8. Performance checklist for operating a record player is given in a jumbled form, under three different headings. Arrange them in order, under each sub head, by placing numbers in seriatim (1,2,3 etc.) in the sequence of operation to be done. Consider each subhead separately.

 Avairable of the sequence of operation to be done. Consider each subhead separately.

 Set up, load, and operate a record player—HMV Fiesta.
- Fix time schedule with the Training Officer.

Module V Audio Aids unit 6 Record Players 8. Performance Check list for Operating Record Player A. SETTING UP 1 Place and assemble gently on a truly horizontal surface. 5 Turn on amplifier 6 Tin on motor 3 Place speaker, if there is no built-in-speaker. 4 Plug in speaker cords into the receptacle. 2 Open the case. B. OPERATING 1 Select speed of turntable for 45 rpm record. 2 Select a 45 rpm record. 8 Place pickup arm stylus on record gently. 6 Start turntable. 3 Place record properly side I on the record player. 4 Select proper stylus for the record. 5 Adjust pickup arm weight if provided. 7 Unlock and lift the pickup arm. 9 Play for one minute. 10 Adjust volume 11 Adjust tone. 12 Lift arm 13 Replace it on rest. C. PUTTING AWAY 1 Lock arm 4 Amplifier off 5 Remove record 3 Release turntable 7 Lock lid 6 Store all cords 2 Mctgr off

8 Place in original position.

M V/6-3/KCT