

## LIST OF FIGURES

FIGURE NO	TITLE	PAGE NO.
1.01	The Healthy Gum Versus Diseased Gum	03
2.01	Biochemical Events In Periodontal Disease	15
2.02	Schematic Representation of A Healthy Human Tooth	17
2.03	Bacteria In Dental Plaque	18
2.04	Increased Numbers and Increasing Diversity of Bacteria In Dental Plaque	19
2.05	Theoretical Pathways By Which The Gingival Inflammatory response may impact systemic processes	22
2.06	Etiology of Periodontal Disease	25
2.07	Diagrammatic Representation of Pocket Formation	29
2.08	Pathogenesis of Periodontal Pocket Diseases	30
2.09	The Stages of Periodontal Diseases	30
3.01	Absorptivity Scan of Minocycline Hydrochloride In Distilled Water	102
3.02	Calibration Curve of Minocycline Hydrochloride In Distilled Water	103
3.03	Absorptivity Scans of Minocycline Hydrochloride In PBS 6.75	103
3.04	Calibration Curve of Minocycline Hydrochloride In PBS 6.75	104
3.05	Absorptivity Scan of Clindamycin Phosphate In Distilled Water	107
3.06	Calibration Curve of Clindamycin Phosphate In Distilled Water	107
3.07	Absorptivity Scan of Clindamycin Phosphate In PBS 6.75	108
3.08	Calibration Curve of Clindamycin Phosphate In PBS 6.75	108
4.01	Gelation Range of Pluronic F127 And Effect of Clindamycin Phosphate And Minocycline Hydrochloride Concentration	130
4.02	Gelation Range of Pluronic F127 and Effect of Different Concentration of PEG 1000	130
4.03	Gelation Range of Pluronic F127 and Effect of Different Concentration of Polycarbophil	131
4.04	Gelation Range of Pluronic F127 and Effect of Different Concentration of HPMC	131
4.05	Gelation Range of Pluronic F127 and Effect of Different Concentration of HEC	132
4.06	Gelation Range of Pluronic F127 and Effect of Different Concentration of PVP	132
4.07	Gelation Range of Pluronic F127 and Effect of Different Concentration of Carbopol 934P	133
4.08	Gelation Range of Pluronic F127 and Effect of Different Concentration of PVA	133
4.09	Gelation Range of Pluronic F127 and Effect of Different Concentration of Poly Acrylic	134
4.10	Gelation Range of Pluronic F127 and Effect of Different Concentration of 0.5% NaOH	134
4.11	Enthalpy of Gelation of Pluronic F127 and Effect of Minocycline Hydrochloride	135
4.12	Enthalpy of Gelation of Pluronic F127 and PEG 1000	135
4.13	Enthalpy of Gelation of Pluronic F127 and Effect of Polycarbophil	136
4.14	Enthalpy of Gelation of Pluronic F127 and Effect of HPMC	136
4.15	Enthalpy of Gelation of Pluronic F127 and Effect of HEC	137
4.16	Enthalpy of Gelation of Pluronic F127 and Effect of PVP	137
4.17	Enthalpy of Gelation of Pluronic F127 and Effect of Carbopol 934P	138

4.18	Enthalpy of Gelation of Pluronic F127 and Effect of PVA	138
4.19	Enthalpy of Gelation of Pluronic F127 and Effect of Poly Acrylic Acid	139
4.20	Enthalpy of Gelation of Pluronic F127 And Effect of 0.5% NaOH	139
4.21	Effect of Temperature on The Viscosity of Various Polycarbophil-Pluronic F127 Periodontal Gels With Varying Concentration of Pluronic F127 Along With 0.2 % w/w Polycarbophil and 1% w/w Minocycline Hydrochloride Measured At $10\text{ S}^{-1}$ Shear Rate	147
4.22	Effect of Temperature on The Viscosity of Various Polycarbophil-Pluronic F127 Periodontal Gels With Varying Concentration of Pluronic F127 Along With 0.3 % w/w Polycarbophil and 1% w/w Minocycline Hydrochloride Measured At $10\text{ S}^{-1}$ Shear Rate	147
4.23	Effect of Temperature on The Viscosity of Various Polycarbophil-Pluronic F127 Periodontal Gels With Varying Concentration of Pluronic F127 Along With 0.4 % w/w Polycarbophil and 1% w/w Minocycline Hydrochloride Measured At $10\text{ S}^{-1}$ Shear Rate	148
4.24	Effect of Temperature on The Viscosity of Various Polycarbophil-Pluronic F127 Periodontal Gels With Varying Concentration of Pluronic F127 Along With 0.5 % w/w Polycarbophil and 1% w/w Minocycline Hydrochloride Measured At $10\text{ S}^{-1}$ Shear Rate.	148
4.25	Effect of Temperature on The Viscosity of Various Polycarbophil-Pluronic F127 Periodontal Gels With Varying Concentration of Pluronic F127 Along With 0.2 % w/w Polycarbophil and 1% w/w Clindamycin Phosphate Measured At $10\text{ S}^{-1}$ Shear Rate.	149
4.26	Effect of Temperature on The Viscosity of Various Polycarbophil-Pluronic F127 Periodontal Gels With Varying Concentration of Pluronic F127 Along With 0.3 % w/w Polycarbophil and 1% w/w Clindamycin Phosphate Measured At $10\text{ S}^{-1}$ Shear Rate.	149
4.27	Effect of Temperature on The Viscosity of Various Polycarbophil-Pluronic F127 Periodontal Gels With Varying Concentration of Pluronic F127 Along With 0.4 % w/w Polycarbophil and 1% w/w Clindamycin Phosphate Measured At $10\text{ S}^{-1}$ Shear Rate.	150
4.28	Effect of Temperature on The Viscosity of Various Polycarbophil-Pluronic F127 Periodontal Gels With Varying Concentration of Pluronic F127 Along With 0.5 % w/w Polycarbophil and 1% w/w Clindamycin Phosphate Measured At $10\text{ S}^{-1}$ Shear Rate.	150
4.29	The Diagrammatic Representation of Mucoadhesive Strength of Mixed Mucoadhesive Periodontal Gels of Polycarbophil- Pluronic F127	158
4.30	Cumulative Percentage Release Profile of Minocycline Hydrochloride In $\text{mcg/cm}^2$ From Polycarbophil - Pluronic F127 Thermoreversible Periodontal Gel	160
4.31	Cumulative Percentage Release Profile of Clindamycin Phosphate In $\text{mcg/cm}^2$ From Polycarbophil - Pluronic F127 Thermoreversible Periodontal Gel	161
4.32	Cumulative Permeation Profile of Minocycline Hydrochloride From Polycarbophil - Pluronic F127 Thermoreversible Periodontal Gel	165
4.33	Cumulative Permeation Profile of Clindamycin Phosphate From Polycarbophil - Pluronic F127 Thermoreversible Periodontal Gel	166
4.34	Effect of Temperature on The Viscosity of Various HPMC-Pluronic F127 Periodontal Gels With Varying Concentration of Pluronic F127 Along With 0.25 % w/w HPMC and 1% w/w Minocycline Hydrochloride Measured At $10\text{ S}^{-1}$ Shear Rate.	175
4.35	Effect of Temperature on The Viscosity of Various HPMC-Pluronic F127 Periodontal Gels With Varying Concentration of Pluronic F127 Along With 0.50 % w/w HPMC and 1% w/w Minocycline	176

	Hydrochloride Measured At $10\text{ S}^{-1}$ Shear Rate.	
4.36	Effect of Temperature on The Viscosity of Various HPMC-Pluronic F127 Periodontal Gels With Varying Concentration of Pluronic F127 Along With 0.75 % w/w HPMC and 1% w/w Minocycline Hydrochloride Measured At $10\text{ S}^{-1}$ Shear Rate.	176
4.37	Effect of Temperature on The Viscosity of Various HPMC-Pluronic F127 Periodontal Gels With Varying Concentration of Pluronic F127 Along With 0.25 % w/w HPMC and 1% w/w Clindamycin Phosphate Measured At $10\text{ S}^{-1}$ Shear Rate.	177
4.38	Effect of Temperature on The Viscosity of Various HPMC-Pluronic F127 Periodontal Gels With Varying Concentration of Pluronic F127 Along With 0.50 % w/w HPMC and 1% w/w Clindamycin Phosphate Measured At $10\text{ S}^{-1}$ Shear Rate.	177
4.39	Effect of Temperature on The Viscosity of Various HPMC-Pluronic F127 Periodontal Gels With Varying Concentration of Pluronic F127 Along With 0.75 % w/w HPMC And 1% w/w Clindamycin Phosphate Measured At $10\text{ S}^{-1}$ Shear Rate.	178
4.40	The Diagrammatic Representation of Mucoadhesive Strength of Mixed Mucoadhesive Periodontal Gels of HPMC- Pluronic F127	179
4.41	Cumulative Percentage Release Profile of Minocycline Hydrochloride In $\text{mcg}/\text{cm}^2$ From HPMC - Pluronic F127 Thermoreversible Periodontal Gel	181
4.42	Cumulative Percentage Release Profile of Clindamycin Phosphate In $\text{mcg}/\text{cm}^2$ From HPMC - Pluronic F127 Thermoreversible Periodontal Gel	182
4.43	Cumulative Permeation Profile of Minocycline Hydrochloride From HPMC - Pluronic F127 Thermoreversible Periodontal Gel	185
4.44	Cumulative Permeation Profile of Clindamycin Phosphate From HPMC - Pluronic F127 Thermoreversible Periodontal Gel	186
4.45	Effect of Temperature on The Viscosity of Various HEC-Pluronic F127 Periodontal Gels With Varying Concentration of Pluronic F127 Along With 0.25 % w/w HEC and 1% w/w Minocycline Hydrochloride Measured At $10\text{ S}^{-1}$ Shear Rate.	194
4.46	Effect of Temperature on The Viscosity of Various HEC-Pluronic F127 Periodontal Gels With Varying Concentration of Pluronic F127 Along With 0.50 % w/w HEC And 1% w/w Minocycline Hydrochloride Measured At $10\text{ S}^{-1}$ Shear Rate.	195
4.47	Effect of Temperature on The Viscosity of Various HEC-Pluronic F127 Periodontal Gels With Varying Concentration of Pluronic F127 Along With 0.75 % w/w HEC And 1% w/w Minocycline Hydrochloride Measured At $10\text{ S}^{-1}$ Shear Rate	195
4.48	Effect of Temperature on The Viscosity of Various HEC-Pluronic F127 Periodontal Gels With Varying Concentration of Pluronic F127 Along With 0.25 % w/w HEC and 1% w/w Clindamycin Phosphate Measured At $10\text{ S}^{-1}$ Shear Rate	196
4.49	Effect of Temperature on The Viscosity of Various HEC-Pluronic F127 Periodontal Gels With Varying Concentration of Pluronic F127 Along With 0.50 % w/w HEC And 1% w/w W Clindamycin Phosphate Measured At $10\text{ S}^{-1}$ Shear Rate	196
4.50	Effect of Temperature on The Viscosity of Various HEC-Pluronic F127 Periodontal Gels With Varying Concentration of Pluronic F127 Along With 0.75 % w/w HEC and 1% w/w Clindamycin Phosphate Measured At $10\text{ S}^{-1}$ Shear Rate	197
4.51	The Diagrammatic Representation of Mucoadhesive Strength of Mixed Mucoadhesive Periodontal Gels of HEC- Pluronic F127	198
4.52	Cumulative Percentage Release Profile of Minocycline Hydrochloride In	200

	mcg/cm <sup>2</sup> From HEC - Pluronic F127 Thermoreversible Periodontal Gel	
4.53	Cumulative Percentage Release Profile of Clindamycin Phosphate In mcg/cm <sup>2</sup> From HEC - Pluronic F127 Thermoreversible Periodontal Gel	201
4.54	Cumulative Permeation Profile of Minocycline Hydrochloride From HEC - Pluronic F127 Thermoreversible Periodontal Gel	204
4.55	Cumulative Permeation Profile of Clindamycin Phosphate From HEC - Pluronic F127 Thermoreversible Periodontal Gel	205
4.56	Effect of Temperature on The Viscosity of Various PVP-Pluronic F127 Periodontal Gels With Varying Concentration of Pluronic F127 Along With 0.50 % w/w PVP and 1% w/w Minocycline Hydrochloride Measured At 10 S <sup>-1</sup> Shear Rate	214
4.57	Effect of Temperature on The Viscosity of Various PVP-Pluronic F127 Periodontal Gels With Varying Concentration of Pluronic F127 Along With 1.00 % w/w PVP and 1% w/w Minocycline Hydrochloride Measured At 10 S <sup>-1</sup> Shear Rate	214
4.58	Effect of Temperature on The Viscosity of Various PVP-Pluronic F127 Periodontal Gels With Varying Concentration of Pluronic F127 Along With 2.00 % w/w PVP and 1% w/w Minocycline Hydrochloride Measured At 10 S <sup>-1</sup> Shear Rate	215
4.59	Effect of Temperature on The Viscosity of Various PVP-Pluronic F127 Periodontal Gels With Varying Concentration of Pluronic F127 Along With 0.50 % w/w PVP and 1% w/w Clindamycin Phosphate Measured At 10 S <sup>-1</sup> Shear Rate.	215
4.60	Effect of Temperature on The Viscosity of Various PVP-Pluronic F127 Periodontal Gels With Varying Concentration of Pluronic F127 Along With 1.00 % w/w PVP and 1% w/w Clindamycin Phosphate Measured At 10 S <sup>-1</sup> Shear Rate	216
4.61	Effect of Temperature on The Viscosity of Various PVP-Pluronic F127 Periodontal Gels With Varying Concentration of Pluronic F127 Along With 2.00 % w/w PVP and 1% w/w Clindamycin Phosphate Measured At 10 S <sup>-1</sup> Shear Rate	216
4.62	The Diagrammatic Representation of Mucoadhesive Strength of Mixed Mucoadhesive Periodontal Gels of PVP- Pluronic F127	218
4.63	Cumulative Percentage Release Profile of Minocycline Hydrochloride In mcg/cm <sup>2</sup> From PVP - Pluronic F127 Thermoreversible Periodontal Gel	220
4.64	Cumulative Percentage Release Profile of Clindamycin Phosphate In mcg/cm <sup>2</sup> From PVP - Pluronic F127 Thermoreversible Periodontal Gel	221
4.65	Cumulative Permeation Profile of Minocycline Hydrochloride From PVP-Pluronic F127 Thermoreversible Periodontal Gel	224
4.66	Cumulative Permeation Profile of Clindamycin Phosphate From PVP - Pluronic F127 Thermoreversible Periodontal Gel	225
4.67	Effect of Temperature on The Viscosity of Various Carbopol 934P-Pluronic F127 Periodontal Gels With Varying Concentration of Pluronic F127 Along With 0.20 % w/w Carbopol 934P and 1% w/w Minocycline Hydrochloride Measured At 10 S <sup>-1</sup> Shear Rate	235
4.68	Effect of Temperature on The Viscosity of Various Carbopol 934P-Pluronic F127 Periodontal Gels With Varying Concentration of Pluronic F127 Along With 0.30 % w/w Carbopol 934P and 1% w/w Minocycline Hydrochloride Measured At 10 S <sup>-1</sup> Shear Rate	235
4.69	Effect of Temperature on The Viscosity of Various Carbopol 934P-Pluronic F127 Periodontal Gels With Varying Concentration of Pluronic F127 Along With 0.40 % w/w Carbopol 934P and 1% w/w Minocycline Hydrochloride Measured At 10 S <sup>-1</sup> Shear Rate	236
4.70	Effect of Temperature on The Viscosity of Various Carbopol 934P-	236

	Pluronic F127 Periodontal Gels With Varying Concentration of Pluronic F127 Along With 0.50 % w/w Carbopol 934P and 1% w/w Minocycline Hydrochloride Measured At 10 S <sup>-1</sup> Shear Rate	
4.71	Effect of Temperature on The Viscosity of Various Carbopol 934P-Pluronic F127 Periodontal Gels With Varying Concentration of Pluronic F127 Along With 0.20 % w/w Carbopol 934P and 1% w/w Clindamycin Phosphate Measured At 10 S <sup>-1</sup> Shear Rate	237
4.72	Effect of Temperature on The Viscosity of Various Carbopol 934P-Pluronic F127 Periodontal Gels With Varying Concentration of Pluronic F127 Along With 0.30 % w/w Carbopol 934P and 1% w/w Clindamycin Phosphate Measured At 10 S <sup>-1</sup> Shear Rate	237
4.73	Effect of Temperature on The Viscosity of Various Carbopol 934P-Pluronic F127 Periodontal Gels With Varying Concentration of Pluronic F127 Along With 0.40 % w/w Carbopol 934P and 1% w/w Clindamycin Phosphate Measured At 10 S <sup>-1</sup> Shear Rate	238
4.74	Effect of Temperature on The Viscosity of Various Carbopol 934P-Pluronic F127 Periodontal Gels With Varying Concentration of Pluronic F127 Along With 0.50 % w/w Carbopol 934P and 1% w/w Clindamycin Phosphate Measured At 10 S <sup>-1</sup> Shear Rate	238
4.75	The Diagrammatic Representation of Mucoadhesive Strength of Mixed Mucoadhesive Periodontal Gels of Carbopol 934P- Pluronic F127	240
4.76	Cumulative Percentage Release Profile of Minocycline Hydrochloride In mcg/cm <sup>2</sup> From Carbopol 934P - Pluronic F127 Thermoreversible Periodontal Gel	242
4.77	Cumulative Percentage Release Profile of Clindamycin Phosphate From Carbopol 934P - Pluronic F127 Thermoreversible Periodontal Gel	243
4.78	Cumulative Permeation Profile of Minocycline Hydrochloride From Carbopol 934P - Pluronic F127 Thermoreversible Periodontal Gel	247
4.79	Cumulative Permeation Profile of Clindamycin Phosphate From Carbopol 934P - Pluronic F127 Thermoreversible Periodontal Gel	248
4.80	Effect of Temperature on The Viscosity of Various PVA-Pluronic F127 Periodontal Gels With Varying Concentration of Pluronic F127 Along With 0.50 % w/w PVA and 1% w/w Minocycline Hydrochloride Measured At 10 S <sup>-1</sup> Shear Rate	257
4.81	Effect of Temperature on The Viscosity of Various PVA-Pluronic F127 Periodontal Gels With Varying Concentration of Pluronic F127 Along With 1.00 % w/w PVA and 1% w/w Minocycline Hydrochloride Measured At 10 S <sup>-1</sup> Shear Rate	257
4.82	Effect of Temperature on The Viscosity of Various PVA-Pluronic F127 Periodontal Gels With Varying Concentration of Pluronic F127 Along With 2.00 % w/w PVA and 1% w/w Minocycline Hydrochloride Measured At 10 S <sup>-1</sup> Shear Rate	258
4.83	Effect of Temperature on The Viscosity of Various PVA-Pluronic F127 Periodontal Gels With Varying Concentration of Pluronic F127 Along With 0.50 % w/w PVA and 1% w/w Clindamycin Phosphate Measured At 10 S <sup>-1</sup> Shear Rate	258
4.84	Effect of Temperature on The Viscosity of Various PVA-Pluronic F127 Periodontal Gels With Varying Concentration of Pluronic F127 Along With 1.00 % w/w PVA and 1% w/w Clindamycin Phosphate Measured At 10 S <sup>-1</sup> Shear Rate	259
4.85	Effect of Temperature on The Viscosity of Various PVA-Pluronic F127 Periodontal Gels With Varying Concentration of Pluronic F127 Along With 2.00 % w/w PVA and 1% w/w Clindamycin Phosphate Measured At 10 S <sup>-1</sup> Shear Rate	259

4.86	The Diagrammatic Representation of Mucoadhesive Strength of Mixed Mucoadhesive Periodontal Gels of PVA- Pluronic F127	260
4.87	Cumulative Percentage Release Profile of Minocycline Hydrochloride In mcg/cm <sup>2</sup> From PVA - Pluronic F127 Thermoreversible Periodontal Gel	262
4.88	Cumulative Percentage Release Profile of Clindamycin Phosphate In mcg/cm <sup>2</sup> From PVA - Pluronic F127 Thermoreversible Periodontal Gel	263
4.89	Cumulative Permeation Profile of Minocycline Hydrochloride From PVA - Pluronic F127 Thermoreversible Periodontal Gel	266
4.90	Cumulative Permeation Profile of Clindamycin Phosphate From PVA - Pluronic F127 Thermoreversible Periodontal Gel	267
4.91	Effect of Temperature on The Viscosity of Various Poly Acrylic Acid-Pluronic F127 Periodontal Gels With Varying Concentration of Pluronic F127 Along With 0.50 % w/w Poly Acrylic Acid and 1% w/w Minocycline Hydrochloride Measured At 10 S <sup>-1</sup> Shear Rate	276
4.92	Effect of Temperature on The Viscosity of Various Poly Acrylic Acid-Pluronic F127 Periodontal Gels With Varying Concentration of Pluronic F127 Along With 1.00 % w/w Poly Acrylic Acid and 1% w/w Minocycline Hydrochloride Measured At 10 S <sup>-1</sup> Shear Rate	276
4.93	Effect of Temperature on The Viscosity of Various Poly Acrylic Acid-Pluronic F127 Periodontal Gels With Varying Concentration of Pluronic F127 Along With 2.00 % w/w Poly Acrylic Acid and 1% w/w Minocycline Hydrochloride Measured At 10 S <sup>-1</sup> Shear Rate	277
4.94	Effect of Temperature on The Viscosity of Various Poly Acrylic Acid-Pluronic F127 Periodontal Gels With Varying Concentration of Pluronic F127 Along With 0.50 % w/w Poly Acrylic Acid and 1% w/w Clindamycin Phosphate Measured At 10 S <sup>-1</sup> Shear Rate	277
4.95	Effect of Temperature on The Viscosity of Various Poly Acrylic Acid-Pluronic F127 Periodontal Gels With Varying Concentration of Pluronic F127 Along With 1.00 % w/w Poly Acrylic Acid and 1% w/w Clindamycin Phosphate Measured At 10 S <sup>-1</sup> Shear Rate	278
4.96	Effect of Temperature on The Viscosity of Various Poly Acrylic Acid-Pluronic F127 Periodontal Gels With Varying Concentration of Pluronic F127 Along With 2.00 % w/w Poly Acrylic Acid and 1% w/w Clindamycin Phosphate Measured At 10 S <sup>-1</sup> Shear Rate	278
4.97	The Diagrammatic Representation of Mucoadhesive Strength of Mixed Mucoadhesive Periodontal Gels of PAA- Pluronic F127	279
4.98	Cumulative Percentage Release Profile of Minocycline Hydrochloride In mcg/cm <sup>2</sup> From PAA - Pluronic F127 Thermoreversible Periodontal Gel	281
4.99	Cumulative Percentage Release Profile of Clindamycin Phosphate From PAA - Pluronic F127 Thermoreversible Periodontal Gel	282
4.100	Cumulative Permeation Profile of Minocycline Hydrochloride From PAA - Pluronic F127 Thermoreversible Periodontal Gel	285
4.101	Cumulative Permeation Profile of Clindamycin Phosphate From PAA - Pluronic F127 Thermoreversible Periodontal Gel	286
5.01	Swelling Index of Plain Periodontal Strips In PBS pH6.75	315
5.02	Swelling Index of Plain Periodontal Strips In Distilled Water	315
5.03	Swelling Index of Minocycline Hydrochloride Loaded Periodontal Strips In PBS pH 6.75	316
5.04	Swelling Index of Minocycline Hydrochloride Loaded Periodontal Strips In Distilled Water	316
5.05	Swelling Index of Clindamycin Phosphate Loaded Periodontal Strips In PBS pH 6.75	317
5.06	Swelling Index of Clindamycin Phosphate Loaded Periodontal Strips In	317

	Distilled Water	
5.07	The Diagrammatic Representation of Mucoadhesive Strength of Plain, Minocycline Hydrochloride/ Clindamycin Phosphate Loaded PVA Periodontal Strips	321
5.08	The Diagrammatic Representation of Mucoadhesive Strength of Plain, Minocycline Hydrochloride/ Clindamycin Phosphate Loaded HPMC Periodontal Strips	321
5.09	Cumulative Release Profile of Minocycline Hydrochloride In mcg In Periodontal Strips	325
5.10	Cumulative Release Profile of Clindamycin Phosphate In mcg In Periodontal Strips	326
5.11	Cumulative Permeation Profile of Minocycline Hydrochloride In mcg In Periodontal Strips	329
5.12	Cumulative Permeation Profile of Clindamycin Phosphate In mcg In Periodontal Strips	330
5.13	FTIR Data of MnHCl-PVA Periodontal Strip	332
5.14	FTIR Data of MnHCl-HPMC Periodontal Strip	333
5.15	FTIR Data of ClPO <sub>4</sub> -HPMC Periodontal Strip	334
5.16	FTIR Data of ClPO <sub>4</sub> -PVA Periodontal Strip	335
6.01	SEM photograph of whole image of formulation MMF01, 02 and 03 at 694X	355
6.02	SEM photograph of whole image of formulation CMF01, 02 and 03 at 694X	355
6.03	Particle size distribution of minocycline hydrochloride loaded ethyl cellulose microspheres	355
6.04	Particle size distribution of clindamycin phosphate loaded ethyl cellulose microspheres	356
6.05	Mucoadhesive strength of minocycline hydrochloride/ clindamycin phosphate loaded periodontal microspheres	359
6.06	Cumulative percentage release profile of minocycline hydrochloride in mcg/cm <sup>2</sup> from periodontal microspheres	362
6.07	Cumulative % release profile of clindamycin phosphate in mcg/cm <sup>2</sup> from periodontal microspheres	362
6.08	In vitro permeation study of minocycline hydrochloride/ clindamycin phosphate loaded mucoadhesive periodontal microspheres	365
6.09	FTIR Data of MnHCl-ethyl cellulose Periodontal Microsphere	367
6.10	FTIR Data of ClPO <sub>4</sub> -ethyl cellulose Periodontal Microsphere	368
7.01	Flow Chart For The Preparation of Conventional Liposomes Containing Minocycline Hydrochloride/ Clindamycin Phosphate	379
7.02	Photomicrograph of Conventional Liposome Containing Minocycline Hydrochloride	380
7.03	Photomicrograph of Conventional Liposome Containing Clindamycin Phosphate	380
7.04	TEM of Conventional Liposome Containing Minocycline Hydrochloride	381
7.05	TEM of Conventional Liposome Containing Clindamycin Phosphate	381
7.06	Mucoadhesive Strength of Minocycline Hydrochloride/ Clindamycin Phosphate Loaded Periodontal Liposomes	393
7.07	In Vitro Release Profile of Minocycline Hydrochloride From Conventional Periodontal Liposome Gel	395
7.08	In Vitro Release Profile of Clindamycin Phosphate From Conventional Periodontal Liposome Gel	396

7.09	In Vitro Permeation Profile of Minocycline Hydrochloride From Conventional Periodontal Liposome Gel	399
7.10	In Vitro Permeation Profile of Clindamycin Phosphate From Conventional Periodontal Liposome Gel	400
8.01	The Key Components of A Typical Scintillation Counter	407
8.02	Effect of pH on Radio Labeling Efficiency of Minocycline Hydrochloride And Its Periodontal Formulations	412
8.03	Effect of pH on Radio Labeling Efficiency of Clindamycin Phosphate And Its Periodontal Formulations	413
8.04	Effect of Incubation Time on Radio Labeling Efficiency of Minocycline Hydrochloride and Its Periodontal Formulations	413
8.05	Effect of Incubation Time on Radio Labeling Efficiency of Clindamycin Phosphate and Its Periodontal Formulations	414
9.01	Blood kinetic of $^{99m}\text{Tc}$ labeled minocycline hydrochloride and their periodontal formulations in rabbits	422
9.02	Blood kinetic of $^{99m}\text{Tc}$ labeled clindamycin phosphate and their periodontal formulations in rabbits	423
9.03	Gamma scintigraphy image of $^{99m}\text{Tc}$ minocycline hydrochloride/ clindamycin phosphate injected rat bearing the periodontium in the oral cavity	425