

II. LIST OF TABLES

Table No.	Title	Page No.
2.1	Comparative profile of different regions in buccal cavity	16
4.1	Calibration plot of salbutamol sulphate in distilled water	82
4.2	Calibration plot of salbutamol sulphate in 0.1 N HCl	83
4.3	Calibration plot of salbutamol sulphate in simulated saliva (pH 6.8)	84
4.4	Calibration plot of salbutamol sulphate in simulated gastrointestinal fluid (pH 1.2)	85
4.5	Calibration plot of ondansetron hydrochloride in distilled water	86
4.6	Calibration plot of ondansetron hydrochloride in 0.1 N HCl	87
4.7	Calibration plot of ondansetron hydrochloride in simulated saliva (pH 6.8)	88
4.8	Calibration plot of ondansetron hydrochloride in gastrointestinal fluid (pH 1.2)	89
4.9	Calibration plot of lamotrigine in distilled water	90
4.10	Calibration plot of lamotrigine in 0.1 N HCl	91
4.11	Calibration plot of lamotrigine in simulated saliva (pH 6.8)	92
4.12	Calibration plot of lamotrigine in gastrointestinal fluid (pH 1.2)	93
4.13	Extraction efficiency of salbutamol sulphate from rabbit plasma at various concentration	100
4.14	Intraday precision and accuracy for the salbutamol sulphate assay in rabbit plasma	101
4.15	Interday variability of the salbutamol sulphate assay over three consecutive days in rabbit plasma	101
4.16	Linearity of calibration curve plots obtained in five separate days within 1 week	108
4.17	Intraday precision and accuracy for the ondansetron hydrochloride assay in rabbit plasma	109

4.18	Interday precision and accuracy for the ondansetron hydrochloride assay in rabbit plasma	110
4.19	Extraction efficiency of lamotrigine from rabbit plasma at various concentration, mean \pm standard deviation (n=4)	116
4.20	Intraday precision and accuracy for the lamotrigine assay in rabbit plasma	117
4.21	Interday variability of the lamotrigine assay over four consecutive days in rabbit plasma	117
4.22	Recovery of lamotrigine from rabbit plasma	118
6.1	Solubility of salbutamol sulphate at different pH	163
6.2	Solubility of Ondansetron Hydrochloride at Different pH	163
6.3	Solubility of lamotrigine at Different pH	163
6.4	Permeation data of salbutamol sulphate at various pH	164
6.5	Permeation parameters of salbutamol sulphate (Donor Compartment Concentration-10 mg/ml)	166
6.6	Steady state flux at different drug concentration	167
6.7	Effect of pH on permeability coefficient and partition coefficient of ondansetron hydrochloride	168
6.8	Observed permeability coefficient and calculated permeation coefficient at pH	171
6.9	Permeation data of ondansetron hydrochloride at various pH	173
6.10	Permeation Parameters of Ondansetron hydrochloride (Donor compartment concentration-10 mg/ml)	174
6.11	Steady state flux at different drug concentrations	175
6.12	Effect of pH on permeability coefficient and partition coefficient of ondansetron hydrochloride	177
6.13	Observed permeability coefficient and calculated permeation coefficient at pH	178
6.14	Permeation data of lamotrigine through porcine buccal mucosa	180
6.15	Permeation parameters of lamotrigine (donor compartment	181

	concentration – 0.4 mg/ml)	
6.16	Effect of donor drug concentration on lamotrigine flux at pH 7.4	182
6.17	Effect of pH on Partition Coefficient and Permeability	183
6.18	Relationship between observed permeability and calculated permeability	185
6.19	Relationship between permeability coefficient, partition coefficient and fraction of different species	187
7.1	Comparison of PAMPA and Caco-2 permeability assay characteristics	201
7.2	The drug solutions and blank solutions in triplicate in 96 well plate	205
7.3	Description of variables used to calculate Log P_e	206
7.4	The absorbance values of blank 5% DMSO and the equilibrium samples of standard compounds	208
7.5	The absorbance values of blank borate buffer pH 9.0 and the equilibrium samples of salbutamol sulphate	209
7.6	The absorbance values of blank phosphate buffer pH 7.0 and the equilibrium samples of salbutamol sulphate	210
7.7	The absorbance values of blank acetate buffer pH 4.0 and the equilibrium samples of salbutamol sulphate	211
7.8	The absorbance values of blank acetate buffer pH 4.0 and the equilibrium samples of ondansetron hydrochloride	212
7.9	The absorbance values of salbutamol sulphate in borate buffer pH 9.0 incubated for 6 hours	213
7.10	The absorbance values of salbutamol sulphate in phosphate buffer pH 7.0 incubated for 6 hours	214
7.11	The absorbance values of salbutamol sulphate in acetate buffer pH 4.0 incubated for 6 hours	215
7.12	The absorbance values of ondansetron hydrochloride in acetate buffer pH 4.0 incubated for 6 hours	215
7.13	The absorbance values of the samples incubated for 24 hours for 5%	216

	DMSO blank solution and of standard compounds	
7.14	The absorbance values of salbutamol sulphate in borate buffer pH 9.0 incubated for 24 hours	217
7.15	The absorbance values of salbutamol sulphate in phosphate buffer pH 7.0 incubated for 24 hours	217
7.16	The absorbance values of salbutamol sulphate in acetate buffer pH 4.0 incubated for 24 hours	218
7.17	The absorbance values of ondansetron hydrochloride in acetate buffer pH 4.0 incubated for 24 hours	219
7.18	Calculation for permeability coefficient for 24 hrs incubation	219
7.19	Calculation of permeability coefficients	220
8.1	Composition and responses for 3 ³ factorial design	231
8.2	ANOVA results (P value) effect of the variables on mechanical properties and % drug release of film	233
8.3	Final formulation of film containing salbutamol sulphate	237
8.4	Comparison between observed and predicted results of check point batches	238
8.5	Mechanical properties of the film of salbutamol sulphate.	238
8.6	% Drug release of the film of salbutamol sulphate in different dissolution media.	241
8.7	Final formulation of film containing ondansetron hydrochloride	245
8.8	Mechanical properties of the film of ondansetron hydrochloride	246
8.9	% Drug release of the film of ondansetron hydrochloride in different dissolution media.	248
8.10	Final formulation of film containing lamotrigine	250
8.11	Mechanical properties of film of lamotrigine	251
8.12	% Drug release of film of lamotrigine in different dissolution media	253
8.13	Results of the stability studies of salbutamol sulphate film	255
8.14	Results of the stability studies of ondansetron hydrochloride film	256
8.15	Results of the stability studies of lamotrigine film	257

9.1	Matrix of the Experiments, Results for the Measured Responses	267
9.2	Matrix of the Experiments, Neural Network Predicted Responses	269
9.3	Comparison of Responses between Predicted and Experimental Values for the Cross-Validation Set	275
9.4	T ₅₀ % values of tablets made from different method	281
10.1	Physical properties of excipients	289
10.2	Design layout of central composite design and summary of experimental results	290
10.3	Actual and transformed values of ten different formulations as per simplex lattice design	293
10.4	Experimental values of response variables with composite index	302
10.5	Composition of the optimized tablets of ondansetron hydrochloride	303
10.6	The final composition of the fast dissolving tablets of ondansetron hydrochloride	304
10.7	Various evaluation parameters of tablets of ondansetron hydrochloride	304
10.8	% Drug release of the tablets of ondansetron hydrochloride in different dissolution media	305
10.9	The final composition of the fast dissolving tablets of salbutamol sulphate	309
10.10	The final composition of the fast dissolving tablets of salbutamol sulphate	310
10.11	Various evaluation parameters of tablets of salbutamol sulphate	312
10.12	. % Drug release of the tablets of salbutamol sulphate in different dissolution media	312
10.13	The composition of the fast dissolving tablets of lamotrigine	315
10.14	The final composition of the fast dissolving tablets of lamotrigine	316
10.15	Various evaluation parameters of tablets of lamotrigine	318
10.16	% Drug release of the tablets of ondansetron hydrochloride in different dissolution media	318

10.17	Results of the stability studies of ondansetron hydrochloride tablets	320
10.18	Results of the stability studies of salbutamol sulphate tablets	321
10.19	Results of the stability studies of lamotrigine tablets	321
11.1	Average plasma salbutamol sulphate concentration after administration of conventional tablet, fast dissolving tablet and fast dissolving film in rabbits	334
11.2	Different pharmacokinetic parameters of different formulations of salbutamol sulphate calculated by Wagner-Nelson method	336
11.3	Average plasma ondansetron hydrochloride concentration after administration of conventional tablet, fast dissolving tablet and fast dissolving film in rabbits	337
11.4	Different pharmacokinetic parameters of different formulations of ondansetron hydrochloride calculated by Wagner-Nelson method	339
11.5	Average plasma lamotrigine concentration after administration of conventional tablet, fast dissolving tablet and fast dissolving film in rabbits	340
11.6	Different pharmacokinetic parameters of different formulations of lamotrigine calculated by Wagner-Nelson method	342