



LIST OF FIGURES

FIGURE.NO	TITLE	PAGE NO.
1.1	Block diagram of HPLC System	2
1.2	Plate number or number of theoretical plates	14
1.3	Capacity factor (capacity ratio) k	15
1.4	The selectivity (or separation factor), α	16
1.5	Peak Resolution R	16
1.6	Peak Asymmetry factor (Tf)	17
5.1.1.1	Chromatogram of Betamethasone dipropionate and Butenafine hydrochloride at 254 nm	64
5.1.1.2	Calibration Curve for betamethasone dipropionate	68
5.1.1.3	Calibration Curve for butenafine hydrochloride	69
5.1.2.1	Chromatogram of Escitalopram oxalate and Etizolam at 254nm	73
5.1.2.2	Calibration curve diagram for Escitalopram oxalate(55-500 μ g/ml).	78
5.1.2.3	Calibration curve diagram for Etizolam(5-50 μ g/ml).	78
5.1.2.4	Overlay View of Linearity Chromatograms of Escitalopram Oxalate and Etizolam	79
5.1.3.1	Chromatogram of Escitalopram oxalate and Etizolam at 254nm	85
5.1.3.2	Calibration curve diagram for Escitalopram oxalate(55-550 μ g/ml)	85
5.1.3.3	Calibration curve diagram for Etizolam(10-50 μ g/ml).	86
5.1.3.4	Overlay chromatograms of Escitalopram Oxalate and Etizolam	86
5.1.3.5	Degradation of Escitalopram under basic condition	90
5.1.3.6	Degradation of Escitalopram under oxidative condition	91
5.1.3.7	Peak Purity of Esitalopram Oxalate in Control Sample	92
5.1.3.8	Peak Purity of Etizolam in Control Sample	92
5.1.3.9	Peak Purity of Escitalopram Oxalate in alkaline condition	93
5.1.3.10	Peak Purity of Etizolam in alkaline condition	93
5.1.5.1	Chromatogram of Fluocinolone Acetonide and Miconazole Nitrate 238 nm	100
5.1.5.2	Calibration Curve for fluocinolone acetonide(0.5-4.5 μ g/ml)	101
5.1.5.3	Calibration Curve for Miconazole Nitrate(300-900 μ g/ml)	101
5.1.5.4	Overlay Chromatograms of Fluocinolone acetonide and Miconazole Nitrate	102
5.1.6.1	Chromatogram of Hydrocortisone acetate and and Miconazole nitrateat 225nm	111
5.1.6.2	Calibration curve diagram for Hydrocortisone acetate(5-30 μ g/ml)	112
5.1.6.3	Calibration curve diagram for Miconazole nitrate (10-60 μ g/ml)	112
5.1.6.4	Overlay calibration chromatogram for Miconazole nitrate and hydrocortisone	113
5.1.7.1	Representative chromatogram of Racecadotril	119
5.1.7.2	Calibration curve of Racecadotril (250-750 μ g/ml)	120

5.1.7.3	Degradation of Racecadotril in alkali (0.1 N NaOH)	123
5.1.7.4	Thermal Degradation of Racecadotril	123
5.1.7.5	Degradation of racecadotril with hydrogen peroxide	123
5.1.7.6	Degradation of racecadotril in UV light	124
5.2.1.1	HPTLC Chromatogram of Ivermectin and Albendazole at 254 nm	127
5.2.1.2	Calibration Curve for Albendazole.(80-480 ng/μl)	128
5.2.1.3	Calibration Curve for Ivermectin.(260-1560 ng/μl)	128
5.2.2.1	Chromatogram of Butenafine hydrochloride and Betamethasone dipropionate at 254 nm	133
5.2.2.2	Calibration Curve for Betamethasone dipropionate(100-600ng/μL)	135
5.2.2.3	Calibration Curve for Butenafine hydrochloride(200-12000ng/μL)	135
5.3.1	IR spectrum of Albendazole standard, Ivermectin Standard and Tablet Formulation	138