

## **Bibliography**

\* AMICI, G.B., 1824. Observations microscopiques sur diverses especes de plantes.

Ann. des. Sci. Nat. Bot 2, 41-70, 211-248.

\* AMICI,G.B., 1930. Note sur Le mode d' action due pollen sur le stigmate Extrait d'une lettre d'Amici a Mirbel.

Ann. des. Sci. Nat. Bot. 21, 329-332.

ANDERSON, L.A., PHILLIPSON,G.D. and ROBERTS, M.F., 1986.

Aspects of alkaloid production by plant cell cultures.

In: Secondary metabolism in plant cell cultures.

Ed. by Philip Morris, Alan, H. Scragg, Angele Stafford and Michael W. Fowler.

Cambridge University Press, Cambridge.

BADENHUIZEN, N.P., 1966. Electron microscopic investigation of amylolytic corrosion of starch granules in relation to fat formation.

Protoplasma 62, 306-316.

BAGNI,N., ADAMO,P. and SERAFINI-FRACASSINI,D., 1981.

RNA, Proteins and polyamines during tube growth in germinating apple pollen.

Plant Physiol. 68, 727-730.

BAGNI,N., CORSINI, E. and SERAFINI-FRACASSINI,D., 1971.

Growth factors and nucleic acid synthesis in Helianthus tuberosus 1. Reversal of actinomycin-D

- inhibition by spermidine. *Physiologia Plantarum* 24, 112-117.
- BAGNI, N., SERAFINI-FRACASSINI, D. and TORRIGIANI, P., 1982. Polyamines in cellular growth processes in higher plants In : Wareing P.F.(ed) *Plant Growth Substances*. Academic Press, London. pp. 473-482.
- BAKER, H.G., BAKER, I. and OPLER, P., 1974. Stigmatic exudates and pollination. In: Brantjes B.M.(ed) *Pollination and dispersal*. Univ.Nijmegen. pp. 47-60.
- BANCROFT, J.D., 1975. *Histochemical techniques*. Butterworths 2nd Ed. London.
- BARNABAS, A.D., BUTLER, V. and STEINKE, T.D., 1982. Zostera capensis setchell. III. Some aspects of wall ingrowth development in leaf blade epidermal cells. *Protoplasma* 110, 87-94.
- BELL, E.A. and CHARLWOOD, B.V., 1980. Secondary plant products. In : *Encyclopedia of plant physiology*. New Series Vol. 8, pp. 67-81.
- BELL, J. and HICKS, G., 1976. Transmitting tissue in the pistil of tobacco : light and electron microscopic observations. *Planta* 131, 187-200.
- BERLYN, G.P. and MIKSCHE, J.P., 1976. *Botanical Microtechnique and Cytochemistry*. The Iowa State University Press, Ames, Iowa.

- BLANK, F., 1958. In *Handbook der Pflanzenphysiologie*" ed.  
by W. Ruhland Vol. 10, pp. 300-53 Springer-Verlag,  
Berlin and New York.
- BOSABALIDIS, A. and TSEKOS, I., 1982. Ultrastructural studies  
on the secretory cavities of Citrus deliciosa Ten. II.  
Development of the essential oil accumulating central  
space of the gland and process of active secretion.  
Protoplasma 112, 63-70.
- BRADFORD, M.M., 1976. A rapid and sensitive method of  
quantification of microgram quantities of protein  
utilizing the principle of protein dye binding.  
Anal. Biochem. 72, 248-254.
- BRENNAN, T., RYCHTER, A. and FRENKEL, C., 1979. Activity of  
enzymes involved in the turnover of hydrogen peroxide  
during fruit senescence.  
Bot. Gaz. 140 (4), 384-388.
- BREWBAKER, J.L. and KWACK, B.H., 1963. The essential role of  
calcium ion in pollen germination and pollen tube growth.  
Amer. J. Bot. 54, 611-616.
- \* BRONGNIART, 1827. Memoire sur la generation et le development  
de l'em bryon dans les ve'getaux phanerogamiques.  
Ann. des. Sci. Nat. Bot. 12, 14-53, 145-72, 225-298.
- BROWN, R., 1972. Cell growth and cell development. In: Plant  
physiology VI C ed. by F.C. Steward. Academic Press,  
New York.

CAPKOVA, V., HRABETOVA, E. and TUPY, J., 1983.

Reduction of leucine efflux and protein release from tobacco pollen tubes in culture by actinomycin-D in the absence of calcium.

Biochem. Physiol. Pflanzen. 178, 521-527.

CARLSON, P.S., SMITH, H.H. and DEARING, R.D. 1972.

Parasexual interspecific plant hybridisation.

Proc. Natl. Acad. Sci. USA 69, 2292-2294.

CHAFFEY, N.J. and HARRIS, N. 1985 a. Localization of ATP-ase activity on the plasmalemma of scutellar epithelial cells of germinating barley (Hordeum vulgare L.)

Jour. of Exptl. Bot. 36, 1612-1619.

CHAFFEY, N.J. and HARRIS, N. 1985b. Plasmabukles : fact or artefact ?

Planta 165, 185-190.

CHANDORKAR, K.R. and BADENHUIZEN, N.P., 1967. The fate of ADPG-Alpha-glucan glycosyltransferase during amylolytic corrosion of starch granules and its relation to starch granule structure.

Cereal Chem. 44, 27-38.

CHEN, M. and LOEWUS, F.A., 1977. Myo-inositol metabolism in Lilium longiflorum pollen. Uptake and incorporation of myo-inositol  $^{2-3}$ H Plant Physiol. 59, 653-657.

- Pollen to simulated acid rain.  
New Phytol., 97, 63-70.
- CRANG,R., 1969. Pollination effects on style degradation in  
Lilium philippense Trans. Amer.  
Microsc. Soc. 88, 294-299.
- CRESTI, M., CIAMPOLINI,F., VANWENT,J.L. and WILMS, H.J., 1982.  
Ultrastructure and histochemistry of Citrus limon L.  
stigma.  
Planta 156, 1-9.
- CRESTI,M., KEIJZER,C.J., TIEZZI, A., CIAMPOLINI,F. and  
FOCARDI,S., 1986. Stigma of Nicotiana. Ultrastructural  
and Biochemical Studies. Amer. J.Bot.73(12),1713-1722.
- CRESTI,M., VAN WENT, J.L., PACINI,E., WILLEMS, M.T.M., 1976.  
Ultrastructure of transmitting tissue of Lycopersicum  
style development and histochemistry.  
Planta 132, 305-312.
- DASHEK, W.V., ERICKSON, S.S., HAYWARD,D.M., LINDBECK,G. and  
MILLS,R.R., 1979. Peroxidase in cytoplasm and cell  
wall of germinating lily pollen.  
Bot. Gaz. 140 (3), 261-265.
- DICKINSON, H.G. and CLARE WILSON., 1983. Two stages in the  
redifferentiation of amyloplasts in the microspores of  
Lilium. Ann. Bot. 52, 803-810.
- DICKINSON, H.G. and LEWIS, D., 1973b. Cytochemical and ultra-  
structural differences between intraspecific compatible  
and incompatible pollinations in Raphanus.  
Proc. R. Soc. London Ser B. 183, 21-38.

- DIDEHVAR, F. and BAKER, D.A., 1986. Localization of ATP-ase  
in the sink tissues of Ricinus.  
*Ann. Bot.* 57, 823-828.
- DUBAY, D.T., 1981. Interspecific differences in the effects  
of sulphur dioxide on angiosperm sexual reproduction.  
Ph.D. diss. Emory University, Atlanta, Georgia 166 pp.
- DUBAY, D.T. and MURDY, W.H., 1983a. Direct adverse effects of  
sulphur dioxide on seed set in Geranium carolinianum L.  
A consequence of reduced pollen germination on the  
stigma. *Bot. Gaz.* 144 (3), 376-381.
- DUBAY, D.T. and MURDY, W.H., 1983b. The impact of sulphur  
dioxide on plant sexual reproduction. In vivo and  
in vitro effects compared. *Environ. Qual.* 12, 147-149.
- DUMAS, C., 1973. Contribution à l'étude cyto-physiologique du  
stigmate : 1. Les étapes observées devant les processus  
glandulaires chez une Oleaceae: Forsythia intermedia  
Zabel. *Z. Pflanzen Physiol.* 69, 35-54.
- DUMAS, C., 1974. Some aspects of stigmatic secretion in  
Forsythia: In : Linskens, H.F. (ed) *Fertilization in*  
higher plants. North Holland Publication.  
Amsterdam. pp. 119-126.
- DUMAS, C.M., ROUGIER ZANDONELLA, F., CIAMPOLINI, J.L., CREST,  
M.F. and PACINI, E., 1978. The secretory system in  
Lycopersicum peruvianum Mill. Ontogenesis and glandular  
activity. *Protoplasma* 96, 173-187.
- EAST, E.M., 1934. Norms of pollen tube growth in incompatible  
matings of self-sterile plants.  
*Proc. Natl. Acad. Sci. U.S.A.* 20, 225-230.

EAST,E.M. and MANGELSDORF,A.J., 1925. Genetic basis of incompatibility. In: The embryology of angiosperms (4th ed.) by Bhojwani,S.S., and Bhatnagar,S.P. 1983. pp. 120-122.

ECHLIN,P., 1971. The role of the tapetum during microsporogenesis of angiosperms. In: Heslop-Harrison,J., ed. Pollen development and physiology. Butterworths, London, pp.41-61.

\*ELFVING,F., 1979. Studien über die pollenkörper der Angiospermen. Jenaische Ztschr.f.Natura. 13, 1-28.

FAHN,A., 1979. Secretory tissue in plants. Academic press. London, New York.

FAHN,A. and BENAYOUN, J., 1976. Ultrastructure of resin ducts in Pinus halepensis. Development, possible sites of resin synthesis, and mode of its elimination from protoplast. Ann. Bot. 40, 857-863.

FAHN,A. and EVERET,R.F., 1974. Ultrastructure of secretory ducts of Rhus glabra L.  
Amer. J. Bot. 61, 1-14.

FEDER,N. and O'BRIEN,T.P., 1968. Plant microtechnique. Some principles and new methods.  
Amer. J. Bot. 55, 123-42.

FERRARI,T.E. and WALLACE,D.H., 1975. Germination of Brassica pollen and expression of incompatibility in vitro. Euphytica. 24, 757-63.

- FEUERSTEIN, B.G., PATTABIRAMAN, N. and MARTON, L.J., 1986.  
Spermine-DNA interactions: a theoretical study.  
Proc. Natl. Acad. Sci. U.S.A. 83, 5948-5952.
- FINERAN, B.A., 1980. Ontogeny of external glands in the  
bladder wort. Urticularia monanthos.  
Protoplasma 105, 9-25.
- GAHAN, P.B., 1981. Cell senescence and death in Plants.  
In: Cell Death in Biology and Pathology eds. I.D.  
BOWEN and R.A. LOCKSHIN, pp 145-169.  
Chapman and Hall, London.
- GALATIS, B. and APOSTOLAKOS, 1977. On the fine structure of  
differentiating mucilage papillae of Marchantia  
Can. J. Bot., 55, 772-795.
- GALSTON, A.W. and KAUR-SAWHNEY, R., 1982. Polyamines: Are  
they a new class of plant growth regulators ?  
In : Wareing P.F. (ed) Plant Growth Substances 1982.  
Academic Press, London, pp 451-462.
- GARG, R. and BHATNAGAR, S.P. 1988. Developmental and histochemical  
investigations on the pistil of Withania somnifera  
Dunal (Solanaceae).  
Phytomorphology 38 (1), pp 77-83.
- GAWLIK, S.R., 1984. An ultrastructural study of transmitting  
tissue development in the pistil of Lilium  
leucanthum. Amer. J. Bot. 71(4), 512-521.
- GEDALOVICH, E. and FAHN, A., 1985. The development and  
ultrastructure of gum-ducts in Citrus plants

- formed as a result of brown rot gummosis  
Protoplasma 127, 73-81.
- GHOSH, S. and SHIVANNA, K.R., 1984. Structure and cytochemistry  
of the stigma and pollen pistil interaction in  
Zephyranthes.  
Ann. Bot. 53, 91-105.
- GRAHAM, R.C. and KARNOVSKY, M.J., 1966. The early stage of  
absorbtion of horse raddish peroxidase in the  
proximal tubules of mouse kidney. Ultrastructural  
cytochemistry by a new technique.  
J. of Histochem and cytochem. 14, 291-302.
- \* GREW, N., 1882. The anatomy of Plants, London.
- GUNNING, B.E.S and PATE, J.S., 1969. 'Transfer Cells' Plant  
Cells with wall ingrowths specialised in transport  
of solutes - their occurrence, structure and development.  
Protoplasma 68, 107-133.
- \* HANF, 1935. Vergleichende und Entwicklungs geschichtliche  
Untersuchungen über morphologie und Anatomic der  
Griffel und Griffelaste.  
Beichefte Zum Botanischen Zentralblatt. 54, 99-141.
- HANSON, C.H. and CAMPBELL, T.A., 1972. Vacuum-dried pollen  
of alfalfa (Medicago sativa L.) viable after eleven  
years.  
Crop Science. 12, 874.
- HARRIS, N., OPARKA, K.J. and WALKER SMITH, D.J., 1982.  
Plasmaturules an alternative to transfer cell ?  
Planta 156, 461-65.

- HARRIS, N. and CHAFFEY, N.J., 1985. Plasmabulles in transfer cells of Pea (Pisum sativum L.)  
Planta 165, 191-96.
- HARRIS, N. and CHAFFEY, N.J., 1986. Plasmabulles-real modifications of the plasmalemma.  
Nord. J. Bot. 6, 599-607.
- HERRERO, M. and DICKINSON, H.G., 1979. Pollen-pistil incompatibility in Petunia hybrida. Changes in the pistil following compatible and incompatible intraspecific crosses.  
J. Cell. Sci. 36, 1-18.
- \* HERTWIG,O., 1918. Dokumente Zur Geschichte der Zeugungslehre  
Eine historische studie" Bonn.
- HESLOP-HARRISON, J., 1975a. The croonian lecture (1974). The physiology of the pollen grain surface.  
Proc.R.Soc. London Ser. B. 190 275-99.
- HESLOP-HARRISON, J., 1975b. Incompatibility and the pollen-stigma interaction.  
Ann.Rev. Plant. Physiol. 26, 403-25
- HESLOP-HARRISON, J., 1978. Genetics and physiology of angiosperm incompatibility systems.  
Proc.R.Soc Lond. Ser B 202, 73-92.
- HESLOP-HARRISON, J., 1979a. The forgotten generation. Some thoughts on the genetics and physiology of angiosperm gametophytes. In. D.R. Davies and D.A. Hep Wood (ed).  
Proceedings of the fourth John Innes Symposium  
John Innes Inst Norwich.

HESLOP-HARRISON, J., 1979 b. Pollen stigma interaction in grasses. a brief review.

New Zealand Journal of Botany 17, 537-46.

HESLOP-HARRISON, J., 1979c . Aspects of structure, cyto-chemistry and germination of the pollen of rye (Secale cereale L.)

Ann. Bot. 44 (Suppl.) 1-47.

HESLOP-HARRISON, Y., 1977. The pollen stigma interaction  
Pollen tube penetration in Crocus  
Ann. Bot. 41, 913-22.

HESLOP-HARRISON, Y., 1981. Stigma characteristics and angiosperm taxonomy.

Nord. J. Bot. 401 - 20

HESLOP-HARRISON, J. and HESLOP-HARRISON, Y., 1970.

Evaluation of pollen viability by enzymatically induced fluorescence, intracellular hydrolysis of fluorescein diacetate.

Stain Technol. 45, 115-20

HESLOP-HARRISON, J. and HESLOP-HARRISON, Y., 1975. Enzymic removal of the proteinaceous pellicle of the stigma papilla prevents pollen tube entry in the Caryophyllaceae.

Ann. Bot. 39, 163-65.

HESLOP-HARRISON, J. and HESLOP-HARRISON, Y., 1980. The pollen stigma interaction in the grasses. 1. Fine structure and cytochemistry of the stigmas of Hordeum and Secale.  
Acta. Bot. Neerl. 29, 261-276.

HESLOP-HARRISON, J. and HESLOP-HARRISON, Y., 1981. The pollen stigma interaction in the grasses.

2. Pollen tube penetration and the stigma response in Secale.

Acta. Bot. Neerl. 30, 289-302.

HESLOP-HARRISON, J. and HESLOP-HARRISON, Y., 1982a. Pollen stigma interaction in the Leguminosae: constituents of the stylar fluid and stigma secretion of Trifolium pratense L.

Ann. Bot. 49, 729-735

HESLOP-HARRISON, J. and HESLOP-HARRISON, Y., 1982b. Pollen stigma interaction in the Leguminosae, the organisation of the stigma in Trifolium pratense L.

Ann. Bot. 51, 571-583.

HESLOP-HARRISON, J. and HESLOP-HARRISON, Y., 1984, Stigma organisation and the control of fertilization in Phaseolus. Proceedings of the Eucarpia meeting on phaseolus breeding, Hamburg, 1983, pp 88-96.

HESLOP-HARRISON, Y. and HESLOP-HARRISON, J., 1981. The digestive glands of Pinguicula. Structure and cytochemistry.

Ann. Bot. 47, 293-319.

HESLOP-HARRISON, J., HESLOP-HARRISON, Y. and BARBER, J. 1975.

The stigma in incompatibility responses.

Proc. R. Soc. Lond. Ser. B. 188, 287-297.

HESLOP-HARRISON, J., HESLOP-HARRISON, Y., KNOX, R.B., and HOWLETT, B. 1973. Pollen Wall proteins. gametophytic and sporophytic fractions in the pollen walls of Malvaceae.

Ann. Bot. 37, 403-412.

HESLOP-HARRISON, J., KNOX, R.B., HESLOP-HARRISON, Y., and MATTSSON, O. 1975b. Pollen wall proteins : emission and role in incompatibility responses. In : Duckett J.G., Racey, P.A (eds). The Biology of male gamete. Biol. J. Linn. Soc. 7 (Suppl.) 189-202.

HESLOP-HARRISON, J., KNOX, R.B., HESLOP-HARRISON, Y. 1974.

Pollen wall proteins : exine held fractions associated with the incompatibility response in Cruciferae  
Theor. Appl. Genet. 44, 133-137.

HESLOP-HARRISON, Y. and SHIVANNA, K.R. 1977. The receptive surface of the angiosperm stigma.

Ann. Bot. 41, 1233-1258.

HORNER, H.T. and LERSTEN, N.R., 1968. Development, structure and function of secretory trichomes of Psychotria bacteriophilia (Rubiaceae)

Amer. J. Bot. 55, 1089-1099.

HOTCHKISS, R.D., 1948. A microchemical reaction resulting in the staining of polysaccharide structures in fixed tissue preparation.

Arch. Biochem. 16, 131-141.

HOWLETT, B.J., KNOX, R.B., PAXTON, J.H. and HESLOP-HARRISON, J.,  
1975. Pollen wall proteins. Physiochemical  
characterization and role in self incompatibility  
in Cosmos bipinnatus.

Proc. R. Soc. Lond. Ser.B. 188, 167-182.

HRABETOVA, E. and TUPY, J., 1964. The growth effect of some  
sugars and their metabolism in pollen tubes.

In : Linskens H.F. (ed) Pollen physiology and  
fertilization. North Holland Publ. Amsterdam,  
The Netherlands, pp 95-101.

IWANAMI, Y., 1959 Physiological studies of pollen  
J. Oyohokama Municipal Univ. 116 (C-34 Biol.13) 1-37.

IWANAMI, Y. and NAKAMURA, N. 1972. Storage in an organic solvent  
as a means for preserving viability of pollen grains,  
Stain Technol. 47, 137-139.

JENSEN, W.A., 1962. Botanical histochemistry. W.H. Freeman and  
Comp. U.S.A.

JENSEN, W.A. and FISCHER, D.B., 1969. Cotton embryogenesis. The  
tissues of the stigma and style and their relation  
to the pollen tube  
Planta 84, 97-121.

JOEL, D.M. and FAHN, A., 1980c. Ultrastructure of resin  
ducts of Mangifera indica L. (Anacardiaceae)

3. secretion of protein polysaccharide mucilage  
in the fruit.

Ann. Bot. 46, 785-790-

JOHRI, B.M and SHIVANNA, K.R., 1985. The angiosperm pollen.  
Structure and function. Wiley Eastern Ltd.

- JOHRI, B.M., SASTRI, D.C. and SHIVANNA, K.R., 1977.  
Pollen viability, storage and germination. In.  
advances in pollen spore research 11, 120-139.
- JONES, R.G.W. and LUNT, O.R., 1967. The function of calcium  
in plants.  
Bot. Rev. 33, 407-426.
- \* JOST, L., 1907 Über die Selbststerilität einiger Blüten  
Botanisches Jahrbuch 65, 77-117.
- KAMBAL, A.E., BOND, D.A. and TOYNBEE-CLARKE, G., 1976.  
A study of the pollination mechanism in field  
beans (Vicia faba L.)  
Journal of Agricultural science 87, 519-526.
- KANDASAMY, M.K. and KRISTEN, U., 1987. Developmental Aspects  
of ultrastructure, histochemistry and receptivity  
of the stigma of Nicotiana sylvestris  
Ann. Bot. 60, 427-437.
- KANDASAMY, M.K., KAPPLER, R. and KRISTEN, U., 1988.  
Plasmatubules in the pollen tubes of Nicotiana  
sylvestris  
Planta 173, 35-41.
- KANTA, K. and MAHESWARI, P 1963. Intraovarian pollination in  
some Papaveraceae. Phytomorphology 13, 215-229.
- KAPIL, R.N. and TIWARI, S.C., 1976. Embryological  
investigations and fluorescence microscopy - An  
assessment of integration. Symp. Recent trends  
and contacts between Cytogenetics, Embryology and

Morphology, Nagpur, pp 50 (Absts.)

KARNOVSKY D.F. and STAIRS, 1974. The effects of  $\text{SO}_2$  on  
in vitro forest tree. Pollen germination and tube  
elongation.

J. Environ. Qual. 3, 406-409.

KENRICK, J. and KNOX, R.B., 1981 Post-pollination exudate  
from stigmas of Acacia (Mimosaceae)  
Ann. Bot. 48, 103-106

KING, J.R., 1960 Peroxidase reaction as an indicator of  
pollen viability.

Stain Technol. 35, 225-227.

KING, J.R., 1965. The storage of pollen particularly by  
the freeze-drying method.

Bull. Torrey Bot. Club 92 : 270-287.

KNOX, R.B. and HESLOP-HARRISON, J., 1969. Cytochemical  
localization of enzymes in the wall of the  
pollen grains.

Nature (London) 223, 92-94

KNOX, R.B. and HESLOP-HARRISON, J., 1970 . Direct  
demonstration of the low permeability of the  
angiosperm meiotic tetrad using a fluoresgenic ester.  
Z. Pflanzenphysiol. 62, 451-459.

KNOX, R.B. and HESLOP-HARRISON, J., 1971 .. Pollen-wall  
proteins. localization and enzymatic activity.  
J. Cell Sci. 6 : 1-27.

KNOX, R.B., WILLING, R. and ASHFORD, A.E., 1972a. Role of  
Pollen-wall proteins as recognition substances in

- interspecific incompatibility in poplars,  
Nature (London) 237, 321-383.
- KNOX, R.B. WILLING, R.R. and PRYOR, L.D., 1972b.  
Interspecific hybridization in poplars using  
recognition pollen. *Silvae Genet.* 21, 65-69
- KNOX, R.B., 1973. Pollen wall proteins: pollen-stigma  
interaction in ragweed and *Cosmos (Compositae)*  
*J. Cell Sci.* 12, 421-443.
- KNOX, R.B., HESLOP-HARRISON, J. and HESLOP-HARRISON, Y., 1975.  
Pollen wall proteins : localization and  
characterization of gametophytic and sporophytic  
fractions. In : Duekett JG, Racey PA (eds) *The  
Biology of male gamete.*  
*Biol. J. Linn. Soci.* 7 (Suppl.) 177-187.
- KONAR, R.N. and LINSKENS, H.F. 1966<sup>a</sup>. The morphology and  
anatomy of the stigma of Petunia hybrida  
*Planta* 71, 356-371
- KONAR, R.N. and LINSKENS, H.F., 1966 b Physiology and  
biochemistry of the stigmatic fluid of Petunia  
hybrida  
*Planta* 71- 372 - 387.
- \* KRISTEN, U., 1969. Licht-und elektronen mikroskopische  
Untersuchungen an den Hydropoden von Nuphar  
lutea, Nymphaoides peltata, Sagittaria macrophylla  
and Salvia auriculata  
*Flora A.* 159, 536-556

KRISTEN, U., BIEDERMANN, M., LIEBEZEIT, G. and DAWSON, R., 1979.

The composition of stigmatic exudate and the ultrastructure of the stigma papillae in Aptenia cordifolia.

Eur. J. Cell Biol. 19. 281-287.

KRISTEN, U., LIEBEZEIT, G. and BIEDERMANN, M., 1982. The ligule of Isoetes lacustris : Ultrastructure, mucilage composition and a possible pathway of secretion Ann. Bot. 49, 569-584.

KRISTENSEN, U., 1982. The validity of the endomembrane concept in the light of polysaccharide and protein secretion in higher plants. Actual. Bot. 129, 15- 21.

KURUVILLA, P.K. and SHAH, J.J., 1988. Development and Histochemistry of style and stigma and pollen pistil interaction in Madhuca indica (Sapotaceae) Ann. Bot. 61, 269-281.

KUSTER, E., 1956. Secondary plant product and cell and tissue differentiation. In: The biochemistry of plants a comprehensive treatise 1981. pp 105 Vol 7 ed by Stumpf P.K. and Conn E.E.  
Academic Press, London.

LABARCA, C., KROH, M. and LOEWUS, F., 1970. The composition of stigmatic exudate from Lilium longiflorum Plant Physiol. 46, 150-156

LABARCA, C and LOEWUS, F. 1972. The nutritional role of pistil exudate in pollen tube wall formation in Lilium longiflorum. Utilization of injected stigmatic exudate. Plant Physiol. 50, 7-14

- LAI, Y.F. and THOMPSON, J.E., 1972. The behaviour of ATP-ase in cotyledon tissue during germination. *Cand.J.Bot.* 50, 327-332.
- LARSEN, K., 1977. Self incompatibility in Beta vulgaris L. 1. Four gametophytic complementary S-loci in sugar beet. *Hereditas* 85, 227-245.
- LEWIS, D., 1952. Serological reactions of pollen incompatibility substances *Proc.R.Soc.Lond.Ser.B.* 140, 127-135.
- LEWIS, D., 1977. Sporophytic incompatibility with 2 and 3 genes *Proc. R. Soc. Lond. Ser. B.* 196, 161-170.
- LILLIE, R.D., 1965. Histopathologic technique and practical histochemistry 3rd, ed. McGraw Hill, New York.
- LINSKENS, H.F., 1966. Die Aenderung des Protein und Enzyme-musters während der Pollen Meiose und Pollenentwicklung. *Planta* 69, 79-91.
- LINSKENS, H.F., 1975. Incompatibility in Petunia. *Proc.R. Soc. (London) B* 138, 299-311.
- LINSKENS, H.F., 1981. Developmental biology of reproduction. Current problems. *Phytomorphology* 31, 201-213.
- LINSKENS, H.F. and ESSER, K., 1957. Über eine spezifische Anfärbung der Pollenschläuche in Griffel und die Zahl der Kallosepfropfen nach Selbstung und Fremdung. *Naturwissenschaften* 44, 16.
- LINSKENS, H.F. and PFAHLER, P.L., 1973. Biochemical composition of maize (Zea mays L) Pollen III.

Effects of allele x storage interactions at the waxy ( $wx$ ), Sugary ( $Su_1$ ) and shrunken ( $Sh_2$ ) loci, on the amino acid content.

Theor. Appl. Genet. 43, 49-53.

LOEWUS,F. and LABARCA,C., 1973. Pistil secretion product and pollen tube wall formation. In: Biogenesis of plant cell wall polysaccharides, pp 175-193, Loewus,F., ed. Academic Press, New York, London.

LORD,E.M. and HESLOP-HARRISON,Y., 1984. Pollen-stigma interaction in the Leguminosae : stigma organisation and the breeding system in Vicia faba L.

Ann. Bot. 54, 827-836.

LUNDQUIST,A., 1975. Complex self-incompatibility systems in Angiosperms.

Proc.R.Soc. London Ser.B. 188, 235-245.

\* LUTZ,C., 1911. Untersuchungen über reizbare Narben Z. Bot 3, 342-347.

MACLEAN,J. and GAHAN,P.B. 1968. The distribution of acid phosphatases and esterases in differentiating roots of Vicia faba Histochemic. 24, 41-49.

MAHESWARI,P., 1950. An introduction to the embryology of angiosperms.

McGraw Hill Inc. New York.

MAHESWARI,P. and KANTA,K., 1961. Intraovarian pollination in Eschscholtzia californica cham., Argemone mexicana L., and Argemone ochroleuca sweet. Nature 191 304.

- MALIK,C.P., 1977. Enzymes in pollen development and pollen tube growth In: Nair,P.K.K.(ed) Recent advances in pollen spore research, Vol. II. Today and Tomorrows Printers and Publishers, New Delhi, pp 30-43.
- MALIK,C.P., and GUPTA, S.C., 1976. Electrophoretic analysis of protein from pollen and pollentubes of Calotropis procera R.B.  
Indian J. Exp. Biol. 14, 688-690
- MALIK,C.P., SOOD, P.P. and TEWARI, H.B., 1969. On the functional significance of certain phosphatases in the germinating pollen grains of Portulaca grandiflora  
Portugalia Acta.Biol. 11, 245-252.
- MALIK,C.P., MEHAN, M. and VERMANI, S., 1975. Distribution of alkaline phosphatase in pollen grains and pollen tubes of Calotropis procera.  
Biochem. Physiol. Pflanzen 167, 601-605.
- MALIK,C.P., SINGH, M.B., GUPTA,S. and RENUKA SOOD, 1977. Physiology of pollen : Pollen enzymes and isoenzymes. In: Advances in pollen spore research 11, 44-53.
- MALTI, K. and SHIVANNA, K.R. 1984. Structure and cytochemistry of the pistil of Crotalaria retusa L.  
Proc. Indian natn. Sci. Acad. B 50, 1 pp 92-102.
- MARTIN, F.W., 1970. Compounds of the stigmatic surface of Zea mays L.  
Ann. Bot. 34, 835-842.

- MATILE, P. and WINKENBACH, F., 1971. Function of lysosomes and lysosomal enzymes in the senescing corolla of morning glory (Ipomea purpurea).  
J. Exp. Bot. 22, 759-771.
- MATTSSON, O., KNOX, R.B., HESLOP-HARRISON, J., and HESLOP-HARRISON Y., 1974. Protein pellicle as a probable recognition site in incompatibility reactions.  
Nature, 213, 703-704.
- MCLEOD, A., 1975. The control of growth of Tomato pollen.  
Ann. Bot. 39, 591-596.
- MIKI HIROSIGE, H., HOEK, I.H.S. and NAKAMURA, S., 1987. Secretions from the pistil of Lilium longiflorum.  
Amer. J. Bot. 75 (11), 1709-1715.
- MORRE, D.J., JONES, D.D. and MOLLENHAUER, H.H., 1967. Golgi apparatus mediated polysaccharide secretion by outer root cells of Zea mays I. Kinetics and secretory pathway.  
Planta 74, 236-301.
- MOORE, R. and McCLELLAN, E., 1983. Ultrastructural aspects of cellular differentiation in the root cap of Zea mays.  
Can. J. Bot. 61, 1566-1572.
- MOORE, D.J. and VAN DER WOUDE, W.J., 1974. Origin and growth of cell surface components. In : Macromolecules regulating growth and development (eds. Hay, E.E., King, T.J., Papaconstantinou, J.). 13th symposium of society for developmental biology, pp. 81-111, Academic Press, New York.
- MOORE, R. and WALKER, D.B., 1981. Studies of vegetative compatibility in higher plants III. The involvement of acid phosphatase in the lethal cellular senescence associated with an incompatible heterograft. Protoplasma 109, 317-334.
- MORRISON, J.C. and POLITO, V.S., 1985. Gum-duct development in almond fruit Prunus dulcis (Mill) D.A. Webb.  
Bot. Gaz. 146, 15-25.

- MARTIN,F.W., 1972. In vitro measurement of pollen tube growth inhibition. Plant physiol. 49, 924-925.
- MASCARENHAS,J.P. 1975. The biochemistry of angiosperm pollen development. Botanical Review 41, 259-314
- MASCARENHAS,J.P. and BELL,E., 1969. Protein synthesis during germination of pollen studies on polyribosome formation. Biochem. Biophys. Acta 179, 199-203.
- MASCARENHAS,J.P. and MACHLIS,C., 1962a. The pollen tube chemotropic factor from Antirrhinum majus :bioassay, extraction and partial purification. Amer. J. Bot 49, 482-489.
- MASCARENHAS,J.P. and MACHLIS,L., 1962b. Chemotropic response of Antirrhinum majus pollen to calcium Nature (London) 196, 292-293.
- MASCARENHAS,J.P. and MACHLIS, L., 1964. Chemotropic response of the pollen of Antirrhinum majus to calcium. Plant Physiol.39, 70-77
- MATILE, P.L., 1974. LYSOSOMES. In Dynamics of plants ultrastructure ed. A.W. Robard, McGraw Hill, London pp 1178-1218
- MATILE,P 1975. The lytic compartment of plant cells Springer Verlag, New York.
- \*MATILE,P., 1982. Vacuoles come of age. Physiologie vegetale 20, 303-310.

- MULCAHY,D.L., 1974. Correlation between speed of pollen tube growth and seedling height in Zea mays L.  
Nature 249, 491-493.
- MULCAHY,D.L., 1986. In Recognition of the forgotten generation. In: Biotechnology and Ecology of pollen (Ed.) MULCAHY,D.L., MULCAHY, G.B. and OTTAVIANO E Springer-verlag, N. York,Berlin Heidelberg, Tokyo.
- MULCAHY,G.B. and MULCAHY,D.L., 1985. Ovarian influence on pollen tube growth as indicated by the semivivo technique.  
Amer. J. Bot. 72. 1078-1080.
- NAGL,W., 1976. Ultrastructural and developmental aspects of autolysis in embryo suspensors.  
Ber. Dtsch. Bot. Ges. 89, 301-311
- NAIR,G.M., VENKAIAH, K. and SHAH, J.J., 1983. Ultrastructure of gum-resin ducts in cashew (Anacardium occidentale)  
Ann. Bot. 51, 297-305
- NASRALLAH, M.E., and WALLACE,D.H., 1967. Immunogenetics of self-incompatibility in Brassica oleracea  
Heredity 22, 519-527
- NETTANCOURT,D de, 1977. Incompatibility in Angiosperms (Berlin Springer-Verlag).
- NØVIKOFF,A.B., 1961. Lysosomes and related particles.  
In. The Cell (eds) Brachet, J. and Mirsky, A.E.  
Vol. II, Academic Press, New York.

- NOVIKOFF, A.B., 1963. Lysosomes in the physiology and pathology of cells. Contribution of staining methods. In. 'Lysosomes' (Eds) de Reuck, A.V.S. and Cameron, M.P. CIVA foundation symposium on lysosomes. Little Brown, Boston.
- OWENS, S.J. and HORSEFIELD, N.J., 1982. A light and <sup>h</sup>electromicroscopic study of stigmas in Aneilema and Commelina species (Commelinaceae)  
Protoplasma 112, 26-36
- OWENS, S.J. and KIMMINS, F.M. 1981. Stigma morphology of Commelinaceae.  
Ann. of Bot. 47, 771-783.
- OWENS, S.J. and McGRATH, S., 1984. Self incompatibility and the pollen-stigma interaction in Tradescantia ohiensis Rafin, Protoplasma 121(3), 209-213
- OWENS, S.J., McGRATH, S., FRASER, M.A. and FOX, L.R., 1984. The anatomy histochemistry and ultrastructure of stigmas and styles in Commelinaceae.  
Ann. Bot. 54, 591-603
- PACINI, E., and CASADORO, G., 1981. Tapetum plastids of Olea europaea L.  
Protoplasma 106, 289-296.
- PANDALAI, R.C., NAIR, G.M. and SHAH, J.J., 1985. Ultrastructure of ray parenchyma cells in the wood of Melia azedarach L. (Meliaceae)  
Wood. Sci. Technol. 19, 201-209.

- PANDEY,K.K., 1977. Mentor pollen. Possible role of wall-held pollen growth promoting substances in overcoming intra- and interspecific incompatibility. *Genetica* 47, 219-229
- PARKINSON, B.M., 1987. Tapetal organization during sporogenesis in Psilotum nudum *Ann. Bot.* 60, 353-360
- PATE, J.S. and GUNNING, B.E.S., 1972. Transfer Cells. *Annu. Rev. Plant. Physiol.* 23, 173-196
- PENNEL, R.I. and BELL,P.R., 1986. Microsporogenesis in Taxus baccata C. The formation of the tetrad and development of the microspores. *Ann. Bot.* 57, 545-555
- PFAHLER,P.L. and LINSKENS,H.F., 1973. In vitro germination and pollen tube growth of maize (Zea mays L) pollen. VIII. Storage temperature and pollen source effects. *Planta* III.253-259
- PHILIP JOHN, RAGHURAM, Y, and NAIR,G.M., 1987. Uncommon cuticular ornamentation on the stigma surface of Mango (Mangifera indica L.) *Curr. Science Vol.* 56, No.15 pp 783-784
- PICTON, J.M. and STEER, M.W., 1981. Determination of secretory vesicle production rates by dictyosomes in pollen tubes of Tradescantia using cytochalasin D. *J. Cell Sci.* 49 : 261-272.

- PICTON, J.M. and STEER, M.W., 1982. A model for mechanism of the extension in pollen tubes.  
J. Theoret. Biol. 98 : 15-20.
- PICTON, J.M. and STEER, M.W. 1983. Evidence for the role of  $\text{Ca}^{2+}$  ions in tip extension in pollen tubes.  
Protoplasma 115, 11-17.
- \*PRINGSHEIM, N., 1855. 'Uber die Befruchtung der Algen.  
Ber.Preuss. Akad. der. Wiss. Berlin, 1855, pp. 133-165.
- RAO, D.N. and PAL, D., 1975. A plant growth chamber for air pollution studies.  
Indian J. Environ. Hlth. Vol. 17, No.2, 105-110.
- REYNOLDS, T.L. and RAGHAVAN, V., 1982. An autoradiographic study of RNA synthesis during maturation and germination of pollen grains of Hyoseyamus niger.  
Protoplasma 111, 177-188.
- RIDGE, I. and OSBORNE, D.J., 1970. Hydroxy proline and peroxidases in cell walls of Pisum sativum regulation by ethylene.  
J. Exp. Bot. 21, 843-856.
- ROBINS, R.J. and JUNIPER, B.E., 1980. The secretory cycle of Dionaea muscipula Ellis III. The mechanism of release of digestive secretion.  
New Phytol. 86, 313-327.
- ROBINSON, D.G. and KRISTEN, U., 1982. Membrane flow via the Golgi apparatus of higher plant cells.  
Int. Rev. Cytol. 77, 89-127.

- ROGGEN, H.P.J.R., 1967. Changes in enzyme activities during the progamic phase in Petunia hybrida  
Acta. Bot. Neerl. 16, 1-31.
- ROGGEN, H.P.J. and LINSKENS, H.F., 1967. Pollen tube growth and respiration in incompatible intergeneric crosses between Petunia and Salpiglossis.  
Naturwissenschaften 54, 542-543
- ROSEN, W.G., 1962. Cellular chemotropism and chemotaxis  
Quart Rev. Biol. 37, 242-259
- ROSEN, W.G., 1971. Pollen pistil interaction in Lilium  
In Heslop-Harrison J. (ed). Pollen development and physiology. Butter worths London pp 239-254
- ROSEN, W.G., GAWLIK, S.R., DASHEK, W.V. and SIEGESMUND, K.A. 1964  
Fine structure and cytochemistry of Lilium pollen tubes.  
Amer. J. Bot. 51, 61-71.
- ROSEN, W.G. and THOMAS, H.R. 1970. Secretory cells of Lily pistils. 1. Fine structure and function.  
Amer. J. Bot. 57(9), 1108-1114.
- ROTMAN, B. and PAPERMASTER, B.W., 1966. Membrane properties of living mammalian cell as studied by enzymatic hydrolysis of fluorogenic esters.  
Proc. Natn. Acad. Sci. U.S.A. 55, 134-141.
- RUDRAMUNIYAPPA, C.K. and PANCHAKSHARAPPA, M.G., 1980.  
Pollen development in Triticum durum. Deaf : A histochemical study.  
J.S. Afr. Bot. 46 : 33-43.

- SASTRI,D.C. and SHIVANNA,K.R. 1976<sup>a</sup>. Attempts to overcome interspecific incompatibility in Sesamum by using recognition pollen.  
Ann. Bot. 41, 891-893.
- SASTRI,D.C. and SHIVANNA,K.R. 1976<sup>b</sup>. Recognition pollen alters incompatibility in Petunia. Incompatibility Newslett. 7, 22-24
- SASSEN,M.M.A, 1974. The stylar transmitting tissue. Acta. Bot. Neerl. 23, 99-108
- SATINA,S.C., 1944. Periclinal chimeras in Datura in relation to development and structure (A) of the style and stigma (B) of the calyx and corolla. Amer. J. Bot. 31, 493-502
- SCALA, J., SCHWAB,D., and SIMMONS,E., 1968. The fine structure of the digestive gland of venus's flytrap. Amer. J. Bot. 55, 649-657
- \* SCHMUCKER, 1933. Zur Blutenbiologie tropischer Nymphaea-Arten II. Bor ale entscheidences Factor. Planta 18 : 641-650.
- SCHNEPF,E., 1966. Die Morphologie der sebretion in pflanzlichen Drusen Ber. Deut.Bot.Ges.78,478-483.
- SCHNEPF,E., 1969. Sekretion and Exkretion bei pflanzen Protoplasmatol. Handb. Protoplasmaforsch VIII(S)
- SCHNEPF,E., 1972. Tubulares endoplasmatisches Reticulum in Drusen mit lipophilen Ausscheidungen von Ficirs sedum und salvia. Biochemie and physiologic der pflanzen 163,113-125

- SCHNEPP, E. and KLASOVA, A., 1972. Zur Feinstruktur von  
Olund Flavon- Drusen. Berichte der Deutschen  
Botanischen Gesellschaft 85, 249-258
- SCHNEPP, E. and PROSS, E., 1976. Differentiation and  
Redifferentiation of a transfer cell. Development  
of septal nectaries of Aloe and Gasteria  
Protoplasma 89, 105-115
- SEDGLEY, M., 1975. Flavanoids in pollen and stigma of  
Brassica oleracea and their effects on pollen  
germination in vitro.  
Ann. Bot. 39, 1091-1095
- SEDGLEY, M., 1979. Light microscopic study of pollen tube  
growth, fertilization and early embryo and endosperm  
development in the avocado varieties Fuerte and Hars.  
Ann. Bot. 44, 353-359
- SEDGLEY, M. and BLESING, M. 1982. Foreign pollination of the  
stigma of water melon Citrullus lanatus Thunb Matsum  
and Nakai.  
Bot. Gaz. 143, 210-215
- SEDGLEY, M. and BLESING, M.A., 1985. Polysaccharide secretion  
by the watermelon stigma.  
Ann. Bot. 55 , 269-273
- SEDGLEY, M., BLESING, M.A. and VITHANAGE, H.I.M.V., 1985  
A developmental study of the structure and pollen  
receptivity of the Macadamia pistil in relation to  
Protandry and self-incompatibility.  
Bot. Gaz. 146 (1), 6-14

SETIA, R.C., PARTHASARATHY, M.V. and SHAH,J.J., 1977.

Development, histochemistry and ultrastructure of  
gumresin ducts in Commiphora mukul Engl.

Ann. Bot. . 41, 999-1004

SHAH,J.J., SUBRAHMANYAM, S.V., NAIR,G.M. and PATEL, K.R., 1980

Enzyme histochemistry of gum-resin canals of some  
members of Burseraceae Proc. Indian. Natl. Sci.  
Acad. B 46, 506-511

SHARMA, N. and SHIVANNA, K.R., 1983 b. Lectin-like components  
of pollen and complementary saccharide moiety of the  
pistil are involved in self incompatibility  
recognition.

Curr. Sci. 52, 913-916

SHARMA, N., BAJAJ, M. and SHIVANNA,K.R., 1985. Overcoming  
self-incompatibility through the use of Lectins  
and sugars in Petunia and Eruca

Ann. Bot. 55, 139-141

SHIVANNA, K.R., 1979. Recognition and rejection phenomenon  
during pollen-pistil interaction. Proc. Indian  
Acad. Sci. B 88, 115-141

SHIVANNA, K.R., 1982. Pollen pistil interaction and control  
of fertilization. In experimental embryology by  
vascular plants.

pp 131-174 ed. B.M. Johri. Berlin Springer-Verlag.

SHIVANNA, K.R., HESLOP-HARRISON,Y. and HESLOP-HARRISON,J. 1982.  
Pollen pistil interaction in the grasses. 3. Features  
of the self-incompatibility response.

Acta Bot. Neerl. 31: 307-319

SHIVANNA, K.R. and SASTRI, D.C. 1976. Stigma surface proteins and bud pollination in Petunia, a correlative study. Incompatibility Newsletter No.7, 16-21.

SHIVANNA, K.R., HESLOP-HARRISON, Y. and HESLOP-HARRISON, J., 1978 . Pollen stigma interaction<sup>and</sup> bud pollination in the Cruciferae.

Acta. Bot. Neerl. 27, 107-119

SHIVANNA, K.R., JOHRI, B.M., and SASTRI, D.C., 1979.

Development and physiology of angiosperm pollen  
Today and Tomorrow's Printers and Publishers,  
New Delhi.

SHIVANNA, K.R. and SASTRI, D.C., 1981. Stigma-surface esterase activity and stigma receptivity in some taxa characterized by wet stigmas.

Ann. Bot. 47 53-64

SINGH, A.K., SASTRI, D.C. and MOSS J.P. 1980. Utilization of Wild Arachis species at ICRISAT. In. Gibbons R.W.(ed) Proc. Intl. Groundnut Workshop, ICRISAT, Patancheru, India, pp 82-90S

SLOCUM,R.D., KAUR-SAWHNEY,R. and GALSTON, A.W., 1984.

The physiology and biochemistry of polyamines in plants.  
Archives of Biochemistry and Biophysics 235, 283-303

SPURR,A.R., 1969. A low viscosity epoxy resin embedding medium for electron microscopy.

Journal of ultrastructure Research 26, 31-43

STANLEY, R.G. and LINSKENS, H.F. 1974. Pollen: biology, biochemistry and management. Springer-Verlag,Berlin.

STANLEY, R.G. and LOEWUS,F.A., 1964. Boron and myo-inositol in pollen pectin biosynthesis. In: Linskens H.F.(ed) Pollen physiology and fertilization. North-Holland Publ. Amsterdam, The Netherlands, pp 128-136.

STEAD,A.D., ROBERTS, I.N. and DICKINSON, H.G., 1979. Pollen stigma interaction in Brassica oleracea:Events prior to pollen germination.

Planta 146 : 211-216.

\* STRASBURGER, E., 1877. Uber Befruchtung und Zelltheilung Jenaische Ztschr.f. Naturw. 11 : 435-536

\* STRASBURGER,E., 1884. Neue Untersuchungen über den Befruchtungsvorgang bei den Phanerogamen". Jena.

STUMPF,P.K. and CONN, E.E., 1981. The Biochemistry of Plants: a comprehensive treatise. vol.7  
Academic Press, London.

SWAMINATHAN, M.S., 1955. Overcoming-cross incompatibility among some Mexican diploid species of Solanum.

Nature, 176, 887-888

TABOR, C.W. and TABOR, H., 1976. 1,4-Diaminobutane (putrescine), spermidine and spermine.  
Annu. Rev. Biochem 45, 285-306

TABOR,C.W. and TABOR, H., 1984. Polyamines. Annual Review of Biochemistry. 53, 749-90

TARA,C.P. and NAMBOODIRI,A.N., 1976. Association between defective stigmatic exudate and sterility in Impatiens. Chromatographic evidences. Indian J.Exp. Biol. 14. 354-355

- \* THURET, G., 1854. Researches Sur la fecondation des Fucacses, suivies d'observations sur les antheridies des algues.  
Ann. des. Sci. Nat., Bot. 2, 196-214.
- TILTON, V.R., WILCOX, L.W., PALMER, R.G. and ALBERTSEN, M.C., 1984. Stigma, style, and obturator of soyabean, Glycine max (L) Merr. (Leguminosae) and their function in the reproductive process.  
Amer. J. Bot. 71 (5), 676-686.
- TUPY, J., 1960. Sugar absorption, Callose formation and the growth rate of pollen tubes.  
Biol. Plant. 2, 169-180.
- TUPY, J., 1961. Investigation of free amino acids in cross-self and non-pollinated pistils of Nicotiana alata.  
Biol. Plant. 3, 47-64.
- UWATE, W.J. and LIN, J., 1981. Tissue development in the stigma of Prunus avium L.  
Ann. Bot. 47, 41-51.
- VAN der PLUIJM, J.E. and LINSKENS, H.F., 1966. Die feinstruktur der pollenschlauche in Griffel von Petunia.  
Genet. Breed. Res. 36, 220-222.

VAN DER WOUDE, W.J., and MOORE, D.J., 1968.

Endoplasmic reticulum-dictyosome-secretory vesicle  
associations in pollen tubes of Lilium longiflorum  
Thunb. Proc. Indiana Acad. Sci. 164-170.

VANFLEET, D.S., 1959. Analysis of the histochemical  
localisation of peroxidase related to the  
differentiation of plant tissue.

Can. J. Bot. 37, 449-458

VASIL I.K., 1960. Pollen germination in some gramineae.

Pennisetum typhoideum.

Nature 187, 1134-1135

VASIL, I.K., 1974. The histology and physiology of pollen  
germination and pollen tube growth on the  
stigma and in the style In. H.F. Linskens (ed)  
Fertilization in higher plants. pp 105-118  
North Holland. Amsterdam.

VASIL, I.K., and JOHRI, M.M., 1964. The style, stigma and  
pollen tube I. Phytomorphology. 14, 352-369.

VITHANAGE, H.I.M.V., 1984. Pollen-stigma interaction:  
Development and cytochemistry of stigma papillae  
and their secretions in Anona squamosa L. (Annonaceae)  
Ann. Bot. 54, 153-167

WEISENSEEL, M.H. and JAFFE, L.F., 1976. The major growth  
current through Lily pollen tubes enters as K<sup>+</sup>  
and leaves as H<sup>+</sup>  
Planta 133, 1-7

- WILLING, R.R. and PRYOR, L.D., 1976. Interspecific hybridization in poplar.  
Theor. Appl. Genet. 47, 141-151.
- WOODING, F.B.P. and NORTHCOTE, D.H., 1965. Association of the endoplasmic reticulum and the plastids in Acer and Pinus.  
Amer. J. Bot. 52, 526-531.
- WOLTERS, J.H.B. and MARTENS, M.J.M., 1987. Effects of air pollutants on pollen.  
The Botanical Review Vol.53, No.3, 373-414.
- YAMADA, Y., 1965. Studies on the histological and cytological changes in the tissues of pistil after pollination.  
Jap. J. Bot. 19, 69-82.
- YOUNG, L.C.T., STANLEY, R.G., and LOEWUS, F.A., 1966.  
Myoinositol-2-t incorporation by germinating pollen.  
Nature (London) 209, 530-531.
- ZENKTELER, M., MISIURA, E., GUZOWSKA, 1975. Studies on obtaining hybrid embryos in test tubes.  
In : Form structure and function in plants.  
eds. Mohan Ram, H.Y., Shah, J.J., Shah, C.K.,  
B.N. Johri, Comm. Volume. Meerut, pp. 180-187.

\* original not seen.