

BIBLIOGRAPHY

- Adis, J. 1990. Thirty million arthropod species – too many or too few? *Journal of Tropical Ecology*, **6**: 115-118.
- Alfred, J.R.B., and Chandra, K. 2000. Faunal diversity of Pachmarhi Biosphere Reserve, in: Proceedings of national seminar on biodiversity conservation and management with special emphasis on Biosphere reserves, Bhopal, EPCO. 24-27 November 2000, pp. 63-71.
- Allsopp, P.G. 1980. The biology of false wireworms and their adults (Soil inhabiting Tenebrionidae) (Coleoptera): a review. *Bulletin of Entomological Research*, **70**: 343-379.
- Ambrose, D. P. 1995. Insect Diversity and Conservation. *Zoos' Print*, **10**: 9-11.
- Amund, O.O., Onumonu, M.N., Onawale, T.A., and Malaka, S.L.O. 1988. A study of the microbial composition and lignocellulose degradation in the mound soil of *Macrotermes bellicosus* Smeathman. *Microbios Letters*, **37**: 69-74.
- Anathkrishnan, T.N. 1988. Dynamics of the litter ecosystem in natural and interested forest. *Int. J. Ecol. Environ. Sci.*, **14**: 61-66.
- Ananthkrishnan, T.N. 1989. *Bioresources Ecology*. Oxford & IBH Publ. Co. Ltd. New Delhi.
- Ananthakrisnan, T.N. 2000. Changing landscapes, Ecodiversity and insect faunal dynamics: The Tenmalai (Western Ghats). *Current science*, **4**: 387-392.
- Andre, H.M., Noti, M.I., and Lebrun, P. 1994. The soil fauna: the other fast biotic frontier. *Biodiversity and Conservation*, **3**: 45-56.
- Andresen, E. 1999. Seed dispersal by monkeys and the fate of dispersed seeds in a Peruvian rain forest. *Biotropic*, **31**: 145-158.
- Andrews, H.E. 1930. *Catalogue of Indian insects*, Part 18, Carabidae
- Andrews, H.E. 1935. *Fauna of British India*, Coleoptera, Carabidae, II, Taylor and Francis, London.

- Arnold' di, L.V., Zherikhin, V., Nikritin, L.M., and Ponomarenko, A.G. 1992. Mesozoic Coleoptera. Oxonian press, New Delhi, India.
- Arrow, G. J. 1931. *Faun. Brit. Ind.* Ceylon and Burma: Lamellicornia, Part III Coprinae, Taylor and Francis, London.
- Asquith, A., Lattin, J.D., and Moldenke, A.R. 1990. Arthropods: The invisible diversity. Northwest. *Environmental Journal*, 6: 404-405.
- Balu, A., Sasidharan, K.R., Rajarishi, R., 2001. A new record of root borer on Albizia lebbek in Tamil Nadu. *Indian Forester*, 127: 947-949.
- Barbero, E., Palestini, C., and Ronaldo, A. 1999. Dung Beetle conservation: Effects of habitat and resource selection (Coleoptera: Scarabaeoidea). *Journal of Insect Conservation*, 3: 75-84.
- Basedow, T.H. 1990. Effects of Insecticides on Carabidae and the significance of these effects for agriculture and species number. In: The role of Ground Beetles in Ecological and Environmental studies, Stork N.E. (ed.). Intercept, Andover, UK, pp.115-125.
- Basu, R.C. 1982. A review of the Taxonomical works done on the hemipterous groups of insects during the period 1970-1980 in India. *Proc. Zool. Soc. Calcutta*, 34: 55-77.
- Beeson, and Bhatia, B.M. 1937. *Ind For. Rec., Ent.* II. 12: 223-320.
- Beeson, C.F.C. 1941. The Ecology & Control of the forest -insects of India and Neighbouring countries. Manager, pub, Govt. Of India, (Rept. 1961).
- Bergstrom, B.C., Maki, R.L., and Werner, B.A. 1976. Small dung beetles as biological control agents: Laboratory studies of beetles action on trichostongyloid eggs in sheep and cattle feces. Proceedings of the Helminthology Society of Washington, 43: 171-174.
- Berwick, S. 1974. The community of wild ruminants in the Gir forests ecosystem, India. Ph.D. Thesis Yale University, U.S.A
- Besuchet, C., Burckhardt, D.H., and Lobl, I. 1987. The "Winkler/Moczavski" Eclector as an efficient extractor for fungus and litter Coleoptera. Col. Bull., 41: 92-394.
- Blair, K.G., 1930. *Ind. For. Rec., Ent.*, XIV, V, Indian species of palorus and some associated beetles.
- Blake, T.J., Sperry, J.S., Schaplinski, T., and Wang, S.S. 1996. Ware relations. In: *Biology of populus and its implications for Management and Conservation* Part

11 Chapter 16. (ed) Stettler *et al.*, National Research Council of Canada Press
Ottawa, Ont, pp.401-422

- Blest, A.D. 1963. Relations between moths and predators. *Nature*. 197: 1046-1047.
- Booth, R.G., Cox, M.L., and Madge, R.B. 1990. IIE Guides to Insects of Importance to Man 3. Coleoptera. *C.A.B. International*, U.K.
- Bornemissa, G.F., and Williams, C.H. 1970. An effect of dung beetle activity on plant yield. *Pedobiologia*, 10: 1-7.
- Borror, D.J., Triplehorn, C.A., and Johnson, N.F. 1992. *An Introduction to study of Insects*. Sixth Edition Harcourt Brace And Company , Orlando, Florida.
- Brakefield, P. M., Gates, J., Keys, D., Kesbeke, F., Wijngaarden, P.J., Monteiro, A., French, V., and Carroll, S.B. 1996. Development, plasticity, and evolution of butterfly eyespot patterns. *Nature*, 384: 236-242.
- Braker, E. 1991. Natural history of a neotropical gap-inhabiting grasshopper. *Biotropica*. 23: 41-50.
- Breymer, A. 1966. Relations between wandering spiders and other epigeic predatory arthropoda. *Ekol. Pol. (A)*, 14: 18-71.
- Brown, J.H. 1984. On the relationship between abundance and distribution of species. *Amer. Nat.*, 124: 255-279.
- Buchmann, S.L., and Nabhan, G.P. 1996. *The forgotten pollinators*. Island Press, Washington D.C.
- Cameron, M. 1930. *Fauna of British India, Staphylinidae I*, Zoological Survey of India.
- Chadwick, and Doughls, H. 1998. "Planet of the Beetles". *National Geographic*. 193: 100-119.
- Champion, G., and Seth, S.K. 1968. *A revised survey of the forest types of India*. Government Of India Press, New Delhi.
- * Chauvet, M., and Olivier, L. 1993: *La biodiversité'. Enjeu plane'taire. preserver notre patrimoine ge'ne'tique*. Editions sang de la Terre, Paris.
- Chavan, S.A. 1993. Vegetation and wildlife studies in Gir forests. Ph. D. Thesis submitted to M.S. University, Baroda.

- Chellam, R.1993. Ecology of the Asiatic Lion (*Panthera leo persica*). Ph D. Thesis, Saurashtra University, Rajkot.
- Cherian, P.T. 1985. Long-term environmental and ecological impacts of multi-purpose river valley projects with special reference to Idukki, Kerala. *Zoological Survey of India Report submitted to the Ministry of Environment and Forests*, Delhi.
- Cherian, P T. 1996: Why conserve invertebrates? *Zoos' Print*, 11: 1-2.
- Cherian, P.T. 1996. On Hot Spots, Warm Spots and Hot Specks. *Zoos' Print*, 11: 9-11.
- Chhotani. 1997. *Fauna of India (Isoptera)* Volume 2.
- Chhotani, O B. and Ray. 1975. *The Fauna of India and the Adjacent Countries: Isoptera (Termites)* Volume II. Family Termitidae
- Costanza, R., d'Arge, R , deGroot, R , Farber, S , Grasso, M., Hannon, B., Limburg, K., Naeem, S., O'Neill, R.V., Paruelo, J., Raskin, R.G., Sutton, P., and van den Belt, M 1997. The value of the world's ecosystem services and natural capital *Nature*. 387:253-260.
- Crist, T.O., and Wiens, J A 1995: Individual movements and estimation of population size in darkling beetles. (Coleoptera: Tenebrionidae). *Journal of Animal Ecology*. 64:733-746
- Crist, T.O., Guertin, D.S., Wiens, J.A., and Milne, B.T. 1992: Animal movement in heterogeneous landscapes: an experiment with Eleodes beetle in short grass prairie. *Functional Ecology*. 6: 536-544.
- Crowson, R.A. 1955. *Natural classification of the families of Coleoptera*. Nathaniel Llyod, London.
- Daily, G C., and Ehrlich, P.R 1995. Population diversity and the biodiversity crisis. Pp. 41-51 in C. Perrings, K.G. Maler, C. Folke, C.S. Holling and B.O. Jansson (eds.), *Biodiversity Conservation: Problems and Policies*, Dordrecht, Kluwer Academic Press.
- Davis, A.J., Holloway, J.D., Huijbregts, H., Krikken, J., Krik-Spriggs, A. H., and Sutton, S.L. 2001 Dung beetles as indicators of change in the forests of northern Borneo. *Journal of Applied Ecology*. 38:593-616.
- De Bakker, D., Maelfait, J.P , Hendrickx, F., Van Waesberghe, D., De Vos, B., Thys, S., De Bruyn, L 2000. A first analysis on the relationship between forest soil quality and spider (Araneae) communities of Flemish forest stands.

- Proceedings of the 18th European Colloquium of Arachnology, Stará Lesná, 1999. *Ekológia (Bratislava)*. **19**:45-58.
- De Oliveira, A.T. 1992. Food plain murundas of central Brazil – evidence for the termite – origin hypothesis. *J. Trop. Ecol.* **8**: 73-85.
- Dempster, J.P., and Pollard, E. 1986. Spatial heterogeneity, stochasticity and detection of density dependence in animal populations. *Oikos*. **46**:413-423.
- Dennis, R.L.H. 1993. *Butterflies and climatic change*. Manchester University Press, Manchester.
- Desai, I.V. 1996. Studies on Avifauna and Avian Ecology of Shoolpaneshwar Wildlife Sanctuary. Ph.D. Thesis, M.S. University of Baroda, Vadodara, Gujarat.
- Dharmakumarsinhji, S.K. 1968. The Gir Lion, *Cheetal*. **10**:8-12
- Dharmakumarsinhji, S.K., and Wynter-Blyth, M.A. 1951. The Gir forests and its lions. *J.Bombay.Nat.Hist.Soc.* **49**: 685-694.
- Docent Bulletin Board, 2004. Singapore Zoological Garden. Arthropods the glue of the habitat. Online [Available] www.szgdocent.org/ff/f-arth3.htm.
- Dover, C., and Ribiero. 1923. *Rec. Ind. Mus.* XXV, pp. 345-363. A list of Indian Cicindelidae with localities.
- Dutta, M. 1992. Behavioural diversity of diptera; an experience in India. *Proc. Zool. Soc., Calcutta*. **45**(Suppl.A): 345-360.
- Ehrlich, P. R., and Mooney, H.A. 1983. Extinction, substitution and ecosystem service. *BioScience*. **33**: 248-254.
- Eldridge, D.J. 1994. Nests of ants and termites influence infiltration in a semiarid woodland. *Pedobiologia*. **38**: 481-492.
- Enders, F. 1975. The influence of hunting manner on prey size, particularly in spiders with long attack distances (Araneidae, Linyphiidae and Salticidae). *Amer.Natur.* **109**: 737-763.
- Erwin, T.L. 1982. Tropical forests: their richness in Coleoptera and other Arthropod species. *Coleopterists' Bulletin*. **36**: 74-75.
- Estrada, A. and Coates- Estrada, R. 1991. Howler monkey (*Alouatta palliata*), dung beetles (Scarabaeidae) and seed dispersal: ecological interactions in the tropical rain forest of Los Tuxtlas, Mexico. **7**: 459-474.

- Evans, R.A. 1995. Hemlock ravines at Delaware water Gap National Recreation Area: A highly valued, distinctive, and threatened ecosystems. Proceedings of the Delaware water Gap 30th anniversary Symposium, November 1995. Pocono Environmental Education Center, Bushkill, Pennsylvania.
- Eyre, M., Lott, D.A., and Garside, A. 1996. Assessing the potential for environmental monitoring using ground beetles (Coleoptera: Carabidae) with riverside and Scottish data. *Annales Zoologici Fennici*. 33: 157-163.
- Eyre, M.D., and Luff, M.L. 1990. A preliminary classification of European grassland habitats using carabid beetles. In Stork N.E.(ed.), *The Role of Ground Beetles in Environmental studies*. Intercept, Andover, UK, pp. 227-236.
- F.S.I. 2001: State of Forest report, 2001 *Forest Survey of India*, Dheradun.
- Feer, F. 1999. Effects of dung beetles (Scarabaeidae) on seeds dispersed by howler monkeys (*Alouatta seniculus*) in the French Guianan rain forest. *J. Trop. Ecol.* 15: 129-142.
- Fincher, G.T. 1981. The potential value f dung beetle in pasture ecosystem. *Journal of the Georgia Entomological society* 16:316-333.
- Finnimore., A.T. 1992. Arid grasslands – biodiversity, human society, and climate change. Quantifying biotic responses associated with anthropogenic change, a prerequisite for interpreting biotic shifts in long-term climate change research. *Canadian Biodiversity*. 2: 15-23.
- Fletcher, T.B. 1914. *Some South Indian Insects*, pp.330.
- Fowler, W.W.1912. *Fauna of British India*, Coleoptera, General introduction.
- Gahan, C.J. 1906. *Fauna Brit. Ind.*, Coleoptera, I, Cerambycidae.
- Gandhale, D.N., Awate, B.G., and Pokharker, R.N. 1983. Chemical control of grapevine stem borer *Celosterna scabrator*. Fbr. (Lamiidae: Coleoptera) in Maharashtra. *Entomon*. 8(3):307-308.
- Gardner, 1941. Immature stages of Indian Lepidoptera. Noctuidae. *Indian Forest Rec.*, pp.298.
- Gaston, K.J. 2000. Global pattern in biodiversity Nature. 405: 220-227.
- Gertsch, W.J. 1979. American Spiders. New York, Van Nostrand Reinhold.
- Ghilarov, M.S. 1965. [Zoological methods of soil diagnostic.] Moscow, Nauka. 278 pp. (In Russian, English summary).

- Ghosh, C.C. 1936. *Imp. Counc. Agr. Res. Misc. Bull.* No.6, Beekeeping, third revised edition.
- Ghosh, S.K. 1993. Records of the Zoological Survey of India : Neuroptera fauna of North-East India. (Occasional Paper No. 184)/S.K. Ghosh. Calcutta, Zoological Survey of India, 2000, 180 p., ISBN 81-85874-35-2
- Ghosh, L.K., and Basu, R.C. Biosphere Reserve in Arunachal Pradesh, India. *Records of the Zoological survey of India A Journal of Indian Zoology*
- Glesne, R. S.1998. Terrestrial Riparian Arthropod Investigations In The Big Beaver Creek Research Natural Area, North Cascades National Park Service Complex,1995-1996: Part III, Arachnida:Araneae. Technical Report NPS/NRNOCA/NRTR/98-03.United States Department of Interior - National Park Service - Pacific West Region. NorthCascades National Park Service Complex2105 State Route 20Sedro Woolley, WA98284.
- Green, R.N. 1979. Sampling Design and Statistical Methods for Environmental Biologists. John Wiley and Sons, New York, N.F.
- Green, J. C., Leadbeater, B. S. C., and Diver, W. L.1989. *The Chromophyte Algae: Problems and Perspectives*. Clarendon Press,Oxford.
- Green, P.T., O'Dowd, D.J., and Lake, P.S. 1997. Control of seedling recruitment by land crabs in rainforest on a remote oceanic island. *Ecology*, 78: 2474-2486.
- Green, P.T., O'Dowd, D.J., and Lake, P.S., 1999. Monopolization of litter processing by a dominant land crab on a tropical oceanic island. *Oecolog*, 119: 235-244.
- Gujarat Forest Department, 1999. About Gujarat Forest available online. <http://gujaratforest.gov.in>.
- Habibullah, S. 1984. Ecology of Gir forest: Phytosociological study and net primary production in relation of some important tree species in western region. PhD. thesis submitted to Bhavnagar University, Gujarat.
- Hafernik, J.E. 1992. Threats to invertebrate biodiversity: Implications for conservation strategies, pp. 171-195 in P.L.Fiedler and S.K.Jain (ed.), *Conservation Biology: The Theory and Practice of Nature Conservation, Preservation and Management*. Chapman and Hall, NY.
- Haila, Y., Hanski, I.K., Niemelä, J., Punttila, P., Raivio, S., and Tukia, H. 1994: Forestry and the boreal fauna: matching management with the natural forest dynamics. *Annales Zoologici Fennici*, 31: 187-202.


- Halffter, G., and Favila, M.E. 1993. The Scarabaeinae (Insecta: Coleoptera), an animal group for analyzing, inventorying and monitoring biodiversity in tropical rain forests and modified landscapes. *Biology International*, 27: 15 -21.
- Halffter, G., and Matthews, E.G. 1966. The Natural History Of Dung Beetles Of The Subfamily Scarabaeinae (Col.: Scarabaeidae). *Folia Entomol. Mex.*, 12-14: 1-312.
- Halffter, G., and Edmonds, W.D. 1992. A comparitive study of the structure of the scarab suild in Mexican tropical rain forest and derived ecosystems. *Folia Entomol. Mex.*, 84:131-156.
- Hammond, P.1992. Species inventory, pp 17-39 in B. Groombridge, ea., Global Biodiversity: Status of Earth's Living Resources.
- Harde, K.W. 1998. *A field guide in color to Beetles*. Blitz edition. Bookmart Ltd. Desford Road, Enderby, Leicester LE9 5AD.
- Harrison, R. G. 1980. Dispersal polymorphisms in insects. Annual Review of Ecology and Systematics, 11: 95-118.
- Hazara, A.K., Tandon, S.K., Shishodia, M.S., Dey, A., and Mandal, S.K. 1993. Insecta: orthoptera: Acridoidea, State Faune Series 3: *Fauna of West Bengal*, part 4: 287-354.
- Hendrix, P.F., Crossley Jr., D.A., Blair, J.M., and Coleman, D.C. 1990. *Soil biota as components of sustainable agroecosystem*. Pp. 637-654 in C.A. Edwards, R. Lal, P. madden, R.H., Miller, and G. House (editors). Sustainable agricultural systems. Soil and water conservation society, Ankeny, IA.
- Hickman Jr., C.P., Roberts, L.S., and Larsen, A. 1995. *Integrated principles of Zoology*. 9th Edition. Wm.C. Brown Publishers. Dubuque, Iowa; Melbourne, Australia; Oxford, England.
- Holm, E., and Gussmann, S. 1992. Revision of the genus Sternocera Eschscholtz of Africa (Coleoptera: Buprestidae). *Entomology memoir – Republic of South Africa; Department of Agricultural Development*, 85: 84.
- Holm, E. 1979. Revision of the genera of the tribe Julodini (Coleoptera: Buprestidae). *Journal of the Entomological Society of Southern Africa*, 42: 89-114.
- Hood, K.T.B. 1970. The ecological impact of domestic stock on the Gir forest. Proceedings of the 11th Technical meeting Vol.I Iucn publications new series No.17, Morges, Switzerland.

- Hooper, and Vitousek 1997. Ecology: a test of the effects of functional group richness and composition. *Ecology*, **79**: 704-719.
- Hooper, D.U and Vitouskey, P.M. 1997. The Effects of plant composition and diversity on ecosystem processes. *Science*, **277**: 1302 –1305.
- Howard, R. A., and Zanoni, T.A. 1989. Two typical examples of seed distribution in Dominican Republic. *Moscosoa*, **5**: 216-225.
- Huston, M.A. 1993. Biological diversity, soil and economics. *Science*, **262**:1676- 1680
- Huston, M.A. 1997. Hidden treatment in ecological experiments: Re-evaluating the ecosystem function of biodiversity. *Oecologia*, **110**: 119-160.
- Huston, M.A., Aarssen, L.W., Austin, M.P., Cade, B.S., Fridley, J.D., and Garnier, E. (2000). No consistent effect of plant diversity on productivity. *Science*, **289**:1255.
- IMMS. 1983. *General textbook of entomology*. 10th Edition: Classification and Biology. Richards, O.W., and Davies, R.G. Chapman and Hall, **1**and **2**.
- IUCN (International Union for the Conservation of Nature and Natural Resources) 1983. *The IUCN invertebrate Red Data Book*. IUCN, Gland, Switzerland.
- Jain, A.C., Nair, K.S.S., Sharma, J.K., Varma, R.V. 1993. Growing pest problems in *Prosopis cineraria* in arid zones of India. Impact of diseases and insect pests in tropical forests. Proceedings of the IUFRO Symposium, Peechi, India
- Jamal, A. 1994. Major insect pests of gum Arabic trees *Acacia senegal* Willd. And *Acacia seyal* L. in western Sudan. *Journal-of-applied-entomology* (Germany), **117**: 10-20.
- Jones, C.G., Lawton, J.H., and Schachak, M. 1994: Organisms as ecosystem engineers, *Oikos*, 69 atmospheric trace gases: CH₄, CO₂, CHCl₃, NO₂, CO, H₂ and light hydrocarbon. *J. Geophy res*, **95**: 3619-3634.
- Jostin, P. 1973. The Asiatic lion: a study of ecology and behaviour. Ph.D Thesis. University of Edinburgh, Edinburgh, U.K. 249 pp.
- Khanna, V. 1977. Studies on the centiped genus *Trachycormocephalus*(Myriopoda: scolopendridae) from Rajasthan. *India Orrient. Ins.*, **11**: 151-156.
- Khoshoo, T.N. 1996. 'Biodiversity in Indian Himalayas : Conservation and utilization'. In Banking on Biodiversity, edited by Sheggi P Kathmandu: International center for Integrated Mountain Development.

- Klein, B.C. 1989. Effects of forests fragmentation on dung and carrion beetle communities in Central Amazonia. *Ecology*, 70: 1715-1725.
- Krebs, C.J. 1989. *Ecological methodology*. Harper and Row, Cambridge. 654 pages.
- Kremen, C., Colwell, R.K., Erwin, R.L., Murphy, D.D., Noss, R.F., and Sanjayan, M.A. 1993. Terrestrial arthropod assemblages: Their use in conservation planning. *Conserv. Biol.*, 7(4): 796-808.
- Kremen, C. 1992. Assessing the indicator properties of species assemblages for natural areas monitoring. *Ecol. Appl.*, 2: 203-217.
- Lal, J.B. 1989. *India's Forests: Myth and Reality*. Natraj Publishers, New Delhi, India.
- Lall, A., Verma, K.V.S. 1978. Changes in the soil insect community under the impact of road construction and deforestation in the northwest Himalaya, 6: 125-128.
- Larsen, T.B. 1988. The Butterflies of the Nilgiri mountains of South India (Lepidoptera: Rhopalocera). *J.Bombay Nat. Hist. Soc.*, 85: 26-43.
- Larsen, T.B. 1987. The Butterflies of the Nilgiri mountains of South India (Lepidoptera: Rhopalocera). *J.Bombay Nat. Hist. Soc.*, 80: 291-316 and 84: 560-584.
- Lattin, J.D. 1990. Arthropod diversity and conservation in Northwest old-growth forests. *Wings*, 15: 7-10.
- Lattin, J.D., and Moldenke, A.R. 1992. Ecologically sensitive invertebrates taxa of Pacific Northwest old growth forests. Report to the Northern Spotted Owl Recovery Team on other species and ecosystems committee. Portland, Oregon. U.S. Department of the Interior. 42 pp
- Lattin, J.D. 1993. Arthropod diversity and conservation in old-growth north west forests. *American zoologist*, 33: 578-587.
- Lawton, J.H. 1983. Plant architecture and the diversity of phytophagous insects. *Annual Review of Entomology*, 28: 23-29.
- Lefroy, H.M., and Howlett, F.M. 1909. Indian Insects Life. Thacker, Spink and Co. Calcutta: 786 pp.
- Lerdau, M. 1997. Insects and ecosystem function. *TREE*, 11:151.
- Linnaeus, C.V. 1758. *Systema Naturae*. I, Ed.10, 824 pp. Laur salvii.
- Living Planet Index Report, 2002. WWF publication.

- Loganathan, J., David, P.M.M. 1999. Predator complex of the teak defoliator, *Hyblaea puera* Cramer (Lepidoptera: Hyblaeidae) in an intensively managed teak plantation at Veeravanallur, Tamil Nadu. *Entomon*, **24**: 259-263.
- Loreau, M., Naeem, S., Inchausti, P., Bengtsson, J., Grime, J.P., Hector, A., Hooper, D.U., Huston, M.A., Raffaelli, D., Schmid, B., Tilman, D., and Wardle, D.A. 2001. Biodiversity and ecosystem functioning: current knowledge and future challenges. *Science*, **294**: 804–808.
- Lövei, G.L., and Sunderland, K.D. 1996. Ecology and behavior of ground beetles (Coleoptera: ground beetleae). *Annual Review of entomology*, **41**: 231-256.
- Lovejoy, T.E. 1980a. Forward In: Soule, M.E and Wilcox, B.A (eds) Conservation Biology: An evolutionary- ecological perspective, v-ix Sinauer Associates, Sunderland, Mass.
- Lovejoy, T.E 1980b. Changes in biological diversity in: The Global 2000 Report to the president. 2:(The Technical Report) Penguin Books, Harmonds Worth.
- Lumaret, J.P. 1994. La conservation de l' entomofaune dans les aires naturelles protégées. In: Jimenez-Peydro R and Marcos-Gracia MA (eds) Environmental Management and Arthropod conservation, pp57-65. Association Espanola de Entomologia. Valencia.
- Majumdar V.G.: Some records of Insect fauna of Gir forest, Gujarat State Indian Forester, 99:238-8240,1973.
- Marshall, G.K. 1916. *Fauna of British India.*, Coleoptera, curculionidae, I, pp.367.
- Martin, J. W., and Heyning, J.E. 1999. First record of *Isocyamus kogiae* Sedlak- Weinstein, 1992 (Crustacea, Amphipoda, Cyamidae) in the eastern Pacific, with comments on morphological characters, a key to the genera of the Cyamidae, and a checklist of cyamids and their hosts. *Bulletin of the Southern California Academy of Sciences*, **98**: 26-38.
- Martin-Pierra, F., and Lobò, J.M. 1995. Diversity and ecological role of dung beetles In Iberian grassland biomes. In: McCracken DI, Bignal EM and Wenlock SE (eds) *Farming on the edge: Nature of traditional farmland in Europe*, Pp147-153. Joint Nature Conservation Committee, Pteroborough.
- Martin-Pierra, F. 1997. Aputes sobre biodiversidad y conservacion de insectos; dilemmas, ficciones y 'soluciones'. *Boletin de la Sociedad entomologica Argonesa*, **20**: 1-31.

- Maser, Chris. 1988. The Redesigned Forest. San Pedro, Calif.: R. and E. Miles Publishers.
- Mason, R.R., Jennings, D.T., Paul, H.G., and Wickman, B.E. 1997. Patterns of spiders (Araneae) abundance during an outbreak of western spruce budworm(Lepidoptera;Tortricidae).*Environ.Entomol.*, **26**: 507-518.
- Mather, M. H. U., and Roitberg, B. D. 1987. A sheep in wolf's clothing: tephritid flies mimic spider predators. *Science*, **236**: 308-310.
- Mathew, G. 1990. Biology and Ecology of the teak trunk borer *Cossus cadambane* Moore and its possible control KFRI Research Report 68,41 pp.
- Mathur, R.N. 1975. Psyllidae of the Indian subcontinent. Pp 429.
- Mathur, R.N., and Singh, Balwant, 1954-1961. A list of insects pests of forest plants in India and adjacent countries. Parts 4 to 8. *Indian forest Buletin* No.(1-10).
- Maulik, S., 1919. *Fauna of British India*, Hispinae and Cassidinae, pp. 270-273.
- May, R. M. (1990a). Taxonomy as destiny. *Nature*, **347**: 129-130.
- May, R. M. (1990b). How many species? Philosophical Transaction of the Royal Society, **B330**: 293-304.
- May, R. M. 1986. How many species are there? *Nature*, **324**: 514-515.
- May, R.M., Lowton, J.H., and Stork, N.E. 1995. Assessing extinction rates.pp.1-24, in extinction rates, eds.J.H.Lowton and R.M.May.Oxford:Oxford University press.
- McCoy, E.D. 1990. The distribution of Insects along elevation gradients. *Oikos*, **58**: 312-322.
- McNeely, J.A, Miller, K.R., Reid, W., Mittermeier, R., and Werner, T.1990: *Conserving the world's Biological diversity* IUCN, WRI, World Bank, WWF- US, C.I Washington, D.C.
- McNeely, J.A. 1982. The Biodiversity crises: Challenges for research and management Conservation of Biodiversity for sustainable Development. Eds. O.T. Sandlured, K. Hindar, A.H.D.Brown. Scandinavian University Press, pp.15-26.
- Meffe G.K. and Carroll C. R.: Principal of conservation Biology. Sinauer Associates, Ind., Pub. , Massachusetts, 1997.



- Mehta, D.R. 1932. *Bull. Dept. Zool., Punjab University.*, I, pp. 101-118, pls. 3, Fauna of Lahore.3. Preliminary notes on the life history of firefly. *Luciola gorhami* Rits and cytology of the light organs.
- Miller, J.C. 1993. Insect natural history, multi- species interaction and biodiversity in ecosystems. *Biodiversity and conservation*, 2: 233-241.
- Mossakowski, D., Främbis, H., and Baro, A. 1990. Carabid beetles as indicators of habitat destruction caused by military tanks. In: Stork N.E.(ed.), *The Role of Ground Beetles in Ecological and Environmental studies*. Intercept, Andover, UK, pp.237-243.
- Moulder, B.C., and Reichle, D.E. 1972. Significance of spider predation in the energy dynamics of forest floor arthropod communities. *Ecol. Monogr.*, 42: 473-498.
- Muthukrishnan, J. 1990. Bioenergetics in insect-plant interactions. *Proc. Indian Acad. Sci. (Anim. Sci.)*, 99: 243-255.
- Nageshwara Rao, B. 1983. *Ecology of Gir forest*. Phytosociological study and net primary production in relation of some important tree species in eastern region. PhD. thesis submitted to Bhavnagar University, Gujarat.
- Narendran, T.C., and Cherian, P.T. 2002. On some misconception on conservation of insects, *Zoo's Print Journal*, 17: 687-688.
- Nealis, V.G. 1977. Habitat association and community analysis of south Texas dung beetles (Coleoptera: Scarabaeidae). *Canadian Journal of Zoology*, 55: 138-147.
- New, T.R. 1995. *Introduction to invertebrate conservation Biology*. Oxford University Press, Oxford.
- New, T.R., Pyle, R.M., Thomas, J.A., Thomas, C.D., and Hammond, P.C. 1995. *Butterfly Conservation Management*. *Annu. Rev. Entomol.*, 40: 57-83.
- Niemelä, J. 1996. Population Biology and Conservation of Carabid Beetles. *Annales Zoologici Fennici*, 33: 1-241 (entire issue).
- Niemelä, J., Haila, Y., Halme, E., Lathi, T., Pajunen, T., and Punttila, P. 1988. The distribution of carabid beetles in fragments of old coniferous taiga and adjacent managed forest. *Annales Zoologici Fennici*, 25: 107-119.
- Niemela, J., and Halme E., 1992. Habitat associations of carabid beetles in fields and forests on the Aland islands, S W Finland. *Ecography*, 15: 3-11.

- Norse, E. A., Rosenbaum, K.L., Wilcove, D.S., Wilcox, B.A., Romme, W.H., Johnston, D.W., and Stout, M. L. 1986. Conserving biological diversity in our national forests. The Wilderness Society, Washington, DC.
- Nyffeler, M. 1999. Prey selection of spiders in the field. *Journal of Arachnology*, **27**: 317-324.
- Olson, D.M. 1994: The distribution of leaf litter invertebrates along a Neotropical altitudinal gradient. *Journal of Tropical Ecology*, **10**: 129-150.
- Pandian, T.J. 1976. Food Intake and energy expenditure patterns in two insect primary consumers. *Current Science*, **42**: 423-425.
- Pandian, T.J., and Marian, M.P. 1986. Prediction of assimilation efficiency of Lepidopterans. *Proc. Indian Acad. Sci.*, **42**: 423-425
- Parikh, P.H. 2001. Studies on lesser known fauna of Gir PA with special reference to invertebrates. Report submitted to DCF, Department of forest, wildlife division, Sasan Gir, Gujarat.
- Patel, C.D. 1992. Geo-environmental studies in Gir forest area. Ph.D. Thesis M.S.University, Baroda. Pp.451
- Patel, B.H. and Kareemullah, M. 1989. Effect of temperature on two species of pseudoscorpions (Arachnida:Pseudoscorpionida) (Abstract); XI *Int.Congr.Arachn.Turku* : 74
- Patel, B.H., and Vyas, R. 2001. Spiders of Hindolgadh Nature Education Sanctury, Gujarat, India. *Zoo's Print.*, **16**: 589-590.
- Patel, B.H., 2003. Fauna of protected areas of India-1: Spiders of Vansda National Park, Gujarat, **18**: 1079-1078.
- Patel, B.H., and Vyas, R. 2001. Spiders of Hindolgadh Nature Education Sanctury, Gujarat, India. *Zoo's Print*, **16**: 589-590.
- Patel, B.H. 2003. Fauna of protected areas of India-1: Spiders of Vansda National Park, Gujarat, **18**: 1079-1078.
- Patrick, M., Alian, C., and Fredrick, S. 1999. Spiders (Araeneidae) useful for pest limitation and bioindication. *Agriculture, Ecosystems and Environment*, **74**: 229-273.
- Pearse, V., Pearse, J., Buchsbaum, M., and Buchsbaum, R. 1987. Living Invertebrates. Blackwell Scientific Publications, California. 848pp.

- Pillai, S.R.M., and Gopi, K.C. 1990. Further records of insect pests on *Acacia nilotica* (Linn.) Willd.exDel.in nurseries and young plantations and the need for control measures. *Indian Journal of Forestry*, 13: 8-13.
- Pilo, B., and Pathak, B.J. 1996. Biological Diversity Of Gujarat. A Report By Gujarat Ecology Commission.
- Prasad, M., and Kulkarni, P.P. 2001. Insecta: Odonata, 73-83. In: (ed.) Director Z.S.I. Kolkata, Fauna of Nilgiri Biosphere Reserve, *Fauna of Conservation Area Series II, Zool. Surv. India*.
- Prasad, M., and Varshney, R.K. 1995. A check list of the odonata of India including data on larval studies. *Oriental Ins.*, 29: 385 –428.
- Primack, R.B., and Ros, J. 2002. *Introducción a la biología de la conservación.*, Ariel Ciencia, Barcelona, Spain.
- Puri, 1960. *Indian forest ecology*. Oxford book and stationary company. New Delhi and Calcutta. I & II.
- Raghvendra, G., Chandrasekhara, K., and Nair, Padmini. 1990. Insect species diversity in the Tropics: Sampling method and a case study. *BNHS*, 87: 338-353.
- Rainio, J., and Niemelä, J. 2003. Ground beetles (Coleoptera: Carabidae) as bioindicators. *Biodiversity and Conservation*, 12: 487-506.
- Ralph, R. 1985. Occurrence of *Celosterna scabrator* var. spinator on Eucalyptus. *Journal of the Bombay Natural History Society*, 82: 682-683.
- Ralph, R. 1990. Infestation by the borer- *Celosterna scabrator* variety spinator on *Acacia nilotica* in north Karnataka. *Commonwealth Forestry Review* (United Kingdom, 69: 91-94.
- Rathinasabapathy, B., and Yadav, B.E., 2000. *Zoos' Print Journal*, 9: 327-328.
- Raven, P.H. 1990. The politics of preserving biodiversity. *Bioscience*, 40: 769-774.
- Redford, K.H. 1984. The termitaria of *Cornitermes cululans* (Isoptera: Termitidae) and their role in determining a potential keystone species. *Biotropica*, 16: 112-119.
- Reid, W.V., and Miller, K.R. 1989. *Keeping options alive: The scientific basis for conserving biodiversity*. Washington DC; World Resources Institute.

- Richert, S.E. 1974. Thoughts on the Ecological significance of spiders. *Biosciences*, 24: 352-356.
- Ricklefs, R.E., Naveh, Z., and Turner, R.E. 1984. Conservation of ecological processes commission on Ecology Papers Number 8. *Environmentalist*, 4: 3-16.
- Rodger, W.A. 1989. *Wildlife conservation in India in the twenty first century*. Planning of rational protected area network.
- Rogers, L.E., Woodley, N., Sheldon, J.K., and Uresk, V.A. 1978. Darkling beetle populations (Tenebrionidae) of Hanford site in south-central Washington. PLN- 2465. Pacific Northwest laboratory, Richland, Washington USA.
- Roonwal, M.L. and Bhasin, G.D. 1954. A list of Insects of forest plants in India and adjacent countries. Part 1. General Introduction by M.L.Roonwal. Part2. List of insect pests of plant genera (A). *Indian Forest Bulletin*, 171: 93.
- Roonwal, M.L., Bhasin, G.D., and Pant, G.D. 1950. A systematic catalogue of the main identified entomological collection at Forest Research Institute, Dehra Dun. Part 1-3, *Indian Forester*, 76: 498-505.
- Rougon, D., Rougan, C., Trichet, J., and Levieux, J. 1988. Enrichissement en matière organique d'un sol sahelien au Niger par les insectes coprophages (Coleoptera: Scarabaeidae): Implications agronomiques. *Revue d'Ecologie et de Biologie du sol*, 25: 413-434.
- Rushton, S.P., Eyre, M.D., and Luff, M.L. 1990. The effects of management on the occurrence of some ground beetle species in grassland. In: Stork N.E.(ed.), *The Role of Ground Beetles in Ecological and Environmental Studies*. Intercept. Andover, UK, pp. 209-216.
- Saberwal, V.K., Gibbs J.P., Chellam, R., and Johnsingh, A.J.T. 1994. Lion- Human conflict in the Gir forests, India. *Conservation Biology*, 8: 501-507.
- Sabnis, S.D and Amin, J.V. 1992. Report of Eco Environment and Wildlife Management Studies Project sponsored by SSNNL and NPG. The Maharaja Sayajirao University Press, Baroda, Gujarat, India.
- Samways, M.J. 1992. Some comparative insect conservation issues of north temperate, tropical, and south temperate landscapes. *Agric., Ecosyst. & Environ*, 40: 137-154.
- Samways, M.J. 1994. *Insect conservation Biology*. Chapman and Hall, NY.

- Santapau, H., and Raizada, M.B, 1956. Contribution to flora of Gir forest in Saurashtra. *Indian Forest Records (New series) Botany*, 4: 105-107.
- Scholes, R.J., 1990. Change in nature and the nature of change: interactions between terrestrial ecosystem and the atmosphere. *South African journal of Science*, 86: 350-354.
- Schowalter, T.D, 1995. Canopy arthropod communities in relation to forest age and alternative harvest practices in western Oregon. *Forest Ecology and management*, 78: 115-125.
- Schowalter, T.D, 2000. *Insect Ecology: An Ecosystem Approach*. Academic Press, New York. :483.
- Schowalter, T.D. 1989. Canopy arthropod community structure and herbivory in old growth and regenerating forest in western Oregon. *Canadian journal of forest research*, 19: 318-322.
- Schulze, E.D., and H.A. Mooney, H.A. 1993. *Biodiversity and Ecosystem Function*. Springer-Verlag, Berlin.
- Seastedt, T. R., and D.A. Crossley, Jr. 1984. Influence of Arthropods on ecosystems. *Bioscience*, 34: 157-160.
- Seastedt, T.R. 1984. The role of Micro arthropods in decomposition and mineralization processes. *Ann. Rev. Entomol.*, 29: 25-46.
- Selvasundaram, R. 1992. Food utilization and bioenergetics of catoptillia theivora (Walsingham) (Lepioptera- Garcilliaridae) infesting tea. *Hexapoda*, 4: 119-128.
- Sengupta, T.N., and Pal, T.K. 1998. *Faunal diversity in India: Coleoptera*. Faunal diversity in India, a Commemorative volume in the 50th year of India's Independence. ENVIS Centre, Zoological Survey of India, Calcutta. 258-268.
- Setälä, H. and Huhta, V. 1991. Soil fauna increase *Betula pendula* growth: laboratory experiments with coniferous forest floor. *Ecology*, 72: 665-671.
- Shepherd, V.E., and Chapman, C.A. 1998. Dung beetles as secondary seed dispersers: impact on seed predation and germination. *J. Trop. Ecol.*, 14: 199-215.
- Shivayogeshwara, B., Mallikarjunaiah, H., Prasad, N.K.K. and Das, K.G.S., 1988. Incidence of babool borer *Celosterna scabrator* Fabricius (Laminae:

- Cerambycidae; Coleoptera) on Eucalyptus in Malnad Tracts of Shimoga. *Indian Forester*, 114: 410-413.
- Siliwal,M., 2000. Taxonomic studies of Spiders with special emphasis on their role in biological control of insect pests. Ph.D. Thesis, M.S. University of Baroda, Vadodara, Gujarat.
- Singh M. and Kamboj R.D.,1996: Conservation and Management Plan for Gir Dept. Forest, Wildlife Div., Gujarat.
- Singh M., Sonavane S., and Bhatt K,1998.: Lesser-known invertebrate fauna of Gir. Research review seminar, Sasan Gir.
- Singh, H.S., 2001. *Natural heritage of Gujarat (Forest and Wildlife)*. Published by Gujarat Ecological Education and Research (GEER) Foundation, Gandhinagar.
- Smateck, P.1996. Restoring lost glory. *Sanctury Asia*, 16: 26-31.
- Soni, V.C., Kumar, V.V. and Bhuva, V., 1992. Does the prey availability govern the diet of lions (*Panthera leo persica*) in the wild. *Tiger paper*, 19:10-11.
- Spira T.P., 2001. Plant-pollinator interactions; a threatened mutualism with implications for the ecology and management of rare plants. *Northwest Areas Journal*, 21: 78-88.
- Stebbing,E.P. 1914. *Indian Forest Insects of Economic Importance- Coleoptera*, Eyre and spottiswoode Ltd., London.
- Subramanyam, T.V., 1925. *Journ.Bomb.Nat.Hist. Soc.*, XXX. Pp. 924,925, 1 pl., *Coptosoma ostensum* Dist. And its enemy *Synia melanaria* Muls.
- Suresh B., Pradeep P.K., Siliwal M., Dhuru S. and Pilo B. 2001 Butterfly fauna of Jessore Sloth Bear Sanctuary in Gujarat. *Insect Environment*, 6: 157-159.
- Sureshan, P.M., 1996. *Conservation Biodiversity: Hymenoptera*, 11: 7
- Tandon S.K., and Hazara A.K., 1998. Faunal diversity in India: Orthoptera. *Envis ZSI*. :184-188.
- Thomas, C.D, 1990, Fewer species, *Nature*. 347:237.
- Thompson, J.N. 1994. The Coevolutionary Process. Chicago Univ. Press, Chicago.
- United Nations Food and Agriculture Organization (UNFAO). 1993. Marine Fisheries and the Law of the Sea: A Decade of Change. *Fisheries Circular No. 853, Rome*.

- Tikader, B.K. 1987. *Handbook: Indian spiders*. Zoological survey of India. 1-251.
- Trivedi, P. 1993. Habitat selection by Indian Peacock (*Pavo cristatus*) in Gir forests, India. M.Sc. Dissertation, Saurashtra University, Rajkot. :78.
- Turin, H. and den P.J. den Boer. 1988. Changes in the distribution of Carabidae beetles in the Netherlands since 1880: II. Isolation of habitats and long term time trends in the occurrence of carabid species with different power of dispersal (Coleoptera: Carabidae). *Biological conservation*, 44: 179-200.
- Tumblu, A.L. 1973. Ecology of the true Spiders. *Annual Review of Entomology*, 18: 305-348.
- Tyagi, B.K. 1997. Dragonfly Wealth of India - Extant species: A Preliminary Systematic List, XII, 10: 3-10.
- Tyagi, B.K. 1985. Dragonfly conservation in India: present status and future prospects. *Rep. Odon. Specialist. Group Int. Un. Conserv.*, 6: 1-5.
- Uniyal, V.P. and B.S. Mehra. 1996. Preliminary Observations on Diversity of Butterflies (Lepidoptera: Insecta) in High Altitude Grazing Pasture in Himalayan National Park. ZP, 11: 7-8
- Van Rensburg, B., McGeoch, M.A., Chown, S.L. and Van Jaarsveld, A.S. 1999. Conservation of heterogeneity among dung beetles in the Maputaland center of endemism, South Africa. *Biological Conservation*, 88: 145-153.
- Vane-Wright, R.I. (1996). Identifying priorities for the conservation of biodiversity: systematic biological criteria within a socio-political framework, in: Gaston, J.K. (ed.) *Biodiversity, a biology of numbers and difference*. Oxford: Blackwell Science. 309-344.
- Vazirani, T.G. 1968. Contribution to the study of aquatic beetles (Coleoptera). *Oriental Insects*, 2: 221-341.
- Vazirani, T.G. 1977. catalogue of Oriental Dysticidae. *Rec. Zoo. Surv. India*, Occas. Paper No.6:111.
- Venkata Ramana, S. P., Atluri, J. B. and Subba Reddi, C. 2001, Autecology of the common crow butterfly. *Ecol. Env. & Cons.*, 7: 47-52.
- Vernn S. 2000. The effects of urbanization on boreal ecosystems. M.sc. Thesis, University of Helsinki, Helsinki, Finland.
- Vulinec, K. 2000. Dung beetles (Coleoptera: Scarabaeidae), monkeys and conservation in Amazonia. *Fla. Entomol.*, 83: 229-241.

- Wagner, D. L., D. R. Tobi, B. L. Parker, W. E. Wallner, and J. G. Leonard. 1989. Immature Stages and Natural Enemies of *Korscheltellus gracilis* (Lepidoptera: Hepialidae). *Ann. Entomol. Soc. Am.*, 82: 717-724.
- Wells, Susan M., Pyle, Robert M., and Collins, Mark N. 1983. *The IUCN invertebrate Red Data Book*. IUCN, Switzerland.
- Wheeler, Q.D. 1990. Insect diversity and cladistic constraints. *Ann. Entomol. Soc. Amer.*, 83: 1031-1047.
- White, R.E. 1983. *A field guide to the beetles of North America*. Houghton Mifflin, Boston.
- Whitmore, T.C and Sayer, J.A. 1992. *Tropical deforestation and species extinction*. IUCN, Gland.
- Whittaker R.H. 1975. *Communities and Ecosystems*, Second (ed.), Macmillan New York.
- Wilson, E.O. 1985: The biological diversity crisis. *Bioscience*, 35: 700-706.
- Wilson, E.O. 1987: The little things that run the world: The importance and conservation of invertebrates. *Conserv. Biol.*, 1: 344-346.
- Wilson, E.O. 1988. *The current state of biological diversity*: E.O Wilson [ed.], Biodiversity. National Academy press, Washington DC., pp. 3-18.
- Wilson, E. O., and Peters, F. M. 1988. *Biodiversity*, National Academy press, Washington DC.
- Wilson, E.O., 1991. Ants. *Wings*, 16: 3-13
- Wise, D. H. 1993, *Spiders in Ecological Webs*. Cambridge University press, Cambridge.
- Wright R.G., 1996. *National Parks and Protected Areas*, Blackwell Science, Cambridge, Massachusetts, USA.
- Wright, R.G. 1996. Expansion of the U.S. national park system in Alaska. In: *National parks and protected areas: Their role in environmental protection*. Blackwell Science, Cambridge, Massachusetts., pp.165-173.
- Wylie F.R., Floyd R.B., Hutacharern C., Napompeth B., Allard G., 2002. The insect threat to eucalyptus plantations in tropical areas of Australia and Asia. *Proceedings of the IUFRO-FAQ workshop on pest management in tropical*

forest plantations, Chanthaburi, Thailand 25-29 May 1998. FORSPA 30: 11-17.

Zahradník J., 1999. *A field guide in colors to Insects*. Blitz Edition, Bookmart Ltd. Desford Road, Enderby, Leicester LE9 5AD.

ZSI, 1980. State of art report Zoology, *Zoological Survey of India*, Calcutta, pp.302

ZSI, 1988. Records of the Zoological Survey of India, Volume 84. Silent Valley Special Issue.

ZSI, 1991. *Animal Resources of India- Protozoa to Mammalia- State of-the-art*. Zool. Surv. India, Calcutta. Edited by the Director, Zoological Survey of India.

ZSI, 1998. Faunal Diversity in India. Ed., Alfred, Das, Sanyal, ENVIS Centre, Zoological Survey of India, Calcutta.

ZSI, 2001. Records of the Zoological Survey of India: Edited by the Director, Zoological Survey of India. Kolkata, *Zoological Survey of India*, 99: 256.