B I B L I O G R A P H Y

B I B L I O G R A P H Y

Ambasht, R.S., A.N. Maurya and U.N. Singh. 1972. Primary production and turnover in certain protected grasslands of Varanasi. In Symp. Trop. Ecol. emphasising organic productivity (ed.) P.M. Golley and F. B. Golley. Athens, U.S.A. pp. 43-50.

Anonymous. 1951. Soil Survey Manual U.S. Dept. Agri. Hand Book No. 18, August, 1951.

Anonymous. 1972. Kharif progress report of the All India Co-ordinated Research Project for Dryland Agriculture, Anand Campus.

Anonymous. 1972 a. Oil Seed Sunflower. Agri. Gazette of New South Wales. pp. 258-261.

Anonymous. 1977. Research on Sunflower. G.B.P. U . Agri. Tech. Nainital, India, Expt. Stn. Tech. Bull. 106.

Anonymous 1977 a. Guizotia abyssinica : An oil yielding plant with great future. Acta Bot. Sci. 19: 83-87.

A O A C. 1970. Official and tentative methods of analysis, AOAC, Washington, DC.

Arnon, D.I. 1949. Copper enzymes in isolated chloroplasts. Polyphenoloxidase in Beta Vulgaris.Plant Physiol. 24:1-15.

Aruga, Y. and M. Monsi. 1963. Chlorophyll amount as an indicator of dry matter productivity in biocommunities. Plant Cell Physiol. 4: 29-39.

Ashley, D.A., B.D. Doss and O.L. Bennett. 1965. Relation of cotton leaf area index to plant growth and fruiting. Agron. J. 57: 61-64.

* Bakhuyzen, H.L., Van De Sande.1937. Studies on wheat grown under constant conditions. Food Res. Inst. Misc. Publ. 8. Stanford University, California, U.S.A. pp. 1-400.

Bamdad, D. 1972. Effect of NPK-ratio and application rate on seed yield and other parts of the Sunflower. Iran J. Plant Pathol. 8: 1-6.

Bhattacharya, B. 1972. Effects of fertilizers on growth and yield of Horse gram (Dolichos biflorus Roxb.) in lateritic uplands. Indian Agric. 16: 161-168.

Bhattacharya, B. 1973. Studies on the effects of nitrogen, phosphorus and potassium fertilizers with and without liming in the production of niger (Guizotia abyssinica Cass.) in lateritic uplands. Ind. Agrt. 17: 227-232.

Bhattacharya, B., S.N. Thripathy and B. Basu. 1975. Effect of time of sowing on growth and yield of Sunflower (Helianthus annuus L.) in West Bengal. Ind. Agrt. 19: 107-112.

Bhattacharya, B. and V.K. Das Gupta . 1976. Optimization of fertilizer use. Ind. Agric. 20: 201-206.

Bhosale, R.J. and B.P. Patil. 1977. Response of three varieties of Niger (Guizotia abyssinica) to different levels of FYM and nitrogen under Konkan regions of Maharashtra. Ind. J. Agri. Res. 11: 215-217.

Blackman, G.E. and W.L. Wilson, 1951. Physiological and ecological studies in the analysis of plant environment : VI. The consistancy of different species of a logarithmic relationship between NAR and light intensity and its ecological importance. Ann. Bot. Lond. 15: 63-64.

Blackman, G.E. and W.L. Wilson. 1951 a. Physiological and ecological studies in the analysis of plant environment. VII. An analysis of differential effect of light intensity on NAR, LAR and RGR of different species. Ann. Bot. Lond. 35 : 375-408.

Blackman, G.E., J.N. Black and A.W. Kemp. 1955. Physiological and ecological studies in the analysis of plant environment : X. An analysis of the effects of seasonal variation in day light and temperature on the growth of Helianthus annuus in the vegetative phase. Ann. Bot. N.S. 19:527-548.

Blackman, G.E. 1968. The application of concepts of growth analysis to the assessment of productivity. pp. 243-260.

In F.E. Eckardt (ed.) "Functioning of terrestrial ecosystems at the primary production level". UNESCO.Paris.

Blackman, V.H. 1919. The compound interest law of plant growth. Ann. Bot. 33: 353-360.

* Boysen-Jensen, P. 1949. The production of matter in agricultural plants and its limitations. Det. Danske Videnskal Selskale. Biol. and Med. 21: 1-28.

Bray, J.R. 1960. The chlorophyll content of some native and managed plant communities in Central Minnesota. Can. J. Bot. 38: 313-333.

Bray, J. R. 1963. Root production and the estimation of net productivity. Can. J. Bot. 41: 35-72.

Briggs, G.E., F. Kidd and C. West. 1920. A quantitative analysis of plant growth I & II. Ann. Appl. Biol. 7: 103-202 and 202-223.

Brovwer, 1962. Nutritive influences on the distribution of dry matter in the plant. Neth. J. Agric. Sci. 10: 399-408.

Burns, R.E. 1970. Head size of Sunflower as an indicator of plot yields. Agron. J. 62: 112-113.

Canvin, D.T. 1964. The effects of temperature on the oil content and fatty acid composition of the oils from several oil seed crops. Can. J. Bot. 43: 63-69.

* Cernea, S. and V. Tarau. 1969. Contribution to the study of variability in some morphological and quality characteristics of Sunflower under the influence of fertilizers. Comunle Bot. 11: 65-72.

Chavan, V.M. 1961. Niger and Safflower (Monograph). Indian Oil Seeds Commission.

* Coic, Y., C. Tendille and C. Lesaint. 1972. The nitrogen nutrition of Sunflower (Helianthus annuus). Effect on yield and grain composition. Agrochimica 16: 254-263.

Coombe, D.E. 1960. An Analysis of the growth of Trema guineensis. J. Ecol. 48: 219-231.

* Cupina, T. and B. Jocic. 1972. Relationship of photosynthetic activity and mineral nutrition in Sunflower. Savr. Poolpda. 20: 5-12.

Daubenmire, R.F. 1959. Plants and environment - 2nd ed. John Wiley,New York.

Dhopte, A.M. and U.G. Upadhay. 1975. Role of bracts and top six leaves in grain production in Sunflower. Ind. J. Plant Physiol. 18: 1-4.

Doyle, A.D. 1975. Influence of temperature and day length on phenology of Sunflowers in the field. Aust. J. Exp. Agric./Anim. Husb. 15: 88-92.

Dwivedy, R.S. 1970. A comparative study of energetics and cycling o of phosphorus using p^{32} in wheat and marvel grass. P h. D. Thesis. Banaras Hindu University, Varanasi.

* D'Yakov, A.B. 1971. Protein content and the level of oil accumulation in Sunflower. Vest. Sel'. Nauki. Moskva 7: 57-63.

* D'Yakov, A.B. 1974. Competition among plants and productivity of Sunflower stands. S-KH Biol. 9: 678-687.

Eged-s., J. Kolek and M. Duda. 1971. Seasonal changes in growth rate and the value of NAR within Sunflower and bean. Biologia Bratisl. 26: 41-48.

Eik, K. and J.J. Hanway. 1966. Leaf area in relation to yield of Corn grain. Agron. J. 58: 16-18 .

Eze, J.M.O. 1973. The vegetative growth of Helianthus annuus and Phaseolus vulgaris as affected by seasonal factors in free town Sierra Leone (West Africa). Ann. Bot. Lond. 37: 315-329.

* Fenelova, T.M. 1968. Effect of mineral nutrition on absorption ability of roots, growth and productivity in Sunflower. In : Sbornik Kul. Naik. pp. 90-97.

Firman, E. B. 1953. Soils and Fertilizers. IV ed. John Wiley & Sons, Inc. New York. pp. 123.

Friend, D.J.C., V.A. Helson and J.E. Fisher. 1965. Changes in leaf area ratio during growth of Marquis wheat as affected by temperature and light intensity. Can. J. Bot. 43: 15-28.

* Galgoczk, J. 1968. Three year results of Sunflower fertilization trials on sand soil in county Sz aboles. Novenytermeles 17: 35-47.

Girase, P.D., A.B. Deokar and G. D. Patil. 1975. Studies on effect of various levels of nitrogen and phosphorus on growth, yield and oil content of Sunflower. Ind. Agric. 19: 59-65.

Gopal, B. and A. M. Maurya. 1975. Analytical study of growth and reproduction in Amaranthus spinosus L. subjected to stress from reduced light intensities. In. J. Environ. Sci. 1: 151-165.

Gour, B.L., D.S. Tomar and K.B. Trehan. 1973. A note on the effect of nitrogen and phosphorus on the yield of Sunflower. Indian J. Agron. 18: 109.

Gour, B.L., D. S. Tomar and H. S. Dungerwal. 1975. The efficiency of different methods of nitrogen application in Sunflower. Indian J. Agron. 20: 188-189.

Gregory, F.G. 1926. The effect of climatic conditions on the growth of barley. Ann. Bot. 40: 1-26.

Hayashi, K. 1966. Efficiencies of solar energy conversion in rice varieties as affected by planting density. Proc. Crop Sci. Soc. Japan 34: 205-211.

Hegarty, T.W. 1973. Effects of total solar radiation and temperature on vegetative growth in the East of Scotland. J. Appl. Ecol. 10: 145-156.

Hill, A.F. 1952. Economic Botany. Publishers Mc Graw Hill Book Company, New York.

Hoeppe, C. 1973. The cultivation of oil seeds as field crops under semi-arid conditions. Pl. Res. Development 4:42-53.

Hughes, A.P. and P. R. Freeman. 1967. Growth analysis using frequent small harvests. J. Appl. Ecol. 4: 553-560.

Humphries, E.C. 1967. The dependence of photosynthesis in carbohydrate sinks : Current concepts. Proc. 1st Int. Symp. TRTC. 1(11): 34-45.

Hunt, E.R. 1975. Further observations on root shoot equilibria in perennial rye grass (Lolium perene L.). New Phytol. 39: 745-755.

Hunt, E.R. 1976. Significant relationships in the analysis of root shoot equilibria. Ann. Bot. 40: 895-897.

Jensma, J.R. 1973. Sunflower - alive and well in the tropics. World farming 15: 8-10.

* Jocic, B. 1973. Relationship among leaf area, content of some elements in plant tissue and yield of Sunflower at various nutrient levels. Savremena Poljoprivreda 21: 57-68.

Johnson, B.J. 1972. Effect of artificial defoliation on Sunflower yields and other characteristics.Agron. J. 64: 688-689.

Johnson, B.J. and M.D. Jellum. 1972. Effect of planting date on Sunflower yield, oil and plant characteristics. Agron. J. 64: 747-748.

Kandaswamy, M. 1973. Correlation studies in Niger (Guizotia abyssinica). Madras Agrl. J. 60: 1877-1878.

Karami, E. 1977. Effect of irrigation and plant population yield and yield components of Sunflower. J. Agric. Sci. 47: 15-17.

* Kelly, J.M. 1968. Production and compartmental transfers in two grass level communities. Master thesis University of Tennessee.

Kelly, J.M. 1975. Dynamics of root Biomass in two eastern Tennessee old field communities. Am. Midl. Nat. 94:54-61.

Khan, N.A., A. Sattar and M.A. Sattar. 1969. Oil cake : Studies on Sunflower oil cake. Sci. Res. (Dacca) 6:128-132.

Khanna, K.R. 1972. Factors affecting the production of filled seeds in Sunflower. Euphytica 21: 348-387.

Khattak, J., J. Khan and A. Babar. 1973. Effect of nitrogen and phosphorus on protein and oil content of two Sunflower varieties. Pak. J. Sci. Ind. Res. 16: 123-125.

Kinman, M.L. 1963. Translocation from French, of Report of mission to the USSR on agronomic research and Sunflower growing by Y. Durand, USDA. Memo, pp. 33.

Kinman, M.L. and F.R. Earle. 1964. Agronomic performance and chemical composition of the seed of Sunflower hybrids and introduced varieties. Crop. Sci. 4: 417-420.

* Korcunyanu, P.V. and N.I. Belkin. 1970. Effect of mineral fertilizers on accumulation of fat and fraction of nitrogen in Sunflower seed kernels. Agrokhiniga 6:77-83.

Kothary, Aruna. 1972. Plant Competition - An ecophysiological approach. Ph. D. Thesis, Banaras Hindu University, Varanasi.

Kumar, A., V. Singh and B. Rai. 1979. Advances in Sunflower production. Indian Farming XXIX : 11-14.

Leith, H. 1962. Modelling the primary productivity of the world. Trop. Ecol. 13: 125-130.

Leith, H. 1965. Indirect method of measurement of dry matter production. In Eckardt, F.E. (ed.) "Methodology of plant ecophysiology". UNESCO Paris pp. 513-518.

Lewis, J.K. 1970. Primary producers in grassland ecosystems. In: R. Dix and R. G. Bieldeman (ed.) The grassland ecosystem. Range Sci. Dept. Sci. Series No. 2. Colorado State Univ., Fort Collins; Colorado. pp. 241-247.

Mackinney, G. 1941. As quoted by Holden, M. 1965 in Goodwin, T. W. (ed.) Chemistry and Biochemistry of plant pigments. Academic Press.

Maclachlan, S. and S. Zalik. 1963. Plastid structure, chlorophyll concentration and free amino acid composition of a chlorophyll mutant of Barley. Can. J. Bot. 41:1053-1062.

Maheshwary, P. and U. Singh. 1965. Dictionary of Economic Plants in India. pp. 79. IARI, New Delhi.

Mall, L.P. and V. P. Singh, 1971. Seasonal variation in the standing biomass, total annual production and calorific value of Iselema - Indigofera community of glassland of Ujjain (M.P.). Abstr. Symp. Trop. Ecol. Emphasising productivity. New Delhi.

Marc, J. and J.H. Palmer. 1976. Relationship between water potential under leaf and inflorescence initiation in Helianthus annuus. Physiologia Pl. 36: 101-104.

Martin, E.V. 1940. Effect of soil moisture on growth and transpiration in Helianthus annuus. Pl. Physiol. 15: 449-466.

Martin, J.H. and W.H. Leonard. 1967. Principles of Field Crop production. pp. 932. Macmillan & Co., New York.

Massey, J.H. 1971. Effects of nitrogen rates and plant spacing on Sunflower seed yields and other characteristics. Agron. J. 63: 137-138.

Mazjid, F.Z. and M.D. Atharuddin. 1976. Sunflower as oil crop in Bangladesh. Bangladesh J. Sci. Ind. Res. XI : 1-4.

Mian, A.L. and M. Abdul Gaffer. 1971. Effect of size of plant population and level of fertilization on the seed yield of Sunflower. Sci. Ind. (Karachi) 8: 264-268.

Miller, J. F. and G. N. Fick. 1970. Influence of plant population on performance of Sunflower hybrid. Can. J. Plant Sci. 50 : 597-660.

Monk, C.D. 1966. Ecological importance of root/shoot ratios. Bull. Torrey Bot. Club 93: 402-406.

Misra, R., J.S. Singh and K. P. Singh. 1967. Preliminary observations on production of dry matter by sal (Shorea robusta Cartn. f.). Trop. Ecol. 8: 94-104.

Misra, K.C. and H.N. Pandeya. 1972. Primary production of four crops in Varanasi (a monsoon area). In Proc. Symp. Trop. Ecol. emphasising organic productivity (ed.) P.M.Golley and F.B. Golley. Athens, . . . pp. 115-120.

Ne cas J. 1965. Application of growth analysis to potatoes in field culture and some specific features of plant growth Biol. Plant. 7: 180-193.

Nichiporovich, A.A. 1967. Aims of research on the photosynthesis of plants as a factor of productivity - In: Nichiporovich, A.A. (ed.) : Photosynthesis of productive system. pp. 3-36. Israel Programme for Sci. Translation. Jarusalem.

Odum, E.P. 1971. Fundamentals of Ecology. W.B. Saunders Company. London. p. 48.

Oikawa, T. 1969. Analytical studies on height growth in Helianthus annuus community in relation to competition to light . Jap. J. Bot. 20: 189-211.

* Onishchenko, M.A. 1968. Effect of mineral fertilizers on seed yield and quantity of Sunflower. In. S. rabot. Maikor. pp. 47-51. 24: 334.

Okubo, T., M. Hoshino, and S. Nishimura. 1969. Chlorophyll amount for analysis of matter production in forage crops. 1. Changes in leaf area index and chlorophyll amount with the regrowth of ladino clover sward. Proc. Crop. Sci. Soc. Jap. 33: 125-129.

Okubo, T., H. Ozumi, M. Hoshino and S. Nishimura. 1968. Chlorophyll amount for analysis of matter production in

forage crops. In: Photosynthesis and Utilization of Solar Energy. Level III. Experiments 1966-1967. pp. 43-46. Tokyo.

Ondok, J.P., K. Priban, and J. Binava. 1972. Prediction of the net assimilation and relative growth rates in four years experiment with young Sunflower plants. Flora GDR 161: 440-450.

Pandey, M.B. 1968. Cultivation of niger in saline Alkali soils. Ind. Farm. Digest XI : 33-34.

Pandey, S.C., G.S. Puri and J.S. Singh. 1968. Research methods in plant ecology. Asia Publishing House. Bombay.

Pandey, S.C., B.R. Pandit and S.C. Sharma. 1972. Biomass production relation of Teak (Tectona grandis Linn. f.) in natural reserved forests in Central India. In: Symp. on Tropical Ecology emphasising organic productivity. (Eds.) P.M. Golley and F.B. Golley. Athens. U.S.A. pp. 201-216.

Patil, C.B. and Tosh, B.B. 1978. Niger yields can be doubled. Indian Farming 27: 9.

Pilat, A. 1967. Chlorophyll content and dry matter production in five meadow communities. p. 2. Photosynthetica 1: 253-257.

* Pinthus, M.J. 1963. Some environmental effects on the oil components of Sunflower seeds. Ovel Plant et Materiae Veg., 9: 328-336.

Piper, C.S. 1959. Soil and Plant Analysis. Univ. of Adelaide, Adelaide.

Putt, E.D. 1972. Sunflower Seed Production. Can. Dept. Agr. Publ. 1019.

Premsekhar, S. 1973. Performance of varieties of Sunflower (H. annuus L.) at Coimbatore. Ind. Agric. Sci. 43:30-32.

Rai, S.N. and P.C.Shukla. 1977. Utilization of Sunflower (Helianthus annuus L.) as green fodder by bullocks. GAU Res. J. 2: 101-104.

Rajan, A.K. and G.E. Blackman. 1971. Interrelationships between the nature of the light source, ambrient air temperature and the vegetative growth of different species within growth cabinets. Ann. Bot. Lond. 35 : 323-343.

Rajan, A.K., Brenda Betteridge and G. E. Blackman. 1973. Differences in the interacting effects of light and temperature on growth of four species on the vegetative phase. Ann. Bot. Lond. 37: 287-316.

Raju, R.A. and S.C. Varma. 1978. Sunflower - some new findings. Intensive Agrl. XVI : 21-23.

Ramakrishna, G., S.D. Thirumala Rao and B.R. Reddy. 1973. Processing of niger seed. J. Oil Tech. Assn. India 2: 18-21.

Ramakrishnan, P.S. and S. Kumar. 1971. Mortality, plasticity and productivity of interferring model population of maize (Cynodon dactylon L. Pers.) J. Ind. Bot. Soc. 50: 321-331.

Ramaswamy, R., Y.B. Morachan and P. Sennaiyen. 1974. Effect of gradual doses of N and different spacing on Sunflower varieties. Madras Agric. J. 61: 483-485.

Rao, P.K.S., G.P. Radder, Chelliah and B.S. Goudreddy. 1976. Yield in relation to plant density in niger.Current Research 5: 142-143.

Robinson, R.G., F.K. Johnson and O.C. Soine. 1967. The Sunflower crop in Minnesota. Minnesota Ag. Exp. Sta. Bull. 299.

Robinson, R.G. 1970. Sunflower date of planting and chemical composition at various growth stages. Agron. J. 62: 665-666.

Robinson, R.G. 1971. Sunflower phenology : Year variety and date of planting effects or day and growing degree-day summation. Crop. Sci. 11: 635-638.

Robinson, R.G. 1973. Elemental composition and response to nitrogen of Sunflower and Corn. Agron. J. 65: 318-320.

Rollier, M. 1972. The root system of Sunflower. In : Proc. 5th Intern. Conf. 25th-29th Jul. Paris.pp. 119-122.

Sameni, A.M., M. Maftoun, S.M. Hojjati and B. Sheibany. 1976. Effect of fertilizer N and herbicides on the growth and N content of Sunflower. Agron. J. 62: 285-288.

Sarma, J.S. 1968. Pulses in India : Production and productivity account of pulses. Indian Farming 17: 49-56.

* Schuster, W. and Boye. 1971. The influence of temperature and length of day on different Sunflower varieties under controlled climatic conditions and in the open. Z. Pflanzenzeucht. 65: 151-175.

Shah, R.P.1955. In: S.P. Roychoudhari, R. R. Agarwal, N.R. Dutta Biswas, P.K. Thomas and S.P. Gupta (eds.). Soils of India, ICAR (1963) pp. 10.

Shanthanamalliah, N.R., N.M. Patil and P. Ramma gouda. 1976. Studies on the time of planting in Sunflower. Curr. Res. 5: 84-85.

Sheafter, C.C., J.H. Menemar, and N.A. Clark. 1977. Potential of Sunflower for silage in double cropping systems following small grains. Agron. J. 69: 543-546.

* Simanskii, N.K. 1961. The effect of fertilizers on yield and oil content of Sunflower seeds. (Russian). Agrobiologija (Agrobiology) Moscow 6: 849-853.

Singh, N.P., M. Yusuf and N.G. Dastane. 1973. Better agronomy for Sunflower. Indian Farming 22: 29-30.

Singh, N.P., Y.K. Sharma and P.K. Kaushal. 1973. Effect of varying levels of nitrogen and phosphorus on the yield and quality of Sunflower. JNKVV Res. J. 7: 134-136.

Singh, P.P. and S.N.P. Verma. 1975. Yield potential of niger (Guizotia abyssinica Cass.). Mysore J. Agrl. Sci. 9: 644-648.

Sivakumar, A.G., K.J. Hosagerappa and C.B. Kurdikeri. 1973. Response of Sunflower to spacing and fertilizer levels. Mys. J. Agric. Sci. 7: 314-316.

Soine, O.C. 1970. Fertilizer trials on Sunflowers, yellow mustard and crambe. Minnesota Soil Series 87.

Spence, J.E. 1970. Growth and development of tannia (Xanthosoma sp.) Proc. 2nd Int. Symp. TRTC 2(11):47-52.

Spers, A. 1970. Sunflower meal in growing and finishing swine. Bot. Ind. Anim. 27/28: 83-90.

Sprague, H.B. and N. Curtis. 1933. Chlorophyll content as an index of the production capacity of selfeed lines of

corn and their hybrids. J. Amer. Soc. Agron. 25: 709-724.

Srivastava, G.C., P.S. Deshmukh and D.P.S. Tomar. 1977. Significance of leaf orientation and bract in seed yield in Sunflower. Indian J. Plant Physiol. XX : 151-156.

Stevenson, D.S. 1970. Soil volume and fertilizer effects on growth and nutrient contents of Sunflower plants. Can. J. Soil Sci. 50: 353-360.

Swallers, C.M. and G.N. Fick. 1973. Performance of large seeded Sunflowers at three plant spacings. North Dakota Farm Res. 31: 15-16.

Thaker, K.R. 1972. Response of certain varieties of Sunflower (Helianthus annuus L.) to NPK levels. M. Sc. Thesis, B A C Agriculture Anand.

T. H. (The Hindu 2nd May, 1972). Niger seed oil production in India.

Thorne, G.N. 1960. Variation with age in net assimilation rate and other growth attributes of sugar beet, potato and barley. Ann. Bot. Lond. 25: 356-371.

T.O.I. The Times of India Year Book. 1978.

T.O.I. Times of India Daily. 12-10-1979. Production of oil seeds to be raised.

T.O.I. The Times of India Daily. 8th November, 1979. Import of edible oil to continue.

T.O.I. The Times of India Daily. 3rd December, 1979. Edible oils to be imported only through S.T.C.

Tosh, G.C. and G.K. Patro, 1975. Control of dodder (Cuscuta chinensis Dmk.) in niger (Guizottia abyssinica Cass.) with chlorprophan. Weed Res. 15: 207-210.

Tsuno, Y.and Fujise. 1965. Studies on the dry matter production of sweet potato. Bull. Nat. Inst. Agr. Sci. D. 13: 1-131.

* Tsurkan, M.A. 1972. Fertilization of Sunflower on Calcareom and lached chemozem soils in Moldaira. Referati Vnyi Zhurnal 8: 55-527.

* Tsvetkova, F. 1975. Effect of leaf number and area on yield and quality of Sunflower. Rasteniev" dni Nanki 12: 58-63.

Varghese, P.T., N. Sadanandan, and R.V. Nair. 1976. A study on leaf area index and NAR of Sunflower (Helianthus annuus L.) variety peredovik as affected by graded doses of nitrogen and phosphorus. Agrl. Res. J. Kerala 14: 53-57.

* Velchev, V. 1969. Fertilizing Sunflower grown on slightly leached chemozem in the Dobrudzha area. Pochv, Agrokhimiya 4: 105-112.

Vicentini, G. and G. Anelli. 1973. The effect of various levels of N and P_2O_5 on the productivity and oil components of Sunflower (Helianthus annuus L.). Agric. Ital. Pisa 73: 175-187.

Vijay, M.K., Joshi, S.N., Kaberia, M.M. 1975. Response of Sunflower (Helianthus annuus L.) to variable levels of NPK, spacing and plant population. G.A.U. Res. Journal 1: 36-39.

Watson, D.J. 1947. The dependence of NAR on LAI. Ann. Bot. N.S. 11: 41-76.

Watson, D.J. 1952. The physiological basis of variation in yield. Adv. Agron. 4: 101-145.

Watson, D.J. 1956. Leaf growth in relation to crop yield. In Milltrospe, F.L. (ed.). The growth of leaves. pp. 178-191. Butterworths, London.

Watson, D.J. 1958. The dependence of net assimilation rate on leaf area index. Ann. Bot. N.S. 22: 37-54.

Watson, V.H., D.L. Myhre, J.O. Stanford and C.Y. Ward. 1970. Sunflower yield well in drought. Misc. Fm. Res. 33:7-8.

Wealth of India. 1959. Vol. IV. pp. 270. I.C.A.R.,New Delhi.

Williams, R.F. 1946. The physiology of plant growth with special reference to the concept of net assimilation rate. Ann. Bot. N.S. 10: 41-72.

Wilson, W.J. 1966. High Net Assimilation rates of Sunflower plants in arid climate. Ann. Bot. N.S. 30: 745-751.

Wilson, W.J. 1967. Effects of seasonal variation in radiation and temperature on net assimilation and growth rates in an arid climate. Ann. Bot. N.S. 31: 41-57.

Yadav, S.C. and C. Maheshpal. 1973. Effect of soil moisture regimes and use of nitrogen on yield and quality of Sunflower varieties. Ind. Oil Seed Journal. 3: 11-16.

Zubriski, J.C. and D.C. Zimmerman. 1974. Effects of nitrogen, phosphorus and plant density on Sunflower. Agron. J. 66: 798-801.

*****

---

* Originals not consulted.