

BIBLIOGRAPHY

- Abeles, A.L. and F.B. Abeles (1972). Biochemical pathway of stress induced ethylene. *Plant Physiol.*, **50**, 496-498.
- Addison, P.A., S.S. Malhotra and A.A. Khan (1984). Effect of sulphur dioxide on woody boreal forest species grown on native soils and tailings. *J. Environ. Qual.*, **13**, 333-336.
- Aggarwal, A.L. and H.C. Sharma (1985). Air quality status and management options. In *Air pollution and plants : A state-of-the-art report* (Eds. G.C. Subrahmanyam, D.N. Rao, C.K. Varshney, and D.K. Biswas). Himdeep printers, Delhi, 1-9.
- Agrawal, M., P.K. Nandi and D.N. Rao (1983). Ozone and sulphur dioxide effects on *Panicum miliaceum* plants. *Bull. Torrey Bot. Club*, **110**, 435-441.
- Akimoto, Y and M. Hiroko (1985). Relationship between the colour of tobacco leaves harvested and some characteristics of those leaves after cured. *Bull. Okayama Tob. Exp. Stn.*, **44**, 1-8.
- Alscher, R., J.L. Bower and W. Zipfel (1987). The basis for different sensitivities of photosynthesis to SO_2 in two cultivars of pea. *J. Exp. Bot.*, **38**, 99-108.
- Amiro, B.D. and T.J. Gillespie (1985). Leaf conductance response of *Phaseolus vulgaris* to ozone flux density. *Atmos. Environ.*, **19**, 807-810.
- Amundson, R.G., R.J. Kohut, A.W. Schoettle, R.M. Raba and P.B. Reich (1987). Correlative reductions in whole-plant photosynthesis and yield of winter wheat caused by ozone. *Phytopathol.*, **77**, 75-79.
- Anderson, L.S. and T.A. Mansfield (1979). The effects of nitric oxide pollution on the growth of tomato. *Environ. Pollut.*, **20**, 113-121.
- Andrea, E.M. and D.P. Ommrod (1986). Visible injury and growth responses of young cuttings of *Populus canadensis* and *Populus nigra* to nitrogen dioxide and sulphur dioxide. *Can. J. For. Res.*, **16**, 1289-1292.
- Anonymous (1987). Our common future. World commission on environment and development. Oxford University Press, Delhi, 181.
- Ashenden, T. W. and T. A. Mansfield (1978). Extreme pollution sensitivity of grasses when SO_2 and NO_2 are present in the atmosphere together. *Nature*, **273**, 142-143.
- Atkinson, C.J., S.V. Robe and W.E. Winner (1988). The relationship between changes in photosynthesis and growth for radish plants fumigated with SO_2 and O_3 . *New Phytol.*, **110**, 173-184.

- Ayazloo, M., J.N.B. Bell and S.G. Garsed (1980). Modification of chronic sulphur dioxide injury to *Lolium perenne* L. by different sulphur and nitrogen nutrient treatments. *Environ. Pollut.*, **22**, 295-307.
- _____, S.G. Garsed and J.N.B. Bell (1982). Studies on the tolerance to sulphur dioxide of grass populations in polluted areas II. Morphological and Physiological investigations. *New Phytol.*, **90**, 109-126.
- Ayer, S.K and S.J. Bedi (1986). Effect of artificial fumigation of SO_2 on *Triticum sativum* law. var. J-24(wheat). *Ind. J. Air Pollut. Control*, **7**, 75-87.
- Bagal, P.K. and A.K. Shingte (1984). Effects of foliar and soil application of urea on the yield and uptake of nutrients by maize. *J. Maharashtra Agric. Univ.*, **9**, 275-277.
- Baker, C.K., J.J. Colls, A.E. Fullwood and G.G.R. Seaton (1986). Depression of growth and yield in winter barley exposed to sulphur dioxide in the field. *New Phytol.*, **104**, 233-241.
- _____, A.E. Fullwood and J.J. Colls (1987). Tillering and leaf area of winter barley exposed to sulphur dioxide in the field. *New Phytol.*, **107**, 373-385.
- Bambawale, O.M.(1986). Evidence of ozone injury to a crop plant in India. *Atmos.Environ.*, **20**, 1501-1504.
- Barnes, J.D., A.W. Davison and T.A. Booth (1988). Ozone accelerates structural degradation of epicuticular wax on Norway spruce needles. *New Phytol.*, **110**, 309-318.
- Baxter. R., M.J. Emes and J.A. Lee (1989^a). Effects of the bisulphite ion on growth and photosynthesis in *Sphagnum cuspidatum* Hoffm. *New Phytol.*, **111**, 457-462.
- _____, _____ and _____ (1989^b). The relationship between extracellular metal accumulation and bisulphite tolerance in *Sphagnum cuspidatum* Hoffm. *New Phytol.*, **111**, 463-472.
- Beck, E., A. Burkert and M. Hofmann (1983). Uptake of L-ascorbate by intact spinach chloroplasts. *Plant Physiol.*, **73**, 41-45.
- Beckerson, D.W. and G. Hofstra (1979). Response of leaf diffusive resistance of radish, cucumber and soybean to O_3 and SO_2 singly or in combination. *Atmos. Environ.*, **13**, 1263-1268.
- Bedi, S.J., M.D. Patel, and K.G. Shah (1982). Ecomorphological and phytochemical studies to determine the pollutant and its source, causing damage to vegetation : A case study of damage to banana plantation. *Indian J. Ecol.*, **9**, 335-338.

- Bell, D.C. (1983). Studies on the production potential of a few plants growing in high air pollution zone in Baroda. Ph.D. thesis submitted in Dept. of Botany, The M.S. University of Baroda, Baroda, India.
- _____ and S.J. Bedi (1985). Effect of industrial air pollution on the dry weight and yield of tomato (*Lycopersicon lycopersicum* L.) Karsten. In *Ecology and resource management in tropics*. (Ed. K.C. Mishra), Bhargava Book Depot, Varanasi (India), 1, 168-172.
- Bell, J. N. B. (1980). Response of plants to sulphur dioxide. *Nature*, 284, 399.
- _____ (1984). Air pollution problems in Western Europe. In *Gaseous air pollutants and plant metabolism* (Eds. M.J. Koziol and F.R. Whatley). Butterworths, London, 3-24.
- _____ (1985). SO₂ effects on the productivity of grass species. In *Sulfur dioxide and vegetation*. (Eds. W.E. Winner, H.A. Mooney and R.A. Goldstein). Stanford University Press. Stanford (in press).
- Bennett, J.H., H.E. Lee & H.E. Heggestad (1984). Biochemical aspects of plant tolerance to ozone and oxyradicals : Superoxide dismutase. In *Gaseous air pollutants and plant metabolism* (Eds. M.J. Koziol and F.R. Whatley). Butterworths, London, 413-424.
- Bhatt, J.G. and R. Reganayagi (1987). Ascorbic acid turnover in cotton balls as affected by foliar application of sucrose. *Ann. Bot.*, 60, 395-397.
- Black, G.R. and V.J. Black (1979). The effects of low concentrations of sulphur dioxide on stomatal behaviour in field bean (*Vicia faba*). *J. Exp. Bot.*, 30, 291-298.
- _____, _____, and D.P. Ormrod, (1982). Injurious effects of low concentrations of SO₂ and O₃ on the leaf surfaces and stomatal conductances of field bean. In *Effects of gaseous air pollution in agriculture and horticulture* (Eds. M.H. Unsworth and D.P. Ormrod), Butterworths, London, 492.
- Black V.J. and M.H. Unsworth (1980). Stomatal responses to sulphur dioxide and vapour pressure deficit. *J. Exp. Bot.* 31, 667-677.
- Blanka, M. (1988). The accumulation of atmospheric pollutants by *Picea abies* Karst. *Ekologia*, 7, 95-108.
- Bleasdale, J.K.A. (1973). Effects of coal-smoke pollution gases on growth of rye grass (*Lolium perenne* L.). *Environ. Pollut.*, 5, 275-285.
- Boralkar, D.B. and S.B. Chaphekar (1979). Sulphur dioxide effects on Jowar *Sorghum vulgare* Pers. var. CSH-1. In proceedings of symposium on *Environ. Biol.*, 361-366.

- Bradley, R.S., H.F. Diaz and J.K. Eischeid (1987). Precipitation fluctuations over northern hemisphere land area since the mid 19th century. *Science*, **237**, 171-175.
- Brady, G.L. and N.A. Maloley (1984). Acid Rain : Science/Politics/Economics. *Federal Bar News and Journal*, **31**, 59-64.
- Bucher, J.B. (1984). Emission of volatiles from plants under air pollution stress. In *Gaseous air pollutants and plant metabolism* (Eds. M.J. Koziol and F.R. Whatley). Butterworths, London, 399-412.
- Bull, J.N. and T.A. Mansfield (1974). Photosynthesis in leaves exposed to SO₂ and NO₂. *Nature*, **250**, 443-444.
- Bytnerowicz, A., D.M. Olszyk, G. Kats, P.J. Dawson, J. Wolf and C.R. Thompson (1987^a). Effects of SO₂ on physiology, elemental content and injury development of winter wheat. *Agric. Ecosystems Environ.*, **20**, 37-47.
- _____, P.R. Miller and D.M. Olszyk (1987^b). Dry Deposition of nitrate, ammonium and sulfate to a *Ceanothus crassifolius* canopy and surrogate surfaces. *Atmos. Environ.*, **21**, 1749-1757.
- Carlson, R.W. (1983). The effect of SO₂ on photosynthesis and leaf resistance at varying concentrations of CO₂. *Environ. Pollut.*, **30**, 309-321.
- Castillo, F.J. and H. Greppin (1988). Extracellular ascorbic acid and enzyme activities related to ascorbic acid metabolism in *Sedum album* L. leaves after ozone exposure. *Environ. Exp. Bot.*, **28**, 231-238.
- Chakrabarti, T. (1987). Pollution control acts in India. *Scavenger*, **17**, 30-31.
- Constantinidou, H.A. and T.T. Kozlowski (1978). Effects of sulphur dioxide and ozone on *Ulmus americana* seedlings. I : Visible injury and growth. *Can. J. Bot.*, **57**, 170-175.
- _____, and _____ (1979). Effects of sulphur dioxide and ozone on *Ulmus americana* seedlings. II : Carbohydrates, proteins and lipids. *Can. J. Bot.*, **57**, 176-184.
- Cornic, G. (1987). Interaction between sublethal pollution by sulphur dioxide and drought stress. The effect on photosynthetic capacity. *Physiol. Plant.*, **71**, 115-119.
- Court, W.A. and J.G. Hendel (1989). Influence of removing lower leaves and topping height on agronomic and chemical characteristics of flue cured tobacco. *Tobacco International*, **March 1**, 39-41.

- Cowling, D.W. and M.S. Koziol (1978). Growth of ryegrass (*Lolium perenne* L.) exposed to SO_2 . I. Effects on photosynthesis and respiration. *J. Exp. Bot.*, **29**, 1029-1036.
- _____ and D.R. Lockyer (1978). The effect of SO_2 on *Lolium perenne* L. grown at different levels of sulphur & nitrogen nutrition. *J. Exp. Bot.*, **29**, 257-265.
- Cox, R.M. (1984). Sensitivity of forest plant reproduction to long-range transported air pollutants : In vitro and in vivo sensitivity of *Oenothera parviflora* L. pollen to simulated acid rain. *New Phytol.*, **97**, 63-70.
- _____ (1988^a). The sensitivity of pollen from various coniferous and broad-leaved trees to combinations of acidity and trace metals. *New Phytol.*, **109**, 193-201.
- _____ (1988^b). Sensitivity of forest plant production to long-range transported air pollutants : the effects of wet deposited acidity and copper on reproduction of *Populus tremuloides*. *New Phytol.*, **110**, 33-38.
- Crawford, M. (1987). EPA to cut US CFC production to protect ozone in stratosphere. *Science*, **238**, 1505.
- Crittenden, P.D. and D.J. Read (1978). The effect of air pollution on plant growth with special reference to sulphur dioxide II. Growth studies with *Lolium perenne* L. *New Phytol.*, **80**, 49-62.
- Danica, D. (1989). A dim year, with bad weather, low yield, price dissatisfaction. *Tobacco International* March 1, 26-27.
- Darall, N.M. (1986). The sensitivity of net photosynthesis in several plant spp. to short-term fumigation with sulfur dioxide. *J. Exp. Bot.*, **37**, 1313-1322.
- Dassler, H.G. and S. Bortitz (1988). *Air pollution and its influence on vegetation. Causes/Effects/Prophylaxis and Therapy*. Dr. W. Junk Publishers, Dordrecht, 76-161.
- Davies, T. (1980). Grasses more sensitive to SO_2 pollution in conditions of low irradiance and short days. *Nature*, **284**, 483-484.
- Davison, A.W. and I.F. Bailey (1982). SO_2 pollution reduces the freezing resistance of rye grass. *Nature*, **297**, 400-402.
- Dubey, P.S., A. Shrivastava and A. Shevade (1984). Pesticidal toxicity bioassay with pollen damage. *Environ. Pollut.*, **34**, 293-295.

- Dueck, T.H.A., W.H.O. Ernst, J. Mooi and F.J.M. Pasman (1986). Effects of SO_2 , NO_x and O_3 in combination on the yield and reproduction of *Silene cucubalus* populations. *J. Plant Physiol.*, **122**, 97-106.
- Dustin, C.D. and D.J. Raynal (1988). Effects of simulated acid rain on sugar maple seedling root growth. *Environ. Exp. Bot.*, **28**, 231-238.
- Elkiey, T. and D.P. Ormrod (1981). Absorption of ozone, sulphur dioxide and nitrogen dioxide by *Petunia* plants. *Environ. Exp. Bot.*, **21**, 63-70.
- _____, _____ and B.A. Marie (1988). Growth responses of crop plants in the vegetative stage to sulfur dioxide and nitrogen dioxide. *GARTENBAU WISSENSCHAFT*, **53**, 61-64.
- Enser, U. and U. Heber (1980). Metabolic regulation by pH gradients. Inhibition of photosynthesis by indirect proton transfer across the chloroplast envelope. *Biochimic Biophysic Acta*, **592**, 577-591.
- Ernst, W.H.O., A.E.C. Tonneijck and F.J. M. Pasman (1985). Ecotypic response of *Silene cucubalus* to air pollutants (SO_2 , O_3). *J. Plant Physiol.*, **118**, 439-450.
- Evans, G.C. (1972). The quantitative analysis of plant growth. William Clowes & Sons Ltd., London, 734.
- Fontan, J. and A. Lopez (1984). Formation of aggressive oxidants in the atmosphere. In *Air pollution and plants* (Ed. C. Troyanowsky). 68-83.
- Freebairn, H.T. and O.C. Taylor (1960). Prevention of plant damage from air borne oxidizing agents. In proceedings of *Amer. Soc. Hort. Sci.*, **76**, 693-699.
- Freer-Smith, H.P. (1984). The responses of six broad-leaved trees during long-term exposure to SO_2 and NO_2 . *New Phytol.*, **97**, 49-61.
- Furukawa, A. (1984). Defining pollution problems in the far east - a case study of Japanese air pollution problems. In *Gaseous air pollutants and plant metabolism* (Eds. M.J. Koziol and F.R. Whatley). Butterworths, London, 59-74.
- Garg K.K. and C.K. Varshney (1980). Effect of air pollution on the leaf epidermis at submicroscopic level. *Experientia*, **36**, 1364-1366.
- Garrido, L.M. (1964). Determination of sulphur in plant material. *Analyst*, **89**, 61-66.
- Garsed, S.G. (1984). Uptake and distribution of pollutants in the plant and residence time of active species. In *Gaseous air pollutants and plant metabolism* (Eds. M.J. Koziol and F.R. Whatley), Butterworths, London. 83-104.

- _____ and A. Mochrie (1980). Translocation of sulphite in *Vicia faba* L. *New Phytol.*, 84, 421-428.
- _____ and D. J. Read (1977). The uptake and metabolism of SO_2 in plants of differing sensitivity to sulphur dioxide. *Environ. Pollut.*, 13, 173-186.
- Godzik, S. (1984). Air pollution problems in some central European countries - Czechoslovakia, The German Democratic Republic and Poland. In *Gaseous air pollutants and plant metabolism* (Eds. M.J. Koziol and F.R. Whatley). Butterworths, London, 25-34.
- _____ and S.V. Krupa (1982). Effects of sulphur dioxide on the growth and yield of agricultural and horticultural crops. In *Effects of gaseous air pollutants in agriculture and horticulture* (Eds. M.H. Unsworth and D.P. Ormrod). Butterworths, London, 247-265.
- _____ and H.F. Linsken (1974). Concentration changes of free amino acids in primary bean leaves after continuous & interrupted SO_2 fumigation & recovery. *Environ. Pollut.*, 7, 25-38.
- _____ and M.M. Sassen (1978). A scanning electron microscope examination on *Aesculus hippocastanum* L. leaves from control and air polluted areas. *Environ. Pollut.*, 17, 13-18.
- Goodyear, S.N. and D.P. Ormrod (1988). Tomato response to concurrent and sequential nitrogen dioxide and ozone exposures. *Environ. Pollut.*, 51, 315-326.
- Greitner, C.S. and W.E. Winner (1989). Effects of O_3 on alder photosynthesis and symbiosis with *Frankia*. *New Phytol.*, 111, 647-656.
- Guderian, R. (1977). Air pollution. Phytotoxicity of acidic gases and its significance in air pollution control. Springer-Verlag, Berlin, 75-97.
- _____ and K. Kueppers (1980). Response of plant communities to air pollution. In Proc. Symp. on *Effects of air pollutants on mediterranean and temperate forest ecosystems*. General technical report, PSW-43, Berkely, California, 187-199.
- Gujarat Directory of Manufacturers (1986). INDEXTB, Gujarat, India.
- Gupta, M.C. and A. K. M. Ghouse (1986). The effects of coal-smoke pollutants on the leaf epidermal architecture in *Solanum melongena* L. Var. Pusa Purple long. *Environ. Pollut.*, 41, 315-321.
- Hallgren, J.E. and K. Huss (1975). Effects of SO_2 on photosynthesis and nitrogen fixation. *Physiol. Plant.*, 34, 171-176.

- Hari, P., T. Raunemaa and A. Hautojarvi (1986). The effects on forest growth of air pollution from energy production. *Atmos. Environ.*, **20**, 129-137.
- Hartree, E.F. (1972). Determination of Protein : A modification of the Lowry method that gives a linear photometric response. *Anal. Biochem.*, **48**, 422-427.
- Hawkes, H.A. (1982). Effects of pollutants in the aquatic environment. In *Pollution : Causes, Effects and Control*. (Ed. R.M. Harrison) Whitstable Litho Ltd. 124-155.
- Heath, R.L. (1980). Initial events in injury to plants by air pollutants. *Ann. Rev. Plant Physiol.*, **31** : 395-431.
- Heck, W.W. (1984). Defining gaseous pollution problems in North America. In *Gaseous air pollutants and plant metabolism*. (Eds. M.J. Koziol and F.R. Whatley). Butterworths, London, 35-48.
- Heck, W.W. and C.S. Brandt (1977). Effects on Vegetation : Native crops, forests. In *Air Pollution Vol.II* (Ed. A.C. Stern). Academic Press, 158-220.
- Heggestad, H.E. and J.H. Bennett (1981). Photochemical oxidants potentiate yield losses in Snap beans attributable to sulfur dioxide. *Science*, **213**, 1008-1010.
- Hill A.C. and J.H. Bennett (1977). Inhibition of apparent photosynthesis by nitrogen oxides. *Atmos. Environ.*, **4**, 341-348.
- Holden, M. (1965). Chemistry and biochemistry of plant pigments. (Ed. Goodwin). Academic Press, New York, 461-488.
- Huebert, D.B., S.J.L'Hirondelle and P.A. Addison (1985). The effects of sulphur dioxide on net CO₂ assimilation in the lichen *Evernia mesomorpha* Nyl. *New Phytol.*, **100**, 643-651.
- Humphries, E.C. (1956). In *Modern methods of plant analysis*. (Eds. K. Paech and M.V. Tracey). Springer-Verlag, Germany, 486.
- Huttunen, S. and S. Soikkeli (1984). Effects of various gaseous pollutants on plant cell ultrastructure. In *Gaseous air pollutants and plant metabolism* (Eds. M.J. Koziol and F.R. Whatley) Butterworths, London, 117-127.
- Indian Standard Institute (1975). Modified Jacobs and Hochheiser's method., **5182** (Part VI).
- Ito, O., F. Mitsumori, and T. Totsuka (1984^a). Effects of NO₂ & O₃ alone or in combination on kidney bean plants. III. Photosynthetic CO₂ assimilation observed by Nuclear magnetic resonance. *Res. Rep. Natl. Inst. Environ. Std. Jpn.*, **66**, 19.

- _____, K. Okano, M. Kurowa, and T. Totsuka (1984^b). Effects of NO₂ & O₃ alone or in combination on kidney bean plants I. Growth, partitioning of assimilates & root activities. *Res. Rep. Natl. Inst. Environ. Std. Jpn.* **66** : 1-11.
- _____, _____ and T. Totsuka (1986). Effect of nitrogen dioxide and ozone exposure alone or in combination on kidney bean plants : Amino acid content and composition. *Soil Sci. Plant Nutr.*, **32**, 351-364.
- Jacobson, J.S. and J.M. Mc Manus (1985). Pattern of atmospheric sulphur dioxide occurrence : An important criterion in vegetation effects assessment. *Atmos. Environ.*, **19**, 501-506.
- Jager, H.J. (1974). Effect of SO₂ fumigation on the activity of enzymes of the amino acid metabolism and the free amino acid content in plants of different resistance. *Pflkrankh.*, **3**, 140-147.
- _____, J. Bender and L. Grunhage (1985). Metabolic responses of plants differing in SO₂ sensitivity towards SO₂ fumigation. *Environ. Pollut.*, **39**, 317-335.
- _____, H.J. Weigel and L. Grunhage (1986). Physiological and biochemical aspects of the impacts of air pollutants on forest trees. *Eur. J. For. Pathol.*, **16**, 98-109.
- Jensen, K.F. and B.R. Roberts (1986). Changes in yellow poplar (*Liriodendron tulipifera*) stomatal resistance with sulphur dioxide and ozone fumigation. *Environ. Pollut.*, **41**, 235-246.
- Jensen, K.E. (1981). Growth analysis of hybrid poplar cuttings fumigated with ozone and sulphur dioxide. *Environ. Pollut.*, **26**, 243-250.
- Jones T. and T.A. Mansfield (1982). Studies on dry matter partitioning and distribution of C-labelled assimilates in plants of *Phleum pratense* exposed to SO₂ pollution. *Environ. Pollut.*, **28**, 199-207.
- Jung, G. and A. Wild (1988). Electron microscopic studies of spruce needles in connection with the occurrence of novel forest decline. I. Investigations of the mesophyll. *Phytopathol.*, **122**, 1-12.
- Kapoor, R.K. and V.K. Gupta (1985). Effectiveness of green belt to protect the Taj Mahal against air pollution. Paper presented at National Seminar on *Pollution Control and Environment Management*, NEERI, Nagpur.
- Kato, M. and S. Shimizu (1985). Chlorophyll metabolism in higher plants VI. Involvement of peroxidase in chlorophyll degradation. *Plant cell physiol.*, **26**, 1291-1301.

- Keller, TH. (1981). Winter uptake of air borne SO_2 by shoots of deciduous spp. *Environ. Pollut.*, **26**, 313-317.
- Kerstiens, G. and K.J. Lenzian (1989). Interactions between ozone and plant cuticles I. Ozone deposition and permeability. *New Phytol.*, **112**, 13-19.
- Khan A.A. and S.S. Malhotra (1982). Peroxidase activity as an indicator of SO_2 injury in Jack pine and white birch. *Biochem. Physiol. Pflanzen.*, **177**, 643-650.
- _____ and _____ (1983). Protein biosynthesis in Jack pine and its inhibition by sulphur dioxide. *Phytochem.*, **22**, 1325-1328.
- Klumpp, V.A., G. Klumpp and R. Guderian (1988). Wuchsleistung und au Bere Schadigungsmerkmale bei Buche nach Einwirkng von Ozon, Schwefel dioxide und stickstoff dioxide. *AFZ*, **43**, 731-734.
- Kondo, N., T. Maruta, and K. Sugahara (1984). Effect of sulfite on stomatal aperture size in *Vicia* epidermal peels. *Res. Rep. Natl. Inst. Environ. Std. Jpn.*, **65**, 9-18.
- Koziol, M.J. (1984). Interactions of gaseous pollutants with carbohydrate metabolism. In *Gaseous air pollutants and plant metabolism* (Eds. M.J. Koziol and F.R. Whatley). Butterworths, London, 251-274.
- _____ and D.W. Cowling (1980). Growth of ryegrass (*Lolium perenne* L.) exposed to SO_2 . III Effects on free and storage carbohydrate concentration. *J. Exp. Bot.*, **31**, 1687-1699.
- _____ and C.F. Jordan (1978). Changes in carbohydrate levels in red kidney bean (*Phaseolus vulgaris* L.) exposed to sulphur dioxide. *J. Exp. Bot.*, **29**, 1037-1043.
- _____, J.D. Shelvey, D.R. Lockyer and F.R. Whatley (1986). Response of SO_2 -sensitive and resistant genotypes of Ryegrass (*Lolium perenne* L.) to prolonged exposure to SO_2 . *New Phytol.*, **102**, 345-357.
- Kress, L.W., J.M. Skelly, and K.H. Hinkelmann, (1982). Growth impact of O_3 , NO_2 and/or SO_2 on *Pinus taeda*. *Environ. Monitoring & Assessment*, **1**, 229-239.
- Krishnamurthy, K.V. and C. Rajachidambaram (1986). Factors associated with reduction in photosynthetic oxygen evolution in cement dust coated leaves. *Photosynthetica* (Prague), **20**, 164-168.
- Krishnayya, N.S.R. and S.J. Bedi (1986). Effect of automobile lead pollution on *Cassia tora* L. and *Cassia occidentalis* L., *Environ. Pollut.*, **40**, 221-226.

- _____ and _____ (1988). Mitigating effects of exogenously supplied ascorbic acid on *Vigna catjang* Walp. germinating seeds exposed to sulphur dioxide. *Current Science*, 57, 1020-1021.
- _____ and _____ (1989). Effect of sulphur dioxide and ascorbic acid on the plastid ultrastructure of *Azadirachta indica* Juss., leaves. *Ann. Bot.*, 64, 311.
- Kumar, N. (1986). Response of *Vigna radiata* (Cultivar ML-5) to sulfur dioxide and nitrogen dioxide pollution. *Acta Bot. Indica*, 14, 139-144.
- Kuppers, K. and G. Klumpp (1988). Effects of ozone, sulfur dioxide and nitrogen dioxide on gas exchange and starch economy in Norway Spruce (*Picea abies* L. Karsten). *Geo Journal*, 172, 271-275.
- Larry, M. (1982). An experimental method for predicting plant yield response to pollution time series. *Atmos. Environ.*, 16, 2247-2252.
- Lauenroth, W.K., D.G. Milchunas and J.L. Dodd (1983). Response of a grassland to sulphur and nitrogen additions under controlled SO₂ exposure. *Environ. Exp. Bot.*, 23, 339-346.
- Laurence, J.A. and L.H. Weinstein (1981). Effects of air pollutants on plant productivity. *Ann. Rev. Phytopathol.*, 19, 257-271.
- LeBlanc, F. and D.N. Rao (1973). Effects of sulphur dioxide on Lichen and moss transplants. *Ecology*, 54, 612-617.
- Lee, E.H. and J.H. Bennett (1982). Superoxide dismutase : A possible protective enzyme against ozone injury in snap beans (*Phaseolus vulgaris* L.). *Plant Physiol.*, 69, 1444-1449.
- _____, J.A. Jersey, C. Gifford and J. Bennett (1984). Differential ozone tolerance in soybean and snapbeans : Analysis of ascorbic acid in O₃-susceptible and O₃-resistant cultivars by high-performance liquid chromatography. *Environ. Exp. Bot.*, 24, (331-341).
- L' Hirondelle, S.J., P.A. Addison, and D.B. Huebert (1986). Growth and physiological responses of aspen and jack pine to intermittent sulfur dioxide fumigation episodes. *Can. J. Bot.*, 64, 2421-2427.
- Loewus, F. (1971). Carbohydrate interconversions. *Ann. Rev. Plant Physiol.*, 22, 337-364.
- Lorenzini, G. (1987). Towards a << chemical climate >> : need for an assessment of economical impact of atmospheric ozone on crop species in Italy. In Int. Conf. On Agrometeorology, Cesena, 409-410.

- Lorenzini, G., L. Guidi and A. Panattoni (1987). Evaluation of fungicide effects on ozone injury to tobacco plants. *Ann. Appl. Biol.*, **110**, 102-103.
- _____ and A. Materazzi (1985). Effects of simulated sulphuric acidic rain on yield of potato, (*Solanum tuberosum* L. cv. Primura). *S. I. T. I. Atti.*, **5**, 559-561.
- _____, A. Mimack, M.R. and M.R. Ashmore (1985). Differential response of alfalfa strains to chronic and acute fumigation with ozone, sulfurdioxide, nitrogen dioxide and a mixture of sulfur dioxide and nitrogen dioxide. *Riv. Patol. Veg.*, **21**, 13-27.
- _____ and A. Panattoni (1986). Effects of chronic fumigations with sulphur dioxide on the growth of some agricultural species. *Riv. Ortoflorofrutt. It.*, **70**, 215-229.
- Luckner, M. (1980). Expression and control of secondary metabolism. In *Secondary plant products*. (Eds. E.A. Bell and B.V. Charlwood). Springer-Verlag, New York. 23-50.
- Maas, F.M., L.J. De Kok, J.L. Peters and P.J.C. Kuiper (1987^a). A comparative study on the effects of H₂S and SO₂ fumigation on the growth and accumulation of sulphate and sulphydryl compounds in *Trifolium pratense* L., *Glycine max* Merr, and *Phaseolus vulgaris* L. *J. Exp. Bot.*, **38**, 1459-1469.
- _____, _____, W. Strick - Timmer and P.J.C. Kuiper (1987^b). Plant responses to H₂S and SO₂ fumigation. II. Differences in metabolism of H₂S and SO₂ in spinach. *Physiol. Plant.*, **70**, 722-728.
- MacLachlan, S. and S. Zalík (1963). Plastid structure and free amino acid composition of a chlorophyll mutant of barley. *Can. J. Bot.*, **41**, 1053-1062.
- Majernik, O. and T.A. Mansfield (1971). Effects of SO₂ pollution on stomatal movements in *Vicia faba*. *Phytopathol.*, **71**, 123-128.
- Malhotra, S.S. (1977). Effects of aqueous sulphur dioxide on chlorophyll destruction in *Pinus contorta*. *New Phytol.*, **78**, 101-109.
- _____ and S.K. Sarkar (1979). Effects of sulphur dioxide on sugar and free amino acid content on pine seedlings. *Physiol. Plant.*, **47**, 223-228.
- Mandl, R.H., I.H. Weinstein, M. Dean, and M. Wheeler (1980). The response of sweet corn to HF and SO₂ under field conditions. *Environ. Exp. Bot.*, **20**, 359-365.
- Mandre, M., Y. Martin, A. Kasgur, and E. Pikhalkas (1986). Physiological and biochemical aspects of the response of field crops to industrial load. *Eesti. Nsv. Tead. Akad. Toim. Biol.*, **35**, 221-233.

- Mansfield, T.A. and W.J. Davies (1981). Stomata and stomatal mechanisms. In *The physiology and biochemistry of drought resistance in plants*. (Eds. L.G. Pale and D. Aspinall), Academic Press, Sydney, 315-346.
- and P.H. Freer Smith, (1984). The role of stomata in resistance mechanisms. In *"Gaseous air pollutants and plant metabolism"*. (Eds. M.J. Koziol and F.R. Whatley). Butterworths, London. 131-146.
- Mapson, L.W. (1958). Metabolism of ascorbic acid in plants. Part I Function. *Ann. Rev. Plant Physiol.*, **9**, 119-150.
- Marques, A.I. and L.E. Anderson (1986). Effects of arsenite, sulphite and sulphate on photosynthetic carbon metabolism in isolated pea (*Pisum sativum* L. CV. Little marvel) chloroplasts. *Plant Physiol.*, **82**, 488-493.
- Maynard, D.G., J.W.B. Stewart and J.R. Bettany (1984). Sulphur cycling in grassland and parkland soils. *Biogeochemistry*, **1**, 97-111.
- McCool, P.M., R.C. Musselman, R.R. Teso, and R.J. Oshima (1986). Determining crop yield losses from air pollutants. *California Agriculture*, **July-August**, 9-10.
- McCready R. M., J. Guggolz, G.V. Sibires, and H.S. Ovens (1950). Determination of starch and amylose in vegetables, application to peas. *Anal. Chem.*, **22**, 1156-1158.
- Meetham, A.R., D.W. Bottom, A.H. Sellers, S. Cayton, and D. Chambers (1981). *Atmospheric Pollution Its History, Origins & Prevention*. Pergamon Press. 109-122.
- Mejstrik, V. (1980). The influence of low SO₂ concentration on growth reduction of *Nicotiana tabacum* L. Cv. Samsun and *Cucumis sativus* L. Cv. Vnikat. *Environ. Pollut.*, **21**, 73-76.
- Miller, G.L. and E.E. Miller (1948). Determination of nitrogen in biological materials improved Kjeldahl-Nessler method. *Anal. Chem.*, **20**, 481.
- Miyake, H., H. Masumura, Y. Fujiuma and T. Totsuka (1989). Effects of low concentrations of ozone on the fine structure of radish leaves. *New Phytol.*, **111**, 187-195.
- Muir, P. and McCune (1988). Lichens, tree growth and foliar symptoms of air pollution : Are the stories consistent ? *J. Environ. Qual.*, **17**, 361-370.
- Murray, F. (1984). Response of subterranean clover and Ryegrass to sulphur dioxide under field conditions. *Environ. Pollut.*, **36**, 239-249.

- _____ (1985). Changes in growth and quality characteristics of Lucerne (*Medicago sativa* L.) in response to sulphur dioxide exposure under field conditions. *J. Exp. Bot.*, **36**, 449-457.
- _____ (1986). Under what conditions can sulfur dioxide be beneficial to plants ? In proceedings of the *Seventh World Clean Air Congress*, **3**, 126-132.
- Muschinek, G., R. Alscher & L.E. Anderson (1987). The sensitivity of light modulation of enzyme activity to arsenite and sulphite and of photosynthetic induction to arsenite is determined by a cytoplasmic gene. *J. Exp. Bot.*, **38**, 1069-1075.
- Nandi, P. K., M. Agrawal and D. N. Rao (1985). SO₂ induced effects and their amelioration by Ca(OH)₂ solution in *Vigna sinensis* plants. *Scientia Hort.*, **22**, 47-53.
- _____, M. Singh and D.N. Rao (1981). Potassium ascorbate as an antidote to SO₂-phytotoxicity. *Beitr. Biol. Pflanzen*, **55**, 401-407.
- Noland, T.L. and T.T. Kozlowski (1978). Effects of SO₂ on stomatal aperture and sulphur uptake of woody angiosperm seedlings. *Can. J. Res.*, **9**, 57-62.
- _____ and _____ (1981^a). Interactions of SO₂ - concentration and post-fumigation temperature on growth of five species of woody plants. *Environ. Pollut.*, **25**, 27-39.
- Norby, R.J. and T.T. Kozlowski (1981^b). Relative sensitivity of three species of woody plants to SO₂ at high or low exposure temperature. *Oecologia* (Berl.), **51**, 33-36.
- _____ and _____ (1982). The role of stomata in sensitivity of *Betula papyrifera* seedlings to SO₂ at different humidities. *Oecologia* (Berl.), **53**, 34-39.
- _____, D.D. Richter and R.J. Luxmoore (1985). Physiological processes in soybean inhibited by gaseous pollutants but not by acid rain. *New Phytol.*, **100**, 79-85.
- Okano, K., O. Ito, G. Takeba, A. Shimizu, and T. Totsuka (1984). Effects of NO₂ and O₃ alone or in combination on kidney bean plants. IV. Alteration of ¹³C assimilate partitioning induced by O₃. *Res. Rep. Natl. Inst. Environ. Stud. Jpn.*, **66**, 39-48.
- _____, T. Machida and T. Totsuka (1988). Absorption of atmospheric nitrogen dioxide by several herbaceous species : Estimation by the Nitrogen-15 dilution method. *New Phytol.*, **109**, 203-210.
- Olszyk, D.M., A. Bytnerowicz and C.A. Fox (1987). Sulphur dioxide effects on plants exhibiting crassulacean acid metabolism. *Environ. Pollut.*, **43**, 47-62.

- _____ and D.T. Tingey (1984). Fusicoccin and air pollutant injury to plants. Evidence for enhancement of SO₂ but not O₃ injury. *Plant Physiol.*, **76**, 400-402.
- _____ and _____ (1985*). Metabolic basis for injury to plants from combinations of O₃ and SO₂ : Studies with modifiers of pollutant toxicity. *Plant Physiol.*, **77**, 935-939.
- _____ and _____ (1986). Joint action of O₃ and SO₂ in modifying plant gas exchange. *Plant Physiol.*, **82**, 401-405.
- Omasa, K., Y. Hashimoto, and I. Aiga (1984). Image instrumentation of plants exposed to air pollutants (2) Relationship between SO₂ or NO₂ sorption and their acute effects on plant leaves. *Res. Rep. Natl. Inst. Environ. Std. Jpn.*, **66**, 81-90.
- Ormrod, D.P. (1982). Air pollutant interactions in mixtures. In *Effects of gaseous air pollution in agriculture and horticulture* (Eds. M.H. Unsworth and D.P. Ormrod). Butterworth Scientific, London, 307-331.
- _____, V.J. Black, and M.H. Unsworth (1981). Depression of net photosynthesis in *Vicia faba* L. exposed to sulphur dioxide and ozone. *Nature*, **291**, 585-586.
- Pachauri, R.K. (1986). Beyond the environment (protection) act 1986 : Economic issues in setting standards. *Energy Environment Monitor*, **2**, 16-24.
- Pande, P.C. and T.A. Mansfield (1985). Responses of spring barley to SO₂ and NO₂ pollution. *Environ. Pollut.*, **38**, 87-97.
- _____ and K. Oates (1986). Scanning electron microscopic analysis of *Commelina communis* leaves after exposure to SO₂ and NO₂ pollution. *Environ. Pollut.*, **42**, 353-360.
- Pandey, S.N. (1982). Ameliorating effect of urea spray on wheat (*Triticum aestivum*) plants exposed to sulphur dioxide. *Environ. Pollut.*, **27**, 73-82.
- _____ and D.N. Rao (1979). Ecophysiological investigation of sulphur dioxide pollution effects on soyabean. In proceedings of symposium on *Environ. Biol.*, 173-182.
- Pandya, N. and S.J. Bedi (1986). Effect of industrial air pollution on *Solanum tuberosum*. In proceedings of the *Seventh World Clean Air Congress*, **4**, 118-124.
- Patel M.D., S.J. Bedi, and K.G. Shah (1977). Effect of air pollution on vegetation around GSFC. Project report sponsored by Gujarat State Fertilizer Company Ltd., Baroda, India.

- Pawar, K. (1981). Pollution studies in Nagda area due to Birla Industrial Complex Discharges. Ph.D. thesis submitted at School of Studies in Botany, Vikram University, Ujjain.
- _____ and P.S. Dubey (1980). Soil pollution due to industrial solid chemical waste and its bioassay. *Ind. J. Environ. Health.*, **23**, 337-339.
- _____ and _____ (1983). Response of two crop varieties to sulphur dioxide. *Ind. J. Air Pollut. Control.*, **5**, 3-5.
- _____ and _____ (1986). Growth response of maize in flyash amended soils. *Geobios*, **12**, 53-56.
- Peiser, G.D. and S.F. Yang, S. (1979). Ethylene and ethane production from SO₂ injured plants. *Plant Physiol.*, **63**, 142-145.
- Pell, E.J. and M. Puente (1986). Emission of ethylene by oat (*Avena sativa*) Cv. ogle plants treated with ozone and simulated acid rain. *New Phytol.*, **103**, 709-716.
- _____, W.C. Weissberger and J. Speroni (1980). Impact of ozone on quantity and quality of greenhouse-grown potato plants. *Environ. Sci. & Technol.*, **14**, 568-571.
- Perkins, H.C. (1974). *Air Pollution*. McGraw-Hill, Kogakusha Ltd., 157-170.
- Peterson, D.L. and M.J. Arbaugh (1988). An evaluation of the effects of ozone injury on radial growth of ponderosa pine (*Pinus ponderosa*) in the southern-sierr Nevada (California, USA). *JAPCA*, **38**, 921-927.
- Pfanz, H. and U. Heber (1986). Buffer capacities of leaves, leaf cells and leaf cell organelles in relation to fluxes of potentially acidic gases. *Plant Physiol.*, **81**, 591-602.
- Plucinska, L.G. (1986). Effect of sulphur dioxide on the partitioning of assimilates in scotch pine (*Pinus sylvestris*) seedlings of different susceptibility to this gas. *Eur. J. For Pathol.*, **16**, 261-273.
- _____ (1988). Effect of nitrogen dioxide on carbon dioxide exchange in scot pine seedlings. *Photosynthetica* (Prague), **22**, 108-111.
- Posthumus, A. (1983). General philosophy for the use of plants as indicators and accumulators of air pollutants and as biomonitors of their effects. In proceedings of *Vlth World Congress Air Quality*. **2**, 555-562.

- Prasad, B.J. and D.N. Rao (1981). Effects of SO_2 exposure on carbohydrate contents, phytomass and caloric values of wheat plants. *Water, Air and Soil Pollution*, 16, 287-291.
- _____ and _____ (1982). Relative sensitivity of a leguminous and a cereal crop to sulphur dioxide pollution. *Environ. Pollut.*, 29, 57-70.
- _____, _____, N.Singh, and S.N. Pandey (1979). A survey of pollugenic effects on vegetation around a petroleum refinery. In proceedings of symposium on *Environ., Biol.*, 211-216.
- Pyatt, F.B. (1973). Plant sulphur content as an air pollution gauge in the vicinity of a steel works. *Environ. Pollut.*, 5, 103-115.
- Rand, M.C., A.E. Greenberg and M.J. Taras (1977). In *Standard methods for the examination of water and waste water*. American Public Health Association. Washington. 325-329.
- Rao, D.N. (1982). Air pollution and its ecological implications. Paper presented at *All India Seminar on Air Pollution*, Indore.
- _____ and F. LeBlanc (1966). Effects of sulfur dioxide on Lichen Alga with special reference to chlorophyll. *The Bryologist*, 69, 69-75.
- Rao, M.V. and P.S. Dubey (1988). Plant response against sulphur dioxide in field conditions. *Asian Environ.*, 3, 3-10.
- Reich, P.B. (1983). Effects of low concentrations of O_3 on net photosynthesis, dark respiration and chlorophyll contents in aging hybrid poplar leaves. *Plant Physiol.*, 73, 291-296.
- _____ and R.G. Amundson (1985). Ambient levels of ozone reduce net photosynthesis in tree and crop sciences. *Science*, 230, 566-570.
- _____ and J.B. Lassoie (1985). Influence of low concentrations of ozone on growth, biomass partitioning and leaf senescence in young hybrid poplar plants. *Environ. Pollut.*, 39, 39-51.
- _____, A.W. Schoettle, F.H. Stroo, J. Troiano and R.G. Amundson (1987). Effects of ozone and acid rain on white pine (*Pinus strobus*) seedlings grown in five soils. I. Net photosynthesis and growth. *Can. J. Bot.*, 65, 977-987.
- Reinbothe, H. and K. Mothes (1962). Urea, Ureids and Guanidines in plants. *Ann. Rev. Plant Physiol.*, 13, 111-126.

- Reinert, R.A., D.S. Shriner and J.O. Rawlings (1982). Responses of radish to all combinations of three concentration of nitrogen dioxide, sulfur dioxide and ozone. *J. Environ. Qual.*, **11**, 69-73.
- Rennenberg, H. (1984). The fate of excess sulphur in higher plants. *Ann. Rev. Plant Physiol.*, **35**, 121-153.
- Roberts B.R., L.S. Dochinger and A.M. Townsend (1986). Effects of atmospheric deposition on sulfur and nitrogen content of four urban tree species. *J. of Arboriculture*, **12**, 209-212.
- _____, K.F. Jensen and H.M. Cathey (1985). Modification of ozone sensitivity in seedlings by ethylenediurea : Soil application vs. stem injection. *J. Amer. Soc. Hort. Sci.*, **110**, 178-180.
- _____, and V.M. Schnipke (1983). Height growth and tissue sulphur content of field-grown tree seedlings from different sulphur dioxide environments. *J. Environ. Hort.*, **1**, 72-75.
- _____, L.R. Wilson, J.J. Cascino and G.P. Smith (1987). Autoradiographic studies of ethylenediurea distribution in woody plants. *Environ. Pollut.*, **45**, 81-86.
- Rowlatt, S., D.V. Crawford, and M.H. Unsworth (1982). A quantitative study of the fate of sulphur dioxide deposited on to plants. In *Effects of gaseous Air Pollution in agriculture and horticulture* (Eds. M.H. Unsworth and D.P. Ommrod) Butterworth Scientific, London, 410-462.
- Sabnis, S.D. (1967). A study of the flora and vegetation of Baroda and environs including an account of the cyperaceae of the Gujarat. Vol.I. Ph.D. thesis submitted in Botany, The M.S. University of Baroda, Vadodara, India.
- Sabratnam, S., G. Gupta, and D. Robert (1984). Biochemical and physiological responses of beans and corn to air pollutants. *Pollut. Res.*, **3**, 59-69.
- Sakaki, T. and N. Kondo (1985). Inhibition of photosynthesis by sulfite in mesophyll protoplasts isolated from *Vicia faba* L. in relation to intracellular sulphite accumulation. *Plant Cell Physiol.*, **26**, 1045-1055.
- Santo, A.V., G. Bartoli, A. Alfani, and M. Ianni (1979). Responses of *Mentha piperita* L. and *Arabidopsis thaliana* L. to fumigation with SO₂ at different concentrations. *J. Environ. Sci. Health*, **14**, 313-332.
- Sardi, K. (1981). Changes in the soluble protein content of soybean *Glycine max*, L. and pea *Pisum sativum* L. under continuous SO₂ and soot pollution. *Environ. Pollut.*, **25**, 181-186.

- Satoshi, K. (1986). On the nature of atmospheric oxidation processes of sulfur dioxide to sulfate and of nitrogen dioxide to nitrate on the basis of diurnal variation of sulfate, nitrate & other pollutants in an urban area. *Environ. Sci. Technol.*, **20**, 1249-1253.
- Saxe, H. (1983). Long-term effects of low levels of SO₂ on bean plants (*Phaseolus vulgaris*). II. Imission response effects on biomass production : quantity and quality. *Physiol. Plant.*, **57**, 101-107.
- Schaffert, R.R. and G.R. Kingsley (1955). A rapid simple method for the determination of reduced, dehydro- and total ascorbic acid in biological material. *J. Biol. Chem.*, **212**, 59-69.
- Schneider, H.S. (1987). Climate modelling. *Scientific American*, **256**, 72-80.
- Schulz, H. (1986). Biochemical and factor analytical examinations for interpretations of sulphur dioxide indications in needles of *Pinus sylvestris*. *Biochem. Physiol. Pflanzen.*, (Bpp), **181**, 241-256.
- Scott, M.G., T.C. Hutchinson and M.J. Feth (1989). A composition of the effects on canadian boreal forest lichens, of nitric and sulphuric acids as sources of rain acidity. *New Phytol.*, **111**, 663-671.
- * Seigworth, K.J. (1943). Effects of sulphur dioxide on vegetation. *Amer. Forests.*, **49**, 521-558.
- Sekiya, J., L.G. Wilson, and P. Filner (1982). Resistance to injury by sulfur dioxide- correlation with its reduction to and emission of hydrogen sulfide in cucurbitaceae. *Plant Physiol.*, **70**, 432-437.
- Sestak, Z., J. Catsky and P.G. Jarvis (1971). *Plant photosynthetic production : Manual of methods*. The Hague, W. Junk Pub.
- Sharma, G.K. (1975). Leaf surface effects of environmental pollution on sugar maple (*Acer saccharum*) in Montreal. *Can. J. Bot.*, **53**, 2312-2314.
- _____ and J. Butler (1973). Leaf cuticular variations in *Trifolium repens* L. as indicators of environmental pollution. *Environ. Pollut.*, **5**, 287-293.
- Sharma H.C. and D.N. Rao (1983). Effect of sulfur dioxide, hydrogen fluoride and their combination on wheat plants. *Indian J. Environ. Health.*, **25**, 169-174.
- Shimizu, H., T. Oikawa, T. Totsuka (1984). Effects of low concentrations of NO₂ and O₃ alone and in mixture on the growth of sunflower plants. *Res. Rep. Natl. Inst. Environ. Std. Jpn.*, **65**, 121-136.

- Shringi, S.K. (1986). Responses of a few forest species and crop varieties to air pollution. Ph.D. thesis submitted in Botany, Vikram University, Ujjain, India.
- Sikka, J. and P.S. Dubey (1985). Agroecosystem studies - III biochemical responses of a maize variety against 2,4-D. *J. Environ. Bot.*, **6**, 57-62.
- Silberstein, L. and M. Galum (1988). Spectrophotometric estimation of chlorophyll in lichens containing anthroquinones in relation to air pollution assessments. *Environ. Exp. Bot.*, **28**, 145-150.
- Silvius, J.E., C.H. Bear, S. Dodrill, and H. Patrick (1976). Photoreduction of sulfur dioxide by spinach leaves and isolated spinach chloroplasts. *Plant Physiol.*, **57**, 799-801.
- Singh, M. and D.N. Rao (1982). The influence of Ozone and sulfur dioxide on *Cicer arietinum* L. *J. Indian Bot. Soc.*, **61**, 51-58.
- Singh N. and D.N. Rao (1985). Amelioration of SO₂-induced injury through foliar spray of urea. *Ind. J. Environ. Health*, **27**, 345-351.
- Singh, P. (1985). *Environmental Pollution and Management*. Chugh Publication, India. 25-28.
- Sisodia, G.S. and S.J. Bedi (1986). Effect of industrial air pollution on *Triticum aestivum* L. var. Sonalika (Wheat) II. *Ind. J. Air Pollut. Control*, **7**, 169-177.
- Skarby, L. (1984). Changes in the nutritional quality of crops. In *Gaseous air pollutants and plant metabolism*. (Eds. M.J. Koziol and F.R. Whatley). Butterworths, London, 351-360.
- Smith F.A. and J.A. Raven (1979). Intracellular pH and its regulation. *Annual Rev. Plant Physiol.*, **30**, 289-311.
- Sprugel, D.G., J.E. Miller, R.N. Muller, H.J. Smith and P.B. Xerikos (1980). Sulfur dioxide effects on yield and seed quality in field grown soybeans. *Phytopathol.*, **70**, 1129-1133.
- Srivastava, H. S. and D.P. Ormrod (1986). Effects of nitrogen dioxide and nitrate nutrition on modulation, nitrogenase activity, growth and nitrogen content of bean plants. *Plant Physiol.*, **81**, 737-741.
- Staniforth, R.J. and S.S. Sidhu (1984). Effects of atmospheric fluorides on foliage, flower, fruit and seed production in wild raspberry and blue berry. *Can. J. Bot.*, **62**, 2827-2834.

* Stoklasa, J. (1923). Die Beschadigungen der vegetation durch Rauchgase and Fabriksexhalationen. Urban und schwarzenberg, Berlin.

Stratigakos, A. and D.P. Ormrod (1985). Response of tomato to sulphur nutrition and SO₂. *Water Air Soil Pollut.*, 24, 19-26.

* Szalonek, J. and M. Warteresiewicz (1966^a). Biuletyn ZBN GOP PAN, 8, 75-84.

* _____ and _____ (1966^b). Biuletyn ZBN GOP PAN, 8, 59-74.

Tanaka, K., I. Furusawa, N. Kondo and K. Tanaka (1988). SO₂ tolerance of tobacco plants regenerated from paraquat-tolerant cells. *Plant Cell Physiol.*, 29, 743-746.

_____, Y. Suda, N. Kondo and K. Sugahara (1985). O₃ tolerance and the ascorbate - dependent H₂O₂ decomposing system in chloroplast. *Plant Cell Physiol.*, 26, 1425-1431.

Taniyama, T. (1979). Studies on injurious effects of air pollutants on crop plants XIV Effects of air pollutants on apparent photosynthesis of rice and corn plants. *Rep. Environ. Sci. Mie Uni*, 4, 77-78.

_____, T. Morishta and H. Hirata (1977). Damage of plants and decreases in agricultural productivity due to soil and air pollutants in Annaka city, Gunna, Prefecture. *Rep. Environ. Sci. Mie Uni*, 2, 107-144.

Tebbens, B.D. (1968). Gaseous pollutants in the air. In *Air Pollution*. Vol. I. (Ed A.C. Stern). Academic Press. New York. 23-44.

Teh, K.H. and C.A. Swanson (1982). Sulfur dioxide inhibition of translocation in bean plants. *Plant Physiol.*, 69, 88-92.

Thomas M.D. (1951). Gas damage to plants. *Ann. Rev. Plant Physiol.*, 2, 293-322.

Tingey, D.T., N. Pettit and L. Bard (1978). Effect of chlorine on stress ethylene production. *Environ. Exp. Bot.*, 18, 61-66.

_____, R.A. Reinert, J.A., Dunning, and W.W. Heck, (1973). Foliar injury response of eleven plant species to ozone/sulfur dioxide mixtures. *Atmos. Environ.*, 7, 201-208.

Tischner, R., A. Peuke, D.L. Godbold, R. Feig, G. Merg and A. Huttermann (1988). The effect of NO₂ fumigation on aseptically grown spruce seedlings. *J. Plant Physiol.*, 133, 243-246.

- Tomaszcz, S. (1985). Emission of hydrogen sulfide by plants seen as a protection mechanism against an excess of sulfur compounds in the environment. *Wiad Bot.*, **29**, 285-296.
- Treshow, M. (1984). Epilogue : A biochemical overview. In *Gaseous air pollutants and plant metabolism* (Eds. M.J. Koziol and F.R. Whatley). Butterworths, London, 425-437.
- Trites, F.L. and R.G.S. Bidwell (1987). Effect of acidic precipitation on bean plants. *Can. J. Bot.*, **65**, 1121-1126.
- Turk, A., J. Turk, J. Wittes and R. Wittes (1981). In *Environmental Science*. W.B. Saunders. Philadelphia, 335-383.
- Ulrich, B. (1984). Effects of air pollution on forest ecosystems and water - the principles demonstrated at a case study in Central Europe. *Atmos. Environ.*, **18**, 621-628.
- Unsworth, M.H. and V.J. Black (1981). Stomatal responses to pollutants. In *Stomatal physiology*. (Eds. P.G. Jarvis and T.A. Mansfield). Cambridge University Press. 187-263.
- Vakil, A.C. (1978). Economics of air pollution control. *Indian J. Air Pollut. Control*, **1**, 134-141.
- Vandenberg, J.J. and K.R. Knoerr (1985). Comparison of surrogate techniques for estimation of sulfate dry deposition. *Atmos. Environ.*, **19**, 627-635.
- Varshney, S.R.K. and C.K. Varshney (1984). Effects of SO₂ on ascorbic acid in crop plants. *Environ. Pollut.*, **35**, 285-290.
- Vijayan, R. and S.J. Bedi (1988^b). Studies on distribution and responses of herbs to air pollutants near a fertilizer complex. *IBC*, **5**, 15-18.
- _____ and _____ (1988^a). Effect of SO₂ fumigation on *Syzygium cumini* Skeels and its amelioration by ascorbic acid. *Ind. J. Environ. Health*, **30**, 155-162.
- _____ and _____ (1988^c). Use of leaf epidermis in air pollution impact study. In *Proceedings of National Seminar on Environmental Pollution Control & Monitoring* Chandigarh, India. 274-278.
- _____ and _____ (1989). Effect of chlorine pollution on three fruit tree species at Ranoli, near Baroda, India. *Environ. Pollut.*, **57**, 97-102.
- Wang, D., F.H. Bormann and D.F. Karnosky (1986). Regional tree growth reductions due to ambient ozone : evidence from field experiments. *Environ. Sci. Technol.*, **20**, 1122-1125.

- Wellburn, A.R., C. Higginson, D. Robinson and C. Walmsley (1981). Biochemical explanations of more than additive inhibitory effects of low atmospheric levels of sulphur dioxide plus nitrogen dioxide upon plants. *New Phytol.*, **88**, 223-237.
- West, P.W. and G.C. Gaeke (1956). Fixation of sulphur dioxide as disulfite-mercurate (II) and subsequent colorimetric estimation. *Anal. Chem.*, **28**, 1816-1819.
- Willits, C.O., M.L. Swain, J.A. Connelly, and B.A. Brice (1950). Spectrophotometric determination of nicotine. *Anal. Chem.*, **22**, 430-433.
- Wolfenden, J., D.C. Robinson, J.N. Cape, I.S. Paterson, B.J. Francis and H. Mehlhorn (1988). Use of carotenoid ratios, ethylene emissions and buffer capacities for the early diagnosis of forest decline. *New Phytol.*, **109**, 85-95.
- Wong, C.H., H. Klein and H.J. Jager (1977). The effect of SO₂ on the ultrastructure of *Pisum* and *Zea* chloroplasts. *Angew. Botanik*, **51**, 311-319.
- Yemn, E.W. and A.J. Will (1954). The estimation of carbohydrate in plant extracts by anthrone. *Biochem. J.*, **57**, 508-514.
- Yunus, M. and K.J. Ahmed (1979). Use of epidermal traits of plants in pollution monitoring. In *Proceedings of National seminar on Environmental Pollution and its Control. A status Review*, Bombay, India.
- Zech, W., TH. Suthner and E. Popp (1985). Elemental analyses and physiological responses of forest trees in SO₂-polluted areas of Ne-Bevaria. *Water, Air and Soil Pollut.*, **25**, 175-183.
- Zedler, B., R. Plarre and G.M. Rothe (1986). Impact of atmospheric pollution on the protein and amino acid metabolism of spruce *Picea abies* trees. *Environ. Pollut.*, **40**, 193-212.
- Ziegler, I. (1974). Action of sulphite on plant malate dehydrogenase. *Phytochem.*, **13**, 2411-2416.