

BIBLIOGRAPHY



- Abbott, L. K., Robson, A. D. and De Bore, G. 1984. The effect of phosphorus on the formation of hyphae in soil by the vesicular-arbuscular mycorrhizal fungus *Glomus fasciculatum*. New Phytol. **97**: 437-446.
- Abd-Alla, M. H. 1994. Solubilization of rock phosphates by *Rhizobium* and *Bradyrhizobium*. Folia Microbiol. **39**: 53-56.
- Abd-Alla, M. H. 1994. Use of organic phosphorus by *Rhizobium leguminosarum* bv. *viciae* phosphatases. Biol. Fertil. Soils **8**: 216-218.
- Abd-Alla, M. H. and Omar, S. A. 2001. Survival of *rhizobia/bradyrhizobia* and a rock-phosphate-solubilizing fungus *Aspergillus niger* on various carriers from some agro-industrial wastes and their effects on nodulation and growth of faba bean and soybean. J. Plant Nutr. **24**: 261-272.
- Abdel-Hamid, M. A., Attwood, M. M. and Guest, J. R. 2001. Pyruvate oxidase contributes to the aerobic growth efficiency of *Escherichia coli*. Microbiology. **147**: 1483-1498.
- Adams, M. A. and Pate, J. S. 1992. Availability of organic and inorganic forms of phosphorus to lupins (*Lupinus* spp.). Plant Soil **145**: 107-113.
- Agnihotri, V. P. 1970. Solubilization of insoluble phosphates by some soil fungi isolated from nursery seedbeds. Can. J. Microbiol. **16**: 877-880.
- Ahmed, S. 1995. Agriculture-Fertilizer interface in Asia issues of growth and sustainability. Oxford and IBH publishing Co, New Delhi.
- Algawadi, A. R. and Gaur, A. C. 1988. Associative effect of *Rhizobium* and phosphate solubilizing bacteria on the yield and nutrient uptake of chickpea. Plant Soil **105**: 2412-2446.
- Alikhani, H. A., Saleh-Rastin, N. and Antoun, H. 2006. Phosphate solubilization activity of rhizobia native to Iranian soils. Plant Soil **287**: 35-41.

Al-Mallah, M. K., Davey, M. R. and Cocking, E. C. 1989. Formation of nodular structures on rice seedlings by rhizobia. *J. Exp. Bot.* **40**: 473-478.

Al-Mallah, M. K., Davey, M. R. and Cocking, E. C. 1990. Nodulation of oilseed rape (*Brassica napus*) by rhizobia. *J. Exp. Bot.* **41**: 1567-1572.

Ames, B. N. 1964. Assay of inorganic phosphate, total phosphate and phosphatases. *Methods Enzymol.* **8**: 115-118.

Ames, R. N., Reid, C. P. P. and Ingham, E. R. 1984. Rhizosphere bacterial population responses to root colonization by a vesicular arbuscular mycorrhizal fungus. *New Phytol.* **96**: 555-563.

Ameyama, M., Nonobe, M., Shinagawa, E., Matsushita, K., Taikimoto, K. and Adachi, O. 1986. Purification and characterization of the quinoprotein D-glucose dehydrogenase apoenzyme from *Escherichia coli*. *Agric. Biol. Chem.* **50**: 49-57.

Ameyama, M., Shinagawa, E., Matsushita, K. and Adachi, O. 1981. D-glucose dehydrogenase of *Gluconobacter suboxydans*: solubilisation, purification and characterisation. *Agric. Biol. Chem.* **45**: 851-861.

Amijee, F., Tinker, P. B. and Stribley, D. P. 1989. Effect of phosphorus on the morphology of vesicular-arbuscular mycorrhizal root system of leek (*Allium porrum* L.). *Plant Soil* **119**: 334-336.

Anderson, G. and Arlidge, E. Z. 1962. The adsorption of inositol phosphates and glycerophosphate by soil clays, clay minerals, and hydrated sesquioxides in acid media. *J. Soil Sci.* **13**: 216-224.

Anderson, G. and Malcolm, R. E. 1974. The nature of alkali-soluble soil organic phosphates. *J. Soil Sci.* **25**: 282-297.

Anoop, V. M., Basu, U., McCammon, M. T., McAlister-Henn, L. and Taylor, G. J. 2003. Modulation of citrate metabolism alters aluminum tolerance in yeast and transgenic canola overexpressing a mitochondrial citrate synthase. *Plant Physiol.* **132**: 2205-2217.

- Antoun, H., Beauchamp, C. J., Goussard, N., Chabot, R. and Lalande, R. 1998. Potential of *Rhizobium* and *Bradyrhizobium* species as plant growth promoting rhizobacteria on non-legumes: effect on radishes (*Raphanus sativus* L.). *Plant Soil* **204**: 57-67.
- Aoshima, M., Ishii, M., Yamagishi, A., Oshima, T. and Igarashi, Y. 2003. Metabolic characteristics of an isocitrate dehydrogenase defective derivative of *Escherichia coli* BL21(DE3). *Biotechnol. Bioeng.* **84**: 732-737.
- Asea, P. E. A., Kucey, R. M. N. and Stewart, J. W. B. 1988. Inorganic phosphate solubilization by two *Penicillium* species in solution culture and soil. *Soil Biol. Biochem.* **20**: 459- 464.
- Azcon-Aguilar, C., Diaz-Rodriguez, R. and Barea, J. M. 1986. Effect of soil microorganisms on spore germination and growth on the vesicular arbuscular mycorrhizal fungus (*Glomus moseae*). *Trans. Brit. Mycol. Soc.* **86**: 337-340.
- Babu-Khan, S., Yeo, C., Martin, W. L., Duron, M. R., Rogers, R. D. and Goldstein, A. H. 1995. Cloning of a mineral phosphate-solubilizing gene from *Pseudomonas cepacia*. *Appl. Environ. Microbiol.* **61**: 972-978.
- Bacilio-Jimenez, M., Aguilar-Flores, S., Ventura-Zapata, E., Perez-Campos, E., Bouquelet, S. and Zenteno, E. 2003. Chemical characterization of root exudates from rice (*Oryza sativa*) and their effects on the chemotactic response of endophytic bacteria. *Plant Soil* **249**: 271-277.
- Bagyaraj, D. J. 1984. Biological interaction with V A mycorrhizal fungi. p. 131-153. *In*: C. L. Powell, and D. J. Bagyaraj (ed.), VA mycorrhiza. C RC Press, Boca Raton.
- Bais, H. P., Weir, T. L. Perry, L. G., Gilroy, S. and Vivanco, J. M. 2006. The role of root exudates in rhizosphere interactions with plants and other organisms. *Annu. Rev. Plant Biol.* **57**: 233-266.

Banik, S. and Dey, B. K. 1982. Available phosphate content of an alluvial soil as influenced by inoculation of some isolated phosphate solubilizing microorganisms. *Plant Soil* **69**: 353–364.

Barak, R., Nur, Y. and Okon, Y. 1983. Detection of chemotaxis in *Azospirillum brasilense*. *J. Appl. Bacteriol.* **53**: 399–403.

Barea, J. M., El-Atrach, F. and Azcon, R. 1991. The role of VA mycorrhizas in improving plant N acquisition from soil as assessed with ^{15}N . p. 677-808. *In*: C. Fitton (ed.), The use of stable isotopes in plant nutrition. Soil Fert. Environ. Studies, Joint AIEA FAO Division, Vienna.

Bashan, Y. 1998. Inoculants of plant growth-promoting bacteria for use in agriculture. *Biotechnol. Adv.* **16**: 729-770.

Bashan, Y. and Holguin, G. 1994. Root-to-root travel of the beneficial bacterium *Azospirillum brasilense*. *Appl. Environ. Microbiol.* **60**: 2120-2131.

Bashan, Y., Mitiku, G., Whitmoyer, R. and Levanony, H. 1991. Evidence that fibrillar anchoring is essential for *Azospirillum brasilense* attachment to sand. *Plant Soil* **132**: 73-83.

Bashan, Y., Puente, M. E., Rodriquez, M. N., Toledo, G., Holguin, G., Ferrera-Cerrato, R. and Pedrin, S. 1995. Survival of *Azorhizobium brasilense* in the bulk soil and rhizosphere of 23 soil types. *Appl. Environ. Microbiol.* **61**: 1938-1945.

Baya, A.M., Robert, S.B. and Ramos, C.A. 1981. Vitamin production in relation to phosphate solubilization by soil bacteria. *Soil Biol. Biochem.* **13**: 527-532.

Beever, R. E. and Burns, D. J. W. 1980. Phosphorus uptake storage and utilization by fungi. *Adv. Bot. Res.* **8**: 127- 219.

Begonia, M. F. and Kremer, R. J. 1999. Chemotaxis of deleterious rhizobacteria to birdsfoot tree foil. *Appl. Soil Ecol.* **11**: 35-42.

Bennett, E. M., Carpenter, S. R. and Caraco, N. F. 2001. Human impact on erodable phosphorus and eutrophication: A Global Perspective. *Bioscience* **51**: 227-234.

Bennett, R. A. and Lynch, J. M. 1981. Colonization potential of bacteria in the rhizosphere. *Curr. Microbiol.* **6**: 137-138.

Bethlenfalvay, G. J. 1994. Sustainability and rhizoorganisms in an ecosystem. *Sociedad Mexicana de la Ciencia del. Suelo.* **4**: 9-10.

Beveridge, T. J. and Murray, R. G. E. 1980. Sites of metal deposition in the cell wall of *Bacillus subtilis*. *J. Bacteriol.* **141**: 876-887.

Bhattacharya, S. K. and Dubey, A. K. 1997. Effects of dissolved oxygen and oxygen mass transfer on overexpression of target gene in recombinant *Escherichia coli*. *Enzyme Microb. Technol.* **20**: 355-360.

Bieleski, R. L. 1973. Phosphate pools, phosphate transport, and phosphate availability. *Annu. Rev. Plant Physiol.* **24**: 225-252.

Bilen, H., Kilicaslan, A., Akcay, G. and Albayrak, F. 2007. Performance of glucose dehydrogenase (GDH) based and glucose oxidase (GOX) based blood glucose meter systems at moderately high altitude. *J. Med. Eng. & Technol.* **31**: 152- 156.

Bilyeu, K. D., Zeng, P., Coello, P., Zhang, Z. J., Krishnan, H. B., Bailey, A., Beuselinck, P. R. and Polacco, J. C. 2008. Quantitative conversion of phytate to inorganic phosphorus in soybean seeds expressing a bacterial phytase. *Plant Physiol.* **146**: 468-477.

Bishop, M. L., Chang, A. C. and Lee, R. W. K. 1994. Enzymatic mineralization of organic phosphorus in a volcanic soil in Chile. *Soil Sci.* **157**: 238-243.

Blake, R. C., Choate, D. M., Bardhan, S., Revis, N., Barton, L. L. and Zocco, T. G. 1993. Chemical transformation of toxic metals by a *Pseudomonas* strain from a toxic waste site. *Environ. Toxicol. Chem.* **12**: 1365-1376.

Bloemberg, G. V. and Lugtenberg, B. J. J. 2001. Molecular basis of plant growth promotion and biocontrol by rhizobacteria. *Curr. Opin. Plant Biol.* **4**: 343-350.

Blum, P. May 2004. Hyperthermophilic enzymes for industrial chemical redox reactions: a method for biofuel ethanol production. U.S. patent 6737257.

Bolan, N. S. 1991. A critical review on the role of mycorrhizal fungi in the uptake of phosphorus by plant. *Plant Soil* **134**: 189-207.

Bolan, N. S., Naidu, R., Mahimmairaja, S. and Baskaran, S. 1994. Influence of low molecular weight organic acids on the solubilisation of phosphorous in soils. *Biol. Fert. soil.* **18**: 311-319.

Bowen, G. D. and Rovira, A. D. 1999. The rhizosphere and its management to improve plant growth. *Adv. Agron.* **66**:1-102.

Bremer, E. and Kuikman, P. 1994. Microbial utilization of ^{14}C [U] glucose in soil is affected by the amount and timing of glucose additions. *Soil Biol. Biochem.* **26**: 511-517.

Bremer, E. and van Kessel, C. 1990. Extractability of microbial ^{14}C and ^{15}N following addition of variable rates of labeled glucose and $(\text{NH}_4)_2\text{SO}_4$ to soil. *Soil Biol. Biochem.* **22**: 707-713.

Buonassissi, A. J., Copeman, R. J., Pepin, H. S. and Eaton, G. W. 1986. Effect of *Rhizobium* spp. on *Fusarium* f. sp. *phaseoli*. *Can. J. Plant Pathol.* **8**: 140-146.

Burkert, B. and Robson, A. 1994. Zn uptake in subterranean clover (*Trifolium subterraneum* L.) by three vesicular-arbuscular mycorrhizal fungi in a root free sandy soil. *Soil Biol. Biochem.* **26**: 1117-1124.

Buurman, E. T., ten Voorde, G. J. and Teixeira de Mattos, M. J. 1994. The physiological function of periplasmic glucose oxidation in phosphate-limited chemostat cultures of *Klebsiella pneumoniae* NCTC 418. *Microbiology* **140**: 2451-2458.

- Cattelan, A. J., Hartel, P. G. and Fuhrmann, J. J. 1999. Screening for plant growth-promoting rhizobacteria to promote early soybean growth. *Soil Sci. Soc. Am. J.* **63**: 1670-1680.
- Celi, L., Lamacchia, S., Marsan, F. A. and Barberis, E. 1999. Interaction of inositol hexaphosphate on clays: adsorption and charging phenomena. *Soil Sci.* **164**: 574-585.
- Celi, L., Presta, M., Ajmore-Marsan, F. and Barberis, E. 2001. Effects of soil pH and electrolytes on inositol hexaphosphate interaction with goethite. *Soil Sci. Soc. Am. J.* **65**: 753-760.
- Cerezine, C., Nahas, E. and Banzatto, D. A. 1988. Soluble phosphate accumulation by *Aspergillus niger* from fluorapatite. *Appl. Environ. Microbiol.* **29**: 501-505.
- Chabot, R., Anton, H. and Cescas, M. P. 1996. Growth promotion of maize and lettuce by phosphate solubilizing *Rhizobium leguminosarum* biovar *phaseoli*. *Plant Soil* **184**: 311-321.
- Chabot, R., Antoun, H., Kloepper, J. W. and Beauchamp, C. J. 1996. Root colonization of maize and lettuce by bioluminescent *Rhizobium leguminosarum* biovar *phaseoli*. *Appl. Environ. Microbiol.* **62**: 2767-2772.
- Chabot, R., Beauchamp, C. J., Kloepper, J. W. and Antoun, H. 1998. Effect of phosphorus on root colonization and growth promotion of maize by bioluminescent mutants of phosphate-solubilizing *Rhizobium leguminosarum* biovar *phaseoli*. *Soil Biol. Biochem.* **30**: 1615-1618.
- Chang, A. C. Y. and Cohen, S. N. 1978. Construction and characterization of amplifiable multicopy DNA cloning vehicles derived from the P15A cryptic mini plasmid. *J. Bacteriol.* **134**: 1141-1156.
- Chao, W. L., Li, R. K. and Chang, W. T. 1988. Effect of root agglutinin on microbial activities in the rhizosphere. *Appl. Environ. Microbiol.* **54**: 1838-1841.

Chao, Y. P. and Liao, J. C. 1993. Alteration of growth yield by overexpression of phosphoenolpyruvate carboxylase and phosphoenolpyruvate carboxykinase in *Escherichia coli*. *Appl. Environ. Microbiol.* **59**: 4261- 4265.

Chen, C. C., Wu, P. H., Huang, C. T. and Cheng, K. J. 2004. A *Pichia pastoris* fermentation strategy for enhancing the heterologous expression of an *Escherichia coli* phytase. *Enz. Microb. Technol.* **35**: 315-320.

Chen, R., Xue, G., Chen, P., Yao, B., Yang, W., Ma, Q., Fan, Y., Zhao, Z., Tarczynski, M. C. and Shi, J. 2007. Transgenic maize plants expressing a fungal phytase gene. *Transgenic Res.* (Epub ahead of print).

Chin-A-Woeng, T. F. C., Bloemberg, G. V., Mulders, I. H. M., Dekkers, L. C. and Lugtenberg, B. J. J. 2000. Root colonization by phenazine-1- carboxamide-producing bacterium *Pseudomonas chlororaphis* PCL1391 is essential for biocontrol of tomato foot and root rot. *Mol. Plant-Microbe Interact.* **13**: 1340-1345.

Christensen, B. B., Sternberg, C., Andersen, J. B., Eberl, L., Møller, S., Givskov, M. and Molin, S. 1998. Establishment of new genetic traits in a microbial biofilm community. *Appl. Environ. Microbiol.* **64**: 2247-2255.

Cleton-Jansen, A. M., Goosen, N., Vink, K. and Putte, P. 1989. Cloning, characterization and DNA sequencing of the gene encoding the Mr 50,000 quinoprotein glucose dehydrogenase from *Acinetobacter calcoaceticus*. *Mol. Gen. Genet.* **217**: 430-436.

Cleton-Jansen, A. M., Goosen, N., Wenzel, J. T. and Putte, P. 1988. Cloning of the gene encoding quinoprotein glucose dehydrogenase from *Acinetobacter calcoaceticus*: evidence for the presence of a second enzyme. *J. Bacteriol.* **170**: 2121- 2125.

Compant, S., Duffy, B., Nowak, J., Clement, C. and Barka, E. A. 2005. Use of plant growth-promoting bacteria for biocontrol of plant diseases: principles, mechanisms of action, and future prospects. *Appl. Environ. Microbiol.* **71**: 4951-4959.

- Cozier, G. E., Salleh, R. A. and Anthony, C. 1999. Characterization of the membrane quinoprotein glucose dehydrogenase from *Escherichia coli* and characterization of a site-directed mutant in which histidine-262 has been changed to tyrosine. *Biochem. J.* **340**: 639 - 647.
- Cremer, J., Eggling, L. and Sahm, H. 1991. Control of the lysine biosynthesis sequence in *Corynebacterium glutamicum* as analyzed by overexpression of the individual corresponding genes. *Appl. Environ. Microbiol.* **57**: 1746-1752.
- Cruz, R. E., de la Manalo, M. Q., Aggangan, N. S. and Tambalo, J. D. 1988. Growth of three legume trees inoculated with VA mycorrhizal fungi and *Rhizobium*. *Plant Soil* **108**: 111-115.
- Cui, M. and Caldwell, M. M. 1996. Facilitation of plant phosphate acquisition by Arbuscular Mycorrhizas from enriched soil patches.II. Hyphae exploiting root-free soil. *New phytol.* **133**: 461-467.
- Cunningham, J. E. and Kuiack, C. 1992. Production of citric and oxalic acids and solubilization of calcium phosphate by *Penicillium bilaji*. *Appl. Environ. Microbiol.* **58**: 1451-1458.
- Curl, E. A. and Truelove, B. 1986. The Rhizosphere. p. 1-8, Introduction; p. 140-166, Microbial Interactions; p. 167-190, Rhizosphere in Relation to Plant Nutrition and Growth. Springer-Verlag, New York.
- Cvitkovitch, D. G., Gutierrez, J. A. and Bleiweis, A. S. 1997. Role of the citrate pathway in glutamate biosynthesis by *Streptococcus mutans*. *J. Bacteriol.* **179**: 650-655.
- Daimon, H., Nobuta, K., Ohe, M., Harada, J. and Nakayama, Y. 2006. Tricalcium phosphate solubilisation by root nodule bacteria of *Sesbania cannabina* and *Crotalaria juncea*. *Plant Prod. Sci.* **9**: 388-389.
- Dakora, F. D. 2003. Defining new roles for plant and rhizobial molecules in sole and mixed plant cultures involving symbiotic legumes. *New Phytol.* **158**: 39-49.

- Dakora, F. D. and Phillips, D. A. 2002. Root exudates as mediators of mineral acquisition in low-nutrient. *Plant Soil* **245**: 35-47.
- Dao, T. H. 2003. Polyvalent cation effects on myo-inositol hexakis dihydrogenphosphate enzymatic dephosphorylation in dairy wastewater. *J. Environ. Qual.* **32**: 694-701.
- De Anda, R., Lara, A. R., Hernández, V., Hernández-Montalvo, V., Gosset, G., Bolívar, F. and Ramírez, O. T. 2006. Replacement of the glucose phosphotransferase transport system by galactose permease reduces acetate accumulation and improves process performance of *Escherichia coli* for recombinant protein production without impairment of growth rate. *Metab. Eng.* **8**: 281-290.
- de Freitas, J. R., Banerjee, M. R. and Germida, J. J. 1997. Phosphate solubilizing rhizobacteria enhance the growth and yield but not phosphorus uptake of canola (*Brassica napus* L.). *Biol. Fertil. Soils* **24**: 358-364.
- De Gelder, L., Ponciano, J. M., Joyce, P. and Top, E. M. 2007. Stability of a promiscuous plasmid in different hosts: no guarantee for a long-term relationship. *Microbiology.* **153**: 452-463.
- de la Fuente, J. M., Ramirez-Rodriguez, V., Cabrera-Ponce, J. L. and Herrera-Estrella, L. 1997. Aluminum tolerance in transgenic plants by alteration of citrate synthesis. *Science* **276**: 1566-1568.
- De Leij, F. A. A. M., Thomas, C. E., Bailey, M. J., Whipps, J. M. and Lynch, J. M. 1998. Effect of insertion site and metabolic load on the environmental fitness of a genetically modified *Pseudomonas fluorescens* isolate. *Appl. Environ. Microbiol.* **64**: 2634-2638.
- De Maeseneire, S. L., De Mey, M., Vandedrinck, S. and Vandamme, E. J. 2006. Metabolic characterization of *E. coli* citrate synthase and phosphoenolpyruvate carboxylase mutants in aerobic cultures. *Biotechnol. Lett.* **28**: 1945-1953.

De Weger, L. A., van der Vlugt, C. I., Wijffjes, A. H., Bakker, P. A., Schippers, B. and Lugtenberg, B. J. 1987. Flagella of a plant-growth-stimulating *Pseudomonas fluorescens* strain are required for colonization of potato roots. *J. Bacteriol.* **169**: 2769-2773.

Dekkers, L.C., Bloemendaal Cees, J. P., De Weger, L.A., Wijffelman, C. A., Spaink, H. P. and Lugtenberg, B. J. 1998. A two-component system plays an important role in the root-colonizing ability of *Pseudomonas fluorescens* strain WCS365. *Mol. Plant-Microbe Interact.* **11**: 45-56.

Delhaize, E., Hebb, D. M. and Ryan, P. R. 2001. Expression of a *Pseudomonas aeruginosa* citrate synthase gene in tobacco is not associated with either enhanced citrate accumulation or efflux. *Plant Physiol.* **125**: 2059-2067.

Deng, S., Elkins, J. G., Da, L. H., Botero, L. M. and McDermott, T. R. 2001. Cloning and characterization of a second acid phosphatase from *Sinorhizobium meliloti* strain 104A14. *Arch. Microbiol.* **176**: 255-263.

↪ Deng, S., Summers, M. L., Kahn, M. L. and McDermontt. T. R. 1998. Cloning and characterization of a *Rhizobium meliloti* nonspecific acid phosphatase. *Arch. Microbiol.* **170**: 18-26.

Dharmsthiti, S., Chalernpornpaisarn, S., Kiatijajarn, M., Chanpokapaiboon, A., Klongsithidej, Y. and Techawiparut, J. 2005. Phytase production from *Pseudomonas putida* harbouring *Escherichia coli appA*. *Process Biochem.* **40**: 789-793.

Downey, J. and Van Kessel, C. 1990. Dual inoculation of *Pisum sativum* with *Rhizobium leguminosarum* and *Penicillium bilaji*. *Biol. Fert. Soils* **10**: 194-196.

Dubey, S. K. 1996. Response of soybean to rock phosphate applied with *Pseudomonas striata* in a typic chromustert. *J. Ind. Soc. Soil Sci.* **44**: 252-255.

Dubey, S. K. 2001. Associative effect of nitrogen fixing and phosphate solubilizing bacteria in rainfed soybean (*Glycine max*) grown in vertisols. Indian J. Agric. Sci. **71**: 476-479.

Dubey, S. K. and Billore, S. D. 1992. Phosphate solubilizing microorganisms (PSM) as inoculant and their role in augmenting crop productivity in India. Crop Res. **5**: 11.

Dudeja, S. S., Khurana, A. L. and Kundu, B. S. 1981. Effect of *Rhizobium* and phosphomicroorganism on yield and nutrient uptake in chickpea. Curr. Sci. **50**: 503.

Duponnois, R. 2006. Bacteria helping mycorrhiza development. p. 297-310. In: K. G. Mukerji, and Singh M. C. J, (ed.), Microbial activity in the rhizosphere.

Springer-Verlag, Berlin, Germany.

Duponnois, R., Colombet, A., Hien, V. and Thioulouse, J. 2005. The mycorrhizal fungus *Glomus intraradices* and rock phosphate amendment influence plant growth and microbial activity in the rhizosphere of *Acacia holosericea*. Soil Biol. Biochem. **37**: 1460-1468.

Earl, K. D., Syers, J. K. and McLaughlin, J. R. 1979. Origin of the effects of citrate, tartrate, and acetate on phosphate sorption by soils and synthetic gels. Soil Sc. Soc. Am. J. **43**: 674-678.

Ehteshamul-Haque, S. and Ghaffar, A. 1993. Use of rhizobia in the control of root rot diseases of sunflower, okra, soybean and mungbean. J. Phytopathol. **138**: 157-163.

Eisenlohr, H. E. and Baron, C. 2003. The competitiveness of *Pseudomonas chlororaphis* carrying pJP4 is reduced in the *Arabidopsis thaliana* Rhizosphere. Appl. Environ. Microbiol. **69**: 1827-1833.

Elbahloul, Y. and Steinbüchel, A. 2006. Engineering the genotype of *Acinetobacter sp.* strain ADP1 to enhance biosynthesis of cyanophycin. Appl. Environ. Microbiol. **72**: 1410-1419.

- Elgala, H. M., Ishac, Y. Z., Abdel-Monem, M., El-Ghandour, I. A. I., Hang, P. M., Berthelin, J., Bollag, J. M., Mc Gill W. B. and Page, A. I. 1995. Effect of single and combined inoculation with *Azotobacter* and VA mycorrhizal fungi on growth and nutrient content of maize and wheat plants. *Environ. Impact Soil Component Interactions*. **2**: 109-116.
- Elias, M. D., Nakamura, S., Migita, C. T., Miyoshi, H., Toyama, H. and Matsushita, K. 2004. Occurrence of a bound ubiquinone and its function in *Escherichia coli* membrane-bound quinoprotein glucose dehydrogenase. *J. Biol. Chem.* **279**: 3078-3083.
- El-Sawah, M. M. A., Hauka, F. I. A. and El-Rafey, H. H. 1993. Study on some enzymes cleaving phosphorus from organic substrates in soil. *J. Agric. Sci.* **18**: 2775-2785.
- Emsley, J. and Niazi, S. 1981. The structure of *myo*-inositol hexaphosphate in solution: P-31 NMR investigation. *Phos. Sulphur* **10**: 401-408.
- Fairhurst, T. R., Lefroy, E. M. and Batjes, N. H. 1999. The importance, distribution and causes of P deficiency as a constraint to crop production in the tropics. *Agroforestry Forum* **9**: 2-8.
- Farmer, W. R. and Liao, J. C. 1997 Reduction of aerobic acetate production by *Escherichia coli*. *Appl. Environ. Microbiol.* **63**: 3205-3210.
- Feller, C., Frossard, E. and Brossard, M. 1994. Phosphatase activity in low activity tropical clay soils. Distribution in the various particle size fractions. *Can. J. Soil Sci.* **74**:121-129.
- Franklin, F. C. H., Bagdasarian, M., Bagdasarian, M. M. and Timmis, K. N. 1981. Molecular and functional analysis of the TOL plasmid pWWO from *Pseudomonas putida* and cloning of genes for the entire regulated aromatic ring meta cleavage pathway. *Proc. Natl. Acad. Sci. USA.* **78**: 7458-7462.

- Frey-Klett, P., Garbaye, J. and Tarkka, M. 2007. The mycorrhiza helper bacteria revisited. *New Phytol.* **176**: 22-36.
- Galar, M. L., and Boiardi, J. L. 1995. Evidence for a membrane-bound pyrroloquinoline quinone-linked glucose dehydrogenase in *Acetobacter diazotrophicus*. *Appl. Microbiol. Biotechnol.* **43**: 713-716.
- Gao, X. R., Wang, G. K., Su, Q., Wang, Y. and An, L. J. 2007. Phytase expression in transgenic soybeans: stable transformation with a vector-less construct. *Biotechnol. Lett.* **29**: 1781-1787.
- Garbaye, J. 1994. Helper bacteria: a new dimension to the mycorrhizal symbiosis. *New Phytol.* **128**: 197-210.
- Garcia, C., Fernandez, T., Costa, F., Cerranti, B. and Masciandaro, G. 1992. Kinetics of phosphatase activity in organic wastes. *Soil Biol. Biochem.* **25**: 361-365.
- George, T. S., Turner, B. L., Gregory, P. J., Cade-Menun, B. J. and Richardson, A.E. 2006. Depletion of organic phosphorus from Oxisols in relation to phosphatase activities in the rhizosphere. *Eur. J. Soil Sci.* **57**: 47-57.
- George, T. S., Richardson, A. E. and Simpson, R. J. 2005a. Behaviour of plant-derived extracellular phytase upon addition to soil. *Soil Biol. Biochem.* **37**: 977-978.
- George, T. S., Richardson, A. E., Hadobas, R. A. and Simpson, R. J. 2004. Characterization of transgenic *Trifolium subterraneum* L. which expresses phyA and release extracellular phytase: growth and P nutrition in laboratory media and soil. *Plant Cell Environ.* **27**: 1351-1361.
- George, T. S., Richardson, A. E., Smith, J. B., Hadobas, P. A. and Simpson, R. J. 2005. Limitations to the potential of transgenic *Trifolium subterraneum* L. plants that exude phytase when grown in soils with a range of organic P content. *Plant Soil* **258**: 263-274.

- Giand, S. and Gaur, A.C. 1991. Thermotolerant phosphate solubilizing microorganisms and their interactions in mungbean. *Plant Soil* **133**: 141-149.
- Giddens, J. E., Dunigan, E. P. and Weaver, R. W. 1982. Legume inoculation in the southeastern USA. *South Coop. Ser. Bull.* **283**: 1-38.
- Glandorf, D. C., van der Sluis, I., Anderson, A. J., Bakker, P. A. and Schippers, B. 1994. Agglutination, adherence, and root colonization by fluorescent *Pseudomonads*. *Appl. Environ. Microbiol.* **60**: 1726-1733.
- Glick, B. R. 1995. Metabolic load and heterologous gene expression. *Biotechnol. Adv.* **13**: 247-261.
- Glick, B. R. and Bashan, Y. 1997. Genetic manipulation of plant growth-promoting bacteria to enhance biocontrol of phytopathogens. *Biotechnol. Adv.* **15**: 353-378.
- Glick, B. R., Brooks, H. E. and Pasternak, J. J. 1985. Transformation of *Azotobacter vinelandii* with plasmid DNA. *J. Bacteriol.* **162**: 276-279.
- Gokarn, R. R., Evans, J. D., Walker, J.R., Martin, S. A., Eiteman, M. A. and Altman E. 2001. The physiological effects and metabolic alterations caused by the expression of *Rhizobium etli* pyruvate carboxylase in *Escherichia coli*. *Appl. Microbiol. Biotechnol.* **56**: 188-195.
- Gokarn, R.R., Eiteman, M. A. and Altman, E. 2000. Metabolic analysis of *Escherichia coli* in the presence and absence of the carboxylating enzymes phosphoenolpyruvate carboxylase and pyruvate carboxylase. *Appl. Environ. Microbiol.* **66**: 1844-1850.
- Goldstein, A. H. 1995. Recent progress in understanding the molecular genetics and biochemistry of calcium phosphate solubilization by gram negative bacteria. *Biol. Agric. Hor.* **12**: 185-193.
- Goldstein, A. H. and Liu, S. T. 1987. Molecular cloning and regulation of a mineral phosphate solubilizing gene from *Erwinia herbicola*. *Biotechnol.* **5**: 72-74.

- Goldstein, A. H. and Liu, S. T. 1987. Molecular cloning and regulation of a mineral phosphate-solubilizing gene from *Erwinia herbicola*. *Bio/Technol.* **5**: 72-74.
- Goldstein, A. H., Rogers, R. D. and Mead, G. 1993. Mining by microbe. *Bio/Technol.* **11**: 1250-1254.
- Golovan, S., Wang, G., Zhang, J. and Forsberg, C. W. 2000. Characterization and overproduction of the *Escherichia coli appA* encoded bifunctional enzyme that exhibits both phytase and acid phosphatase activities. *Can. J. Microbiol.* **46**: 59-71.
- Golovan, S. P., Hayes, M. A., Phillips, J. P. and Forsberg, C. W. 2001. Transgenic mice expressing bacterial phytase as a model for phosphorus pollution control. *Nat. Biotechnol.* **19**: 429-433.
- González-López, J., Rodelas, B., Pozo, C., Salmerón-López, V., Martínez-Toledo, M. V. and Salmerón, V. 2005. Liberation of amino acids by heterotrophic nitrogen fixing bacteria. *Amino Acids* **28**: 363-367.
- Goodwin, P. M. and Anthony, C. 1998. The biochemistry physiology and genetics of PQQ and PQQ containing enzymes. *Adv. Microb. Physiol.* **40**: 1-69.
- Goring, C. A. I. 1951. Reactions of biological organic phosphorus compounds with clays. *Iowa State Coll. J. Sci.* **25**: 230-232.
- Gottschal, J. C. 1992. Substrate capturing and growth in various ecosystems. *J. Appl. Bacteriol. Symp. Suppl.* **73**: 39-48.
- Gray, T. R. G. 1975. Survival of vegetative microbes in soil. *Symp. Soc. Gen. Microbiol.* **26**: 327-364.
- Greaves, M. P. and Webley, D. M. 1965. A study of the breakdown of organic phosphates by micro-organisms from the root region of certain pasture grasses. *J. Appl. Bacteriol.* **28**: 454-465.

- Grierson, P.F. 1992. Organic acids in the rhizosphere of *Banksia integrifolia* L. Plant Soil **144**: 259-265.
- Griffiths, B. S., Kuan, H. L., Ritz, K., Glover, L. A., McCaig, A. E. and Fenwick, C. 2004. The relationship between microbial community structure and functional stability, tested experimentally in an upland pasture soil. Microb. Ecol. **47**: 104-113.
- Gruer, M. J., Bradbury, A. J. and Guest, J. R. 1997. Construction and properties of aconitase mutants of *Escherichia coli*. Microbiol. **143**: 1837-1846.
- Gugi, B., Orange, N., Hellio, F., Burini, J. F., Guillou, C., Leriche, F. and Guespin-Michel, J. F. 1991. Effect of growth temperature on several exported enzyme activities in the psychrotropic bacterium *Pseudomonas fluorescens*. J. Bacteriol. **173**: 3814-3820.
- Gull, M., Hafeez, F. Y., Saleem, M. and Malik, K. A. 2004. Phosphorus uptake and growth promotion of chickpea by co-inoculation of mineral phosphate solubilizing bacteria and a mixed rhizobial culture. Aust. J. Exp. Agric. **44**: 623-628.
- Gunasekaran, S. and Pandiyarajan, P. 1995. Dual inoculation of *Rhizobium* and phosphobacteria with two forms of phosphorus in pigeonpea, p. 111. In: Microbiology Abstracts. XXXVI. Annual conference of the Association of Microbiologists of India, Hissar, India.
- Gyaneshwar, P., Naresh Kumar, G. and Parekh, L. J. 1998. Effect of buffering on the phosphate solubilizing ability of microorganisms. World J. Microbiol. Biotechnol. **14**: 669-673.
- Gyaneshwar, P., Naresh Kumar, G. and Parekh, L. J. 1998b. Cloning of mineral phosphate solubilizing genes from *Synechocystis* PCC 6803. Curr. Sci. **74**: 1097-1099.
- Gyaneshwar, P., Naresh Kumar, G., Parekh, L. J. and Poole, P. S. 2002. Role of soil microorganisms in improving P nutrition of plants. Plant Soil **245**: 83-93.

- Gyaneshwar, P., Parekh, L. J., Archana, G., Poole, P. S., Collins, M. D., Hutson, R. A. and Naresh Kumar, G. 1999. Involvement of a phosphate starvation inducible glucose dehydrogenase in soil phosphate solubilisation by *Enterobacter asburiae*. FEMS Microbiol. Lett. **171**: 223-229.
- Haefner, S., Knietsch, A., Scholten, E., Braun, J., Lohscheidt, M. and Zelder, O. 2005. Biotechnological production and applications of phytases. Appl. Microbiol. Biotechnol. **68**: 588-597.
- Halder, A. K. and Chakrabartty, P. K. 1993. Solubilization of inorganic phosphate by *Rhizobium*. Folia Microbiol. **38**: 325-330.
- Halder, A. K., Mishra, A. K., Bhattacharyya, P. and Chakrabartty, P. K. 1990. Solubilization of rock phosphate by *Rhizobium* and *Bradyrhizobium*. J. Gen. Appl. Microbiol. **36**: 81-92.
- Halder, A. K., Misra, A. K. and Chakrabarty, P. K. 1991. Solubilization of inorganic phosphates by *Bradyrhizobium*. Ind. J. Exp. Biol. **29**: 28-31.
- Hardy, G. P., Teixeira de Mattos, M. J. and Neijssel, O. M. 1993. Energy conservation by pyrroloquinoline quinol-linked xylose oxidation in *Pseudomonas putida* NCTC 10936 during carbon-limited growth in chemostat culture. FEMS Microbiol. Lett. **107**: 107-110.
- Harrison, A. F. 1987. Soil organic phosphorus-A review of world literature. CAB Int., Wallingford, U.K.
- Hawkes, G. E., Powlson, D. S., Randall, E. W. and Tate, K. R. 1984. A ³¹P nuclear magnetic resonance study of the phosphorus species in alkali extracts from soils from long-term field experiments. J. Soil Sci. **35**: 35-45.
- Hayes, J. E., Richardson, A. E. and Simpson, R. J. 2000a. Components of organic phosphorus in soil extracts that are hydrolysed by phytase and acid phosphatase. Biol. Fertil. Soils **32**: 279-286.

- Hayes, J. E., Richardson, A. E. and Simpson, R. J. 1999. Phytase and acid phosphatase activities in extracts from roots of temperate pasture grass and legume species. *Aust. J. Plant Physiol.* **26**: 801-809.
- Hayes, J. E., Simpson, R. J. and Richardson, A. E. 2000. The growth and phosphorus utilisation of plants in sterile media when supplied with inositol hexaphosphate, glucose 1-phosphate or inorganic phosphate. *Plant Soil* **220**: 165-174.
- Hayman, D. S. 1974. Plant growth responses to vesicular-arbuscular mycorrhiza VI. Effects of light and temperature. *New Phytol.* **73**: 71-80.
- Hayman, D. S. 1983. The physiology of vesicular-arbuscular endomycorrhizal symbiosis. *Can. J. Bot.* **61**: 944-963.
- Heeb, S., Itoh, Y., Nishijyo, T., Schnider, U., Keel, C., Wade, J., Walsh, U., O'Gara, F. and Haas, D. 2000. Small, stable shuttle vectors based on the minimal pVS1 replicon for use in gram-negative, plant associated bacteria. *Mol. Plant-Microbe Interact.* **13**: 232-237.
- Heijnen, C. E., and van Veen, J. A. 1991. A determination of protective microhabitats for bacteria introduced into soil. *FEMS Microbiol. Ecol.* **85**: 73-80.
- Heijnen, C. E., Chenu, C. and Robert, M. 1993. Micro-morphological studies on clay-amended and unamended loamy sand, relating survival of introduced bacteria and soil structure. *Geoderma* **56**: 195-207.
- Heijnen, C. E., Page, S. and van Elsas, J. D. 1995. Metabolic activity of *Flavobacterium* strain P25 during starvation and after introduction into bulk soil and the rhizosphere of wheat. *FEMS Microbiol. Ecol.* **18**: 129-138.
- Heijnen, C. E., van Elsas, J. D., Kuikman, P. J. and van Veen, J. A. 1988. Dynamics of *Rhizobium leguminosarum* biovar *trifolii* introduced in soil: the effect of bentonite clay on predation by protozoa. *Soil Biol. Biochem.* **20**: 483-488.

- Hildebrandt, U., Regvar, M. and Bothe, H. 2007. Arbuscular mycorrhiza and heavy metal tolerance. *Phytochem.* **68**: 139-146.
- Hill, S., Viollet, S., Smith, A.T. and Anthony, C. 1990. Roles for enteric d-type cytochrome oxidase in N₂ fixation and microaerobiosis. *J. Bacteriol.* **172**: 2071-2078.
- Ho, W. C. and Ko, W. H. 1985. Soil microbiostasis: effects of environmental and edaphic factors. *Soil Biol. Biochem.* **17**: 167-170.
- Hobbie, S.E. 1992. Effects of plant species on nutrient cycling. *Trends Ecol. Evol.* **7**: 336-339.
- Hoffland, E., Boogaard, R., van den Nelemans, J. and Findenegg, G.R. 1992. Biosynthesis and root exudation of citric and malic acids in phosphate-starved rape plants. *New Phytol.* **122**: 675-680.
- Hohms, H. 2001. Flux analysis: A basic tool of microbial physiology. *Adv. Microbiol. Physiol.* **45**: 271-340.
- Holguin, G. and Glick, B. R. 2001. Expression of the ACC deaminase gene from *Enterobacter cloacae* UW4 in *Azospirillum brasilense*. *Microb. Ecol.* **4**: 281-288.
- Hong, C. Y., Cheng, K. J., Tseng, T. H., Wang, C. S., Liu, L. F. and Yu, S. M. 2004. Production of two highly active bacterial phytases with broad pH optima in germinated transgenic rice seeds. *Transgenic Res.* **13**: 29-39.
- Hong, Y. F., Liu, C. Y., Cheng, K. J., Hour, A. L., Chan, M. T., Tseng, T. H., Chen, K. Y., Shaw, J. F. and Yu, S. M. 2008. The sweet potato sporamin promoter confers high-level phytase expression and improves organic phosphorus acquisition and tuber yield of transgenic potato. *Plant Mol. Biol.* [Eupub Ahead].
- Howell, R. K. 1987. *Rhizobium*-induced mineral uptake in peanut tissues. *J. Plant Nutr.* **10**: 1297-1305.

Idriss, E. E., Makarewicz, O., Farouk, A., Rosner Keristin, Greiner, R., Bochow, H., Richter, T. and Borriss, R. 2002. Extracellular phytase activity of *Bacillus amyloliquefaciens* FZB45 contributes to its plant growth promoting effect. Microbiol. **148**: 2097-2109.

Iijima, M., Griffiths, B. and Bengough, A. G. 2000. Sloughing of cap cells and carbon exudation from maize seedling roots in compacted sand. New Phytol. **145**: 477-482.

Illmer, P. and Schinner, E. 1992. Solubilization of inorganic phosphates by microorganisms isolated from forest soils. Soil Biol. Biochem. **24**: 389-395.

Illmer, P. and Schinner, E. 1995. Solubilization of inorganic calcium phosphates solubilization mechanisms. Soil Biol. Biochem. **27**: 257-263.

Ishijima, S., Katagiri, F., Kodaki, T., Izui, K., Katsuki, H., Nishikawa, K., Nakashima, H. and Ooi, T. 1985. Comparison of amino acid sequences between phosphoenolpyruvate carboxylases from *Escherichia coli* (allosteric) and *Anacystis nidulans* (non-allosteric): identification of conserved and variable regions. Biochem. Biophys. Res. Commun. **133**: 436-441.

Izu, H., Ito, S., Elias, M. D. and Yamada, M. 2002. Differential control by IHF and cAMP of two oppositely oriented genes, *hpt* and *gcd*, in *Escherichia coli*: significance of their partially overlapping regulatory elements. Mol. Genet. Genomics **266**: 865-872.

Izui, K., Ishijima, S., Yamaguchi, Y., Katagiri, F., Murata, T., Shigesada, K., Sugiyama, T. and Katsuki, H. 1986. Cloning and sequence analysis of cDNA encoding active phosphoenolpyruvate carboxylase of the C4-pathway from maize. Nucleic Acids Res. **14**: 1615-1628.

Jackman, R. H. and Black, C. A. 1951. Solubility of iron, aluminum, calcium, and magnesium inositol phosphates at different pH values. Soil Sci. **72**: 179-186.

Jaeger III, C. H., Lindow, S. E., Miller, W., Clark, E. and Firestone, M. K. 1999. Mapping of sugar and amino acid availability in soil around roots with bacterial sensors of sucrose and tryptophan. *Appl. Environ. Microbiol.* **65**: 2685–2690.

Jeffries, P. 1987. Use of mycorrhizae in agriculture. *CRC Crit. Rev. Biotechnol.* **5**: 319-357.

Johnson, J. F., Allan, D. A., Vance, C. P. and Weiblen, G. 1996. Root carbon dioxide fixation by phosphorus-deficient *Lupinus albus*: contribution to organic acid exudation by proteoid roots. *Plant Physiol.* **112**: 19-30.

Jones, D. L. 1998. Organic acids in the rhizosphere - a critical review. *Plant Soil* **205**: 25-44.

Jones, D. L. and Darrah, P. R. 1994. Amino-acid influx at the soil-root interface of *Zea mays* L. and its implications in the rhizosphere. *Plant Soil* **163**: 1-12.

Juty, N. S., Moshiri, F., Merrick, M., Anthony, C. and Hill, S. 1997. The *Klebsiella pneumoniae* cytochrome bd' terminal oxidase complex and its role in microaerobic nitrogen fixation. *Microbiol.* **143**: 2673-2683.

Kabir, M. M. and Shimizu, K. 2004. Metabolic regulation analysis of *icd*-gene knockout *Escherichia coli* based on 2D electrophoresis with MALDI-TOF mass spectrometry and enzyme activity measurements. *Appl. Microbiol. Biotechnol.* **65**: 84-96.

Kai, Y., Matsumura, H., Inoue, T., Terada, K., Nagara, Y., Yoshinaga, T., Kihara, A., Tsumura, K. and Izui, K. 1999. Three-dimensional structure of phosphoenolpyruvate carboxylase: a proposed mechanism for allosteric inhibition. *Proc. Natl. Acad. Sci. U S A.* **96**: 823-828.

Kamilova, F., Kravchenko, L. V., Shaposhnikov, A. I., Azarova, T., Makarova, N. and Lugtenberg, B. J. 2006. Organic acids, sugars, and L-tryptophane in exudates of vegetables growing on stonewool and their effects on activities of rhizosphere bacteria. *Mol. Plant-Microbe Interact.* **19**: 250-256.

Karaffa, L. and Kubicek, C. P. 2003. *Aspergillus niger* citric acid accumulation: do we understand this well working black box? Appl. Microbiol. Biotechnol. **61**:189-196.

Katznelson, H. and Bose, B. 1959. Metabolic activity and phosphate dissolving capability of bacterial isolates from wheat roots in the rhizosphere and non rhizosphere soil. Can. J. Microbiol. **5**: 79-85.

Keerthisinghe, G., Hocking, P. J., Ryan, P. R. and Delhaize, E. 1998. Effect of phosphorus supply on the formation and function of proteoid roots of white lupin. Plant Cell Environ. **21**: 467-478.

Keys, A. 1940. A rapid micro-Kjeldahl method. **132**: 181-187.


Khairnar, N. P., Misra, H. S. and Apte, S. K. 2003. Pyrroloquinoline–quinone synthesized in *Escherichia coli* by pyrroloquinoline–quinone synthase of *Deinococcus radiodurans* plays a role beyond mineral phosphate solubilisation. Biochem. Biophys. Res. Commun. **312**: 303-308.

Khan, M. S., Zaidi, A., Wani P. A. 2006. Role of phosphate-solubilizing microorganisms in sustainable agriculture – A review. Agron. Sustain. Dev. **26**: 1-15.

Khan, M. S., Aamil, M. and Zaidi, A. 1997. Associative effect of *Bradyrhizobium* sp. (vigna) and phosphate solubilizing bacteria on moongbean [*Vigna radiata* (L.) wilczek]. Biojournal **10**: 101-106.

Khan, M. S., Aamil, M. and Zaidi, A. 1998. Moongbean response to inoculation with nitrogen fixing and phosphate solubilizing bacteria. p. 40–48. In: A.M. Deshmukh (ed.), Biofertilizers and biopesticides, Technoscience Publications, Jaipur.

Khan, M. S., Zaidi, A. and Wani, P. A. 2006. Role of phosphate-solubilizing microorganisms in sustainable agriculture – A review. Agron. Sustain. Dev. **26**: 1-15.



Kihara, T., Ohno, T., Koyama, H., Sawafuji, T. and Hara, T. 2003. Characterization of NADP-isocitrate dehydrogenase expression in a carrot mutant cell line with enhanced citrate excretion. *Plant Soil* **248**: 145-153.

Kim, C. H., Han, S. H., Kim, K. Y., Cho, B. H., Kim, Y. H., Koo, B. S. and Kim, Y. C. 2003. Cloning and expression of pyrroloquinoline quinone (PQQ) genes from a phosphate-solubilizing bacterium *Enterobacter intermedium*. *Curr. Microbiol.* **47**: 457-461.

Kim, K. Y., Jordan, D. and Krishnan, H. B. 1997. *Rahnella aquatilis*, a bacterium isolated from soybean rhizosphere can solubilise hydroxyapatite. *FEMS Microbiol. Lett.* **153**: 273-277.

Kim, K. Y., Jordan, D. and McDonald, G. A. 1998. Effect of phosphate solubilizing bacteria and vesicular-arbuscular mycorrhizae on tomato growth and soil microbial activity. *Biol. Fertil. Soils* **26**: 79-87.

Kim, K. Y., McDonald, G. A. and Jordan, D. 1997. Solubilization of hydroxyapatite by *Enterobacter agglomerans* and cloned *Escherichia coli* in culture medium. *Biol. Fert. Soils* **24**: 347-352.

Kim, M. S. and Lei, X. G. 2008. Enhancing thermostability of *Escherichia coli* phytase AppA2 by error-prone PCR. *Appl. Microbiol. Biotechnol.* **79**: 69-75.

Kim, K. Y., Jordan, D. and McDonald, G. A. 1998. Effect of phosphate solubilizing bacteria and vesicular-arbuscular mycorrhizae on tomato growth and soil microbial activity. *Biol. Fertil. Soils* **26**: 79-87.

King, E. B. and Parke, J. L. 1996. Population density of the biocontrol agent *Burkholderia cepacia* AMMDR1 on four pea cultivars. *Soil Biol. Biochem.* **28**: 307-312.

Koch, B., Worm, J., Jensen, L. E., Hojberg, O. and Nybroe, O. 2001. Carbon limitation induces σ S-dependent gene expression in *Pseudomonas fluorescens* in soil. *Appl. Environ. Microbiol.* **67**: 3363-3370.

Kochian, L.V., Pence, N. S., Letham, D. L. D., Piñeros, M. A., Magalhaes, J. V., Hoekenga, O. A. and Garvin, D. F. 2002. Mechanisms of metal resistance in plants: aluminum and mutant cell line with enhanced citrate excretion. *Plant Soil*. **248**: 145-153.

Kodaki, T., Katagiri, F., Asano, M., Izui, K. and Katsuki, H. 1985. Cloning of phosphoenolpyruvate carboxylase gene from a cyanobacterium, *Anacystis nidulans*, in *Escherichia coli*. *J. Biochem*. **97**: 533-539.

Kohler, J., Caravaca, F., Carrasco, L. and Roldán, A. 2007. Interactions between a plant growth-promoting rhizobacterium, an AM fungus and a phosphate-solubilising fungus in the rhizosphere of *Lactuca sativa*. *Appl. Soil Ecol*. **35**: 480-487.

Konietzny, U. and Greiner, R. 2002. Molecular and catalytic properties of phytate-degrading enzymes (phytases). *Int. J. Food Sci. Technol*. **37**: 791-812.

Kovach, M. E., Elzer, P. H., Hill, D. S. Robertson, G. T., Farris, M. A., Roop, R. M. II and Peterson, K. M. 1995. Four new derivatives of the broad-host-range cloning vector pBBR1MCS, carrying different antibiotic-resistance cassettes. *Gene*, **166**: 175-176.

Koyama, H., Kawamura, A., Kihara, T., Hara, T., Takita, E. and Shibata, D. 2000. Overexpression of mitochondrial citrate synthase in *Arabidopsis thaliana* improved growth on a phosphorus limited soil. *Plant Cell Physiol*. **41**:1030-1037.

Koyama, H., Takita, E., Kawamura, A., Hara, T. and Shibata, D. 1999. Overexpression of mitochondrial citrate synthase gene improves the growth of carrot cells in Al-phosphate medium. *Plant Cell Physiol*. **40**: 482-488.

Kozdrój, J. and van Elsas, J. D. 2001. Structural diversity of microorganisms in chemically perturbed soil assessed by molecular and cytochemical approaches. *J. Microbiol. Methods* **43**: 197-212.

Kpomblekou, A. K. and Tabatabai, M. A. 1994. Effect of organic acids on release of phosphorus from phosphate rocks. *Soil Sci*. **158**: 442-452.

- Krishnaraj, P. U. and Goldstein, A. H. 2001. Cloning of a *Serratia marcescens* DNA fragment that induces quinoprotein glucose dehydrogenase-mediated gluconic acid production in *Escherichia coli* in the presence of stationary phase *Serratia marcescens*. FEMS Microbiol. Lett. **205**: 215-220.
- Krishnaraj, P. U., Sadasivam, K. V. and Khanuja, S. P. S. 1999. Mineral phosphate soil defective mutants of *Pseudomonas* sp. express pleiotropic phenotypes. Curr. Sci. **76**: 1032-1034.
- Kucey, R. M. N. 1983. Phosphate solubilizing bacteria and fungi in various cultivated and virgin Alberta soils. Can. J. Soil Sci. **63**: 671-678.
- Kucey, R. M. N. 1988. Effect of *Penicillium bilaii* on the solubility and uptake of micronutrients from soil by wheat. Can. J. Soil Sci. **68**: 261-270.
- Kucey, R. M. N., Jenzen, H. H. and Leggett, M. E. 1989. Microbially mediated increases in plant available phosphorus. Adv. Agron. **42**: 199-228.
- Kuiper, I., Kravchenko, L. V., Bloemberg, G. V. and Lugtenberg, B. J. 2002. *Pseudomonas putida* strain PCL1444, selected for efficient root colonization and naphthalene degradation, effectively utilizes root exudate components. Mol. Plant Microbe. Interact. **15**: 734-741.
- Kumar, V. and Narula, N. 1999. Solubilization of inorganic phosphates and growth emergence of wheat as affected by *Azotobacter chroococcum* mutants. Biol. Fertil. Soils **28**: 301-305.
- Kumar, V., Behl, R. K. and Narula, N. 2001. Establishment of phosphate solubilizing strains of *Azotobacter chroococcum* in the rhizosphere and their effect on wheat cultivars under greenhouse conditions. Microbiol. Res. **156**: 87-93.
- Kundu, B. S. and Gaur, A. C. 1981. Effect of single and composite cultures on rock phosphate solubilisation. Haryana Agric. Univ. J. Res. **11**: 559-562.

- Labes, M., Pühler, A. & Simon, R. 1990. A new family of RSF1010-derived expression and lac-fusion broad-host-range vectors for gram-negative bacteria. *Gene* **89**: 37-46.
- Lakshmi, T. M. and Helling, R. B. 1976. Selection for citrate synthase deficiency in *iced* mutants of *Escherichia coli*. *J. Bacteriol.* **127**: 76-83.
- Lapeyrie, F. 1988. Oxalate synthesis from soil bicarbonate by the mycorrhizal fungus *Paxillus involutus*. *Plant Soil* **110**: 3-8.
- Law, I. J. and Strijdom, B. W. 1989. Inoculation of cowpea and wheat with strains of *Bradyrhizobium* sp. that differ in their production of indole acetic acid. *South African J. Plant Soil* **6**: 161-166.
- Lee, S., Kim, T., Stahl, C. H. and Lei, X. G. 2005. Expression of *Escherichia coli* AppA2 phytase in four yeast systems. *Biotechnol. Lett.* **27**: 327-334.
- Lee, S. W. and Edlin, G. 1985. Expression of tetracycline resistance in pBR322 derivatives reduces the reproductive fitness of plasmid-containing *Escherichia coli*. *Gene* **39**: 173-180.
- Lei, X. G. and Stahl, C. H. 2001. Biotechnological development of effective phytases for mineral nutrition and environmental protection. *Appl. Microbiol. Biotechnol.* **57**: 474-481.
- Leisinger, K. M. 1999. Biotechnology and food security. *Curr. Sci.* **76**: 488-500.
- Leopold, H. and Hofner, W. 1991. Improvement of clover yield and quality by inoculation with VAM fungi and Rhizobium bacteria. *Angew. Bot.* **65**: 23-33.
- Lim, D., Golovan, S., Forsberg, C. W. and Jia, Z. 2000. Crystal structures of *Escherichia coli* phytase and its complex with phytate. *Nat. Struct. Biol.* **7**: 108-113.
- Lin, H., Bennett, G. N. and San, K. Y. 2005. Chemostat culture characterization of *Escherichia coli* mutant strains metabolically engineered for aerobic succinate

production: a study of the modified metabolic network based on metabolite profile, enzyme activity, and gene expression profile. *Metab. Eng.* **7**: 337-352.

Lin, H., Vadali, R. V., Bennett, G. N and San, K. Y. 2004. Increasing the acetyl-CoA pool in the presence of overexpressed phosphoenolpyruvate carboxylase or pyruvate carboxylase enhances succinate production in *Escherichia coli*. *Biotechnol. Prog.* **20**: 1599-1604

Lin, H. Y. and Neubauer, P. 2000. Effects of insufficient mixing in bioreactors: Influence of controlled glucose oscillations on a recombinant fed-batch process of *Escherichia coli*. *J. Biotechnol.* **79**: 27-37.

Lipton, D. S., Blanchar, R. and Blevins, D. G. 1987. Citrate, malate and succinate concentration in exudates from P-sufficient and P-stressed *Medicago sativa* L. seedlings. *Plant Physiol.* **85**: 315-317.

Liu, Q., Huang, Q., Lei, X. G. and Hao, Q. 2004. Crystallographic snapshots of *Aspergillus fumigatus* phytase, revealing its enzymatic dynamics. *Structure.* **12**:1575-1583.

Liu, S. T., Lee, L. Y., Tai, C. Y., Hung, C. H., Chang, Y. S., Wolfram, J. H., Rogers, R. and Goldstein, A. H. 1992. Cloning of an *Erwinia herbicola* gene necessary for gluconic acid production and enhanced mineral phosphate solubilization in *Escherichia coli* HB101: nucleotide sequence and probable involvement in biosynthesis of the coenzyme pyrroloquinoline quinone. *J. Bacteriol.* **174**: 5814-5819.

Loper, J. E. and Buyer, J. S. 1991. Siderophores in microbial interactions on plant surfaces. *Mol. Plant-Microbe Interact.* **4**: 5-13.

Lopez-Bucio, J., Nieto-Jacobo, M. F., Ramirez-Rodriguez, V. and Herrera-Estrella, L. 2000. Organic acid metabolism in plants: from adaptive physiology to transgenic varieties for cultivation in extreme soils. *Plant Sci.* **160**: 1-13.

- Lugtenberg, B. J., Dekkers, L. and Bloemberg, G. V. 2001. Molecular determinants of rhizosphere colonization by *Pseudomonas*. *Annu. Rev. Phytopathol.* **39**: 461-490.
- Lugtenberg, B. J. J. and Dekkers, L. C. 1999. What makes *Pseudomonas* bacteria rhizosphere competent? *Environ. Microbiol.* **1**: 9-13.
- Lugtenberg, B. J. J., Dekkers, L. C., Bansraj, M., Bloemberg, G. V., Camacho, M., et al., 1999. *Pseudomonas* genes and traits involved in tomato root colonization. p. 433-440. *In*: P. J. G. M deWit, T. Bisseling, W.J. Stiekema, ed., *Biology of Plant-Microbe Interactions*, St. Paul: Am. Phytopathol. Soc. USA.
- Luinenburg, I. and Coleman, J. R. 1993. Expression of *Escherichia coli* phosphoenolpyruvate carboxylase in a cyanobacterium, Functional complementation of *Synechococcus* PCC 7942 PPC. *Plant Physiol.* **101**: 121-126.
- Luna, M. F., Bernardelli, C. E., Mignone, C. F. and Boiardi, J. L. 2002. Energy generation by extracellular aldose oxidation in N₂-Fixing *Gluconacetobacter diazotrophicus*. *Appl. Environ. Microbiol.* **68**: 2054-2056.
- Luna, M. F., Mignone, C. F. and Boiardi, J. L. 2000. The carbon source influences the energetic efficiency of the respiratory chain of N₂-fixing *Acetobacter diazotrophicus*. *Appl. Microbiol. Biotechnol.* **54**: 564-569.
- Lung, S., Chan, W., Yip, W. K., Wang, L., Yeung, E. C. and Lim, B. L. 2005. Secretion of beta-propeller phytase from tobacco and *Arabidopsis* roots enhances phosphorus utilization. *Plant Sci.* **169**: 341-349.
- Lynch, J. P. and Brown, K. M. 2001. Topsoil foraging: an architectural adaptation of plants to low phosphorus availability. *Plant Soil* **237**: 225-237.
- Ma, W., Charles, T. C., Glick, B. R. 2004. Expression of an exogenous 1-aminocyclopropane-1-carboxylate deaminase gene in *Sinorhizobium meliloti* increases its ability to nodulate alfalfa. *Appl. Environ. Microbiol.* **70**: 5891-5897.

- MacFall, J. S., Johnson, G. A. and Kramer, P. J. 1991. Comparative water uptake by roots of different ages in seedlings of loblolly pine (*Pinus taeda* L.). New Phytol. **119**: 551-560.
- Maenz, D. D., Engele-Schaan, C. M., Newkirk, R. W. and Classen, H. L. 1999. The effect of minerals and mineral chelators on the formation of phytase-resistant and phytase susceptible forms of phytic acid in solution and in a slurry of canola meal. Anim. Feed Sci. Technol. **81**: 177-192.
- Mailloux, R. J., Lemire, J., Kalyuzhnyi, S. and Appanna, V. 2008. A novel metabolic network leads to enhanced citrate biogenesis in *Pseudomonas fluorescens* exposed to aluminum toxicity heavy metals. Plant Soil **247**: 109-119.
- Malajczuk, N., Pearse, M. and Litchfield, R. T. 1984. Interactions between *Phytophthora cinnamoni* and *Rhizobium* isolates. Trans. British Mycol. Soc. **82**: 491-500.
- Marshner, P., Crowley, D. E. and Higashi, M. 1997. Root exudation and physiological status of a root colonizing fluorescent *Pseudomonad* in mycorrhizal and non-mycorrhizal pepper (*Capsicum annum* L.). Plant Soil **189**: 11-20.
- Martínez, K., de Anda, R., Hernández, G., Escalante, A., Gosset, G., Ramírez, O. T. and Bolívar, F. G. 2008. Couitilization of glucose and glycerol enhances the production of aromatic compounds in an *Escherichia coli* strain lacking the phosphoenolpyruvate: carbohydrate phosphotransferase system. Microb. Cell Fact. **7**: 1-12.
- Matsuno, K., Blais, T., Serio, A. W., Conway, T., Henkin, T. M. and Sonenshein, A. L. 1999. Metabolic imbalance and sporulation in an isocitrate dehydrogenase mutant of *Bacillus subtilis*. J. Bacteriol. **81**: 3382-3391.
- Matsushita, K. and Ameyama, M. 1982. D-glucose-dehydrogenase from *Pseudomonas fluorescens*, membrane bound. Methods Enzymol. **89**: 149-154.

Matsushita, K., Ohno, Y., Shinagawa, E., Adachi, O. and Ameyama, M. 1980. Membrane-bound D-glucose dehydrogenase from *Pseudomonas* sp.: solubilisation, purification and characterisation. *Agric. Biol. Chem.* **44**: 1505-1512.

McCloughlin, A. J. 1994. Plasmid stability and ecological competence in recombinant cultures. *Biotechnol. Adv.* **12**: 279-324.

Mehana, T. A. and Wahid, O. A. A. 2002. Associative effect of phosphate dissolving fungi, *Rhizobium* and phosphate fertilizer on some soil properties, yield components and the phosphorus and nitrogen concentration and uptake by *Vicia faba* L. under field conditions. *Pakistan J. Biol. Sci.* **5**: 1226-1231.

Mehdi, Z., Nahid, S. R., Alikhani, H. A. and Nasser, A. 2006. Responses of lentil to co-inoculation with phosphate-solubilizing rhizobial strains and arbuscular mycorrhizal fungi. *J. Plant Nutr.* **29**: 1509-1522 .

Miksch, G., Kleist, S., Friehs, K. and Flaschel, E. 2002. Overexpression of the phytase from *Escherichia coli* and its extracellular production in bioreactors. *Appl. Microbiol. Biotechnol.* **59**: 685-694.

Millard, C. S., Chao, Y. P., Liao, J. C. and Donnelly, M. I. 1996. Enhanced production of succinic acid by overexpression of phosphoenolpyruvate carboxylase in *Escherichia coli*. *Appl. Environ. Microbiol.* **62**: 1808-1810.

Mortimer, P. E., Pérez-Fernández, M. A. and Valentine A. J. 2008. The role of arbuscular mycorrhizal colonization in the carbon and nutrient economy of the tripartite symbiosis with nodulated *Phaseolus vulgaris*. *Soil Biol. Biochem.* **40**: 1019-1027.

Motsara, M. R., Bhattacharyya, P. B. and Srivastava, B. 1995. Biofertilizers their description and characteristics. p. 9–18. *In*: Biofertilizer Technology, Marketing and Usage, A sourcebook- cum-Glossary. Fertilizer development and consultation organisation 204, A Bhanot Corner, 1–2 Pamposh Enclave, New Delhi, India.

Mudge, S. R., Smith, F. W. and Richardson, A. E. 2003. Root specific and phosphate regulated expression of phytase under the control of a phosphate

transported promoter enables *Arabidopsis* to grow on phytate as a sole P source. Plant Sci. **165**: 871-878.

Mukherjee, P. K. and Rai, R. K. 2000. Effect of vesicular arbuscular mycorrhizae and phosphate solubilizing bacteria on growth, yield and phosphorus uptake by wheat (*Triticum aestivum*) and chickpea (*Cicer arietinum*). Indian J. Agron. **45**: 602-607.

Mullen, M. D., Wolf, D. C., Ferris, F. G., Beveridge, T. J., Flemming, C. A. and Bailey, G. W. 1989. Bacterial sorption of heavy metals. Appl. Environ. Microbiol. **55**: 3143-3149.

Murphy, J. and Riley, J. P. 1962. A modified single solution method for the determination of phosphate in natural waters. Analytica Chimica Acta **27**: 31-36.

Muth, G., Nußbaumer, B., Wohlleben, W. and Pühler, A. 1989. A vector system with temperature-sensitive replication for gene disruption and mutational cloning in *Streptomyces*. Mol. Gen. Genet. **219**: 341-348.

Nahas, E. 1996. Factors determining rock phosphate solubilization by microorganism isolated from soil. World J. Microbiol. Biotechnol. **12**: 18-23.

Natarajan T., Subrammanian P. 1995. Response of phosphobacteria along with *Rhizobium* at two levels of phosphorus on groundnut, p. 111. In: Microbiology Abstracts, XXXVI Annual Conference of the Association of Microbiologists of India, Hissar, India.

Neubauer, P., Lin, H. Y. and Mathiszik, B. 2003. Metabolic load of recombinant protein production: Inhibition of cellular capacities for glucose uptake and respiration after induction of a heterologous gene in *Escherichia coli*. Biotechnol. Bioeng. **83**: 53-64.

Nies, D. H. 1999. Microbial heavy-metal resistance. Appl. Microbiol. Biotechnol. **51**: 730-750.

- Nies, D. H., and Silver, S. 1995. Ion efflux systems involved in bacterial metal resistances. *J. Ind. Microbiol.* **14**: 189-199.
- Noel, T. C., Sheng, C., Yost, C. K., Pharis, R. P. and Hynes, M. F. 1996. *Rhizobium leguminosarum* as a plant growth-promoting rhizobacterium: direct growth promotion of canola and lettuce. *Can. J. Microbiol.* **42**: 279-283.
- Ognalaga, M. E. and Frossard, F. T. 1994. Glucose-1-phosphate and myo-inositol hexaphosphate adsorption mechanisms on goethite. *Soil Sc. Soc. Am. J.* **58**: 332-337.
- Oh, B. C., Choi, W. C., Park, S., Kim, Y. and Oh, T. 2004. Biochemical properties and substrate specificities of alkaline and histidine acid phytases. *Appl. Microbiol. Biotechnol.* **63**: 362-272.
- Omar, S. A. 1998. The role of rock phosphate solubilizing fungi and vesicular arbuscular mycorrhiza (VAM) in growth of wheat plants fertilized with rock phosphate. *World J. Microbiol. Biotechnol.* **14**: 21-219.
- Oubrie, A., Rozeboom, H. J., Kalk, K. H., Duine, J. A. and Dijkstra, B. W. 1999. The 1.7 Å crystal structure of the apo form of the soluble quinoprotein glucose dehydrogenase from *Acinetobacter calcoaceticus* reveals a novel internal conserved sequence repeat. *J. Mol. Biol.* **289**: 319-333.
- Ozanne, P. G. 1980. Phosphate nutrition of plants – general treatise. The role of phosphorus in agriculture, p. 559-589. *In*: F. E. Khasawneh, E. C. Sample, and E. J. Kamprath (ed.), American Soc. Agron. Crop Sci., Soc. America. Soil Sci. Soc. America, Madison, WI, USA.
- Pal, S. S. 1998. Interactions of an acid tolerant strain of phosphate solubilizing bacteria with a few acid tolerant crops. *Plant Soil* **198**: 169-177.
- Patel, D. K., Archana, G. and Kumar, G. N. 2008. Variation in the nature of organic acid secretion and mineral phosphate solubilization by *Citrobacter* sp. DHRSS in the presence of different sugars. *Curr. Microbiol.* **56**:168-174.

- Paul, E. A. and Clark, F. E. 1988. Soil microbiology and biochemistry. Academic Press, Inc., San Diego, Calif.
- Paul, N. B. and Sundara Rao, W. V. B. 1971. Phosphate dissolving bacteria and VAM fungi in the rhizosphere of some cultivated legumes. *Plant Soil* **35**: 127-132.
- Peix, A, Rivas-Boyer, A. A., Mateos, P. F., Rodriguez-Barrueco, C., Martinez-Molina, E. and Velazquez, E. 2001. Growth promotion of chickpea and barley by a phosphate solubilizing strain of *Mesorhizobium mediterraneum* under growth chamber conditions. *Soil Biol. Biochem.* **33**: 103-110.
- Peng, L., Arauzo-Bravo, M. J. and Shimizu, K. 2004. Metabolic flux analysis for a *ppc* mutant *Escherichia coli* based on ¹³C-labelling experiments together with enzyme activity assays and intracellular metabolite measurements. *FEMS Microbiol. Lett.* **235**: 17-23.
- Peterson, G. L. 1979. Review of the Folin phenol quantitation method of Lowry, Rosenberg, Farr and Randall. *Anal. Biochem.* **100**: 201.
- Phillips, D. A. and Torrey, J. G. 1972. Studies on cytokinin production by *Rhizobium*. *Plant Physiol.* **49**: 11-15.
- Phillips, D. A., Tama, C., Fox, T. C., King, M.D., Bhuvaneswari, T. V. and Teuber, L. R. 2004. Microbial products trigger amino acid exudation from plant roots. *Plant Physiol.* **136**: 2887-2894.
- Piccini, A. and Azcon, R. 1987. Effect of phosphate solubilizing bacteria and vesicular arbuscular mycorrhizal fungi on the utilization of Bayovar rock phosphate by alfalfa plants using a sand vermiculite medium. *Plant Soil* **101**: 45-50.
- Plessner, O., Klapatch, T. and Guerinot, M. L. 1993. Siderophore utilization by *Bradyrhizobium japonicum*. *Appl. Environ. Microbiol.* **59**: 1688-1690.

- Poi, S. C., Ghosh, G. and Kabi, M. C. 1989. Response of chickpea (*Cicer arietinum* L.) to combined inoculation with *Rhizobium*, phosphobacteria and mycorrhizal organisms. *Zbl. Microbiol.* **114**: 249-253.
- Postma, J., van Elsas, J. D., Govaert, J. M. and van Veen, J. A. 1988. The dynamics of *Rhizobium leguminosarum* biovar *trifolii* introduced into soil as determined by immunofluorescence and selecting plating techniques. *FEMS Microbiol. Ecol.* **53**: 251-260.
- Pozo, M. J. and Azcón-Aguilar, C. 2007. Unraveling mycorrhiza-induced resistance. *Curr. Opin. Plant Biol.* **10**: 393-408.
- Prabakaran, J., Ravi, K. B. and Srinivasan, K. 1996. Response of Vamban-1 Blackgram to N₂ fixer and P mobilizers in acid soil. p. 120. *In*: Microbiology Abstracts, XXXVII Annual Conference of the Microbiologists of India, IIT, Chennai, India.
- Quiquampoix, H. and Mousain, D. 2005. Enzymatic hydrolysis of organic phosphorus. p. 89-112. *In*: B. L. Turner, E. Frossard, and D. S. Baldwin (ed.), Organic Phosphorus in the Environment. CABI Publishing, Wallingford, UK.
- Ramos-González, M. I., Campos, M. J. and Ramos, J. L. 2005. Analysis of *Pseudomonas putida* KT2440 gene expression in the maize rhizosphere: *in vivo* [corrected] expression technology capture and identification of root-activated promoters. *J. Bacteriol.* **187**: 4033-4041.
- Ramos-Gonzalez, M. I., Duque, E. and Ramos, J. L. 1991. Conjugational transfer of recombinant DNA in cultures and in soils: Host range of *Pseudomonas putida* TOL plasmids. *Appl. Environ. Microbiol.* **57**: 3020-3027.
- Rao, M. A., Violante, A. and Gianfreda, L. 1994. Catalytic behaviour of acid phosphatase immobilized on clay minerals and organo-mineral complexes. p.117-118. Transactions 15th World Congress of Soil Science. International Soil Science Society, Acapulco, Mexico.

- Reddy, P. M., Ladha, J. K., So, R. B., Hernandez, R. J., Ramos, M. C., Angeles, O. R., Dazzo, F. B. and de Bruijn, F. J. 1997. Rhizobial communication with rice roots: induction of phenotypic changes, mode of invasion and extent of colonization. *Plant Soil* **194**: 81-98.
- Reyes, I., Bernier, L., Simard, R. R. and Antoun, H. 1999. Effect of nitrogen source on the solubilization of different inorganic phosphates by an isolate of *Penicillium rugulosum* and two UV induced mutants. *FEMS Microbiol. Ecol.* **28**: 281-290.
- Richardson, A. E. and Hadobas, P. A. 1997. Soil isolates of *Pseudomonas* sp. that utilize inositol phosphates. *Can. J. Microbiol.* **43**: 509-516.
- Richardson, A. E. 1994. Soil micro-organisms and phosphate availability. p. 50-62. *In*: C. E. Pankhurst, B. M. Doube, V. V. S. R. Gupts, and P. R. Grace (ed.), *Soil Biota Management in Sustainable Agriculture*. CSIRO, Melbourne, Australia.
- Richardson, A. E. 2001. Prospects for using soil microorganisms to improve the acquisition of phosphorus by plants. *Aust. J. Plant Physiol.* **28**: 897-906.
- Richardson, A. E. 2001. Utilization of phosphorus by Pasture plants supplied with myoinositol hexaphosphate is enhanced by the presence of soil microorganisms. *Plant Soil.* **229**: 47-56.
- Richardson, A. E. and Hadobas, P. A. 1997. Soil isolates of *Pseudomonas* spp. that utilize inositol phosphates. *Can. J. Microbiol.* **43**: 509-516.
- Richardson, A. E., Hadobas, P. A. and Hayes, J. E. 2000. Acid phosphomonoesterase and phytase activities of wheat (*Triticum aestivum* L.) roots and utilisation of organic phosphorus substrates by seedlings grown in sterile culture. *Plant Cell Environ.* **23**: 397-405.
- Rodriguez, E., Wood, Z. A., Karplus, P. A. and Lei, X. G. 2000. Site-directed mutagenesis improves catalytic efficiency and thermostability of *Escherichia coli* pH 2.5 acid phosphatase/phytase expressed in *Pichia pastoris*. *Arch. Biochem. Biophys.* **382**: 105-112.

Rodriguez, H. and Fraga, R. 1999. Phosphate solubilizing bacteria and their role in plant growth promotion. *Biotechnol. Adv.* **17**: 319-339.

Rodriguez, H., Fraga, R., Gonzalez, T. and Bashan, Y. 2006. Genetics of phosphate solubilization and its potential applications for improving plant growth-promoting bacteria. *Plant Soil* **287**: 15-21.

Rodriguez, H., Gonzalez, T. and Selman, G. 2000. Expression of a mineral phosphate solubilizing gene from *Erwinia herbicola* in two rhizobacterial strains. *J. Biotechnol.* **84**: 155-161.

Roos, W. and Luckner, M. 1984. Relationships between proton extrusion and fluxes of ammonium ions and organic acid in *Penicillium cyclopium*. *J. Gen. Microbiol.* **130**: 1007-1014.

Rozen, S. and Skaletsky, H. J. 2000. Primer3 on the W W W for general users and for biologist programmers. p. 365-386. *In*: S. Krawetz, S. Misener (ed.), *Bioinformatics Methods and Protocols. Methods in Molecular Biology*. Humana Press, Totowa, NJ, U.S.

Rozkov, A., Avignone-Rossa, C. A., Ertl, P. F., Jones, P., O'Kennedy, R. D., Smith J. J., Dale, J. W. and Bushell, M. E. 2004. Characterization of the Metabolic Burden on *Escherichia coli* DH1 Cells Imposed by the Presence of a Plasmid Containing a Gene therapy Sequence *Biotechnol. Bioeng.* **88**: 909-915.

Ruijter, G. J., Panneman, H., Xu, D. and Visser, J. 2000. Properties of *Aspergillus niger* citrate synthase and effects of citA overexpression on citric acid production. *FEMS Microbiol. Lett.* **184**: 35-40.

Ruijter, G. J. G., Panneman, H. and Visser, J. 1997. Overexpression of phosphofructokinase and pyruvate kinase in citric acid producing *Aspergillus niger*. *Biochim. Biophys. Acta* **1334**: 317-326.

Saber, M. S. M. and Kabesh, M. O. 1990. Utilization of biofertilizers in field crop production. II. A comparison study on the effect of biofertilization or sulphur

application on yield and nutrient uptake by lentil plants. Egyptian J. Soil Sci. **30**: 415-422.

Sagoe, C. I., Ando, T., Kouno, K. and Nagaoka, T. 1998. Relative importance of protons and solution calcium concentration in phosphate rock dissolution by organic acids. Soil Sci. Plant Nutr. **44**: 617- 625.

Salmeron-Lopez, V., Martinez-Toledo, M. V., Salmeron-Miron, V., Pozo, C. and Gonzalez-Lopez, J. 2004. Production of amino acids by *Rhizobium*, *Mesorhizobium* and *Sinorhizobium* strains in chemically defined media. Amino Acids **27**:169-174.

Samac, D. A. and Tesfaye, M. 2003. Plant improvement for tolerance to aluminum in acid soils: A review. Plant Cell Tissue Organ Cult. **75**: 189-207.

Sambrook, J. and Russell, D. W. 2001. Molecular Cloning: A Laboratory Manual, Cold Spring Harbor Laboratory Press, New York.

Sánchez, R. and Cejudo, F. J. 2003. Identification and expression analysis of a gene encoding a bacterial-type phosphoenolpyruvate carboxylase from Arabidopsis and Rice. Plant Physiol. **132**: 949-957.

Sanders, F. E. and Tinker, P. B. 1971. Mechanism of absorption of phosphate from soil by Endogone mycorrhizas. Nature. **233**: 278-279.

Sanders, F. E. and Tinker, P. B. 1973. Phosphate flow into mycorrhizal roots. Pest Sci. **4**: 385-395.

Santos, P. M., Di Bartolo, I., Blatny, J. M., Zennaro, E. and Valla, S. 2001. New broad-host-range promoter probe vectors based on the plasmid RK2 replicon. FEMS Microbiol. Lett. **195**: 91-96.

Sanyal, S. K. and De Datta, S. K. 1991. Chemistry of phosphorus transformations in soil. Adv. Soil Sci. **25**: 1-120.

Sarojini, V., Verma, S., Mathur, M. S. 1989. Biocoenotic association between nitrogen fixing and phosphate solubilizing microorganisms. *Curr. Sci.* **59**: 1099-1100.

Satizabal, E. J. H. and Saif, U. S. R. 1987. Interaction between vesicular arbuscular mycorrhiza and leguminous *Rhizobium* in an oxisol of the eastern plains of Colombia. *Acta Agron.* **31**: 7-21.

Schippers, B., Bakker, A. W. and Bakker, P. A. H. M. 1987. Interactions of deleterious and beneficial rhizosphere microorganisms and the effect of cropping practices. *Ann. Rev. Phytopathol.* **25**: 339-358.

Schlöter, M., Wiehe, W., Assmus, B., Steindl, H., Becke, H., Hoflich, G. And Hartmann, A. 1997. Root colonization of different plants by plant growth-promoting *Rhizobium leguminosarum* bv. *trifolii* R39 studied with monospecific polyclonal antisera. *Appl. Environ. Microbiol.* **63**: 2038-2046.

Schutter, M. E. and Dick, R. P. 2001. Shifts in substrate utilization potential and microbial community structure in response to carbon substrates. *Soil Biol. Biochem.* **33**: 1481-1491.

Scott, J. A., and Palmer, S. J. 1990. Sites of cadmium uptake in bacteria used for biosorption. *Appl. Environ. Microbiol.* **33**: 221-225.

Seeger, A., Schneppe, B., McCarthy, J. E. G., Deckwer, W. D. and Rinas, U. 1995. Comparison of temperature and isopropyl- β -D-thiogalacto-pyranoside-induced synthesis of basic fibroblast growth factor in high cell-density cultures of recombinant *Escherichia coli*. *Enzyme Microb. Technol.* **10**: 947-953.

Shachar-Hill, Y., Pfeffer, P. E., Douds, D., Osman, S. F., Doner, L. W. and Ratcliffe, R. G. 1995. Partitioning of intermediary carbon metabolism in vesicular-arbuscular mycorrhizal leeks. *Plant Physiol.* **108**: 7-15.

Shang, C., Stewart, J. W. B. and Huang, P. M. 1992. pH effect on kinetics of adsorption of organic and inorganic phosphates by short-range ordered aluminum and iron precipitates. *Geoderma* **53**: 1-14.

Sharma, V., Kumar, V., Archana, G. and Naresk Kumar, G. 2005. Substrate specificity of glucose dehydrogenase (GDH) of *Enterobacter asburiae* PSI3 and rock phosphate solubilization with GDH substrates as C sources. *Can. J. Microbiol.* **51**: 477-482.

Shimizu, N., Fukuzono, S., Fujimori, K., Nishimura, N. and Odawara, Y. 1988. Fed-batch cultures of recombinant *Escherichia coli* with inhibitory substance concentration monitoring. *J. Ferm. Technol.* **66**: 187-191.

Shirai, T., Fujimura, K., Furusawa, C., Nagahisa, K., Shioya, S. and Shimizu, H. 2007. Study on roles of anaplerotic pathways in glutamate overproduction of *Corynebacterium glutamicum* by metabolic flux analysis. *Microb. Cell Fact.* **23**: 6-19.

Silver, S. Phung, L. T. 1996. Bacterial heavy metal resistance: new surprises. *Ann. Rev. Microbiol.* **50**: 753-789.

Simon, R., Priefer, U. and Pühler, A. 1983. A broad host range mobilization system for in vivo genetic engineering: transposon muta-genesis in gram negative bacteria. *Bio/Technol.* **1**: 784-791.

Singh, H. P. 1990. Response of dual inoculation with *Bradyrhizobium* and VAM mycorrhiza or phosphate solubilizer on soybean in mollisol. p. 14-16. *In*: B. L. Jalali, H. Chand (ed.), Trends in mycorrhiza. Research Proceedings of the National conference on Mycorrhiza, HAU, Hisar, India.

Singh, H. P. and Singh, T. A. 1993. The interaction of rock phosphate, *Bradyrhizobium*, vesicular arbuscular mycorrhizae and phosphate solubilizing microbes on soybean grown in a sub-Himalyan mollisol. *Mycorrhiza* **4**: 37-43.

Singh, S. and Kapoor, K. K. 1999. Inoculation with phosphate solubilizing microorganisms and a vesicular arbuscular mycorrhizal fungus improves dry matter yield and nutrient uptake by wheat grown in a sandy soil. *Biol. Fertil. Soils* **28**: 139-144.

- Skrary, F. A. and Cameron, D. C. 1998. Purification and characterization of a *Bacillus licheniformis* phosphatase specific for D-alpha-glycerphosphate. Arch. Biochem. Biophys. **349**: 27-35.
- Smith, A., Hill, S. and Anthony, C. 1990. The purification, characterization and role of the d-type cytochrome oxidase of *Klebsiella pneumoniae* during nitrogen fixation. J.Gen. Microbiol. **136**: 171-180.
- Son, C. L. and Smith, S. E. 1995. Mycorrhizal growth responses: interaction between photon irradiance and phosphorus nutrition. New Phytol. **108**: 305-314.
- Song, S. C. and Lin, L. P. 1999. The transition of *Rhizobium fredii* lipopolysaccharides induced by soybean root exudation. Bot. Bul. Acad. Sin. **40**: 73-78.
- Spencer, D., James, E. K., Ellis, G. J., Shaw, J. E. and Sprent, J. I. 1994. Interactions between rhizobia and potato tissues. J. Exp. Bot. **45**: 1475-1482.
- Sperber, J. I. 1957. Solution of mineral phosphates by soil bacteria. Nature, **180**: 994-995.
- Sperber, J. I. 1958. The incidence of apatite-solubilizing organisms in the rhizosphere and soil. Aust. J. Aric. Res. **9**: 778-781.
- Srivastava, S., Kausalya, M. T., Archana, G., Rupela, O. P. and Naresh-Kumar, G. 2007. Efficacy of organic acid secreting bacteria in solubilization of rock phosphate in acidic alfisols. p. 117-124. In: E. Velazquez and C. Rodriguez-Barrueco (ed.), First International Meeting on Microbial Phosphate Solubilization. Series: Developments in Plant and Soil Sciences, Springer.
- Stahl, C. H., Wilson, D. B. and Lei, X. G. 2003. Comparison of extracellular *Escherichia coli* AppA phytases expressed in *Streptomyces lividans* and *Pichia pastoris*. Biotechnol. Lett. **25**: 827-831.
- Stark, M. J. R. 1987. Multicopy expression vectors carrying the lac repressor gene for regulated high-level expression of genes in *Escherichia coli*. Gene **51**: 255-267.

- Stevenson, F. J. and Cole, M. A. 1999. Cycles of soil. ed., John Wiley & Sons, London.
- Stevenson, F. J. 1986. Cycles of soil carbon, nitrogen, phosphorus, sulphur micronutrients. Wiley, New York.
- Subba Rao, N. S. 1982. Phosphate solubilization by soil microorganisms. p. 295-305. *In*: N.S. Subba Rao (ed.), Advances in Agricultural Microbiology, Oxford and IBH, New Delhi.
- Sugita, C., Ogata, K., Shikata, M., Jikuya, H., Takano, J., Furumichi, M., Kanehisa, M., Omata, T., Sugiura, M. and Sugita M. 2007. Complete nucleotide sequence of the freshwater unicellular cyanobacterium *Synechococcus elongatus* PCC 6301 chromosome: gene content and organization. *Photosyn. Res.* **93**: 55-67.
- Tandon, H. L. S. 1987. Phosphorus research and production in India. Fertilizer development and consultation organization, New Delhi.
- Tang, J., Leung, A., Leung, C. and Lim, B. L. 2006. Hydrolysis of precipitated phytate by three distinct families of phytases. *Soil Biol. Biochem.* **38**: 1316-1324.
- Thaller, M. C., Berlutti, F., Schippa, S., Iori, P., Passariello, C. and Rossolini, G. M. 1995. Heterogeneous patterns of acid phosphatases containing low-molecular-mass Polipeptides in members of the family *Enterobacteriaceae*. *Int. J. Syst. Bacteriol.* **4**: 255-261.
- Thaller, M. C., Berlutti, F., Schippa, S., Lombardi, G. and Rossolini, G. M. 1994. Characterization and sequence of PhoC, the principal phosphate-irrepressible acid phosphatase of *Morganella morganii*. *Microbiol.* **140**: 1341-1350.
- Thomas, G. V. 1895. Occurrence and ability of phosphate-solubilizing fungi from coconut plant soils. *Plant Soil* **87**: 357-364.
- Tisdall, J. M. 1994. Possible role of soil microorganisms in aggregation in soils. *Plant Soil* **159**: 115-121.

- Toro, M., Azcon, R. and Barea, J. M. 1997. Improvement of arbuscular mycorrhiza development by inoculation of soil with phosphatesolubilizing rhizobacteria to improve rock phosphate bioavailability (P^{32}) and nutrient cycling. *Appl. Environ. Microbiol.* **63**: 4408-4412.
- Torres, N. 1994a. Modelling approach to control of carbohydrate metabolism during citric acid accumulation by *Aspergillus niger*. I. Model definition and stability of the steady state. *Biotechnol. Bioeng.* **44**:104-111.
- Torres, N. 1994b. Modelling approach to control of carbohydrate metabolism during citric acid accumulation by *Aspergillus niger*. II. Sensitivity analysis. *Biotechnol. Bioeng.* **44**:112-118.
- Traina, S. J., Sposito, G., Hesterberg, D. and Kafkafi, U. 1986. Effects of pH and organic acids on orthophosphate solubility in an acidic, montmorillonitic soil. *Soil Sc. Soc. Am. J.* **50**: 45-52.
- Trofymow, J. A., Coleman, D. C. and Cambardella, C. 1987. Rates of rhizodeposition and ammonium depletion in the rhizosphere of axenic oat roots. *Plant Soil* **97**: 334-344.
- Tu, J. C. 1978. Protection of soybean from severe *Phytophthora* root rot by *Rhizobium*. *Physiol. Plant Pathol.* **12**: 233-240.
- Tu, J. C. 1979. Evidence of differential tolerance among some root rot fungi to rhizobial parasitism *in vitro*. *Physiol. Plant Pathol.* **14**: 171-177.
- Turner, B. L., Paphazy, M. J., Haygarth, P. M. and McKelvie, I. D. 2002. Inositol phosphates in the environment. *Phil.Trans. R. Soc.Lond. Ser. B.* **357**: 449-469.
- Tye, A. J., Siu, F. K. Y., Leung, T. Y. C. and Lim, B. L. 2002. Molecular cloning and the biochemical characterization of two novel phytases from *B. subtilis* 168 and *B. licheniformis*. *Appl. Microbiol. Biotechnol.* **59**: 190-197.

- Unno, Y., Okubo, K., Wasaki, T. S. and Osaki, M. 2005. Plant growth promotion abilities and microscale bacterial dynamics in the rhizosphere of Lupin analysed by phytate utilization ability. *Environ. Microbiol.* **7**: 396-404.
- Van Der Bij, A. J., De Weger, L. A., Tucker, W. T. and Lugtenberg, B. J. J. 1996. Plasmid Stability in *Pseudomonas fluorescens* in the Rhizosphere. *Appl. Environ. Microbiol.* **62**: 1076-1080.
- van Elsas, J. D., A. F. Dijkstra, J. M. Govaert, and J. A. van Veen. 1986. Survival of *Pseudomonas fluorescens* and *Bacillus subtilis* introduced into two soils of different texture in field microplots. *FEMS Microbiol. Ecol.* **38**:151-160.
- Van Veen, J. A., Leonard, S., Van Overbeek, L. S. and Van Elsas, J. D. 1997. Fate and activity of microorganisms introduced into soil. *Microbiol. Mol. Biol. Res.* **61**: 121-135.
- Vance, C. P., Graham, P. H., and Allan, D. L. 2000. Biological nitrogen fixation: Phosphorus Ba critical future need? p. 509-518. *In*: F.O. Pederosa, M. Hungria, M. G. Yates, and W. E. Newton (ed.), Nitrogen fixation from molecules to crop productivity. Kluwer Academic Publishers, Dordrecht, Netherlands.
- Vande Broek, A. and Vanderleyden, J. 1995. The role of bacterial motility, chemotaxis, and attachment in bacteria-plant interactions. *Mol. Plant-Microbe Interact.* **8**: 800-810.
- Vandedrinck, S., Deschamps, G., Sablon, E. and Vandamme, E. J. 2001. Metabolic engineering of *Escherichia coli*: Construction and characterization of A *glcA* (citrate synthase) knockout mutant. *Meded. Rijksuniv. Gent. Fak. Landbouwk. Toegep. Biol. Wet.* **66**: 333-336.
- Venkateswarlu, B., Rao, A. V., Raina, P. and Ahmad, N. 1984. Evaluation of phosphorus solubilization by microorganisms isolated from arid soil. *J. Ind. Soc. Soil Sci.* **32**: 273-277.

- Vesper, S. J. 1987. Production of pili (fimbriae) by *Pseudomonas fluorescens* and correlation with attachment to corn roots. Appl. Environ. Microbiol. **53**: 1397-1403.
- Vessey, J. K. 2003. Plant growth promoting rhizobacteria as biofertilizers. Plant Soil **255**: 571-586.
- Vig, A. C. and Dev, G. 1984. Phosphorus adsorption characteristics of some acid and alkaline soils. J. Indian Soc. Soil Sci **32**: 235-239.
- Viteri, S. E. and Schmidt, E. L. 1996. Ecology of indigenous soil rhizobia: selective response of *Bradyrhizobium japonicum* to a soybean meal. Appl. Soil Ecol. **3**: 187-196.
- Vivas, A., Marulanda, A., Ruiz-Lozano, J. M., Barea, J. M. and Azcón, R. 2003. Influence of a *Bacillus* sp. on physiological activities of two arbuscular mycorrhizal fungi and on plant responses to PEG-induced drought stress. *Mycorrhiza* **13**: 249-256.
- Vora, M. S. and Shelat, H. N. 1998. Impact of addition of different carbon and nitrogen sources on solubilization of rock phosphate by phosphate-solubilizing micro-organisms. Ind. J. Agric. Sci. **68**: 292- 294.
- Walker, T. S., Bais, H. P., Grotewold, E. and Vivanco, J. M. 2003. Root exudation and rhizosphere biology. Plant Physiol. **132**: 44-51.
- Walsh, K. and Koshland, D. E. 1985. Characterization of rate-controlling steps in vivo by use of an adjustable expression vector. Proc. Natl. Acad. Sci. U S A. **82**: 3577-3581.
- Wani, P. A., Khan, M. S. and Zaidi, A. 2007. Effect of metal tolerant plant growth promoting *Bradyrhizobium* sp. (vigna) on growth, symbiosis, seed yield and metal uptake by greengram plants. Chemosphere. **70**: 36-45.
- Wani, P. A., Khan, M. S. and Zaidi, A. 2007b. Cadmium, chromium and copper in greengram plants. Agron. Sustain. Dev. **27**: 14-153.

- Wani, P. A., Khan, M. S. and Zaidi, A. 2007c. Impact of heavy metal toxicity on plant growth, symbiosis, seed yield and nitrogen and metal uptake in chickpea. *Aus. J. Exp. Agric.* **47**: 712-720.
- Wani, P. A., Khan, M. S. and Zaidi, A. 2008a. Chromium-reducing and plant growth-promoting *Mesorhizobium* improves chickpea growth in chromium-amended soil. *Biotechnol Lett.* **30**: 159-163.
- Wani, P. A., Khan, M. S. and Zaidi, A. 2008b. Effect of metal-tolerant plant growth-promoting *Rhizobium* on the performance of pea grown in metal-amended soil. *Arch. Environ. Contam. Toxicol.* **55**: 33-42.
- Watanabe, T. and Osaki, M. 2002. Mechanisms of adaptation to high aluminium condition in native plant species growing in acidic soils: A review. *Commun. Soil Sci. Plant Anal.* **33**: 1247-1260.
- Weckbecker, A. and Hummel, W. 2005. Microbial enzymes and biotransformations glucose dehydrogenase for the regeneration of NADPH and NADH. *Methods Biotechnol.* **17**: 225-238.
- Whitelaw, M. A. 2000. Growth promotion of plants inoculated with phosphate-solubilizing fungi. *Adv. Agron.* **69**: 100-151.
- Whitelaw, M. A., Harden, T. J. and Helyar, K. R. 1999. Phosphate solubilisation in solution culture by the soil fungus *Penicillium radicum*. *Soil Biol. Biochem.* **31**: 655- 665.
- Wodzinski, R. J. and Ullah, A. H. J. 1996. Phytase. *Adv. Appl. Microbiol.* **42**: 263-302.
- Woodward, J., Mattingly, S. M., Danson, M., Hough, D., Ward, N. and Adams, M. 1996. *In vitro* hydrogen production by glucose dehydrogenase and hydrogenase. *Nat. Biotechnol.* **14**: 872-874.

- Wyss, M., Brugger, R., Kronenberger, A., Rémy, R., Fimbel, R., Oesterheld, G., Lehmann, M. and van Loon, A.P. 1999. Biochemical characterization of fungal phytases (myo-inositol hexakisphosphate phosphohydrolases): catalytic properties. *Appl. Environ. Microbiol.* **65**: 367-473.
- Xu, D. P., Madrid, C. P., Rohr, M. and Kubcek, C. P. 1989. The influence of type and concentration of carbon source on production of citric acid by *Aspergillus niger*. *Appl. Microbiol. Biotechnol.* **30**: 553-558.
- Xu, J. G. and Johnson, R. L. 1995. Root growth, microbial activity and phosphatase activity in oil-contaminated, remediated and uncontaminated soils planted to barley and field pea. *Plant Soil* **173**: 3-10.
- Xu, R. K., Zhu, Y.G. and Chittleborough, D. 2004. Phosphorus release from phosphate rock and an iron phosphate by low-molecular-weight organic acids. *J. Environ. Sci.* **16**: 5- 8.
- Xu, W., Ahmed, S., Moriyama, H. and Chollet, R. 2006. The importance of the strictly conserved, C-terminal glycine residue in phosphoenolpyruvate carboxylase for overall catalysis: mutagenesis and truncation of GLY-961 in the sorghum C4 leaf isoform. *J. Biol. Chem.* **281**: 17238-45.
- Xu, Z., Jing, K., Liu, Y. and Cen, P. 2007. High-level expression of recombinant glucose dehydrogenase and its application in NADPH regeneration. *J. Ind. Microbiol. Biotechnol.* **34**: 83-90.
- Yadav, K. S. and Dadarwal, K. R. 1997. Phosphate solubilization and mobilization through soil microorganisms. p. 293-308. *In*: K. R. Dadarwal (ed.), *Biotechnological approaches in soil microorganisms for sustainable crop production*. Scientific, Jodhpur, India.
- Yamada, M., Asaoka, S., Saier, M. H. Jr. and Yamada, Y. 1993. Characterization of the *gcd* gene from *Escherichia coli* K-12 W3110 and regulation of its expression. *J. Bacteriol.* **175**: 568-571.

- Yanni, Y. G., Rizk, R. Y., Abd El-Fattah, F. K., Squartini, A. Corich, V., Giacomini, A., de Bruin, F., Rademaker, J., et al., 2001. The beneficial plant growth-promoting association of *Rhizobium leguminosarum* bv. *trifolii* with rice roots. *Aust. J. Plant Physiol.* **28**: 845-870.
- Yanni, Y. G., Rizk, R. Y., Corich, V., Squartini, A., Ninke, K., Phillip-Hollingsworth, S., Orgambide, G., de Bruijn, F., Stoltzfus, J., Buckley, D., Schmidt, T. M., Mateos, P. F., Ladha, J. K. and Dazzo, F. B. 1997. Natural endophytic association between *Rhizobium leguminosarum* bv. *trifolii* and rice roots and assessment of its potential to promote rice growth. *Plant Soil* **194**: 99-114.
- Yip, W., Wang, L., Cheng, C., Wu, W., Lang, S. and Lim, B. 2003. The introduction of a phytase gene from *Bacillus subtilis* improved the growth performance of transgenic tobacco. *Biochem. Biophys. Res. Commun.* **310**: 1148-1154.
- Yoshida, H., Kojima, K., Witarto, A. B. and Sode, K. 1999. Engineering a chimeric pyrroloquinoline quinone glucose dehydrogenase: improvement of EDTA tolerance, thermal stability and substrate specificity. *Protein Eng.* **12**: 63-70.
- Zaidi, A. 1999. Synergistic interactions of nitrogen fixing microorganisms with phosphate mobilizing microorganisms. Ph.D. thesis. Aligarh Muslim University, Aligarh, India.
- Zaidi, A. and Khan, M. S. 2005. Interactive effect of rhizospheric microorganisms on growth, yield and nutrient uptake of wheat. *J. Plant Nutr.* **28**: 2079-2092.
- Zaidi, A., Khan, M. S. and Aamil, M. 2004. Bio-associative effect of rhizospheric microorganisms on growth, yield and nutrient uptake of greengram. *J. Plant Nutr.* **27**: 599-610.
- Zaidi, A., Khan, M. S. and Amil, M. 2003. Interactive effect of rhizotrophic microorganisms on yield and nutrient uptake of chickpea (*Cicer arietinum* L.). *Eur. J. Agron.* **19**: 15-21.

Zheng, X. Y. and Sinclair, J. B. 1996. Chemotactic response of *Bacillus megaterium* strain B153-2-2 to soybean root and seed exudates. *Physiol. Mol. Plant Pathol.* **48**: 21-35.

Zheng, Z. Y., Yao, S. J. and Lin, D. Q. 2005. Using a kinetic model that considers cell segregation to optimize hEGF expression in fed-batch cultures of recombinant *Escherichia coli*. *Bioprocess Biosyst. Eng.* **27**: 143-152.

Zimmermann, P., Zaqdi, G., Lehmann, M., Zeder, C., Amrhein, N., Frossard, E. and Bucher, M. 2003. Engineering the root soil interface via targeted expression in trichoblasts. *Plant Biotechnol. J.* **1**: 353-360.

Zoysa, A. K. N., Janzen, H. H. and Leggett, M. E. 1998. Microbially mediated increases in plant available phosphorus. *Adv. Agro.* **42**: 199-227.