



CONTENTS

Acknowledgements

Figures

vi-viii

Tables

ix-x

Abbreviations

xi-xiii

CHAPTERS	TITLE	PAGE No.
Chapter 1	Introduction and Review of Literature	1-34
1.	Introduction	1
1.1	P status in soils – Inorganic and organic P	1
1.1.1	Organic P	2
1.2	Phosphorous availability to plants	2
1.3	Need for biofertilizers in plant phosphate nutrition	4
1.4	Nature of phosphate biofertilizers	4
1.4.1	PSMs	4
1.4.1.1	Mechanism of P solubilisation	5
1.4.1.1.1	Acidification	5
1.4.1.1.2	Chelation	6
1.4.1.1.3	H ⁺ excretion	7
1.4.1.1.4	Other P solubilisation mechanisms	9
1.4.1.2	Relation between nature of organic acids and solubilization of mineral phosphates.	10
1.4.1.3	Molecular mechanism of GA secretion in PSMs	10
1.4.2	Mycorrhizae	13
1.4.3	Utilisation of organic P	14
1.4.3.1	Non specific phosphatases	15
1.4.3.2	Phytase	17
1.4.4	P solubilisers as PGPR	18
1.5	Efficacy of PSMs – Field studies	19
1.5.1	Single inoculation studies	19
1.5.2	Microbial consortia	22
1.5.2.1	PS bacterium and PS fungus	22
1.5.2.2	PSM with N fixers	23

CHAPTERS	TITLE	PAGE No.
1.5.2.3	PSM with mycorrhizae	25
1.5.2.4	PSM, nitrogen fixing bacteria with mycorrhizae	25
1.6	Factors influencing MPS phenotype in field conditions	26
1.6.1	Effect of soil type on the fate of bacterial inoculants	27
1.6.2	Substrate availability in soil	28
1.6.3	Root colonization ability	29
1.6.4	Competition with native micro organisms	30
1.6.4.1	Metabolic load	31
1.7	Approaches/Strategies for the development of phosphate biofertilizers	31
1.7.1	Metabolic engineering for enhanced organic acid secretion	31
1.7.1.1	Gluconic acid secretion	32
1.7.1.2	Other organic acids	32
1.7.2	Improved phytate mineralization	33
1.7.2.1	Phytase	33
1.8	Objectives	34

Chapter 2 Substrate specificity of Glucose dehydrogenase (GDH) of <i>Enterobacter asburiae</i> PSI3 and RP solubilisation with GDH substrates as C sources		35-50
---	--	--------------

2.1	Introduction	35
2.1.1	Direct oxidation mediated mineralization of mineral phosphate by GDH	35
2.1.2	Physiology and Isoforms of GDH	36
2.1.3	Physiological implications	36
2.1.4	Industrial application	37
2.1.5	P-solubilisation and biochemical characteristics <i>E. asburiae</i> PSI3	38
2.2	Materials and methods	38
2.2.1	Bacterial strains and culture conditions	38
2.2.2	Mineral phosphate solubilization by <i>E. asburiae</i> PSI3	39
2.2.2.1	Inoculum preparation	39
2.2.2.2	Plate assay	39
2.2.2.3	Kinetics of growth, acidification and P solubilization in liquid medium	39
2.2.3	Measurement of GDH activity of <i>E. asburiae</i> PSI3	39
2.2.4	Determining the <i>E. asburiae</i> PSI3 GDH activity grown on different sugars	40

CHAPTERS	TITLE	PAGE No.
2.2.5	Determining the substrate specificity of <i>E. asburiae</i> PSI3 GDH	40
2.2.6	Analytical methods	40
2.2.7	Organic acid analysis	40
2.3	Results	41
2.3.1	Determining the substrate specificity of GDH of <i>E. asburiae</i> PSI3	41
2.3.2	Determining the GDH production of <i>E. asburiae</i> PSI3 on different sugars	42
2.3.3	Solubilization of RP by <i>E. asburiae</i> PSI3 on different sugars	42
2.3.3.1	Plate assay	42
2.3.3.2	Kinetics of RP solubilization in liquid media with different sugars	42
2.3.4	Organic acid analysis	45
2.3.5	Comparison of the substrate specificity of GDH enzymes from various bacteria	46
2.4	Discussion	48

Chapter 3	Effect of the presence of plasmids on the P-solubilization by <i>E. asburiae</i> PSI3	51-69
------------------	--	--------------

3.1	Introduction	51
3.2	Materials and methods	52
3.2.1	Bacterial strains and plasmids	52
3.2.2	Description of plasmids used	54
3.2.3	Media and culture conditions	55
3.2.4	Growth kinetics, acidification and solubilisation of RP	55
3.2.5	Physiological parameters	55
3.2.5.1	Specific growth rate (h^{-1})	56
3.2.5.2	Dry cell weight g L^{-1}	56
3.2.5.3	Organic acid yield	56
3.2.6	Molecular biology techniques	56
3.2.7	Construction of pBSK-Gm and pBR322-Gm	57
3.2.8	Transformation of <i>E. asburiae</i> PSI3 by electroporation	57
3.2.9	Conjugative transfer of pTOLgfpmut3b to <i>E. asburiae</i> PSI3	57
3.2.10	Determining the stability of the plasmid pACYC184 in <i>E. asburiae</i> PSI3	58
3.3	Results	58
3.3.1	Construction of pBSK-Gm and pBR322-Gm	59

CHAPTERS	TITLE	PAGE No.
3.3.2	Acid production of <i>E. asburiae</i> PSI3 containing different plasmids	61
3.3.3	Growth Kinetics, acidification and mineral phosphate solubilization in liquid media by <i>E. asburiae</i> PSI3 strains with different plasmids	61
3.3.4	Growth Kinetics and acidification pattern in liquid media by <i>E. asburiae</i> PSI3 strains with different plasmids on Tris minimal media containing soluble P	63
3.3.5	Growth Kinetics, acidification pattern and P-solubilisation in liquid media by <i>E. asburiae</i> PSI3 strains with different plasmids on Tris RP media containing limited P	64
3.3.6	P-solubilisation by <i>E. asburiae</i> PSI3 containing different plasmids on Tris RP media containing limited P	66
3.3.7	Stability of pACYC184 plasmid in <i>E. asburiae</i> PSI3 grown in the absence chloramphenicol	66
3.4	Discussion	67

Chapter 4 Overexpression of <i>Escherchia coli appA</i> gene in different rhizobacteria-Effect of acidification on phytate utilization and growth promotion of maize	70-101
---	---------------

4.1	Introduction	70
4.1.1	Interaction of inositol phosphates in soils	70
4.1.2	Organic acid and phytate in soil	70
4.1.3	Hydrolysis in the presence of organic acids <i>in vitro</i>	71
4.1.4	Factors affecting the properties of extracellular phytase in soil	71
4.1.5	Properties of <i>E. coli</i> phytase	72
4.1.6	Expression in other microorganisms	72
4.1.7	Why Rhizobium?	72
4.1.7.1	Rhizobial molecules as mediators of nutrient supply in plant cultures	73
4.1.7.2	Plant growth promotion by rhizobia	74
4.1.7.3	Rhizobial control of plant pathogens	75
4.1.7.4	Rhizobium in bioremediation	76
4.1.7.5	Rhizobium as P solubiliser	76
4.1.8	Expression of phytase gene in different plants	77

CHAPTERS	TITLE	PAGE No.
4.1.9	Effect on phytase on phytate utilization	78
4.2	Materials and Methods	79
4.2.1	Bacterial strains and plasmids used	79
4.2.2	Description of plasmids used	80
4.2.3	Media and culture conditions	81
4.2.4	Phytate utilisation and growth profile Studies in liquid medium	82
4.2.5	Molecular Biology tools and techniques	82
4.2.5.1	PCR amplification of <i>E. coli appA</i>	82
4.2.6	Construction of pVA1 containing <i>appA</i> gene from <i>E. coli</i>	83
4.2.7	Conjugative transfer of plasmid pVA1	83
4.2.8	Western blot analysis	84
4.2.9	Phytase assay	84
4.2.10	Acid phosphatase assay	85
4.2.11	Plant experiments	85
4.2.11.1	Media used	85
4.2.11.2	Surface sterilization of the maize seeds	86
4.2.11.3	Inoculum preparation of <i>S. meliloti</i>	86
4.2.11.4	Plant inoculation	86
4.2.11.5	Plant parameters	87
4.3	Results	87
4.3.1	Construction of pVA1 containing <i>appA</i> gene from <i>E. coli</i>	87
4.3.2	Phytase activity of <i>E. asburiae</i> PSI3, <i>P. putida</i> KT2440 and <i>S. meliloti</i> 1021 harboring <i>appA</i>	89
4.3.3	Acid phosphatase activity of <i>E. asburiae</i> PSI3, <i>P. putida</i> KT2440 and <i>S. meliloti</i> 1021 harboring <i>appA</i>	90
4.3.4	Growth profile and acidification pattern of <i>E. asburiae</i> PSI3 pVA1 transconjugant on buffered and unbuffered minimal media containing sodium or calcium phytate as sole P source	90
4.3.5	Growth profile and acidification pattern of <i>P. putida</i> KT2440 pVA1 transconjugant on buffered and unbuffered minimal media containing sodium or calcium phytate as sole P source	93
4.3.6	Growth profile and acidification pattern of <i>S. meliloti</i> 1021 pVA1 transconjugant on buffered and unbuffered minimal media containing sodium or calcium phytate as sole P source.	93

CHAPTERS	TITLE	PAGE No.
4.3.7	P- release by <i>E. asburiae</i> PSI3, <i>P. putida</i> KT2440 and <i>S. meliloti</i> 1021, pVA1 transconjugant on buffered and unbuffered minimal media containing sodium or calcium phytate as sole P source	95
4.3.8	Detection of phytase protein	95
4.3.9	Plant Inoculation studies	96
4.4	Discussion	98
Chapter 5 Effect of heterologous overexpression of <i>cs</i> and <i>ppc</i> genes in <i>Enterobacter asburiae</i> PSI3		
		102-127

5.1	Introduction	102
5.1.1	Effects of <i>cs</i> gene overexpression in plants	103
5.1.2	Effect of <i>cs</i> over expression on microorganisms	104
5.1.3	Effects of PEP carboxylase (<i>ppc</i>) overexpression in <i>E. coli</i>	105
5.1.4	Effects of <i>ppc</i> overexpression in other organisms	106
5.2	Materials and methods	107
5.2.1	Bacterial strains and plasmids used in this study	107
5.2.2	Media and culture conditions	108
5.2.3	P solubilisation phenotype	108
5.2.4	Growth kinetics and acidification studies in liquid medium	108
5.2.4.1	Physiological parameters	109
5.2.5	Molecular biology tools and techniques	109
5.2.6	Description of plasmid used	109
5.2.7	Construction of pVSppc (<i>ppc</i> gene of <i>S. elongatus</i> PCC 6301 under <i>tac</i> promoter)	111
5.2.8	Mutant complementation phenotype	111
5.2.9	Organic acid analysis	111
5.2.10	Characterization of the expression of the <i>ppc</i> gene	112
5.2.11	PPC and CS Enzyme assays	112
5.2.11.1	PPC assay	112
5.2.11.2	CS assay	113
5.3	Results	114
5.3.1	Construction of pVSppc containing <i>ppc</i> gene from <i>S. elongatus</i> PCC 6301	114

CHAPTERS	TITLE	PAGE No.
5.3.2	Phenotype complementation of <i>ppc</i> mutant <i>E. coli</i> (JWK3928) by pVSppc	116
5.3.3	Characterization of the expression of the <i>ppc</i> gene	116
5.3.4	PPC activity of <i>E. asburiae</i> PSI3 transformants	117
5.3.5	CS activity of <i>E. asburiae</i> PSI3 transformants	118
5.3.6	Growth kinetics of <i>E. asburiae</i> PSI3 <i>cs</i> and <i>ppc</i> transformants on M9 minimal media containing 100mM glycerol and 100mM fructose as sole carbon source.	118
5.3.7	P-Solubilisation ability by plate assay method	122
5.3.8	Organic acid analysis	124
5.4	Discussion	124
Bibliography		128-176
Summary		177-180