

## Table of Contents

Chapters	Title	Page No.
<b>Chapter 1</b>	Review of Literature	1
<b>1.</b>	Introduction	2
<b>1.1</b>	Global consumption of Sugars	2
<b>1.2</b>	Metabolism of Fructose	3
<b>1.3</b>	Metabolic Effects of Fructose	5
<b>1.3.1.</b>	Dyslipidemia	6
<b>1.3.2.</b>	Visceral adiposity	7
<b>1.3.3</b>	Insulin resistance	8
<b>1.3.4</b>	Fructose and oxidative stress	9
<b>1.3.5</b>	Non-alcoholic Fatty Liver Disease	10
<b>1.4</b>	Metabolic Syndrome and Mercury	11
<b>1.4.1</b>	Mercury and oxidative stress	12
<b>1.4.2</b>	Mercury and obesity	14
<b>1.4.3</b>	Mercury and insulin resistance	14
<b>1.4.4</b>	Chelators for metal induced toxicity	14
<b>1.5</b>	Fructose and Iron	15
<b>1.6</b>	Human Gut Microbiota	16
<b>1.7</b>	Probiotics	19
<b>1.7.1</b>	Colonization and survival of probiotics	21
<b>1.7.2</b>	Vitreoscilla hemoglobin	23
<b>1.7.3</b>	Bioengineering of probiotic bacteria	25
<b>1.7.4</b>	<i>E. coli</i> as probiotic	29
<b>1.7.5</b>	Probiotics for sugar mediated disorders	32
<b>1.8</b>	Prebiotics	33
<b>1.8.1</b>	Short chain fatty acid	33
<b>1.8.2</b>	Mannitol	35
<b>1.8.3</b>	Medical Uses of Prebiotics	36
<b>1.9</b>	Synbiotics	36
<b>1.10</b>	Antioxidants	37
<b>1.10.1</b>	Pyrroloquinoline Quinone	39
<b>Chapter 2</b>	Evaluating the effect of Genetically engineered <i>Escherichia coli</i> Nissle 1917 synbiotics on fructose induced metabolic effect in Charles foster rat model.	41
<b>2.</b>	Introduction	42
<b>2.1</b>	Materials and Methods	44
<b>2.1.1</b>	Plasmid, Bacterial strains and culture condition	44
<b>2.1.2</b>	Construction of pJET with <i>fdh-pqq</i> under constitutive <i>tac</i> promoter	46
<b>2.1.3</b>	Construction of pJET with <i>pqq-glf-mtlK</i> under constitutive <i>tac</i> promoter	46
<b>2.1.4</b>	PQQ quantification	47
<b>2.1.5</b>	Animals	47
<b>2.1.5</b>	Experimental design	47

2.1.7	PQQ and colonic SCFA extraction and quantification	48
2.1.8	Preparation of cell lysate and tissue homogenates	48
2.1.9	Biochemical assays	48
2.1.10	Liver enzyme test, kidney function test, and lipid estimation	48
2.1.11	mRNA expression and qRT-PCR	49
2.1.12	Histopathological changes	49
2.1.13	Statistical analysis	49
2.2	Results	50
2.2.1	Cloning and expression of <i>pqq-glf-mtlK</i> and <i>pqq-fdh</i> in <i>EcN::vgb-gfp</i>	50
2.2.2	Effect of probiotic treatment on body weight, hyperglycemia in rats treated with probiotic	51
2.2.3	Effect of <i>EcN</i> transformants on hepatic injury markers in rats treated with probiotic	51
2.2.4	Effect of <i>EcN</i> transformants on kidney function in rats treated with probiotic	52
2.2.5	Effect of <i>EcN</i> transformants on dyslipidemia in rats treated with probiotic	53
2.2.6	Effect of <i>EcN</i> transformants on Hepatic Fatty Acid Synthase (FAS) and Acyl Coenzyme A Oxidase (ACoX) mRNA Expression in rats treated with probiotic	54
2.2.7	Effect of <i>EcN</i> transformants on oxidative stress in rats treated with probiotic	54
2.2.8	Effect of <i>EcN</i> transformants on colonic SCFAs concentration in rats treated with probiotic	55
2.2.9	Effect of <i>EcN</i> transformants on PQQ concentration in faecal matter and liver in rats treated with probiotic	55
2.2.10	Histopathological analysis	56
2.3	Discussion	57
2.4	Conclusion	60
<b>Chapter 3</b>	Determining the effect of fructose and prebiotic produced by <i>Escherichia coli</i> Nissle 1917 harboring glucose facilitator protein and mannitol dehydrogenase genes on iron absorption.	61
3.1	Introduction	62
3.2	Materials and methods	64
3.2.1	Plasmid, Bacterial strains and culture condition	64
3.2.2	Animals	65
3.2.3	Experimental design	65
3.2.4	Preparation of cell lysate and tissue homogenates	66
3.2.5	Biochemical assays	67
3.2.6	Liver enzyme test, kidney function test, lipid and iron estimation	67
3.2.7	mRNA expression and qRT-PCR	67
3.2.8	Histopathological changes	68
3.2.9	Statistical analysis	68
3.3	Results	69

3.3.1	Body weight	69
3.3.2	Serum profile	69
3.3.3	Effect of probiotic treatment on Antioxidant status	71
3.3.4	Effect of probiotic treatment on Liver Function Marker	75
3.3.5	Effect of probiotic treatment on mRNA expression	76
3.3.6	Histopathological analysis	76
3.4	Discussion	77
3.5	Conclusion	79
<b>Chapter 4</b>	Evaluating the efficacy of probiotic <i>E. coli</i> Nissle 1917 strain containing citrate synthase and <i>pqq</i> operon in amelioration of heavy metal mercury induced metabolic disorders in rat model.	80
4.	Introduction	81
4.1.	Methods and Materials	83
4.1.1	Animals	83
4.1.2	Construction of <i>ptac-pqq</i> plasmid	83
4.1.3	Characterization of <i>EcN</i> transformants producing PQQ and citric acid	85
4.1.4	Experimental Design	86
4.1.5	Preparation of Tissue Homogenates	86
4.1.6	Biochemical Assays	86
4.1.7	ALT, AST, ALP, Total Bilirubin, Urea and Creatinine	87
4.1.8	Histopathological Changes	87
4.1.9	Metal Determination	87
4.1.10	Statistical Analysis	87
4.2	Results	88
4.2.1	Characterization of <i>EcN</i> transformants	88
4.2.2	Effect of <i>EcN</i> transformants against Hg induced oxidative stress in Liver and Kidney damage in rats	88
4.2.3	Effect of <i>EcN</i> probiotic against Hg induced hepatic damage marker in rats	90
4.2.4	Effect of <i>EcN</i> probiotic treatment on kidney damage marker in rats	91
4.2.5	PQQ Quantification from faeces and Liver	92
4.2.6	Hg Estimation	92
4.2.7	Histological analysis	93
4.3	Discussion	94
4.4	Conclusion	96
<b>Chapter 5</b>	Evaluating the efficacy of probiotic <i>E. coli</i> Nissle 1917 strain containing gluconate dehydrogenase and <i>pqq</i> operon in amelioration of heavy metal mercury induced metabolic disorders in rat model.	97
5.	Introduction	98
5.1	Materials and Methods	100
5.1.1	Animals	100
5.1.2	Construction of <i>ptac-pqq-gad</i> plasmid	100
5.1.3	Characterization of <i>EcN</i> transformants producing PQQ and	101

	2-ketogluconic acid	
<b>5.1.4</b>	Bacterial Strains and culture conditions	102
<b>5.1.5</b>	Experimental Design	102
<b>5.1.6</b>	Preparation of Tissue Homogenates	103
<b>5.1.7</b>	Biochemical Assays	103
<b>5.1.8</b>	ALT, AST, ALP, Total Bilirubin, Urea and Creatinine	103
<b>5.1.9</b>	Histopathological Changes	103
<b>5.1.10</b>	Metal Determination	103
<b>5.1.11</b>	Statistical Analysis	104
<b>5.2</b>	Results	105
<b>5.2.1</b>	Characterization of <i>EcN</i> -22 and <i>EcN</i> -23 transformants	105
<b>5.2.2</b>	Effect of <i>EcN</i> transformants against Hg induced oxidative stress in Liver and Kidney damage in rats	105
<b>5.2.3</b>	Effect of <i>EcN</i> probiotic against Hg induced kidney damage in rats	107
<b>5.2.4</b>	Effect of <i>EcN</i> probiotic against Hg induced liver damage in rats	107
<b>5.2.5</b>	PQQ and 2-KGA quantification from fecal matter , liver homogenate and serum	108
<b>5.2.6</b>	Hg Estimation	109
<b>5.2.7</b>	Histological analysis	109
<b>5.3</b>	Discussion	111
<b>5.4</b>	Conclusion	112
<b>6.</b>	Summary	113
<b>7.</b>	References	117