

BIBLIOGRAPHY

BIBLIOGRAPHY

- Acton, G.J. and Schopfer, P. (1975) Control over activation or synthesis of phenylalanine ammonia-lyase by phytochrome in mustard (Sinapis alba L.). A contribution to eliminate some misconception. *Biochim. Biophys. Acta.*, 404, 231-242.
- Adiga, P.R. and Prasad, G.L. (1985) Biosynthesis and regulation of polyamines in higher plants. *Plant growth Reg.*, 3, 205-226.
- Agazio, M.D., Giardina, M.C. and Grego, S. (1988) Effect of exogenous putrescine, spermidine and spermine on K^+ uptake and H^+ extrusion through plasmamembrane in maize root segments. *Plant Physiol.*, 87, 176-178.
- Altman, A. and Bacharach, U. (1981) Involvement of polyamines in plant growth and senescence. In 'Advances in polyamine research' Vol.3, Eds. Calderera, C.M., Zappia, V.A. and Bacharach, U., Raven Press, New York, pp.365-375.
- Altman, A., Kaur-Sawhney, R. and Galston, A.W. (1977) Stabilization of oat leaf protoplasts through polyamine-mediated inhibition of senescence. *Plant Physiol.*, 60, 570-574.
- Altman, A., Friedman, R., Amir, D. and Levin, N. (1982) Polyamine effects and metabolism in plants under stress conditions. In "Plant growth substances", Ed. Wareing, P.F., Academic Press, London and New York, pp.483-494.
- Anderson, J.M. and Cormier, M.J. (1978) Calcium dependent regulation of NAD kinase in higher plants. *Biochem. Biophys. Res. Commun.*, 84, 595-602.

- Anderson, J.M., Charbonneau, H., Jones, H.P., McCann, R.O. and Cormier, M.J. (1980) Characterization of the plant NAD^+ -kinase activator protein and its identification as calmodulin. *Biochemistry*, 19, 3113-3120.
- Andrejauskas, E., Hertel, R. and Marme, D. (1985) Specific binding of the calcium antagonist (^3H) verapamil to membrane fractions from plants. *J. Biol. Chem.*, 260, 5411-5414.
- Angelini, R., Federico, R. and Mancinelli, A. (1988) Phytochrome-mediated control of diamine oxidase level in the epicotyl of etiolated lentil (*Lens culinaris* Medicus) seedlings. *Plant Physiol.*, 88, 1207-1209.
- Apelbaum, A., Canellakis, Z.N., Applewhite P.B., Kaur-Sawhney, R. and Galston, A.W. (1988) Binding of spermidine to a unique protein in a thin-layer tobacco tissue culture. *Plant Physiol.*, 88, 996-998.
- Archer, M., Clark, S.D. Thilly, J.E. and Tannenbaum, S.R. (1971) Environmental nitroso compounds : reaction of nitrite with creatine and creatinine. *Science*, 174 1341-1343.
- Bacharach, U., Kaye, A. and Chayen, R. (1983) Eds. "Advances in Polyamine research". vol.4, Raven Press, New York, pp. 1-808.
- Bagni, N. (1970) Metabolic changes of polyamines during the germination of *Phaseolus vulgaris*. *New Phytol.*, 69, 159-164.
- Bagni, N. (1982) Significato delle amine nelle piante. *Inf. Bot. Ital.*, 14, 118-123.
- Bagni, N. and Serafini-Fracassini, D. (1974) The role of polyamines as growth factors in higher plants and their mechanism of action.

- In "Plant growth substances", Hirockawa Pub. Co., Tokyo, pp. 1205-1217.
- Bagni, N., Corsini, E. and Serafini-Fracassini, D. (1971) Growth factors and nucleic acid synthesis in Helianthus tuberosus I : Reversal of actinomycin-D inhibition by spermidine. Plant physiol., 24, 112-117.
- Bagni, N., Serafini-Fracassini, D. and Torrigiani, P. (1981) Polyamines and growth in higher plants. In "Advances in polyamine research". vol.3, Eds. Caldarera, C.M., Zappia, V.A. and Bacharach, U., Raven Press, New York, pp.377-388.
- Barnes, R.L. (1962) Formation of γ -guanidinobutyric acid in pine tissues. Nature, 193, 781.
- Bauer, A., Urquhart, A.A. and Joy, K.W. (1977) Amino acid metabolism in pea leaves. Plant Physiol., 59, 915-919.
- Beatriz, E., Gomez-Lepe, Y., Stadelman, O.Y., Palta, J.P. and Stadelman, E.J. (1979) Effect of octylguanidine on cell permeability and other protoplasmic properties of Allium cepa epidermal cells. Plant Physiol., 64, 131-137.
- Bentley, K.W. and Truscoe, R. (1969) Effect of guanidine derivatives on urate oxidase activity. Enzymologia, 37, 285-313.
- Berridge, M.J. (1984) Inositol phosphate and diacylglycerol as second messengers. Biochem. J., 220, 345-360.
- Berridge, M.J. and Irvine, R.F. (1984) Inositol trisphosphate, a novel second messenger in cellular signal transduction. Nature, 312, 315-321.

- Berry-Lowe, S. and Meagher, R.B. (1985) Transcriptional regulation of a gene encoding the small subunit of ribulose-1,5-bisphosphate carboxylase in soyabean tissue is linked to the phytochrome response. *Mol.Cell.Bio.*, 5, 1910-1917.
- Bertossi, F., Bagni, N., Moruzzi, G. and Caldarera, C.M. (1965) Spermine as a new growth-promoting substance for Helianthus tuberosus (Jerusalem artichoke) in vitro. *Experientia*, 21, 80-83.
- Bidwell, R.G.S. and Durzan, D.J. (1975) Some recent aspects of nitrogen metabolism. In "Historical and current aspects of plant physiology". Ed. Davies, P.J. Published by The New York State College of Agriculture and Life Science, Cornell University, Ithaca, New York, pp.152-225.
- Boldt, A., Miersch, J. and Reinbothe, H. (1971) The metabolism of agmatine in fruit bodies of the fungus Panus tigrinus. *Phytochemistry*, 10, 731-738.
- Boss, W.F. and Massel, M.O. (1985) Polyphosphoinositides are present in plant tissue culture cells. *Biochem. Biophys. Res. Commun.*, 132, 1018-1023.
- Brooker, J.D. and Russell, D.W. (1979) Regulation of microsomal 3-hydroxy-3-methyl glutaryl coenzyme A reductase from pea seedlings : rapid post translational phytochrome mediated decrease in activity and in vivo regulation by isoprenoid products. *Arch. Biochem. Biophys.*, 198, 323-334.
- Brown, E.G. and Newton, R.P. (1981) Cyclic AMP and higher plants. *Phytochemistry*, 20, 2453-2463.
- Buchanan, B. B. (1980) Role of light in regulation of chloroplast enzymes. *Ann. Rev. Plant Physiol.*, 31, 341-374.

- Buchanan, B.B., Wolosiuk, R.A. and Schurmann, P. (1979) Thioredoxin and enzyme regulation. *Trends Biochem. Sci.*, 4, 93-96.
- Butler, W.L. and Lane, H.C. (1964) Dark transformation of phytochrome in vivo II. *Plant Physiol.* 40, 13-17.
- Butler, W.L. Lane, H.C. and Siegelman, H.W. (1963) Non-photochemical transformation of phytochrome in vitro. *Plant Physiol.*, 38, 514-519.
- Butler, W.L. Hendricks, S.B. and Siegelman, H.W. (1964) Action spectra of phytochrome in vitro. *Photochem. Photobiol.*, 3, 521-528.
- Bycroft, B.W. and King, T.J. (1972) Crystal structure of streptolidine, a guanidine containing amino acid. *J. Chem. Soc. Chem. Commun.*, 1972, 652-653.
- Byrde, R.J.W., Clifford, D.R. and Woodcock, K. (1962) Fungicidal activity and chemical constitution XI. The activity of n-alkyl guanidine acetates. *Ann. Appl. Biol.*, 50, 291-298.
- Campbell, N.A. and Thomson, W.W. (1977) Effects of lanthanum and ethylene diamine-tetraacetate on leaf movements of Mimosa. *Plant Physiol.*, 60, 635-639.
- Campbell, N.A., Stika, K.M. and Morrison, G.H. (1979) Calcium and potassium in the motor organ of the sensitive plant. Localization by ion microscopy. *Science*, 204, 185-187.
- Canovas, F., Valpuesta, V. and Nunez de Castro, I. (1984) Characterization of tomato leaf glutamine synthetase. *Plant Sci. Lett.*, 37, 79-85.

- Canovas, F.M., Avilia, C., Botella, J.R., Valpuesta, A. and Nunez de Castro, I. (1986) Effect of light dark transition on glutamine synthetase activity in tomato leaves. *Physiol. Plant.* 66, 648-652.
- Canvin, D.T. and Atkins, C.A. (1974) Nitrate, nitrite and ammonia assimilation by leaves : Effect of light, carbon dioxide and oxygen. *Planta*, 116, 207-224.
- Carricarte, V.C. Bianchini, G.M., Muschielti, J.P. Tellez-Inon, M.T., Perticart, A., Torres, N. and Flawia, M.M. (1988) Adenylate cyclase activity in a higher plant, alfalfa (*Medicago sativa*). *Biochem. J.*, 249, 807-811.
- Chapel, M., Teissie, J. and Alibert, G. (1984) Electrofusioin of spermine-treated plant protoplasts. *FEBS Lett.*, 173, 331-336.
- Charbonneau, H., Jarrett, H.W. McCann, R.O. and Cormier, M.J. (1980) Calmodulin in plants and fungi. In "Calcium Binding Proteins: Structure and Function", Eds. Siegel, F.L., Carafoli, R.H., Kretsinger, D.H., MacLennan, D.H. and Wasserman, R.H., Elsevier/North-Holland, New York, pp. 155-164.
- Cheung, W.Y. (1982) Calmodulin : An overview. *Fed. Proc.*, 41, 2253-2257.
- Chung, L. Kaloyanides, G., McDaniel, R., McLaughlin, A. and McLaughlin, S. (1985) Interaction of gentamicin and spermine with bilayer membranes containing negatively charged phospholipids. *Biochemistry*, 24, 442-452.
- Clarke, D.D., Mycek, M.J., Neidle, A. and Wacisch, H. (1959) The incorporation of amines into protein. *Arch. Biochem. Biophys.*, 79, 338-354.

- Cline, K. (1986) Import of proteins into chloroplasts : Membrane integration of a thylakoid precursor protein reconstituted in chloroplast lysates. *J. Biol. Chem.*, 261, 14804-14810.
- Cohen, P. (1980) Ed. Recently discovered systems of enzyme regulation by reversible phosphorylation. Elsevier/North-Holland Biomedical, Amsterdam/New York.
- Cohen, P. (1985) The role of protein phosphorylation in the hormonal control of enzyme activity. *Eur. J. Biochem.*, 151, 429-448.
- Cohen S.S., Morgan, S. and Streibel, E. (1969) The polyamine content of the t-RNA of *E. coli*. *Proc. Acad. Sci. (USA)*, 64, 669-676.
- Cohen, S.S., Popovic, R.B. and Zalik, S. (1979) Effect of polyamines on chlorophyll and protein content, photochemical activity and chloroplast ultrastructure of barley leaf discs during senescence. *Plant Physiol.*, 64, 717-720.
- Cohen, S.S. Bolint, R. and Sindhu, R.K. (1981) The synthesis of polyamines from methionine in intact and disrupted leaf protoplasts of virus-infected Chinese cabbage *Plant Physiol.*, 68, 1150-1155.
- Colbert, J.T., Hershey, H.P. and Quail, P.H. (1983) Autoregulatory control of translatable phytochrome mRNA levels. *Proc. Natl. Acad. Sci. (USA)*, 80, 2248-2252.
- Cooke, T.J. and Racusen, R.H. (1982) Cell expansion in the filamentous gametophyte of the fern *Onoclea sensibilis* L. *Planta*, 155, 449-458.

- Cormier, M.J., Harmon, A. and Putman-Evans, C. (1985) Ca^{+2} -dependent regulation of NAD kinase and protein phosphorylation in plants. In "Calmodulin antagonists and cellular physiology". Eds. Hidaka, H. and Hartshorne, D.J., Academic Press, New York, pp. 445-456.
- Craddock, V.M. (1968) The reaction of N-methyl-N' nitro-N-Nitrosoguanidine with deoxyribonucleic acid. *Biochem. J.*, 106, 921-922.
- Crocomo, O.J. and Bassom, L.C. (1974) Accumulation of putrescine and related amino acids in potassium deficient sesamum. *Phytochemistry*, 9, 537-540.
- Cundiff, S.C. and Pratt, L.H. (1975) Phytochrome characterization by rabbit antiserum against high molecular weight phytochrome. *Plant Physiol.*, 55, 207-211.
- Dai, Y.R. and Galston, A.W. (1981) Simultaneous phytochrome-controlled promotion and inhibition of arginine decarboxylase activity in buds and epicotyls of etiolated pea. *Plant Physiol.*, 67, 266-269.
- Das, R. and Sopory, S.K. (1985) Evidence of regulation of calcium uptake by phytochrome in maize protoplasts. *Biochem. Biophys. Res. Commun.*, 128, 1455-1460.
- Datta, N. Chen, Y.R. and Roux, S.J. (1985) Phytochrome and calcium stimulation of protein phosphorylation in isolated pea nuclei. *Biochem. Biophys. Res. Commun.*, 128, 1403-1408.
- Datta, N., Hardison, L.K. and Roux, S.J. (1986) Polyamine stimulation of phosphorylation in isolated pea nuclei. *Plant Physiol.*, 82, 681-684.

- Datta, N., Schell, M.B. and Roux, S.J. (1987) Spermine stimulation of nuclear NII kinase from pea plumules and its role in the phosphorylation of a nuclear polypeptide *Plant Physiol.*, 84, 1397-1401.
- Dieter, P. (1986) Plant NAD kinase : Regulation by calcium and calmodulin. In " *Mol. Cell. Aspects of Calcium in Plants*", NATO ASI Series, Ed. Trewavas, A.J., Plenum Press, New York, pp.91-98.
- Dieter, P. and Marme, D. (1980) Partial purification of plant NAD kinase by calmodulin-sepharose affinity chromatography. *Cell Calcium* 1, 279-286.
- Dieter, P. and Marme, D. (1981) A calmodulin dependent, microsomal ATPase from corn (*Zea mays* L.) *FEBS. Lett.*, 125, 245-248.
- Dieter, P. and Marme, D. (1984) Calmodulin and calmodulin mediated processes in plants. *Plant Cell Environ.*, 7, 371-380.
- Downs, L.G. and Lovell, P.H. (1986) The effect of spermidine and putrescine on the senescence of cut carnations. *Physiol. Plant.*, 66, 679-684.
- Drakeford, D. and Trewavas, A.J. (1986) Binding of verapamil to maize root membranes. In " *Mol. Cell. Aspects of calcium in Plants*", NATO ASI series, Ed. Trewavas, A.J. Plenum Press, New York, p.423.
- Dreyer, E.M. and Weisenseel, M.H. (1979) Phytochrome-mediated uptake of calcium in *Mougeotia* cells. *Planta*, 146, 31-39.
- Drobak, B.K. and Ferguson, I.B. (1985) Release of Ca^{+2} from plant hypocotyl microsomes by inositol-1,4,5-trisphosphate. *Biochem. Biophys. Res. Commun.*, 130 1241-1246.

- Drobak, B.K., Ferguson, I.B. Dawson, A.P. and Irvine, R.F. (1988) Inositol-containing lipids in suspension cultured plant cells. An Isotopic study. *Plant Physiol.*, 87, 217-222.
- Duke, S.H. and Duke, S.O.(1978) In vitro nitrate reductase activity and in vivo phytochrome measurements of maize seedlings as affected by various light treatments. *Plant Cell Physiol.*, 19, 481-489.
- Durzan, D.J. (1968a) Nitrogen metabolism of Picea glauca I Seasonal changes of free amino acids in buds, shoot apices and by buds during onset of dormancy. *Can. J. Bot.* 46, 909-919.
- Durzan, D.J. (1968b) Nitrogen metabolism of Picea glauca II Diurnal changes of free amino acids, amides and guanidino compounds in roots, buds and leaves during the onset of dormancy of white spruce saplings. *Can. J. Bot.* 46, 921-928.
- Durzan, D.J. and Steward, F.C. (1967) The nitrogen metabolism of Picea glauca (Moench) Voss and Pinus banksiana Lamb as influenced by mineral nutrition. *Can. J. Bot.*, 45, 696-710.
- Ebell, L.F. and McMullan, E.E.(1970) Nitrogenous substances associated with differential cone production responses of Douglas fir to ammonium and nitrate fertilization. *Can J. Bot.* 48, 2169-2177.
- Elliott, W.H. (1953) Isolation of glutamine synthetase and glutamotransferase from green peas. *J. Biol. Chem.* 201. 661-672.
- Elliott, D.C., Fournier, A. and Kokke, Y.S. (1988) Phosphatidylserine activation of plant protein kinase C. *Phytochemistry*, 27, 3725-3730.

- Ellis, R.J. (1983) Chloroplast protein synthesis : principles and problems. Subcell. Biochem., 9, 237-261.
- Endo. H. and Takahashi, K. (1973) Nitrosated arginine derivatives, a powerful mutagen. Biochem. Biophys. ^{Res.} Commun., 52, 254-262.
- Ettlinger, C. and Lehle, L. (1988) Auxin induces rapid changes in phosphatidylinositol metabolites. Nature, 331, 176-178.
- Evans, M.L. (1985) The action of auxin on plant cell elongation. CRC critical Rev. Plant. Sci., 2, 317-365.
- Evans, S.J. and Nason, A. (1953) Pyridine nucleotide nitrate reductase from higher plants. Plant Physiol., 28, 233-254.
- Evstigneeva, Z.G. Pushkin, A.V., Solovieva, N.A. Golova, T.V. and Kretovich, W.L. (1981) Effect of light on the formation of multiple molecular forms of glutamine synthetase in plants. Mol. Cell. Biochem., 40, 123-125.
- Federico, R. and Angelini, R. (1986) Occurrence of diamine oxidase in the apoplast of the pea epicotyls. Planta, 167, 300-302.
- Felix, H. and Harr, J. (1987) Association of polyamines to different parts of various plant species. Physiol. Plant., 71, 245-250.
- Flayeh, K.A.M., Najati, S.J. Al-Delymi, A.M. and Hajar, M.A. (1984) 1,3-diaminopropane and spermidine in Cucumis sativus (Cucumber). Phytochemistry, 23, 989-990.
- Flores, H.E. Young, N.D. and Galston, A.W. (1984) Polyamine metabolism and plant stress in cellular and molecular biology of plant stress. In "ULCA Symposia on cellular and molecular biology", New Series. vol.22, Eds Key, J.L. and Kosage, T., Alan, R. Liss. Inc., New York.

- Fluhr, R., Kuhlemeier, C., Nagy, F. and Chua, N.H. (1986) Organ specific and light induced expression of plant genes. *Science*, 232, 1106-1112.
- Folk, J.E. (1980) Transglutaminases. *Ann. Rev. Biochem.*, 49, 517-531.
- Fondeville, J.C., Borthwick, H.A. and Hendricks, S.B. (1966) Leaflet movement of Mimosa pudica L. indicative of phytochrome response. *Planta*, 69, 357-364.
- Fourcroy, P. (1986) Phytochrome control of gene expression in radish seedlings. III. Evidence for a rapid control of the ribulose 1,5-bisphosphate carboxylase small subunit gene expression by red light. *Plant Sci.*, 44, 183-190.
- Fourcroy, P., Lambert, C. and Klein-Eude, D. (1985) Phytochrome control of gene expression in radish seedlings. I. Far-red light mediates stimulation of polyribosome formation and appearance of translatable mRNA. *Plant Sci.*, 37, 227-234.
- Friedman, S. (1957) Carbamylation of polyamines. *Fed. Proc.*, 16, 183-187.
- Fukshansky, L. and Mohr, H. (1980) Boundary conditions for mathematical models in photomorphogenesis. In "Photoreceptors and plant development". Ed. De Greef, J., Antwerp University Press, Antwerp, pp. 135-144.
- Gallina, C., Marta, C., Colombo, C. and Romeo, A. (1971) Capreomycin and 3-guanidinoproline from viomycin. *Tetrahedron*, 27, 4681-4685.
- Galston, A.W. (1983) Polyamines as modulators of plant development. *Bioscience*, 33, 382-388.

- Galston, A.W. and Kaur-Sawhney, R. (1982) Polyamines : Are they a new class of plant growth regulators ? In "Plant growth substances", Ed. Wareing, P.F., Academic Press, New York, pp. 451-461.
- Gary-Bobo, C.M. (1970) Effect of a Ca^{+2} on the water and nonelectrolyte permeability of phospholipid membranes. *Nature*, 228, 1101.
- Gillery, M.J. and Ranjeva, R. (1986) Characterization of calcium channels in carrot cells. In "Mol. Cell. Aspects of calcium in plants", NATO ASI Series, Ed. Trewavas, A.J. Plenum Press, New York, pp. 421-422.
- Goldmann, A., Thomas, D.W. and Morel, G. (1969) Sur la structure de la nopaline metabolite anormal de certaines tumeurs de crown gall. *C.R. Acad. Sci. (Paris)*, 268, 852-854.
- Gomez-Lepe, B. and Salmon, M. (1986) Effect of octylguanidine on the growth of etiolated barley seedlings, *Phytochemistry*, 25, 319-322.
- Gomez-Puyou, A., Sandoval, F., Lotina, B. and Tuena De Gomez-Puyou, M. (1973) Guanidine sensitive transport of sodium and potassium in mitochondria. *Biochem. Biophys. Res. Commun.*, 52, 74-78.
- Goren, R. Palavan, N., Flores, H. and Galston, A.W. (1982a) Changes in polyamine titer in etiolated pea seedlings following red light treatment. *Plant Cell Physiol.*, 23, 19-26.
- Goren, R., Palavan, N. and Galston, A.W. (1982b) Separating phytochrome effects on arginine decarboxylase activity from its effect on growth. *J. Plant Growth Regul.*, 1, 61-73.

- Guggenheim, M. (1958) Die biogenen amine in der Pflanzenwelt. In "Encyclopedia of plant physiology", Vol.8, Springer-Verlag, Berlin, pp. 887-988.
- Guilfoyle, T.J. (1986) Auxin-regulated gene expression in higher plants. CRC Crit. Rev. Plant Sci., 4, 247-272.
- Guilfoyle, T.J. and Hanson, J.B. (1973) Increased activity of chromatin-bound ribonucleic acid polymerase from soyabean hypocotyl with spermidine and high ionic strength. Plant Physiol., 51, 146-148.
- Guiz, C., Hirel, B., Shedlofsky, G. and Gadai, P. (1979) Occurrence and influence of light on the relative properties of two glutamine synthetases in rice leaves. Plant Sci. Lett., 15, 271-277.
- Hageman, R.H., Cresswell, C.F. and Hewitt, E.J. (1962) Reduction of nitrate, nitrite and hydroxylamine to ammonia by enzymes extracted from higher plants. Nature, 193, 247-250.
- Hahn, T.R. and Song, P.S. (1981) Hydrophobic properties of phytochrome as probed by 8-anilinonaphthalene-1-sulfonate fluorescence. Biochemistry, 20, 2602-2609.
- Hale, C.C.II and Roux, S.J. (1980) Photoreversible calcium fluxes induced by phytochrome in oat coleoptile cells. Plant Physiol., 65, 658-662.
- Halliwell, B. (1981) Chloroplast metabolism. Clarendon Press, Oxford, ISBN, pp.89-106.
- Hamana, K. and Matsuzaki, S. (1982) Widespread occurrence of norspermidine and norspermine in eukaryotic algae. J. Biochem. 91, 1321-1328.

- Harmon, A.C. Jarrett, H.W. and Cormier, M.J. (1984). An enzymatic assay for calmodulins based on plant NAD kinase activity. *Anal. Biochem.* 141, 168-178.
- Harold, F.M. (1964) Stabilization of Streptococcus faecalis protoplasts. by spermine. *J. Bacteriol.*, 88, 1416-1420.
- Hartmann, K.M. (1966) A general hypothesis to interpret high energy phenomenon of photomorphogenesis on the basis of phytochrome. *Photochem. Photobiol.*, 5, 349-366.
- Hault, H.E. Maynard, D.N. and Barker, A.V. (1970) Ammonium tolerance of some cultivated Solanaceae. *J. Am. Soc. Hortic. Sci.*, 95, 345-351.
- Haupt, W. and Weisenseel, M.H. (1976) Physiological evidence and some thoughts on localized responses, intracellular localization and action of phytochrome. In "Light and Plant Development". Ed. Smith, H., Butterworths, Boston, pp. 63-74.
- Heim, S. and Wagner, K.G. (1986) Evidence of phosphorylated phosphatidylinositols in the growth cycle of suspension cultured plant cells. *Biochem. Biophys. Res. Commun.*, 134, 1175-1181.
- Heimer, Y.M., Mizrahi, Y. and Bacharach, U. (1979) Ornithine decarboxylase activity in rapidly proliferating plant cells. *FEBS Lett.*, 104, 146-148.
- Hendricks, S.B. (1959) In "Photoperiodism and related phenomena in plants and animals". Ed. Withrow, R.B., A.A.A.S. Washington, pp. 423.
- Hendricks, S.B. and Borthwick, H.A. (1967) The function of phytochrome in regulation of plant growth. *Proc. Natl. Acad. Sci. (USA)*, 58, 2125-2130.

- Hepler, P.K. and Wayne, R.O. (1985) Calcium and Plant development. *Ann. Rev. Plant Physiol.* 36, 397-439.
- Hetherington, A.M. and Trewavas, A. (1982) Calcium-dependent protein kinase in pea shoot membranes. *FEBS Lett.*, 145, 67-71.
- Hetherington, A.M. and Trewavas, A.J. (1984) Binding of nitrendipine, a calcium channel blocker, to pea shoot membranes. *Plant Sci. Lett.*, 35, 109-113.
- Hill, J.M. and Mann, P.J.G. (1968) Some properties of plant diamine oxidase, a copper containing enzyme. In "Recent aspects of nitrogen metabolism in plants", Eds. Hewitt, E.J. and Cutting C.V., Academic Press, London, pp.149-161.
- Hillman, W.S. and Purves, W.K. (1966) Light responses, growth factors and phytochrome transformations of *Cucumis* seedling tissues. *Planta*, 70, 275-284.
- Hilton, J. (1983) An association of the phytochrome with the chloroplast envelope membrane of *Spinacia oleracea* L. : A preliminary observation. *New Phytol.* 95, 175-178.
- Hirel, B. and Gadal, P. (1980a) Glutamine synthetase in rice. A comparative study of the enzymes from roots and leaves. *Plant Physiol.*, 66, 919-923.
- Hirel, B. and Gadal P. (1980b) Sur la localisation intercellulaire de deux isoformes de la glutamine synthetase dans les feuilles de riz. *C.R. Acad. Sci. (Paris)*, 291, 41-44.
- Hirel, B., Vidal, J. and Gadal, P. (1982) Evidence for a cytosolic dependent light induction of chloroplastic glutamine synthetase during greening of etiolated rice leaves. *Planta*, 155, 17-23.

- Hiwatari, Y. (1926) Über die stickstoffhaltigen bestandteile der fruchte von citrus grandis Osbeck, Form Butan Hayat. J. Biochem (Tokyo), 7, 169-173.
- Hochstein, L.J. and Dalton, B.P. (1968) Factors affecting the cation requirement of a halophilic NADH dehydrogenase. Biochim. Biophys. Acta., 167, 638-640.
- Hopkins, D.W. and Briggs, W.R. (1973) Phytochrome and NAD kinase : A reexamination. Plant Physiol., 51S, 284.
- Hunt, R.E. and Pratt, L.H. (1981) Physicochemical differences between the red and the far-red absorbing forms of phytochrome. Biochemistry, 20, 941-945.
- Igarashi, K., Kashiwagi, K., Aoki, R., Kojima, M. and Hirose, S. (1979) Comparative studies on the increase by polyamines of fidelity of protein synthesis in E. coli and wheat germ cell free system. Biochem. Biophys. Res. Commun. 91, 440-448.
- Igarashi, K., Kojima, M., Watanabe, Y., Maeda, K. and Hirose, S. (1980) Stimulation of polypeptide synthesis by spermidine at the level of initiation in rabbit reticulocytes and wheat germ cell-free systems. Biochem. Biophys. Res. Commun. 97, 480-486.
- Irvine, R.F., Letcher, A.J. and Dawson, R.M.C. (1980) Phosphatidylinositol phosphodiesterase in higher plants. Biochem. J., 192, 279-283.
- Ito, O., Yoneyama, T. and Kumazawa, K. (1978) Amino acid metabolism in plant leaf. IV. The effect of light on ammonia assimilation and glutamine metabolism in cells isolated from spinach leaves. Plant Cell Physiol., 191, 1109-1119.

- Jaffe, M.J. (1968) Phytochrome mediated bioelectric potentials in mung bean seedlings. *Science*, 162, 1016-1017.
- Jarrett, H.W. Charbonneau, H., Anderson, J.M. McCann, R.O. and Cormier, M.J. (1980) Plant Calmodulin and the regulation of NAD kinase. *Ann. NY. Acad. Sci.*, 336, 119-129.
- Jarrett, H.W., Brown, C.J., Black, C.C. and Cormier, M.J. (1982) Evidence that calmodulin is in the chloroplast of peas and serves a regulatory role in photosynthesis. *J. Biol. Chem.*, 257, 13795-13804.
- Jarrett, H.W. and Da Silva, T and Cormier, M.J. (1983) Calmodulin activation of NAD kinase and its role in the metabolic regulation of plants. In "Metals and Micronutrients " Uptake and utilization by plants", Eds. Robb, D.A. and Pierpoint, W.S., Academic Press, London, pp. 205-218.
- Jenkins, G.I., Hartley, M.R. and Bennett, J. (1983) Photoregulation of chloroplast development : transcriptional, translational and post-translational controls ? *Philos. Trans. R. Soc. London Ser. B*, 303, 419-431.
- Jones, R.W. and Sheard, R.W. (1972) Nitrate reductase activity-phytochrome mediator of induction in etiolated peas. *Nature*, 238, 221-222.
- Jones, R.W. and Sheard, R.W. (1974) Blue light enhanced nitrate reductase activity in etiolated pea terminal buds. *Can. J. Bot.*, 52, 1433-1435.
- Jones, R.W. and Sheard, R.W. (1975) Phytochrome, nitrate movement and induction of nitrate reductase in etiolated pea terminal buds. *Plant Physiol.*, 55, 954-959.

- Kanamori, T. and Mastumoto, H. (1972) Glutamine synthetase from rice plant roots. Arch. Biochem. Biophys., 125, 404-412.
- Kapoor, M. and Bray, D.F. (1968) Feed back inhibition of glutamine synthetase of Neurospora crassa by nicotinamide adenine dinucleotide. Biochemistry, 7, 3583-3589.
- Kapoor, M., Bray, D.F. and Ward, G.W. (1968) Anthranilic acid as a feed back inhibitor of glutamine synthetase of Neurospora crassa. Arch. Biochem. Biophys. 128, 810-814.
- Katz, S. and Miller, J.E. (1972) Medium effects of urea and guanidine hydrochloride on volumetric changes produced by protonation of carboxylate groups. J. Phys. Chem. 76, 2778-2780.
- Kaufman, L.S., Roberts, L.L., Briggs, W.R. and Thompson, W.F. (1986) Phytochrome control of specific mRNA levels in developing pea buds. Kinetics of accumulation, reciprocity and escape kinetics of the low fluence response. Plant Physiol., 81, 1033-1038.
- Kaur-Sawhney, R. and Galston, A.W. (1979) Interaction of polyamines and light on biochemical processes involved in leaf senescence. Plant Cell Environ., 2, 189-196.
- Kaur-Sawhney, R., Flores, H.E. and Galston, A.W. (1980) Polyamine induced DNA synthesis and mitosis in oat leaf protoplasts. Plant Physiol., 65, 368-371.
- Kaur-Sawhney, R., Flores, H.E. and Galston, A.W. (1981) Polyamine oxidase in oat leaves : A cell wall localized enzyme. Plant Physiol., 68, 494-498.
- Kaur-Sawhney, R., Shih, L.M. and Galston A.W. (1982a) Relation of polyamine biosynthesis in the initiation of sprouting in potato tubers. Plant Physiol., 69, 411-415.

- Kaur-Sawhney, R., Shih, L.M. and Galston, A.W. (1982b) Relation of polyamine synthesis and titre to aging and senescence in oat leaves. *Plant Physiol.*, 69, 405-410.
- Kawakita, A.I. (1905) On the behaviour of guanidine to plants. *Bull. Coll. Agric. Tokyo Imp. Univ. Japan*, VI, PP. 181-183.
- Kendrick, R.E. and Frankland, B. (1983) Eds. Mode of action of phytochrome in "Phytochrome and Plant growth", Chap.V, 2nd Ed. Pub. Edward Arnold Ltd., London. pp. 58-69.
- Kendrick, R.E. and Hillman, W.S. (1971) Absence of phytochrome dark reversion in seedlings of centrospermae. *Am. J. Bot.*, 58, 424-428.
- Kendrick, R.E. and Smith, H. (1976) Assay and isolation of phytochrome. In "Chemistry and Biochemistry of plant pigments" Ed. Goodwin, T.W., Academic Press, New York, pp. 334-364.
- Kendrick, R.E. and Spruit, C.J.P. (1977), Phototransformations of phytochrome. *Photochem. Photobiol.*, 26, 201-214.
- Kerege, F., Penel, C. and Greppin, H. (1982) Rapid correlation between the leaves of spinach and the photocontrol of a peroxidase activity. *Plant Physiol.*, 69, 437-441.
- Kim, K. and Tchen, T.T. (1962) Putrescine- α -ketoglutarate transaminase. *Biochem. Biophys. Res. Commun.*, 9, 99-104.
- Klee, C.B. (1977) Conformational transition accompanying the binding of Ca^{+2} to the protein activator of 3', 5' -cyclic adenosine monophosphate phosphodiesterase. *Biochemistry*, 16, 1017-1024.
- Klee, C.B. and Vanaman, T.C. (1982) Calmodulin. *Adv. Protein. Chem.*, 35, 213-321.

- Knight, T.J. and Weissman, G.S. (1982) Rhythms in glutamine synthetase activity, energy charge and glutamine in sunflower roots, *Plant Physiol.*, 70, 1683-1688.
- Kuehn, G.D. and Atmar, V.J. (1982) Post-translational control of ornithine decarboxylase by polyamine dependent protein kinase. *Fed. Proc.*, 41, 3078-3083.
- Kuehn, G.D., Affolter, H.U., Atmar, V.J., Seebach, T., Gubler, U. and Braun, R. (1979) Polyamine-mediated phosphorylation of nucleolar protein from *Physarum polycephalum* that stimulates RNA synthesis. *Proc. Natl. Acad. Sci. (USA)*, 76, 2541-2545.
- Lagarias, J.C. and Rapoport, H.J. (1980) Chromopeptides from phytochrome. The structure and linkage of the Pr form of the phytochrome chromophore. *J. Am. Chem. Soc.*, 102, 4821-4828.
- Lange, H., Shropshire, W.O. Jr. and Mohr, H. (1971) An analysis of phytochrome-mediated anthocyanin synthesis. *Plant Physiol.* 47, 649-655.
- Lee, J.A. and Stewart, G.R. (1978) Ecological aspects of nitrogen assimilation. *Adv. Bot. Res.*, 6, 1-43.
- Lehtonen, J. (1984) The significance of Ca^{+2} in the morphogenesis of *Micrasterias* was studied with EGTA, verapamil, LaCl_3 and calcium ionophore A_{23187} . *Plant Sci. Lett.*, 33, 53-60.
- Le Rudulier, D. and Goas, G. (1971) Mise en evidence et dosage de quelques amines dans les plannues de Soja hispida Moench. Privees de leurs cotyledons et cultivees en presence de nitrates divree et de chlorure d'ammonium. *CR Acad. Sci. (Paris) Ser. D.*, 27, 1108-1110.

- Majerus, P.W., Connolly, T.M., Deckmyn, H., Ross, T.S., Bross, T.E., Ishii, H., Bansal, V.S. and Wilson, D.B. (1986) The metabolism of phosphoinositide derived messenger molecules. *Science*, 234, 1519-1526.
- Maiss, B., Kordy, E., Kneifel, H. and Soeders, C.J. (1982) Amines in algae. 7. Concentration changes of polyamines in synchronous *Chlorella emersonii* : Kinetic relationships to DNA and RNA content. *Z. Pflanzenphysiol.*, 106, 213-221.
- Manabe, J. and Furuya, M. (1974) Phytochrome-dependent reduction of nicotinamide nucleotides in the mitochondrial fraction isolated from etiolated pea epicotyls. *Plant Physiol.*, 53, 343-347.
- Mann, A.F., Stewart, G.R. and Fentem, P.A. (1979) Identification of two forms of glutamine synthetase in barley (*Hordeum vulgare*) *Biochem. Biophys. Res. Commun.* 88, 515-521.
- Mann, A.F., Fentem, P.A. and Stewart, G.R. (1980) Tissue localization in barley (*Hordeum vulgare*) glutamine synthetase isoenzymes. *FEBS Lett.*, 110, 265-267.
- Marcus, A. (1960) Photocontrol of formation of red kidney bean leaf TPN-linked triosephosphate dehydrogenase. *Plant Physiol.*, 35, 126-128.
- Marme, D. (1977) Phytochrome : membranes as possible sites of primary action. *Ann. Rev. Plant Physiol.*, 28, 173-198.
- Marme, D. (1982) The role of Ca^{+2} and calmodulin in plants. *What's New Plant Physiol.*, 13, 37-40.
- Marme, D. and Dieter, P. (1983) Role of Ca^{+2} and calmodulin in plants. In "Calcium and cell function", Vol.4, Ed. Cheung, W.Y., Academic Press, New York, pp. 263-311.

- Matsuda, H. and Suzuki, Y. (1981) Purification and properties of the diamine oxidase from Vicia faba leaves. *Plant Cell Physiol.*, 22, 737-746.
- McMurray, W.C. and Irvine, R.F. (1988) Phosphatidylinositol 4,5-bis-phosphate phosphodiesterase in higher plants. *Biochem. J.*, 249, 877-881.
- McNally, S.F., Hirel, B., Gadai, P., Mann, A.F. and Stewart, G.R. (1983) Glutamine synthetases of higher plants : Evidence for a specific isoform content related to their possible physiological role and their compartmentation within the leaf. *Plant Physiol.*, 72, 22-25.
- Meers, P., Houg, K., Bentz, J. and Papahadjopoulos, D. (1986) Spermine as a modulator of membrane fusion : Interactions with acidic phospholipids. *Biochemistry*, 25, 3109-3118.
- Melin, P.M. Sommarin, M. Sandelius, A.S. and Jergil, B. (1987) Identification of Ca^{+2} stimulated polyphosphoinositide phospholipase C in isolated plasma membranes. *FEBS Letts.*, 223, 87-91.
- Mohr, H. (1966) Differential gene activation as a mode of action of phytochrome-730. *Photochem. Photobiol.*, 5, 469-482.
- Mohr, H. (1972) Lectures on photomorphogenesis. Springer-Verlag, Berlin.
- Mohr, H. (1983) Pattern specification and realization in photomorphogenesis. In : *Encyclopedia of plant physiology*, N.S., vol. 16A : Photomorphogenesis, Eds. Shropshire, W. and Mohr, H., Springer-verlag, Berlin, pp. 336-357.

- Mohr, H. and Oelze-Karow, H. (1976) Phytochrome action as a threshold phenomenon. In 'Light and Plant Development', Ed. Smith, H., Butterworths, London, pp.257-284.
- Morel, G. (1971) Deviations du me'tabolism azote' des tissus de crown-gall. Coll. Internat. CNRS No.193, Les Cultures de tissus de plantes. pp. 463-471.
- Moroz, S.M., Alford, E.A. and Johnson, C.B. (1984) Effects of temperature on the development of Sinapis alba L. : Phytochrome control of nitrate reductase activity at 10°C. Plant Cell Environ., 7, 45-51.
- Morse, M.J., Crain, R.C. and Satter, R.L. (1986) Phosphatidylinositol turnover in Samanea pulvini : A mechanism of phototransduction. Plant Physiol., 80S, 92.
- Morse, M.J., Crain, R.C. and Satter, R.L. (1987) Phosphatidylinositol cycle metabolites in Samanea saman pulvini. Plant Physiol., 83, 640-644.
- Moruzzi, M., Barbiroli, B., Monti, M.G., Tadolini, B., Hakim, G. and Mezzetti, G. (1987) Inhibitory action of polyamines on protein kinase C association to membranes. Biochem. J., 247, 175-180.
- Muto, S. (1982) Distribution of calmodulin within wheat leaf cells. FEBS Lett., 147, 161-164.
- Muto, S. and Miyachi, S. (1977) Properties of a protein activator of NAD kinase from plants. Plant Physiol., 59, 55-60.
- Muto, S., Miyachi, S., Usuda, H., Edwards, G.E. and Bassham, J.A. (1981) Light-induced conversion of nicotinamide adenine dinucleotide to nicotinamide adenine dinucleotide phosphate in higher plant leaves. Plant Physiol., 68, 324-328.

- Naik, B.I. and Srivastava, S.K. (1978) Effect of polyamines on tissue permeability. *Phytochemistry*, 17, 1885-1887.
- Naik, B.I. and Srivastava, S.K. (1981) Role of sulfhydryl group and polyamines in controlling tissue permeability. *Ind. J. Exp. Biol.*, 19, 479-480.
- Naik, B.I. Sharma, V. and Srivastava, S.K. (1980) Interaction between growth regulators and polyamine effects on membrane permeability. *Phytochemistry*, 19, 1321-1322.
- Nakamura, S., Kazim, A.L., Wang, H.P., Chu, J.W. and Kimura, T. (1972) Polyamine effect on NADPH-oxidation catalyzed by spinach and adrenal flavoprotein-iron-sulfur protein complexes and a possible regulatory mechanism. *FEBS Lett.*, 28, 209-212.
- Napier, R.M. and Smith, H. (1987a) Photoreversible association of phytochrome with membranes. I. Distinguishing between two light-induced binding responses. *Plant Cell Environ.*, 10, 383-389.
- Napier, R.M. and Smith, H. (1987b) Photoreversible association of phytochrome with membranes. II. Reciprocity tests and a model for the binding reaction. *Plant Cell Environ.*, 10, 391-306.
- Newman, I.A. (1981) Rapid electric responses of oats to phytochrome show membrane processes unrelated to pelletability. *Plant Physiol.*, 68, 1494-1499.
- Newman, I.A. and Briggs, W.R. (1972) Phytochrome mediated electric potential changes in oat seedlings. *Plant Physiol.*, 50, 687-693.

- Nishimura, M., Bhusawang, P., Strzalka, K. and Akazawa, T. (1982) Developmental formation of glutamine synthetase in greening pumpkin cotyledons and its subcellular localization. *Plant Physiol.*, 70, 353-356.
- Nishizuka, Y. (1984) The role of protein kinase C in cell surface signal transduction and tumor promotion. *Nature*, 308, 693-698.
- Nishizuka, Y. (1986) Studies and perspectives of protein kinase C. *Science*, 233, 305-312.
- Nultsch, W. Pfau, J. and Dolle, R. (1986) Effects of calcium channel blockers on phototaxis and motility of Chlamydomonas reinhardtii. *Arch. Microbiol.*, 144, 393-397.
- Oelze-Karow, H. and Mohr, H. (1982) Phytochrome action on chlorophyll synthesis - a study of the escape from photoreversibility. *Plant Physiol.*, 70, 863-866.
- Oelze-Karow, H., Schopfer, P. and Mohr, H. (1970) Phytochrome mediated repression of enzyme synthesis (lipoxygenase). A threshold phenomena. *Proc. Natl. Acad. Sci. (USA)*, 65, 51-57.
- Orgen, W.L. and Krogman, D.W. (1965) Studies on pyridine nucleotides in photosynthetic tissue. *J. Biol. Chem.*, 240, 4603-4608.
- Oh-hama, T. and Miyachi, S. (1969) Effect of illumination and oxygen supply upon the levels of pyridine nucleotides in Chlorella cells. *Biochim. Biophys. Acta.* 34, 202-210.
- Oh-hama, T., Miyachi, S. and Tamiya, H. (1963) Photochemical formation of TPH from DPH in Chlorella cells. In "La Photosynthese", CNRS, Paris, pp. 439-448.

- O'Neal, T.D. and Joy, K.W. (1974) Glutamine synthetase of pea leaves: Divalent cation effects, substrate specificity and other properties. *Plant Physiol.*, 54, 773-779.
- O'Neal, T.D. and Joy, K.W. (1975) Pea leaf glutamine synthetase : Regulatory properties. *Plant Physiol.*, 55, 968-978.
- Osterhout, W.J.V. (1942) Increased irritability in Nitella due to guanidine. *J. Gen. Physiol.*, 26, 65-73.
- Palade, P. (1987) Drug-induced Ca^{+2} release from isolated sarcoplasmic reticulum. III. Block of Ca^{+2} -induced Ca^{+2} release by organic polyamines. *J. Biol. Chem.*, 262, 6149-6154.
- Palavan, N. and Galston, A.W. (1982) Polyamine biosynthesis and titre during various developmental stages of Phaseolus vulgaris. *Physiol. Plant.*, 55, 438-444.
- Penel, C. and Greppin, H. (1979) Effect of calcium on subcellular distribution of peroxidases. *Phytochemistry*, 18, 29-33.
- Penel, C. and Greppin, H. (1982) Effect of light and phenothiazines on the level of extracellular peroxidases. In "Plasmalemma and tonoplast : Their functions in the plant cell". Eds. Marme, D., Marre, E. and Hertel, R., Elsevier Biomed. Press, New York, pp. 53-57.
- Pisano, J.J., Abraham, D and Undenfriend, S. (1963) Biosynthesis and deposition of γ -guanidino butyric acid in mammalian tissues. *Arch. Biochem. Biophys.*, 100, 324-329.
- Polya, G.M. and Davies, J.R. (1982) Resolution of Ca^{+2} -calmodulin activated protein kinase from wheat germ. *FEBS. Lett.*, 150, 167-171.

- Polya, G.M. and Micucci, V. (1985) Interaction of wheat germ Ca^{+2} -dependent protein kinases with calmodulin antagonists and polyamines. *Plant Physiol.*, 79, 968-972.
- Poovaiah, B.W. and Reddy, A.S.N. (1987) Calcium messenger system in plants. *CRC Critical Rev. Plant Sci.*, 6, 47-103.
- Pradet, A. and Raymond, P. (1983) Adenine nucleotide ratios and adenylate energy charge in energy metabolism. *Ann. Rev. Plant Physiol.*, 34, 199-224.
- Pratt, L.H. (1978) Molecular properties of phytochrome. *Photochem. Photobiol.* 27, 81-105.
- Pratt, L.H. and Marme, D. (1976) Red light enhanced phytochrome pelletability : re-examination and further characterization *Plant Physiol.*, 58, 686-692.
- Purello, F., Burnham, D.G. and Goldfine, I.D. (1983) Insulin regulation of protein phosphorylation in isolated rat liver in nuclear envelopes : Potential relationship to mRNA metabolism. *Proc. Natl. Acad. Sci. (USA)*, 80, 1189-1193.
- Quail, P.H. (1975) Interaction of phytochrome with other cellular components. *Photochem. Photobiol.*, 22, 299-301.
- Quail, P.H. (1980) Intracellular localization of phytochrome. In "Trends in Photobiology", Eds. Helene, C., Charlier, M., Montenay-Garestier, Th., Laustriat, G., Plenum Press, New York, pp. 485-500.
- Quail, P.H., Marme, D. and Schafer, E. (1973) Particle-bound phytochrome from maize and pumpkin. *Nature*, 245, 189-191.

- Racusen, R.H. and Satter, R.L. (1975) Rhythmic and phytochrome regulated changes in transmembrane potential in Samanea pulvini. Nature, 255, 408-410.
- Ragothama, K.G., Mizrahi, Y. and Pooviah, B.W. (1985) Effect of calmodulin antagonists on auxin-induced elongation. Plant Physiol., 79, 28-33.
- Rajbabu, P. (1985) Effect of polyamines and guanidines on membrane bound enzymes in plants. Ph.D. thesis, M.S. University, Baroda, India.
- Ramakrishna, S. and Adiga, P.R. (1975a) Amine levels in Lathyrus sativus seedlings during development. Phytochemistry, 14, 63-68.
- Ramakrishna, S. and Adiga, P.R. (1975b) Arginine decarboxylase from Lathyrus sativus seedlings. Eur. J. Biochem., 59, 377-386.
- Ramaswamy, O., Saxena, I.M., Guha -Mukherjee, S. and Sopory, S.K. (1983) Phytochrome regulation by nitrate reductase in wheat. J. Biosci., 5, 63-70.
- Ranjeva, R., Refeno.G., Boudet, A.M. and Marme, D. (1983) Plant Quinate : NAD^+ -oxidoreductase is activated by Ca^{+2} -calmodulin-dependent phosphorylation. Proc. Natl. Acad. Sci. (USA), 80, 5222-5224.
- Rao, L.V.M., Datta, N., Sopory, S.K. and Guha-Mukherjee, S. (1980) Phytochrome mediated induction of nitrate reductase activity in etiolated maize leaves. Physiol. Plant., 50, 208-212.
- Rao, L.V.M., Rajasekhar, V.K., Sopory, S.K. and Guha-Mukherjee, S. (1981) Phytochrome regulation of nitrite reductase (a chloroplast enzyme) in etiolated maize leaves. Plant, Cell Physiol., 22, 577-582.

- Rasmussen, H. and Kujima, J. (1983) Calcium and cAMP in the regulation of cell function. *Dev. Biochem.*, 25, 417-431.
- Reddy, A.S.N. and Poovaiah, B.W. (1987) Inositol 1,4,5-trisphosphate induced calcium release from corn coleoptile microsome. *J. Biochem.*, 101, 569-573.
- Reddy, A.S.N., McFadden, J.J., Friedman, M. and Poovaiah, B.W. (1987) Signal transduction in plants : Evidence for the involvement of calcium and turnover of inositol phospholipids. *Biochem. Biophys. Res. Commun.*, 149, 334-339.
- Reinbothe, H. and Mothes, K., (1962) Urea, ureides and guanidines in plants. *Ann. Rev. Plant Physiol.*, 13, 129-150.
- Rhodes, D., Rendon, G.A. and Stewart, G.R. (1975) Control of glutamine synthetase level in Lemna minor. *Planta*, 125, 201-211.
- Rhodes, D., Rendon, G.A. and Stewart, G.R. (1976) The regulation of ammonia assimilating enzymes in Lemna minor. *Planta*, 129, 203-210.
- Rice, H.V. and Briggs, W.R. (1973) Partial characterization of oat and rye phytochrome. *Plant Physiol.*, 51, 927-938.
- Rincon, M. and Boss, W.F. (1986) Myo-inositol trisphosphate mobilizes calcium from fusogenic carrot (Daucus carota L.) protoplasts. *Plant Physiol* , 83, 395-398.
- Roberts, D.R., Dumbroff, E.B. and Thompson, J.E. (1986) Exogenous polyamine alter membrane fluidity in bean leaves - a basis for potential misinterpretation of their true physiological role. *Planta*, 167, 395-401.

- Roux, S.J. and Hillman, W.S. (1969) The effect of glutaraldehyde and two monoaldehydes on phytochrome. Arch. Biochem. Biophys., 131, 423-429.
- Roux, S.J. and Yguerabide, J. (1973) Photoreversible conductance changes induced by phytochrome in model lipid membrane. Proc. Natl. Acad. Sci. (USA), 70, 762-764.
- Roux, S.J., Lisan, S.G. and Stoker, B.M. (1975) Purification and partial carbohydrate analysis of phytochrome from Avena sativa. Physiol. Plant., 35, 85-90.
- Roux, S.J., McEntire, K., Slocum, R.D. Cedel T.E. and Hale, C.C. II. (1981) Phytochrome induces photoreversible calcium fluxes in a purified mitochondrial fraction from oats. Proc. Natl. Acad. Sci. (USA), 78, 283-387.
- Roux, S.J. Wayne, R.O. and Datta, N. (1986) Role of calcium ions in phytochrome responses : an update. Physiol. Plant., 66, 344-348.
- Rubinstein, B., Drury, K.S. and Park R.B. (1969) Evidence for bound phytochrome in oat seedlings. Plant Physiol , 44, 105-109.
- Sandelius, A. and Sommarin, M. (1986) Phosphorylation of phosphatidylinositol in isolated plant membranes. FEBS Lett., 201, 282-286.
- Sasakawa, H. and Yamamoto, Y. (1979) Effects of red, far-red and blue light on enhancement of nitrate reductase activity and on nitrate uptake in etiolated rice seedlings. Plant Physiol., 63, 1098-1101.

- Satter, R.L., Marinoff, P. and Galston, A.W. (1970) Phytochrome controlled nyctinasty in Albizia julibrissin. II. Potassium flux as a basis for leaflet movement. Am. J. Bot., 57, 916-926.
- Satter, R.L., Geballe, G.T. and Galston, A.W. (1974) Potassium flux and leaf movement in Samanea saman. J. Gen. Physiol., 64, 431-442.
- Satter, R.L., Schrepf, N., Chaudhari, J. and Galston, A.W. (1977) Phytochrome and circadian clocks in Samanea. Rhythmic redistribution of potassium and chloride within the pulvinus during long dark periods. Plant Physiol., 59, 231-255.
- Saunders, M.J. and Hepler, P.K. (1983) Calcium antagonists and calmodulin inhibitors block cytokinin-induced bud formation in Funaria. Dev. Biol., 99, 41-49.
- Saunders, M.J., Cordonnier, M.M., Palevitz, B.A. and Pratt, L.H. (1984) Immunofluorescence visualization of phytochrome in Pisum sativum L. epicotyls using monoclonal antibodies. Planta, 159, 449-458.
- Schafer, E. (1982) Advances in photomorphogenesis (Phytochrome action). Photochem. Photobiol., 35, 905-910.
- Schmidt, G.W. and Mishkind, M.L. (1986) The transport of proteins in to chloroplasts. Ann. Rev. Biochem., 55, 879-912.
- Schmidt, R. and Mohr, H. (1982) Evidence that a mustard seedling response to the amount of Pfr and not to the Pfr/Ptot ratio. Plant Cell Environ., 5, 495-499.
- Schulze, E. (1982) Cf. Bidwell, R.G.S. and Durzan, D.J. (1975) Some recent aspects of nitrogen metabolism. In "Historical and current aspects of plant physiology". Ed. Davies, P.S. Published by New York State Collage of Agriculture and Life Science, Cornell University, Ithaca, New York, pp. 152-225.

- Schumaker, K.S. and Sze, H. (1987) Inositol, 1,4,5-trisphosphate release Ca^{+2} from vacuolar membrane vesicles of oat roots. J. Biol. Chem., 262, 3944-3946.
- Senger, H. (1980) The blue light syndrome. Springer-Verlag, Berlin.
- Serafini-Fracassini, D., Bagni, N., Cionni, P.G. and Bennici, A. (1980) Polyamines and nucleic acids during the first cell cycle of Helianthus tuberosus tissue after the dormancy break. Planta, 148, 332-337.
- Serlin, B.S. and Roux, S.J. (1984) Modulation of chloroplast movement in the green alga Mougeotia by the Ca^{+2} ionophore A₂₃₁₈₇ and by calmodulin antagonists. Proc. Natl. Acad. Sci. (USA), 81, 6368-6372.
- Serlin, B.S., Sopory, S.K. and Roux, S.J. (1984) Modulation of oat mitochondrial ATPase activity by Ca^{+2} and phytochrome. Plant Physiol., 74, 827-833.
- Shapiro, B.M. and Stadtman, E.R. (1970) Glutamine synthetase (Escherichia coli). In "Methods in Enzymology", 17A, 910-936.
- Sharma, R. (1984) Phytochrome - A plant photochromic sensor, J. Sci. Ind. Res., 43, 615-633.
- Sharma, R. (1985) Phytochrome regulation of enzyme activity in higher plants. Photochem. Photobiol., 41, 747-755.
- Sharma, R. and Schopfer, P. (1987) Phytochrome-mediated regulation of β -amylase mRNA level in mustard (Sinapis alba L.) cotyledons. Planta, 171, 313-320.
- Sharma, R., Sopory, S.K. and Guha-Mukherjee, S. (1976a) Phytochrome regulation of peroxidase in maize. Plant Sci. Lett., 6, 69-75.

- Sharma, R. Sopory, S.K. and Guha-Mukherjee, S. (1976b) Phytochrome mediation of peroxidase activity in zea mays. Proc. Ind. Natl. Sci. Acad., 42B, 290-294.
- Sharma, R., Sopory, S.K. and Gahu-Mukherjee, S. (1979) Phytochrome regulation of peroxidase activity in maize. III. Age dependent and subcellular localization. Z. Pflanzenphysiol., 94, 371-375.
- Shevyakova, N.J. (1981) Metabolism and physiological role of diamines and polyamines in plants. Sov. plant physiol., 28, 775-782.
- Shibuya, S. and Makizumi, S. (1953) Biochemical studies on guanidine derivatives VIII Distribution of extractable guanidine derivatives in animals and plants. J. Jap. Biochem. Soc., 25, 210-213.
- Shih, L.M., Kaur-Sawhney, R., Fuhrer, J., Samanta, S. and Galston, A.W. (1982) Effects of exogenous 1,3-diaminopropane and spermidine on senescence of oat leaves. I. Inhibition of protease activity, ethylene production and chlorophyll loss as related to polyamine content. Plant Physiol., 70, 1592-1596.
- Siegelman, H.W. and Butler, W.L. (1965) Properties of phytochrome. Ann. Rev. Plant Physiol., 16, 383-392.
- Silverthorne, J. and Tobin, E.M. (1984) Demonstration of transcriptional regulation of specific genes by phytochrome action. Proc. Natl. Acad. Sci. (USA), 81, 1112-1116.
- Sims, A.P. (1976) Regulation of glutamine metabolism in fungi with particular reference to the food yeast Candida utilis. In "Perspective of Experimental Biology", Vol. II, Ed. Sunderland, N., Pergamon Press, Oxford, pp. 247-261.
- Slocum, R.D., Kaur-Sawhney, R. and Galston A.W. (1984) The physiology and biochemistry of polyamines in plants. Arch. Biochem. Biophys. 235, 283-303.

- Smith, H. (1975) The biochemistry of photomorphogenesis. In "Phytochrome and photomorphogenesis" - An introduction to the photocontrol of plant development. Pub. McGraw-Hill Book Comp. (UK), pp.160-205.
- Smith, H. (1981) Evidence that Pfr is not the active form of phytochrome in light-grown maize. *Nature*, 293, 163-165.
- Smith, T.A. (1963) L-Arginine carboxylase of higher plants and its relation to potassium nutrition. *Phytochemistry*, 2, 241-252.
- Smith, T.A. (1965) N-Carbamylputrescine amidohydrolase of higher plants and its relation to potassium nutrition. *Phytochemistry*, 4, 599-607.
- Smith, T.A. (1969) Agmatine iminohydrolase in maize. *Phytochemistry*, 8, 2111-2117.
- Smith, T.A. (1970) Putrescine, spermidine and spermine in higher plants. *Phytochemistry*, 9, 1479-1486.
- Smith T.A. (1971) The occurrence, metabolism and functions of amines in plants. *Biol. Rev.*, 46, 201-241.
- Smith, T.A. (1972) The physiology of the polyamines and related compounds. *Endeavour*, 31, 22-28.
- Smith, T.A. (1977) Recent advances in the biochemistry of plant amines. In "Progress in Phytochemistry", Vol.4, Eds. Reinhold, L., Harnborne, J.B. and Swain, T., Pergamon Press, New York, pp.27-82.
- Smith T.A. (1979) Arginine decarboxylase of oat seedlings. *Phytochemistry*, 18, 1447-1452.
- Smith, T.A. (1984) Putrescine and inorganic ions. *Adv. Phytochem.*, 18, 7-54.

- Smith T.A. (1985a) Polyamines. *Ann. Rev. Plant Physiol.*, 36, 117-143.
- Smith, T.A. (1985b) The di- and polyamine oxidases of higher plants. *Biochem. Soc. Trans.*, 13, 319-322.
- Smith, W.O. Jr. and Correll, D.I. (1975) Phytochrome : A reexamination of the quaternary structure. *Plant Physiol.* 56, 340-343.
- Smith, W.O. Jr. and Cyr, K.L. (1988) Modification of sulfhydryl groups on phytochrome and their influence on physicochemical differences between the red and far-red absorbing forms. *Plant Physiol.*, 87, 195-200.
- Sopory, S.K., Sharma, A.K., Rao, L.V.M. and Guha-Mukherjee, S. (1983) Mechanism of phytochrome regulation of nitrate reductase and nitrite reductase in maize. *Plant Physiol. Biochem.* 10, 17-22.
- Srivastava, S.K. and Rajbabu, P. (1983a) Effect of amines and guanidines on ATPase from maize scutellum. *Phytochemistry*, 22, 2675-2679.
- Srivastava, S.K. and Rajbabu, P. (1983b) Effect of amines and guanidines on peroxidase from maize scutellum. *Phytochemistry*, 22, 2681-2686.
- Srivastava, S.K. and Smith, T.A. (1982a) Effect of some oligoamines and guanidines on the membrane permeability in higher plants. *Phytochemistry*, 21, 997-1008.
- Srivastava, S.K. and Smith, T.A. (1982b) Inhibition of growth in higher plants by homologous series of guanidines and its reversal by spermine. *Ann. Bot.*, 50, 265-275.
- Srivastava, S.K. Vashi, D.J. and Naik, B.I. (1983) Control of senescence by polyamines and guanidines in young and mature barley leaves. *Phytochemistry*, 22, 2151-2154.

- Srivastava, S.K. Kansara, M.S. and Mungre, S.M. (1985) Effect of polyamines and guanidines on the growth, nitrogen assimilation and reserve mobilization in germinating radish seeds. *Plant Growth Reg.*, 3, 339-351.
- Stadtman, E.R., Ginsburg, A., Ciardi, J.E., Yeh, J., Hennig, S.B. and Shapiro, B.M. (1970) Multiple molecular forms of glutamine synthetase produced by enzyme catalyzed adenylation and deadenylation reactions. *Adv. Enz. Reg.*, 8, 99-118.
- Stewart, G.R. and Rhodes, D. (1977) A comparison of the characteristics of glutamine synthetase and glutamate dehydrogenase from Lemna minor. *New Phytol.*, 79, 257-268.
- Stewart, G.R., Mann, A.F. and Fentem, P.A. (1980) Enzymes of glutamate formation : glutamate dehydrogenase, glutamine synthetase and glutamate synthase. In "The Biochemistry of Plants", vol.5, Ed. Miflin, B.J., Academic Press, New York, pp. 271-327.
- Sticher, L., Penel, C. and Greppin, H. (1981) Calcium requirement for the secretion of peroxidase by plant cell suspensions. *J. Cell Sci.*, 48, 345-353.
- Stiekema, W.J., Wimpee, C.F., Silverthorne, J. and Tobin, E.M. (1983) Phytochrome control of the expression of two nuclear genes encoding chloroplast proteins in Lemna gibba L.G-3. *Plant Physiol.*, 72, 717-724.
- Stinemetz, C.L., Kuzmanoff, K.M., Evans, M.L. and Jarrett, H.W. (1987) Correlation between calmodulin activity and gravitropic sensitivity in primary roots of maize. *Plant Physiol.*, 84, 1337-1342.
- Stitt, M., Lilley, R.M. and Heldt, H.W. (1982) Adenine nucleotide levels in the cytosol, chloroplasts and mitochondria of wheat leaf protoplasts. *Plant Physiol.*, 70, 971-977.

- Storey, R. and Beevers, L. (1978) Enzymology of glutamate metabolism related to senescence and seed development in Pea (Pisum sativum L.) Plant Physiol., 61, 494-500.
- Suresh, M.R. and Adiga, P.R. (1977) Putrescine sensitive (artificial) and insensitive (biosynthetic) S-adenosyl-L-methionine decarboxylase activities of Lathyrus sativus seedlings. Eur. J. Biochem. 79, 511-518.
- Tabor, C.W. and Tabor, H. (1984) Polyamines. Ann. Rev. Biochem., 53, 749-790.
- Tadolini, B. and Varani, E. (1986) Interaction of spermine with polyphosphoinositide-containing liposomes and myoinositol 1,4,5-trisphosphate. Biochem. Biophys. Res. Commun. 92, 598-605.
- Tadolini, B., Cabrini, L., Varani, E. and Sechi, A.M. (1985) Spermine binding and aggregation of vesicles of different phospholipid composition. Biog. Amines, 3, 87-96.
- Tanada, T. (1968) Substances essential for a red, far-red light reversible attachment of mung bean root tips to glass. Plant Physiol., 43, 2070-2071.
- Tezuka, T. and Yamamoto, Y. (1972) Photoregulation of nicotinamide adenine dinucleotide kinase activity in cell free extracts. Plant Physiol., 50, 458-462.
- Theologis, A. (1986) Rapid gene regulation by auxin. Ann. Rev. Plant Physiol., 37, 407-438.
- Thompson, W.F., Everett, M., Polans, N.O., Jorgensen, R.A. and Palmer, J.D. (1983) Phytochrome control of mRNA levels in developing pea and mung-bean leaves. Planta, 158, 487-500.

- Tingey, S.V., Tsai, F.Y., Edwards, J.W., Walker, E.L. and Coruzzi, G.M. (1988) Chloroplast and cytosolic glutamine synthetase are encoded by homologous nuclear genes which are differentially expressed in vivo. J. Biol. Chem., 263, 9651-9657..
- Tobin, E.M. and Briggs, W.R. (1973) Studies on the protein conformation of phytochrome. Photochem. Photobiol., 18, 487-495.
- Tobin, E.M. and Silverthorne, J. (1985) Light regulation of gene expression in higher plants. Ann. Rev. Plant Physiol., 36, 569-593.
- Tong, W.F. and Schopfer, P. (1976) Phytochrome mediated de novo synthesis of phenylalanine ammonia lyase : An approach using pre-induced mustard seedlings. Proc. Natl. Acad. Sci. (USA), 73, 4017-4021.
- Toriyama, H. and Jaffe, M.J. (1972) Migration of calcium and its role in the regulation of seismonasty in the motor cell of Mimosa pudica L. Plant Physiol., 49, 72-81.
- Trush, G.P. (1964) Enzymes of glutamine metabolism in myocardium. Fed. Proc., 23, 1305-1310 (Translation Supplement).
- Varma, J.P. (1968) Inhibition of tobacco necrosis virus by guanidine carbonate. Virology, 36, 305-308.
- Varner, J.E. (1960) The optical specificity of glutamine synthetase. Arch. Biochem. Biophys., 90, 7-11.
- Veluthambi, K. and Poovaiah, B.W. (1984a) Calcium promoted protein phosphorylation in plants. Science, 223, 167-169.
- Veluthambi, K. and Poovaiah, B.W. (1984b) Calcium and calmodulin-regulated phosphorylation of soluble and membrane proteins from corn coleoptiles. Plant Physiol., 76, 359-365.

- Veluthambi, K. and Poovaiah, B.W. (1984c) Polyamine-stimulated phosphorylation of proteins from corn (Zea mays L.) coleoptiles. *Biochem. Biophys. Res. Commun.*, 122, 1374-1380.
- Wakamiya, T., Shiba, T., Kaneko, T., Sakakibara, H. and Take, T. (1973) Chemical studies on tuberactinomycin V. structures of guanidino amino acids in tuberactinomycins. *Bull. Chem. Soc., Japan*, 46, 949-954.
- Wallsgrave, R.M., Lea, P.J. and Miflin, B.J. (1979) Distribution of the enzymes of nitrogen assimilation within the pea leaf cell. *Plant Physiol.*, 63, 232-236.
- Wang, J.H. and Waisman, D.H. (1979) Calmodulin and its role in the second messenger system. *Curr. Top. Cell. Regul.*, 15, 47-107.
- Warner, T.J. and Ross, J.D. (1981) Phytochrome control of maize coleoptile section elongation : the role of cell wall extensibility. *Plant Physiol.*, 68, 1024-1026.
- Warner, T.J., Ross, J.D and Coomb, J. (1981) Phytochrome control of maize coleoptile section elongation. A rapid loss of photo-reversibility. *Plant Physiol.*, 67, 355-357.
- Waston, P.J. and Smith, H. (1982a) Integral association of phytochrome with a membranous fraction from Avena shoots : red/far-red photoreversibility and in vitro characterization. *Planta*, 154, 121-127.
- Waston, P.J. and Smith, H. (1982b) Integral association of phytochrome with a membranous fraction from Avena shoots : in vivo characterization and physiological significance. *Planta*, 154, 128-134.

- Wayne, R. and Hepler, P.K. (1984) The role of calcium ions in phytochrome-mediated germination of spores of Onoclea sensibilis L. Planta, 160, 12-20.
- Wayne, R. and Hepler, P.K. (1985) Red light stimulates an increase in intracellular calcium in the spores of Onoclea sensibilis. Plant Physiol., 77, 8-11.
- Weisenseel, M.H. and Ruppert, H.K. (1977) Phytochrome and calcium ions are involved in light-induced membrane depolarization in Nitella. Planta, 137, 225-229.
- Weitzel, G., Renner, R. and Guglielmi, H. (1972) Metabolic effects of arginine derivatives. 2. Antilipolytic action of arginyl compounds. Z. Physiol. Chem., 353, 535-538.
- Williamson, R.E. (1981) Free Ca^{+2} concentration in the cytoplasm : A regulator of plant cell function. What's new Plant Physiol., 12, 45-48.
- Wilson, S.B. and Bonner, W.B. (1970) Effects of guanidine inhibitors on mung bean mitochondria. Plant Physiol., 46, 21-24.
- Wojcikiewicz, R.J.H. and Fain, J.N. (1988) Polyamine inhibit phospholipase C-catalysed polyphosphoinositide hydrolysis. Biochem. J., 255, 1015-1021.
- Wong, Y., Cheng, H., Walsh, D.A. and Lagarias, J.C. (1986) Phosphorylation of Avena phytochrome in vitro as a probe of light-induced conformational changes. J. Biol. Chem., 261, 12089-12097.
- Woodcock, D. (1968) Agricultural and horticultural fungicides - past, present future, Chem. in Britain, 4, 294-300.

- Yamamoto, Y. (1963) Pyridine nucleotide content in the higher plant. Effect of age of tissue. *Plant Physiol.*, 38, 45-54.
- Yamamoto, Y. (1966a) Variation of nicotinamide adenine dinucleotide phosphate level in bean hypocotyls in relation to O₂ concentration. *Plant Physiol.*, 41, 519-522.
- Yamamoto, Y. (1966b) NAD kinase in higher plants. *Plant Physiol.*, 41, 523-528.
- Yamamoto, Y. (1970) Role of nicotinamide adenine dinucleotide phosphate in the regulation of metabolism in higher plants. *J. Japanese Biochem. Soc.*, 42, 1-18.
- Yamamoto, K.T. and Smith, W.O. Jr. (1981a) A re-evaluation of the mole fraction of Pfr at the red-light-induced photostationary state of undegraded rye photochrome. *Plant Cell Physiol.*, 22, 1159-1164.
- Yamamoto, K.T. and Smith, W.O. Jr. (1981b) Alkyl and amino alkyl agaroses as probe of light-induced changes in phytochrome from pea seedlings (*Pisum sativum* CV Alaska). *Biochim. Biophys. Acta.*, 635, 27-34.
- Yanagisawa, H. and Suzuki, Y. (1981) Corn agmatine iminohydrolase. Purification and properties. *Plant Physiol.*, 67, 697-700.
- Yoshida, D. and Mitake, T. (1966) Agmatine and N-carbamyl putrescine as intermediates in the formation of nicotine by tobacco plants. *Plant Cell Physiol.*, 7, 303-305.
- Young, M.D. and Galston, A.W. (1983) Putrescine and acid stress, induction of arginine decarboxylase activity and putrescine accumulation by low pH. *Plant Physiol.*, 71, 767-771.

- Yunghans, H. and Jaffe, M.J. (1970) Phytochrome controlled adhesion of mung bean root tips to glass : A detailed characterization of the phenomenon. *Physiol Plant.*, 23, 1004-1016.
- Zhurkin, V.B., Lysov, Y.P. and Ivanov, V.I. (1980) Interaction of spermine with different forms of DNA, a conformational study. *Biopolymers*, 19, 1415-1434.
- Zocchi, G. (1985) Phosphorylation-dephosphorylation of membrane proteins controls the microsomal H^+ -ATPase activity of corn roots. *Plant Sci.*, 40, 153-157.
- Zocchi, G., Rogers, S.A. and Hanson, J.B. (1983) Inhibition of proton pumping in corn roots is associated with increased phosphorylation of membrane proteins. *Plant Sci. Lett.*, 31, 215-221.
- Zucker, N. (1972) Light and enzymes. *Ann. Rev. Plant Physiol.*, 23, 133-156.

* * * * *