

REFERENCES

- 1 Hireni Mankodi and Pravin Patel; "New engineering material for textile composite", Proceeding of the HPTEX, KTC, coimbatoure 337-345, July(2004)
- 2 Technical Textile Market, Newsletter, (2004).
- 3 Market study; "Opportunities in continuous fiber reinforced thermoplastic composite", (2003-2008).
4. David Rig; "An overview of development and trends in the use of composite for technical textile application", 1-7, (2001).
5. S. Adeanur; "Textile structural composite", Handbook of Industrial Textile, 231-253
6. Prasad Potluri; "Textile preforming and constitutive modelling of long fibre composite", Proceeding of HPTEX, KTC, coimbatoure, 91-99, July(2004).
7. Imhotep Ltd; "Introduction to composite", www.imhotepcomposites.co.uk.
8. Frank K. et. al; "Textile preforming", Hand book of composite, 397-425, (1998).
9. H. Stumpf et. al; "New thermoplastic composite preforms based on split film warp knitting", Composites part A, 29A ,1511-1523, (1998).
10. Chen B. and Chou T. W; Composite science and Technology, 60(12-13), 2223-2231, (2000).
11. B. Lauke et. al; "Effect of hybrid yarn structure on the delamination behaviour of thermoplastic composite", Composites part A, 29 A, 1397-1409 ,(1998).
12. V. Ogale and R. Alagirusamy, "Textile preforms for advanced composites", Indian Journal of Fibre and Textile Research, Vol. 29, 366-375, September(2004).
13. E. Mader, "New hybrid yarn for continues fibre reinforced thermoplastics", 35th International man-made fibres congress, 1-14, September(1996).
14. Krucniska et. al; "Preliminary studies on the manufacturing of hybrid yarn designed for thermoplastic composite" , April/June(2000).

15. Izabella Krucinska et. al; "Influence of the structures of hybrid yarns on the mechanical properties of thermoplastic composite", *Fibres and Textiles in Eastern Europe*, 38-41, April/June(2001).
16. U. Benzel et. al; "Air textured hybrid yarn structures and their influence on the properties of long fibre reinforced thermoplastic composite", *Technical Textiles*, Vol. 42,1-12, February (1999).
17. R. Alagirusamy et. al; "Structure and properties of commingled hybrid yarn for thermoplastic composite", *Proceeding of International Conference, Emerging Trend in Polymers and Textiles*, 256-265, January(2005).
18. V. R. Giri et. al; "Mechanical properties of composites based on knitted preforms ", *Proceeding of the HPTEX 2004*, 346-350 ,July (2004).
19. Loughborough University of Technology, UK; "Air-jet texturing and mingling/- interlacing", *International conference proceedings*, September (1989).
20. B. D. Choi, O. Diestel, P. Offermann; "CF-PEEK commingling hybrid yarn for textile reinforced light weight rotors and development perspectives". *Chemical Fibre International*, Vol. 52, 258, September(2002) .
21. Ramasamy, Algirusamy and Vinayak Ogale; "Commingled and air-jet-textured hybrid yarns for thermoplastic composite", *Journal of Industrial Textiles*, Vol. 33, No.1, 223 -243, April(2004).
22. Acar M. and Wray G. R; "Analysis of the air jet yarn-texturing process, vii. the effects of processing parameters on yarn properties", *Journal of Textile Institute*, 77(6), 377-385, (1986).
23. Acar M; Turton R. K. and Wray G. R; "Analysis of the air-jet yarn-texturing process iv-Fluid forces acting on the filaments and the effects of filament cross-sectional area and shape", *Journal of Textile Institute*, 77(4), 247-254, (1986).
24. Demir A; Acar M and Wray G. R; "Air-Jet Textured Yarns: The effects of process and supply yarn parameters on the properties of textured yarns", *Textile Research Journal*, 58(6), 318-328, (1998).
25. Acar M. and Wray G. R; "Analysis of the air jet yarn texturing process vii-The effects of processing parameters on yarn properties", *Journal of Textile Institue*, 77 (6), 377-385, (1986).

26. Iemoto Y; Chono S. and Sawaszaki K; "Study on Interlaced Yarn II-Variation of yarn tension and relation between tangling number and yarn tension", *Journal of the Textile Machinery Society of Japan*, 39 (7), T115-120, (1986).
27. Chono S. and Iemoto Y; "Study on Interlaced Yarn VII-Yarn motion and production mechanism of tangling", *Journal of Textile Machinery Society of Japan*, 45 (2), T19-25, (1992).
28. Chono S; Iemoto Y. and Terachi T; "Model experiment on interlaced yarn. V. -continuous blowing method", *Journal of Textile Machinery Society of Japan*, 43 (7), T53-69, (1990).
29. Iemoto Y. and Chono S; "Study on interlaced yarn III-Air flow in yarn path", *Journal of Textile Machinery Society of Japan*, 40 (5), T47-56, (1987).
30. Lunenschloss J. and Zilg J; "Intermingling of synthetic filament yarns in air flow", *Textile Praxis International VII-IX*, 934-936, (1992).
31. Iemoto Y; Chono S. and Tanida M; "Model experiment on interfaced yarn i-single blowing method", *Journal of the Textile Machinery Society of Japan*, 39 (8), T123-130, (1986).
32. Weinsdorfer H; "Mechanisms of the intermingling of filament yarns", *Chemiefasern/ Textil-industrie* E21-22, 31/83 (3), 198-202, (1981).
33. Weichun L; Iemoto Y. and Chono S; "Size effect of interlacing-iii. formulation of number of tangles", *Journal of the Textile Machinery Society of Japan*, 48 (2), 33-42, (1995).
34. Acar M. and Versteeg H. K; "Air jet texturing and intermingling nozzle designs: easy to manufacture and maintainance", *Chemical Fibers International*, 50 (5), 502-505,(2000).
35. Lazauskas V; Lukosaitis A. and Matukonis A; "Effect of the design parameters of the aerodynamic device on the tangle lacing intensity of filament yarns", *Tekhnologiya-Tekstil'noi-Promyshlennosti*, 177(3), 27-30, (1987).
36. Chellamari K. P; Arulmozli M. and Vittopa M.K; "Index of blend irregularity: concept and application", *Asian Textile Journal*, 9(7), 42-47, (2000).

37. Punj S. K; Mukhopadhyay A. and Basu B; "Blend irregularity and migratory behaviour of blend constituents in AJS polyester-viscose yarns", Indian Journal of Fibre and Textile Research, 24(4), 247-252, (1999).
38. Gupte A; Bhattak B. L. and Chattopadhyay S. K; "Influence of preparatory processes on blend irregularities of rotor-spun blended yarns", Indian Journal of Fibre and Textile Research, 20(2), 79-82,(1995).
39. M. A. Zerises, Temco Textilmaschine Komponentent GmbH; "Y and Cl, air interlacing technology for different textile processes", Chemical fibre intimation, Vol. 53, 46-50, February (2003).
40. Heberlein; "Latest developments in our interlacing jets", Chemical fibre International, Vol. 53, 114-115, April (2003).
41. H. Stuhle GmbH and Dietze and Schell Masdhinen fubrik GmbH; "Commingling-Hybrid yarn (COM)"
42. Nikhil Dani, "ITMA 2003: Review of air texturing/intermingling", JTATM, Vol. 3, Issue 3, (2003).
43. Scherpf H.D; "Intermingling trials in air-covering with Y shape-technology", Temco Textile Machinery Component Manufacturers GmbH, 1-6, (2004).
44. Müller-Probandt; "Trend in air covering", Temco GmbH, Hammelburg/Germany, (2003).
45. Dinesh J. Shah; "Comparative education of different intermingling jet", M. Text Thesis, M.S. University, (1990-91).
46. Hans-Dieter Scherpf and Marc A. Zenses; "Advanced air jet to meet higher performance yarn requirements", Special report by International fibre journal, (2004).
47. Andreas; "Interlacing jet technology and world market for taslan air-jet textured yarns", Heberlin fibre technology inc, (2000).
48. K. Chan; "ITMA 03 survey 3: extrosion winding, twisting convering, texturing etc." Textile Asia, 19-23, December(2003).
49. Chig-luan Su. et. al; "Image analysis of composite yarn cross sections", Textile Research Journal, 69(3), 203-207, (1999).
50. E.Klata et. al; "DSC investigations polyamide 6 in hybrid GF/PA 6 yarns and composites", Polymer Textiles, 929-937, (2003).

51. C. Thanomsilp P. J. Hogg; "Penetration impact resistance of hybrid composites based on commingled yarn fabrics", *Composite science and Technology*, 467-482, (2003).
52. R. Alagirusamy et. al; "Hybrid yarns and textile performing for thermoplastic composite", *Textile Progress*, Vol. 38, No.4, August (2006).
53. A. C. Long; "Design and manufacture of textile composites": Book.
54. Mohsen Miraftab; "Technical Fibres": Handbook of Technical Textiles.
55. K. P. Chellamani, Debasis Chattopadhyay; "Yarns and technical textiles", SITRA, Coimbatore: Book.
56. Kim Anderson and Abdelfattah M. Seyam; "The road to true wearable electronics", *Textiles magazine*, No.1, (2004).
57. Dina Meoli and Traci May-Plumlee; "Interactive electronic textile development: a review of technologies", *JTATM*, Vol. 2, Issue 2, Spring (2002).
58. J. H. Lin and C. W. Lou; "Electrical properties of laminates made from a new fabric with pp/stainless steel commingled yarn", *Textile Research Journal*, 73(4), 322-326, (2003).
59. Hsin-Chuan Chen, Jia-Horng Lin and Kuei-Chi Lee; "Electromagnetic shielding behaviour of conductive woven fabrics reinforced thermoplastic composites", *Proceedings of The Textile Institute 83rd World Conference*, Shanghai, China, May(2004).
60. Ching-luan Su and Jin-Tsair Chern; "Effect of stainless steel containing fabrics on electromagnetic shielding effectiveness", *Textile Research Journal*, 74(1), 51-54, (2004).
61. R. Neelakandan, M. Madhusoothanan; "EMI shielding effectiveness of copper core yarn woven fabrics", *Proceedings of the HPTEx*, Coimbatore, July (2004).
62. K. B. Cheng et. al; "Electromagnetic shielding effectiveness of the stainless steel/ polyester woven fabrics", *Textile Research Journal*, Vol. 71, No. 1, 42-49, January (2001).
63. T. Muhl B; Obolenski; "Textiles and electromagnetic radiation", *Milland Textile International*, (2004).

64. T. Muhl B; Obolenski; "Woven fabric offering electromagnetic shielding", Milland Textile International, Vol. 10, May(2004).
65. T. Muhl B; Obolenski; "Knitted and warp-knitted fabrics offering electromagnetic shielding", Milland English, 7-8, (2004).
66. D. D. L. Chung, O. I. Fisun, Y.K. Alexandrov; "Materials for biological safety through electromagnetic shielding".
67. K. B. Cheng, T. H. Ueng, G. Dixon; "Electrostatic discharge properties of the stainless steel/polyester woven fabrics", Textile Research Journal, 71(8), 732-738, (2001).
68. "Conductive thermoplastics": RTP Company, France.
69. "Handbook of plastic testing technology": Book.
70. Brian Maclaga, W.Keith Fisher; "Static dissipation mechanism in carpets containing conductive fibers", Textile Research Journal, 71(4), 281-286, (2001).
71. M. Mohammadi, P. Banks-Lee and Parviz Ghadimi; "Determining effective thermal conductivity of multi-layered nonwoven fabrics", Textile Research Journal, 73(9), 802-808, (2003).
72. N. V. Bhat, D. T. Seshadri S. Radhakrishnan; "Preperation, characterization, and performance of conductive fabrics: Cotton+PANi", Textile Research Journal, 74(2), 155-166, (2004).
73. Anuj Dhawan, Abdelfattah, Tushar K. Ghosh and John F. Muth; "Woven fabric based electrical circuits", Textile Research Journal, 74(10), 913-919, (2004).
74. M. Y. Leung et. al; "Electromechanical behaviour of fibers coated with an electrically conductive polymer", Textile Research Journal, 74(10), 929-936, (2004).
75. Srimanta Ray, "RSM: A statistical tool for process optimisation", The Indian textile journal, December(2006).
76. R. V. Gowada, M. Sivakunal et.al; "Influence of process variables on characteristics of model siro-spun yarns using Box–Behnken response design".
77. V. K. Kothari et. al; "Effect of process variable on the properties of air-jet textured yarns using response surface design", Indian Journal of fibre and

- Textile Research, Vol. 27, 224-229, September(2002)
78. G. E. P. Box and D. W. Behnken, "Some new three level designs for the study of quantitative variables", *Technometrics*, No. 4, November(1960).
79. M. D. Wakeman et al; "Compression moulding of glass and polypropylene composites for optimised macro-and micro-mechanical properties of commingled glass and polypropylene", *Composites Science and Technology*, Vol.58, 18979-1898, (1998).
80. "Response Surface Designs": MINITAB Manual.
81. "Response Surface Methodology": Book.