

List of figures and tables

Figures	Title	Page Number
Chapter 1		
1	Female Reproductive System	25
2a	Structure of ovary (proestrous stage)	27
2b	Structure of ovary (estrous stage)	28
3a	Structure of uterus (proestrous stage)	30
3b	Structure of uterus (estrous stage)	31
4	Rat estrus cycle	33
5	Biochemical and morphological aspects of luteinization	37
6	Feedback control of estrogen and progesterone levels in female mammals	40
7	Hormonal Profile during Estrus cycle	44
8	Actions of Steroidogenic Acute Regulatory Protein (StAR) protein	50
9	FSH signal transduction pathway in granulosa cells of a dominant follicle.	51
10	Steroidogenic pathway in ovary	53
11	Regulatory mechanisms of androgen production by theca interstitial cells by Luteinising Hormone (LH).	55
12	"Two Gonadotropin-Two Cell Concept" of follicle estrogen production	60
13	Generalized action of gonadotropins in the ovary.	62

14	Structure of placenta	75
15a,b	Steroidogenesis during pregnancy	80-81
Tables	Title	Page No.
Chapter-I		
1	Lead concentrations in various media	4
2	Sources of lead exposure	4
3	Continuum signs and symptoms associated with lead toxicity	7
4	Guidance for treatment action according to blood lead level	9
5	Summary of lowest observed adverse effect levels (LOAELs) for lead induced health effects in adults and in children.	11
6	Summary of lowest observed adverse effect levels (LOAELs) for lead induced nervous effects in adults and in children.	13
7	Signs and symptoms of cadmium toxicity	20
8	Biological-monitoring tests for populations exposed to Cd in the industry and the	21

environment.

9	Features of rat estrus cycle	34
10	Localization of steroidogenic enzymes in the ovary	52
11	Characteristics of the genes and mRNAs of cytochrome P450 and their electron transfer proteins.	53
12	Summary of lowest observed adverse effect levels (LOAELs) for lead induced reproductive effects in males.	87
13	Summary of lowest observed adverse effect levels (LOAELs) for lead induced reproductive effects in females.	91

Figures	Title	Page No.
Chapter-III		
i	Dose dependent effect of lead and cadmium either alone or in combination on ovarian 3 β Hydroxy Steroid Dehydrogenase (3 β HSDH) activity in proestrous stage.	158
2	Dose dependent effect of lead and cadmium either alone or in combination on ovarian 17 β Hydroxy steroid Dehydrogenase (17 β SHDH) activity in proestrous stage.	158

3	Dose dependent effect of lead and cadmium either alone or in combination on ovarian 3 β Hydroxy Steroid dehydrogenase (3 β HSDH) activity in estrus stage.	159
4	Dose dependent effect of Lead and Cadmium alone and in combination on ovarian 17 β Hydroxy Steroid Dehydrogenase (17 β HSDH) activity in estrous stage	159
5	Time dependent effect of lead and cadmium either alone or in combination on ovarian 3 β Hydroxy steroid Dehydrogenase activity	166
6	Time dependent effect of lead and cadmium either alone or in combination on ovarian 17 β Hydroxy steroid Dehydrogenase activity.	166
7	Time dependent effect of lead and cadmium either alone or in combination on uterine 3 β Hydroxy steroid Dehydrogenase(3 β HSDH)	168
8	Time dependent effect of lead and cadmium either alone or in combination on uterine 17 β Hydroxy steroid Dehydrogenase activity.	168

Tables	Title	Page No.
1	Dose dependent effect of lead and cadmium treatment for 15 days on body weight (g) in proestrous stage	151
2	Dose dependent effect of lead and cadmium treatment for 15 days on ovarian weight (mg) in proestrous stage	151
3	Dose dependent effect of lead and cadmium treatment for 15 days on body weight (g) in estrous stage	152
4	Dose dependent effect of lead and cadmium treatment for 15 days on ovarian weight (mg) in estrus stage	152
5	Dose Dependent effect of lead and cadmium alone and in combination on blood lead and cadmium content ($\mu\text{g/ml}$)	153
6	Dose Dependent effect of lead and cadmium alone and in combination on ovarian lead and cadmium content (ng/ mg wet weight)	154
7	Effect of lead and cadmium either alone or in combination on gonadal steroids.	160

8	Dose dependent effect of lead and cadmium on safety parameters in proestrous stage.	161
9	Dose dependent effect of lead and cadmium on safety parameters in estrus stage.	162a
10	Time dependent effect of lead and cadmium treatment on body weight (g) in proestrous stage	163
11	Time dependent effect of lead and cadmium treatment on ovarian weight (mg) in proestrus stage	163
12	Time Dependent effect of lead and cadmium either alone or in combination on blood lead and cadmium content ($\mu\text{g/ml}$) at a dose of 0.05 mg/kg .body .wt.	164
13	Time Dependent effect of lead and cadmium alone and in combination on ovarian lead and cadmium content (ng/mg wet weight) at a dose of 0.05.mg/kg.body.wt.	164
14	Time Dependent effect of lead and cadmium alone and in combination on uterine lead and cadmium content ($\mu\text{g/g}$ wet weight) at a dose of 0.05 mg/kg .body.wt.	165

15	Time dependent effect of lead and cadmium on safety parameters in proestrous stage.	172
----	---	-----

Plates	Title	Page no.
1	Histological observation of ovary after various doses (0.025, 0.05 and 0.1mg/kg.body wt) of lead and cadmium treatment.	155
2	Histological observation of uterus after various doses (0.025, 0.05 and 0.1mg/kg.body wt) of lead and cadmium treatment in proestrous stage.	156
3	Histological observation of the uterus after various doses (0.025, 0.05 and 0.1mg/kg.body wt) of lead and cadmium treatment at estrous stage.	157
4	Histological observation of ovary after various time exposure (15, 30 and 45 days) of lead and cadmium treatment .	167
5	Histological observation of uterus after various time exposure (15, 30 and 45 days) of lead and cadmium treatment .	169
6	Electrophoretic Protein profile of uterus after lead and cadmium exposure at different time of exposure(15, 30 and 45 days)	170-171

Chapter-IV

Figures	Title	Page No.
1	Effect of lead and cadmium either alone or in combination on Cathepsin-D activity during implantation.	183
2	Effect of lead and cadmium either alone or in combination on Alkaline Phosphatase activity during implantation	183
3	Effect of lead and cadmium alone and in combination on 3 β Hydroxy Steroid Dehydrogenase (3 β HSD) in pregnant rats.	189
4	Effect of lead and cadmium alone and in combination on 17 β Hydroxy steroid Dehydrogenase(17 β HSD) in pregnant rats.	189
5a	Effect of lead and cadmium either alone or in combination on serum progesterone levels in pregnancy	190
5b	Effect of lead and cadmium either alone or in combination on ovarian progesterone level during pregnancy.	190
5c	Effect of lead and cadmium either alone or in combination on placental progesterone levels	190
6a	Effect of lead and cadmium either alone or in combination on serum estradiol levels during pregnancy	191
6b	Effect of lead and cadmium either alone or in combination on ovarian estradiol level	191

2	Gel filtration profile of iodinated Follicle Stimulating hormone(r-FSH)	202
3	Concentration curve for rLH on rat granulosa cells	203
4	Concentration curve for rFSH on rat granulosa cells	203
5	Effect of lead and cadmium either alone or in combination on Gonadotropin Binding on rat granulosa cells	205
6	Effect of lead and cadmium alone and in combination on 17 β Hydroxy steroid Dehydrogenase activity in granulosa cells	205
7	Effect of lead and cadmium alone and in combination, with and without zinc on r-LH receptor binding on granulosa cells (in vitro)	206
8	Effect of lead and cadmium alone and in combination on r-Follicle Stimulating Hormone(r-FSH), with and without zinc on granulosa cells (" <i>in vitro</i> ")	206
9	Effect of both lead and cadmium exposure in isolation and in combination, both with and without Zinc and -SH protectants preexposure, on 17 β Hydroxy Steroid dehydrogenase	207

Table	Chapter V	Page No.
1	Effect of lead and cadmium either alone or in combination on granulosa cell count.	204

Figures	Chapter VI	Page No.
1	Effect of lead and cadmium either alone or in combination on Na+K + ATPase activity in granulosa cell membrane	220
2	Effect of lead and cadmium either alone or in	220

	combination on membrane parameters of granulosa cell	
3	Effect of lead and cadmium either alone or in combination on granulosa cell membrane fluidity	221

Table	Chapter VI	Page No.
1	Effect of lead and cadmium either alone or in combination on GSH, TBARS levels and on antioxidant enzymes in ovarian granulosa cells (<i>in vivo</i> and <i>in vitro</i>)	219
2	Effect of lead and cadmium either alone or in combination on membrane parameters of granulosa cell membrane (<i>in vitro study</i>)	223
3	Effect of lead and cadmium either alone or in combination on GSH, TBARS levels and on antioxidant enzymes in placental homogenate.	224
4	Effect of lead and cadmium either alone or in combination on placental membrane parameters.	225
5	Effect of lead and cadmium either alone or in combination on placental membrane characteristics	226