

BIBLIOGRAPHY

- Aebi, H. (1984) Catalase in vitro, *Methods Enzymol.* 105, 121-126.
- Agabian, N. and Unger, B. (1978) *Caulobacter crescentus* cell envelope: effect of growth conditions on murein and outer membrane protein composition, *J. Bacteriol.* 133, 987-994.
- Aslund, F. and Beckwith, J. (1999) The thioredoxin superfamily: redundancy, specificity, and gray-area genomics, *J. Bacteriol.* 181, 1375-1379.
- Bardwell, J. (2005) Thiol modifications in a snapshot, *Nat. Biotechnol.* 23, 42-43.
- Bentley, S. D., Chater, K. F., Cerdeno-Tarraga, A. M et al. (2002) Complete genome sequence of the model actinomycete *Streptomyces coelicolor* A3(2), *Nature* 417, 141-147.
- Berglin, E. H., Edlund, M. B., Nyberg, G. K., and Carlsson, J. (1982) Potentiation by L-cysteine of the bactericidal effect of hydrogen peroxide in *Escherichia coli*, *J. Bacteriol.* 152, 81-88.
- Bespalov, V. A., Zhulin, I. B., and Taylor, B. L. (1996) Behavioral responses of *Escherichia coli* to changes in redox potential, *Proc. Natl. Acad. Sci. U. S. A* 93, 10084-10089.
- Billeci, T. M. and Stults, J. T. (1993) Tryptic mapping of recombinant proteins by matrix-assisted laser desorption/ionization mass spectrometry, *Anal. Chem.* 65, 1709-1716.
- Blackstock, W. P. and Weir, M. P. (1999) Proteomics: quantitative and physical mapping of cellular proteins, *Trends Biotechnol.* 17, 121-127.
- Blaschko, H. (1935) The mechanism of catalase inhibitions, *Biochem. J.* 29, 2303-2312.
- Bsat, N., Herbig, A., Casillas-Martinez, L., Setlow, P., and Helmann, J. D. (1998) *Bacillus subtilis* contains multiple Fur homologues: identification of the iron uptake (Fur) and peroxide regulon (PerR) repressors, *Mol. Microbiol.* 29, 189-198.
- Bucca, G., Brassington, A. M., Hotchkiss, G., Mersinias, V., and Smith, C. P. (2003) Negative feedback regulation of dnaK, clpB and lon expression by the DnaK chaperone machine in *Streptomyces coelicolor*, identified by

- transcriptome and in vivo DnaK-depletion analysis, *Mol Microbiol* 50, 153-166.
- Cadenas, E. (1989) Biochemistry of oxygen toxicity, *Annu. Rev. Biochem.* 58, 79-110.
- Cathcart, R., Schwiers, E., and Ames, B. N. (1983) Detection of picomole levels of hydroperoxides using a fluorescent dichlorofluorescein assay, *Anal. Biochem.* 134, 111-116.
- Chait, B. T., Wang, R., Beavis, R. C., and Kent, S. B. (1993) Protein ladder sequencing, *Science* 262, 89-92.
- Chan, J., Xing, Y., Magliozzo, R. S., and Bloom, B. R. (1992) Killing of virulent *Mycobacterium tuberculosis* by reactive nitrogen intermediates produced by activated murine macrophages, *J. Exp. Med.* 175, 1111-1122.
- Cho, Y. H. and Roe, J. H. (1997) Isolation and expression of the *catA* gene encoding the major vegetative catalase in *Streptomyces coelicolor* Muller, *J. Bacteriol.* 179, 4049-4052.
- Cho, Y. H., Lee, E. J., and Roe, J. H. (2000) A developmentally regulated catalase required for proper differentiation and osmoprotection of *Streptomyces coelicolor*, *Mol. Microbiol.* 35, 150-160.
- Christman, M. F., Morgan, R. W., Jacobson, F. S., and Ames, B. N. (1985) Positive control of a regulon for defenses against oxidative stress and some heat-shock proteins in *Salmonella typhimurium*, *Cell* 41, 753-762.
- Chun, Y. J., Shimada, T., Waterman, M. R., and Guengerich, F. P. (2006) Understanding electron transport systems of *Streptomyces* cytochrome P450, *Biochem. Soc. Trans.* 34, 1183-1185.
- Chung, H. J. and Roe, J. H. (1993) Profile analysis of proteins related with hydrogen peroxide response in *Streptomyces coelicolor* (Müller), *Kor. J. Microbiol. (currently J. Micobiol.)* 31, 166-174.
- Cox, J. S., Shamu, C. E., and Walter, P. (1993) Transcriptional induction of genes encoding endoplasmic reticulum resident proteins requires a transmembrane protein kinase, *Cell* 73, 1197-1206.

- De Groote, M. A., Testerman, T., Xu, Y., Stauffer, G., and Fang, F. C. (1996) Homocysteine antagonism of nitric oxide-related cytostasis in *Salmonella typhimurium*, *Science* 272, 414-417.
- Demple, B. and Linn, S. (1982) 5,6-Saturated thymine lesions in DNA: production by ultraviolet light or hydrogen peroxide, *Nucleic Acids Res.* 10, 3781-3789.
- den Hengst, C. D. and Buttner, M. J. (2008) Redox control in actinobacteria, *Biochim. Biophys. Acta* 1780, 1201-1216.
- Dogruel, D., Williams, P., and Nelson, R. W. (1995) Rapid tryptic mapping using enzymatically active mass spectrometer probe tips, *Anal. Chem.* 67, 4343-4348.
- Fahey, R. C., Hunt, J. S., and Windham, G. C. (1977) On the cysteine and cystine content of proteins. Differences between intracellular and extracellular proteins, *J. Mol. Evol.* 10, 155-160.
- Farr, S. B. and Kogoma, T. (1991) Oxidative stress responses in *Escherichia coli* and *Salmonella typhimurium*, *Microbiol. Rev.* 55, 561-585.
- Fleischmann, R. D., Adams, M. D., White, O., Clayton, R. A., Kirkness, E. F., Kerlavage, A. R., Bult, C. J., Tomb, J. F., Dougherty, B. A., and Merrick, J. M. (1995) Whole-genome random sequencing and assembly of *Haemophilus influenzae* Rd, *Science* 269, 496-512.
- Flint, D. H., Tuminello, J. F., and Emptage, M. H. (1993) The inactivation of Fe-S cluster containing hydro-lyases by superoxide, *J. Biol. Chem.* 268, 22369-22376.
- Fraser, K. R., Tuite, N. L., Bhagwat, A., and O'Byrne, C. P. (2006) Global effects of homocysteine on transcription in *Escherichia coli*: induction of the gene for the major cold-shock protein, CspA, *Microbiology* 152, 2221-2231.
- Friedrich, T. and Scheide, D. (2000) The respiratory complex I of bacteria, archaea and eukarya and its module common with membrane-bound multisubunit hydrogenases, *FEBS Lett.* 479, 1-5.
- Gardner, P. R. and Fridovich, I. (1991) Superoxide sensitivity of the *Escherichia coli* aconitase, *J. Biol. Chem.* 266, 19328-19333.

- Gardner, P. R. and Fridovich, I. (1991) Superoxide sensitivity of the *Escherichia coli* 6-phosphogluconate dehydratase, *J. Biol. Chem.* 266, 1478-1483.
- Gasch, A. P., Spellman, P. T., Kao, C. M., Carmel-Harel, O., Eisen, M. B., Storz, G., Botstein, D., and Brown, P. O. (2000) Genomic expression programs in the response of yeast cells to environmental changes, *Mol Biol. Cell* 11, 4241-4257.
- Ghyczy, M. and Boros, M. (2001) Electrophilic methyl groups present in the diet ameliorate pathological states induced by reductive and oxidative stress: a hypothesis, *Br. J. Nutr.* 85, 409-414.
- Ghyczy, M., Torday, C., and Boros, M. (2003) Simultaneous generation of methane, carbon dioxide, and carbon monoxide from choline and ascorbic acid: a defensive mechanism against reductive stress?, *FASEB J.* 17, 1124-1126.
- Giro, M., Carrillo, N., and Krapp, A. R. (2006) Glucose-6-phosphate dehydrogenase and ferredoxin-NADP(H) reductase contribute to damage repair during the soxRS response of *Escherichia coli*, *Microbiology* 152, 1119-1128.
- Gomes, S. L., Juliani, M. H., Maia, J. C., and Silva, A. M. (1986) Heat shock protein synthesis during development in *Caulobacter crescentus*, *J. Bacteriol.* 168, 923-930.
- Gonzalez-Flecha, B. and Demple, B. (1995) Metabolic sources of hydrogen peroxide in aerobically growing *Escherichia coli*, *J. Biol. Chem.* 270, 13681-13687.
- Gonzalez-Flecha, B. and Boveris, A. (1995) Mitochondrial sites of hydrogen peroxide production in reperfused rat kidney cortex, *Biochim. Biophys. Acta* 1243, 361-366.
- Green, J. and Paget, M. S. (2004) Bacterial redox sensors, *Nat. Rev. Microbiol* 2, 954-966.
- Ha, G. H., Lee, S. U., Kang, D. G., Ha, N. Y., Kim, S. H., Kim, J., Bae, J. M., Kim, J. W., and Lee, C. W. (2002) Proteome analysis of human stomach tissue: separation of soluble proteins by two-dimensional polyacrylamide gel

- electrophoresis and identification by mass spectrometry, *Electrophoresis* 23, 2513-2524.
- Hahn, J. S., Oh, S. Y., Chater, K. F., Cho, Y. H., and Roe, J. H. (2000) H₂O₂-sensitive fur-like repressor CatR regulating the major catalase gene in *Streptomyces coelicolor*, *J. Biol. Chem.* 275, 38254-38260.
- Hahn, J. S., Oh, S. Y., and Roe, J. H. (2000) Regulation of the furA and catC operon, encoding a ferric uptake regulator homologue and catalase-peroxidase, respectively, in *Streptomyces coelicolor* A3(2), *J. Bacteriol.* 182, 3767-3774.
- Hahn, J. S., Oh, S. Y., and Roe, J. H. (2002) Role of OxyR as a peroxide-sensing positive regulator in *Streptomyces coelicolor* A3(2), *J. Bacteriol.* 184, 5214-5222.
- Halliwell, B. (1990) How to characterize a biological antioxidant, *Free Radic. Res. Commun.* 9, 1-32.
- Halliwell, B. and Aruoma, O. I. (1991) DNA damage by oxygen-derived species. Its mechanism and measurement in mammalian systems, *FEBS Lett.* 281, 9-19.
- Harold, F. M. (1972) Ion transport and electrogenesis in bacteria, *Biochem. J.* 127, 49-50.
- Harold, F. M. (1972) Conservation and transformation of energy by bacterial membranes, *Bacteriol. Rev.* 36, 172-230.
- Hassett, D. J. and Cohen, M. S. (1989) Bacterial adaptation to oxidative stress: implications for pathogenesis and interaction with phagocytic cells, *FASEB J.* 3, 2574-2582.
- Hesketh, A. R., Chandra, G., Shaw, A. D., Rowland, J. J., Kell, D. B., Bibb, M. J., and Chater, K. F. (2002) Primary and secondary metabolism, and post-translational protein modifications, as portrayed by proteomic analysis of *Streptomyces coelicolor*, 46 ed., 917-932.
- Hidalgo, E., Ding, H., and Dimple, B. (1997) Redox signal transduction: mutations shifting [2Fe-2S] centers of the SoxR sensor-regulator to the oxidized form, *Cell* 88, 121-129.


- Holmgren, A. (1989) Thioredoxin and glutaredoxin systems, *J. Biol. Chem.* 264, 13963-13966.
- Hopwood, D. A., Bibb, M. J., Chater, K. F., Kieser, T., Bruton, C. J., Kieser, H. M., Lydiate, D. J., Smith, C. P., and Schrempf, H. (1985) Genetic Manipulation of *Streptomyces*: a laboratory manual. *The John Innes Foundation*, Norwich.
- Hopwood, D. A. (1999) Forty years of genetics with *Streptomyces*: from in vivo through in vitro to in silico, *Microbiology* 145 (Pt 9), 2183-2202.
- Huang, J., Lih, C. J., Pan, K. H., and Cohen, S. N. (2001) Global analysis of growth phase responsive gene expression and regulation of antibiotic biosynthetic pathways in *Streptomyces coelicolor* using DNA microarrays, *Genes Dev.* 15, 3183-3192.
- Huang, L. E., Zhang, H., Bae, S. W., and Liu, A. Y. (1994) Thiol reducing reagents inhibit the heat shock response. Involvement of a redox mechanism in the heat shock signal transduction pathway, *J. Biol. Chem.* 269, 30718-30725.
- Hutchinson, F. (1985) Chemical changes induced in DNA by ionizing radiation, *Prog. Nucleic Acid Res. Mol. Biol.* 32, 115-154.
- Imlay, J. A. and Linn, S. (1988) DNA damage and oxygen radical toxicity, *Science* 240, 1302-1309.
- Imlay, J. A., Chin, S. M., and Linn, S. (1988) Toxic DNA damage by hydrogen peroxide through the Fenton reaction in vivo and in vitro, *Science* 240, 640-642.
- Imlay, J. A. (2003) Pathways of oxidative damage, *Annu. Rev. Microbiol* 57, 395-418.
- Imlay, J. A. (2008) Cellular defenses against superoxide and hydrogen peroxide, *Annu. Rev. Biochem.* 77, 755-776.
- Inaba, K. (2009) Disulfide bond formation system in *Escherichia coli*, *J. Biochem.* 146, 591-597.
- Kachur, A. V., Held, K. D., Koch, C. J., and Biaglow, J. E. (1997) Mechanism of production of hydroxyl radicals in the copper-catalyzed oxidation of dithiothreitol, *Radiat. Res.* 147, 409-415.

- Kadokura, H., Katzen, F., and Beckwith, J. (2003) Protein disulfide bond formation in prokaryotes, *Annu. Rev. Biochem.* 72, 111-135.
- Kang, J. G., Paget, M. S., Seok, Y. J., Hahn, M. Y., Bae, J. B., Hahn, J. S., Kleanthous, C., Buttner, M. J., and Roe, J. H. (1999) RsrA, an anti-sigma factor regulated by redox change, *EMBO J.* 18, 4292-4298.
- Kieser, T., Bibb, M. J., Buttner, M. J., Chater, K. F., and Hopwood, D. A. (2000) *Practical Streptomyces Genetics. The John Innes Foundation, Norwich.*
- Kim, E. J., Chung, H. J., Suh, B., Hah, Y. C., and Roe, J. H. (1998) Expression and regulation of the *sodF* gene encoding iron- and zinc-containing superoxide dismutase in *Streptomyces coelicolor* Muller, *J. Bacteriol.* 180, 2014-2020.
- Kim, E. J., Chung, H. J., Suh, B., Hah, Y. C., and Roe, J. H. (1998) Transcriptional and post-transcriptional regulation by nickel of *sodN* gene encoding nickel-containing superoxide dismutase from *Streptomyces coelicolor* Muller, *Mol. Microbiol.* 27, 187-195.
- Kim, H., Lee, J. S., Hah, Y. C., and Roe, J. H. (1994) Characterization of the major catalase from *Streptomyces coelicolor* ATCC 10147, *Microbiology* 140 (Pt 12), 3391-3397.
- Kitts, C. L. and Ludwig, R. A. (1994) *Azorhizobium caulinodans* respire with at least four terminal oxidases, *J. Bacteriol.* 176, 886-895.
- Klose, J. (1975) Protein mapping by combined isoelectric focusing and electrophoresis of mouse tissues. A novel approach to testing for induced point mutations in mammals, *Humangenetik.* 26, 231-243.
- Koh, Y. S., Choih, J., Lee, J. H., and Roe, J. H. (1996) Regulation of the *ribA* gene encoding GTP cyclohydrolase II by the *soxRS* locus in *Escherichia coli*, *Mol. Gen. Genet.* 251, 591-598.
- Kohno, K., Normington, K., Sambrook, J., Gething, M. J., and Mori, K. (1993) The promoter region of the yeast *KAR2* (BiP) gene contains a regulatory domain that responds to the presence of unfolded proteins in the endoplasmic reticulum, *Mol. Cell Biol.* 13, 877-890.
- Krapp, A. R., Rodriguez, R. E., Poli, H. O., Paladini, D. H., Palatnik, J. F., and Carrillo, N. (2002) The flavoenzyme ferredoxin (flavodoxin)-NADP(H)

- reductase modulates NADP(H) homeostasis during the soxRS response of *Escherichia coli*, *J. Bacteriol.* 184, 1474-1480.
- Kroger, A., Biel, S., Simon, J., Gross, R., Uden, G., and Lancaster, C. R. (2002) Fumarate respiration of *Wolinella succinogenes*: enzymology, energetics and coupling mechanism, *Biochim. Biophys. Acta* 1553, 23-38.
- Krueger, J. H. and Walker, G. C. (1984) groEL and dnaK genes of *Escherichia coli* are induced by UV irradiation and nalidixic acid in an htpR⁺-dependent fashion, *Proc. Natl. Acad. Sci. U. S. A* 81, 1499-1503.
- Laemmli, U. K. (1970) Cleavage of structural proteins during the assembly of the head of bacteriophage T4, *Nature* 227, 680-685.
- Leichert, L. I. and Jakob, U. (2004) Protein thiol modifications visualized in vivo, *PLoS. Biol.* 2, e333.
- Leichert, L. I., Gehrke, F., Gudiseva, H. V., Blackwell, T., Ilbert, M., Walker, A. K., Strahler, J. R., Andrews, P. C., and Jakob, U. (2008) Quantifying changes in the thiol redox proteome upon oxidative stress in vivo, *Proc. Natl. Acad. Sci. U. S. A* 105, 8197-8202.
- Linn, T. and Losick, R. (1976) The program of protein synthesis during sporulation in *Bacillus subtilis*, *Cell* 8, 103-114.
- Loscalzo, J. (1996) The oxidant stress of hyperhomocyst(e)inemia, *J. Clin. Invest* 98, 5-7.
- Lowry, O. H., Rosebrough, N. J., Farr, A. L., and Randall, R. J. (1951) Protein measurement with the Folin phenol reagent, *J. Biol. Chem.* 193, 265-275.
- Lucchini, S., Thompson, A., and Hinton, J. C. (2001) Microarrays for microbiologists, *Microbiology* 147, 1403-1414.
- Mann, M., Hendrickson, R. C., and Pandey, A. (2001) Analysis of proteins and proteomes by mass spectrometry, *Annu. Rev. Biochem.* 70, 437-473.
- Marklund, S. and Marklund, G. (1974) Involvement of the superoxide anion radical in the autoxidation of pyrogallol and a convenient assay for superoxide dismutase, *Eur. J. Biochem.* 47, 469-474.
- Massey, V. (1994) Activation of molecular oxygen by flavins and flavoproteins, *J. Biol. Chem.* 269, 22459-22462.

- McCord, J. M. and Fridovich, I. (1988) Superoxide dismutase: the first twenty years (1968-1988), *Free Radic. Biol. Med.* 5, 363-369.
- McGregor, J. F. (1954) Nuclear Division and the Life Cycle in a *Streptomyces* sp, *Journal of genneral Microbiology* 11, 52-56.
- Messner, K. R. and Imlay, J. A. (1999) The identification of primary sites of superoxide and hydrogen peroxide formation in the aerobic respiratory chain and sulfite reductase complex of *Escherichia coli*, *J. Biol. Chem.* 274, 10119-10128.
- Morgan, R. W., Christman, M. F., Jacobson, F. S., Storz, G., and Ames, B. N. (1986) Hydrogen peroxide-inducible proteins in *Salmonella typhimurium* overlap with heat shock and other stress proteins, *Proc. Natl. Acad. Sci. U. S. A* 83, 8059-8063.
- Morrison, J. P., Coleman, M. C., Aunan, E. S., Walsh, S. A., Spitz, D. R., and Kregel, K. C. (2005) Thiol supplementation in aged animals alters antioxidant enzyme activity after heat stress, *J. Appl. Physiol* 99, 2271-2277.
- Mossner, E., Huber-Wunderlich, M., and Glockshuber, R. (1998) Characterization of *Escherichia coli* thioredoxin variants mimicking the active-sites of other thiol/disulfide oxidoreductases, *Protein Sci.* 7, 1233-1244.
- Netto, L. E. and Stadtman, E. R. (1996) The iron-catalyzed oxidation of dithiothreitol is a biphasic process: hydrogen peroxide is involved in the initiation of a free radical chain of reactions, *Arch. Biochem. Biophys.* 333, 233-242.
- Newton, G. L., Arnold, K., Price, M. S., Sherrill, C., Delcardayre, S. B., Aharonowitz, Y., Cohen, G., Davies, J., Fahey, R. C., and Davis, C. (1996) Distribution of thiols in microorganisms: mycothiol is a major thiol in most actinomycetes, *J. Bacteriol.* 178, 1990-1995.
- Niebisch, A. and Bott, M. (2003) Purification of a cytochrome bc-aa3 supercomplex with quinol oxidase activity from *Corynebacterium glutamicum*. Identification of a fourth subunity of cytochrome aa3 oxidase and mutational analysis of diheme cytochrome c1, *J. Biol. Chem.* 278, 4339-4346.

- Niederpreum, D. J. and HACKETT, D. P. (1961) Respiratory chain of *Streptomyces*, *J. Bacteriol.* 81, 557-563.
- Nishimura, T., Vertes, A. A., Shinoda, Y., Inui, M., and Yukawa, H. (2007) Anaerobic growth of *Corynebacterium glutamicum* using nitrate as a terminal electron acceptor, *Appl. Microbiol. Biotechnol.* 75, 889-897.
- Novotna, J., Vohradsky, J., Berndt, P., Gramajo, H., Langen, H., Li, X. M., Minas, W., Orsaria, L., Roeder, D., and Thompson, C. J. (2003) Proteomic studies of diauxic lag in the differentiating prokaryote *Streptomyces coelicolor* reveal a regulatory network of stress-induced proteins and central metabolic enzymes, *Mol Microbiol* 48, 1289-1303.
- O'Farrell, P. H. (1975) High resolution two-dimensional electrophoresis of proteins, *J. Biol. Chem.* 250, 4007-4021.
- Paget, M. S., Kang, J. G., Roe, J. H., and Buttner, M. J. (1998) sigmaR, an RNA polymerase sigma factor that modulates expression of the thioredoxin system in response to oxidative stress in *Streptomyces coelicolor* A3(2), *EMBO J.* 17, 5776-5782.
- Paget, M. S., Molle, V., Cohen, G., Aharonowitz, Y., and Buttner, M. J. (2001) Defining the disulphide stress response in *Streptomyces coelicolor* A3(2): identification of the sigmaR regulon, *Mol. Microbiol.* 42, 1007-1020.
- Park, S. and Imlay, J. A. (2003) High levels of intracellular cysteine promote oxidative DNA damage by driving the fenton reaction, *J. Bacteriol.* 185, 1942-1950.
- Puglia, A. M., Vohradsky, J., and Thompson, C. J. (1995) Developmental control of the heat-shock stress regulon in *Streptomyces coelicolor*, *Mol. Microbiol.* 17, 737-746.
- Rajasekaran, N. S., Connell, P., Christians, E. S., Yan, L. J., Taylor, R. P., Orosz, A., Zhang, X. Q., Stevenson, T. J., Peshock, R. M., Leopold, J. A., Barry, W. H., Loscalzo, J., Odelberg, S. J., and Benjamin, I. J. (2007) Human alpha B-crystallin mutation causes oxido-reductive stress and protein aggregation cardiomyopathy in mice, *Cell* 130, 427-439.



- Ralser, M., Wamelink, M. M., Kowald, A., Gerisch, B., Heeren, G., Struys, E. A., Klipp, E., Jakobs, C., Breitenbach, M., Lehrach, H., and Krobitsch, S. (2007) Dynamic rerouting of the carbohydrate flux is key to counteracting oxidative stress, *J. Biol.* 6, 10.
- Reeh, S., Pedersen, S., and Neidhardt, F. C. (1977) Transient rates of synthesis of five aminoacyl-transfer ribonucleic acid synthetases during a shift-up of *Escherichia coli*, *J. Bacteriol.* 129, 702-706.
- Richardson, D. J. (2000) Bacterial respiration: a flexible process for a changing environment, *Microbiology* 146 (Pt 3), 551-571.
- Sambrook, J. and Russell, T. (2001) Molecular Cloning: a Laboratory Manual, 2nd ed. Cold Spring Harbor, Cold Spring Harbor, NY.
- Schafer, F. Q. and Buettner, G. R. (2001) Redox environment of the cell as viewed through the redox state of the glutathione disulfide/glutathione couple, *Free Radic. Biol. Med.* 30, 1191-1212.
- Schafer, G. and Penefsky, H. S. (2008) Bioenergetics: energy conservation and conversion. Introduction, *Results Probl. Cell Differ.* 45, IV-VIII.
- Seaver, L. C. and Imlay, J. A. (2001) Alkyl hydroperoxide reductase is the primary scavenger of endogenous hydrogen peroxide in *Escherichia coli*, *J. Bacteriol.* 183, 7173-7181.
- Sedlak, J. and Lindsay, R. H. (1968) Estimation of total, protein-bound, and nonprotein sulfhydryl groups in tissue with Ellman's reagent, *Anal. Biochem.* 25, 192-205.
- Sevag, M. G. and Shelburne, M. (1942) The respiration of *Streptococcus pyogenes*: II. The inhibition of respiration and growth by sulfanilamide; the inhibition of respiration by hydroxylamine and its sulfonamide and other derivatives, *J. Bacteriol.* 43, 421-445.
- Sevanian, A. and Hochstein, P. (1985) Mechanisms and consequences of lipid peroxidation in biological systems, *Annu. Rev. Nutr.* 5, 365-390.
- Sidrauski, C., Cox, J. S., and Walter, P. (1996) tRNA ligase is required for regulated mRNA splicing in the unfolded protein response, *Cell* 87, 405-413.

- Simons, J. F., Ferro-Novick, S., Rose, M. D., and Helenius, A. (1995) BiP/Kar2p serves as a molecular chaperone during carboxypeptidase Y folding in yeast, *J. Cell Biol.* 130, 41-49.
- Stackebrandt, E., Frederiksen, W., Garrity, G. M., Grimont, P. A., Kampfer, P., Maiden, M. C., Nesme, X., Rossello-Mora, R., Swings, J., Truper, H. G., Vauterin, L., Ward, A. C., and Whitman, W. B. (2002) Report of the ad hoc committee for the re-evaluation of the species definition in bacteriology, *Int. J. Syst. Evol. Microbiol* 52, 1043-1047.
- Stamler, J. S., Osborne, J. A., Jaraki, O., Rabbani, L. E., Mullins, M., Singel, D., and Loscalzo, J. (1993) Adverse vascular effects of homocysteine are modulated by endothelium-derived relaxing factor and related oxides of nitrogen, *J. Clin. Invest* 91, 308-318.
- Starkebaum, G. and Harlan, J. M. (1986) Endothelial cell injury due to copper-catalyzed hydrogen peroxide generation from homocysteine, *J. Clin. Invest* 77, 1370-1376.
- Stefankova, P., Perecko, D., Barak, I., and Kollarova, M. (2006) The thioredoxin system from *Streptomyces coelicolor*, *J. Basic Microbiol.* 46, 47-55.
- Suh, J. K. and Robertus, J. D. (2000) Yeast flavin-containing monooxygenase is induced by the unfolded protein response, *Proc. Natl. Acad. Sci. U. S. A* 97, 121-126.
- Trotter, E. W. and Grant, C. M. (2002) Thioredoxins are required for protection against a reductive stress in the yeast *Saccharomyces cerevisiae*, *Mol. Microbiol.* 46, 869-878.
- van der Beek, E. G. and Stouthamer, A. H. (1973) Oxidative phosphorylation in intact bacteria, *Arch. Mikrobiol.* 89, 327-339.
- van, K. G., Siebring, J., Rembacz, K. P., Hoogeveen, M., Tomczynska, M., and Dijkhuizen, L. (2004) Improved method for the isolation of RNA from (standing liquid cultures of) *Streptomyces*, *J. Microbiol. Methods* 58, 139-142.
- Vekaria, H., Sadagopan, K., Adamec, J., Jarori, G. K., and Prabha, C. R. (2007) Thiol stress induces catalaseA in *Streptomyces coelicolor*, in *Communicating*

Current Research and Educational Topics and Trends in Applied Microbiology
(Méndez-Vilas, A., Ed.).

- Vohradsky, J., Li, X. M., and Thompson, C. J. (1997) Identification of procaryotic developmental stages by statistical analyses of two-dimensional gel patterns, *Electrophoresis* 18, 1418-1428.
- Vohradsky, J., Li, X. M., Dale, G., Folcher, M., Nguyen, L., Viollier, P. H., and Thompson, C. J. (2000) Developmental control of stress stimulons in *Streptomyces coelicolor* revealed by statistical analyses of global gene expression patterns, *J. Bacteriol.* 182, 4979-4986.
- Walker, G. E., Dunbar, B., Hunter, I. S., Nimmo, H. G., and Coggins, J. R. (1995) A catalase from *Streptomyces coelicolor* A3(2), *Microbiology* 141 (Pt 6), 1377-1383.
- Williams, C. H., Jr. (1995) Mechanism and structure of thioredoxin reductase from *Escherichia coli*, *FASEB J.* 9, 1267-1276.
- Woodmansee, A. N. and Imlay, J. A. (2002) Reduced flavins promote oxidative DNA damage in non-respiring *Escherichia coli* by delivering electrons to intracellular free iron, *J. Biol. Chem.* 277, 34055-34066.
- Young, F. S. and Neidhardt, F. C. (1978) Effect of inhibitors of elongation factor Tu on the metabolic regulation of protein synthesis in *Escherichia coli*, *J. Bacteriol.* 135, 675-686.
- Zheng, M., Aslund, F., and Storz, G. (1998) Activation of the OxyR transcription factor by reversible disulfide bond formation, *Science* 279, 1718-1721.
- Zotchev, S. B., Schrempf, H., and Hutchinson, C. R. (1995) Identification of a methyl-specific restriction system mediated by a conjugative element from *Streptomyces bambergensis*, *J. Bacteriol.* 177, 4809-4812.