


CHAPTER 7



BIBLIOGRAPHY



- Acuna-Castroviejo D, Martin M, Macias M, Escames G, Leon J, Khaldy H, Reiter RJ. Melatonin, mitochondria, and cellular bioenergetics. *J Pineal Res* 2001; 30: 65-74.
- Adachi K, Fujiura Y, Mayumi F, Nozuhara A, Sugiu Y, Sakanashi T, Hidaka T, Toshima H. A deletion of mitochondrial DNA in murine doxorubicin-induced cardiotoxicity. *Biochem Biophys Res Commun* 1993; 195(2): 945-51.
- Adachi T, Wang XL. Association of extracellular superoxide dismutase phenotype with the endothelial constitutive nitric oxide synthase polymorphism. *FEBS Lett* 1998; 433: 166-168.
- Agarwal B, Bhendwal S, Halmos B, Moss SF, Ramey WG, Holt PR. Lovastatin augments apoptosis induced by chemotherapeutic agents in colon cancer cells. *Clin. Cancer Res* 1999; 5: 2223-2229.
- Agarwal R, Mukhtar H. Oxidative stress in skin chemical carcinogenesis.: In Fuchs J, Packer L (eds): "Oxidative Stress in Dermatology." New York: Marcel Dekker Inc., 1993: 207-241.
- Ahmad N, Mukhtar H. Green tea polyphenols and cancer: biologic mechanisms and practical implications. *Nutr. Rev* 1999; 57: 78-83.
- Ajitha M, Rajnarayana K. Role of oxygen free radical in human disease Indian drugs 2001; 38(11): 545-554.
- Alberts DS, Peng YM, Moon TE. Alpha-tocopherol pretreatment increases adriamycin bone marrow toxicity. *Biomedicine* 1978; 29:189-191.
- Al-Shabanah OA, Badary OA, Nagi MN, Al-Garably N, Al-Rikabi A, Al-Bekairi AM. Thymoquinone protects against doxorubicin induced cardiotoxicity without compromising its antitumor activity. *J Exp Clin Cancer Res* 1998; 17:193-198.
- Anggard E. Nitric oxide: mediator, murderer, and medicine. *Lancet* 1994; 343: 1199-1206.
- Antunes LMG, Araujo MCP, Darin JDC, Bianchi MLP. Effects of the antioxidants curcumin and vitamin C on cisplatin-induced clastogenesis in Wistar rat bone marrow cells. *Mutat Res* 2000; 465: 131-7.
- Antunes LMG, Darin JDC, Bianchi MLP. Effect of the antioxidants curcumin or selenium on cisplatin induced nephrotoxicity and lipid peroxidation in rats. *Pharmacol. Res.* 2001; 43: 145 - 150.
- Antunes LMG, Darin JDC, Bianchi Mde LP. Protective effect of vitamin C against cisplatin induced nephrotoxicity and lipid peroxidation in adult rats: a dose dependant study. *Pharmacol. Res* 2000; 41: 405- 411.
- Appenroth D, Froh S, Kersten L, Splinter FK, Winnefeld K. Protective effects of vitamin E and C on cisplatin nephrotoxicity in developing rats. *Arch Toxicol* 1997; 71: 677-83.
- Arai M, Tomaru K, Takizawa T, Sekiguchi K, Yokoyama T, Suzuki T, Nagai R. Sarcoplasmic reticulum genes are selectively down-regulated in cardiomyopathy produced by doxorubicin in rabbits. *J Mol Cell Cardiol* 1998; 30(2):243-54.
- Arai M, Yoguchi A, Takizawa T, Yokoyama T, Kanda T, Kurabayashi M, Nagai R. Mechanism of doxorubicin-induced inhibition of sarcoplasmic reticulum Ca^{2+} -ATPase gene transcription. *Circ Res* 2000; 86(1): 8-14.
- Arcamone F, Animati F, Capranico G, Lombardi P, Pratesi G, Manzini S, Supino R, Zunino F. New developments in antitumor anthracyclines. *Pharmacol Ther* 1997;76(1-3):117-24.
- Arnal JF, Tack I, Besombes JP, Pipy B, Negre Salvayre A. Nitric oxide and superoxide anion production during endothelial cell proliferation. *Am J Physiol* 1996; 271: C1521.
- Arola OJ, Saraste A, Pulkki K, Kallajoki M, Parvinen M, Voipio-Pulkki LM. Acute doxorubicin cardiotoxicity involves cardiomyocyte apoptosis. *Cancer Res* 2000 60(7):1789-92.

- Arroua PL, Hatch Pigott V, Mower HF, Cooney RV. Mutagenicity of nitric oxide and its inhibition by antioxidants. *Mutat Res* 1992; 281:193.
- Aruoma O, Halliwell B. Molecular biology of free radicals in human disease. OICA international, Saint Lucia. 1998.
- Au WW, Hsu TC. The genotoxic effects of adriamycin in somatic and germinal cells of the mouse. *Mutat Res* 1980; 79:351-61.
- Aydiner A, Aytekin Y, Topuz E. Effects of cisplatin on testicular tissue and the Leydig cell pituitary axis. *Oncology* 1997; 54:74-78.
- Bachur NR, Gordon SL, Gee MV, Kon H. NADPH cytochrome P-450 reductase activation of quinone anticancer agents to free radicals. *Proc Natl Acad Sci* 1979; U S A 76(2): 954-7.
- Badr FM, El-Habit OH, Harraz MM. Radioprotective effect of melatonin assessed by measuring chromosomal damage in mitotic and meiotic cells. *Mutat Res* 1999; 444: 367-372.
- Banci L, Benedetto M, Bertini I, Del Conte R, Piccoli M, Viezzoli MS. Solution structure of reduced monomeric Q133M2 copper, zinc superoxide dismutase (SOD). Why is SOD a dimeric enzyme? *Biochemistry* 1998; 37: 11780-11791.
- Bardeleben RV, Dunkern T, Kaina B, Fritz G. The HMG-CoA reductase inhibitor lovastatin protects cell from antineoplastic drugs doxorubicin and etoposide. *Int J Med* 2002; 10 (4): 473-9.
- Bartsch H, Barbin A, Marion MJ, Nair J, Guichard Y. Formation, detection and role in carcinogenesis of ethyl base in DNA. *Drug Metab Rev* 1994; 26: 349.
- Bartsch H. DNA adducts in human carcinogenesis etiological relevance and structure activity relationship. *Mutat Res* 1996; 340:67.
- Beauchamp C, Fridovich I. Superoxide dismutase: Improved assays and an assay applicable to acrylamide gels. *Anal. Biochem* 1971; 44: 276-7.
- Beckman JS, Koppenol WH. Nitric oxide, superoxide, and peroxynitrite: the good, the bad, and ugly. *Am J Physiol* 1996; 271(5 Pt 1): C1424-C1437.
- Beckman JS, Beckman TW, Chen J, Marshall PA, Freeman BA. Apparent hydroxyl radical production by peroxynitrite: implications for endothelial injury from nitric oxide and superoxide. *Proc Natl Acad Sci U.S.A* 1990; 87: 1620-1624.
- Belguendouz L, Fremont L, Linard A. Resveratrol inhibits metal ion-dependent and independent peroxidation of porcine low-density lipoproteins. *Biochem. Pharmacol* 1997; 53:1347-1355.
- Bellini O, Solcia E. Early and late sarcoplasmic reticulum changes in doxorubicin cardiomyopathy. An ultrastructural investigation with the zinc iodide osmium tetroxide (ZIO) technique. *Virchows Arch B Cell Pathol Incl Mol Pathol* 1985; 49(2): 137-52.
- Benjamin RS, Riggs CE, Jr., Bachur NR. Plasma pharmacokinetics of adriamycin and its metabolites in humans with normal hepatic and renal function. *Cancer Res* 1977; 37(5): 1416-20.
- Benov LI, Fridovich. Growth in iron-enriched medium partially compensates *Escherichia coli* for the lack of manganese and iron superoxide dismutase. *J Biol Chem* 1998; 273, 10313-10316.
- Bertelli AA, Giovannini L, Giannessi D, Migliori M, Bernini W. Antiplatelet activity of synthetic and natural resveratrol in red wine. *International J. of Tissue Reactions* 1995; 17:1-3.
- Bielski BHJ, Chan PC. Enzyme catalysed free radical reactions, with nicotinamide adenine nucleotides, Lactate dehydrogenase catalyzed chain oxidation of bound NADH by superoxide radicals. *Arch Biochem Biophys* 1973; 159:873.

- Billingham ME, Mason JW, Bristow MR, Daniels JR. Anthracycline cardiomyopathy monitored by morphologic changes. *Cancer Treat Rep* 1978; 62(6):865-72.
- Birnboim HC. DNA strand break in human Leukocytes induced by superoxide anion, hydrogen peroxide and tumor promoters are repaired slowly compared to breaks induced by ionizing radiation. *Carcinogenes* 1986; 7:15111.
- Bogin E, Marom M, Levi Y. Changes in serum, liver and kidneys of cisplatin-treated rats; effects of antioxidants. *Eur. J. Clin. Chem. Biochem* 1994; 32: 843-851.
- Bonting SL. Presence of enzyme system in mammalian tissues. Membrane and Ion transport. London: Wiley Inter Science 1970: 257-263.
- Borek C, Troll W. Modifiers of free radicals inhibits in vitro the oncogenic actions of x-rays, bleomycin, and the tumor promoter 12-O-tetradecanoylphorbol-13-acetate. *Proc Natl Acad Sci U S A* 1983; 80:1304-1307.
- Borek C. Anti-aging effects of CoQ10. *Agro Food Industry Hi-Tech* 2004; 15:24 -27.
- Borek C. Antioxidants and cancer. *Sci Med (Phila)* 1997; 4:51-62.
- Borek C. Free radical processes in multistage carcinogenesis. *Free Radic Res Comm* 1991;12:745-750.
- Boucek RJ, Jr., Olson RD, Brenner DE, Ogunbunmi EM, Inui M, Fleischer S. The major metabolite of doxorubicin is a potent inhibitor of membrane-associated ion pumps. A correlative study of cardiac muscle with isolated membrane fractions. *J Biol Chem* 1987; 262(33): 15851-6.
- Brady HR, Zeidel ML, Kone BC, Giebisch G, Gullans SR. Differential actions of cisplatin on renal proximal tubule and inner medullary collecting duct cells. *J. Pharmacol. Exp. Ther* 1993; 265: 1421-1428.
- Bray F, Sankila R, Ferlay J, Parkin DM. Estimates of cancer incidence and mortality in Europe in 1995. *Eur J Cancer* 2002; 39:1718-1929.
- Breed JG, Zimmerman AN, Dormans JA, Pinedo HM. Failure of the antioxidant vitamin E to protect against adriamycin induced cardiotoxicity in the rabbit. *Cancer Res* 1980; 40(6): 2033-2038.
- Bristow MR, Billingham ME, Mason JW, Daniels JR. Clinical spectrum of anthracycline antibiotic cardiotoxicity. *Cancer Treat Rep* 1997; 62(6): 873-9.
- Bristow MR, Kantrowitz NE, Harrison WD, Minobe WA, Sageman WS, Billingham ME. Mediation of subacute anthracycline cardiotoxicity in rabbits by cardiac histamine release. *J Cardiovasc Pharmacol* 1983; 5(6): 913-9.
- Bruda MJ, Hurberman RB, Holden HT. Inhibition of murine natural killer cell activity by postaglanids. *J Immunol* 1980; 124: 2682.
- Buja LM, Ferrans VJ, Mayers RJ, Robert WC, Henderson ES. Cardiac ultrastructural changes induced by daunorubicin therapy. *Cancer* 1973; 32:771-778.
- Buschfort C, Müller MR, Seeber S, Rajewsky MF, Thomale J. DNA excision repair profiles of normal and leukemic human lymphocytes: functional analysis at the single-cell level. *Cancer Res* 1997; 57:651-658.
- Caffrey PB, Frenkel GD. Selenium compounds prevent the induction of drug resistance by cisplatin in human ovarian tumor xenografts in vivo. *Cancer Chemother. Pharmacol* 2000; 46:74-78.
- Cairo G, Castrusani E, Minotti G, Bernelli-Zazzera A. Superoxide and hydrogen peroxide-dependent inhibition of iron regulatory protein activity: A protective stratagem against oxidative injury. *FASEB J* 1996; 10:1326-1335.

- Calemels S, Hainaut P, Ohshima H. Nitric oxide conformational and functional modifications of wild type p53 tumor suppressor protein *Cancer Res.* 1997; 57: 3365.
- Carbo N, Costelli P, Baccino FM, Lopez-Soriano FJ, Argiles JM. Resveratrol, a natural product present in wine, decreases tumour growth in a rat tumor model. *Biochem. Biophys. Res. Commun* 1999; 254: 739-743.
- Cardinali DP. Clinical perspectives for the use of melatonin as a neuroprotective chronobiotic in Alzheimer's disease. *Aktual Neurol* 2003; 3: 188-204.
- Carmody JR, Cotter TG. Signalling apoptosis: A radical approach. *Redox Rep* 2001; 6: 77-88.
- Cassidy SC, Chan DP, Rowland DG, Allen HD. Effects of doxorubicin on diastolic function, contractile reserve, and ventricular-vascular coupling in piglets. *Pediatr. Cardiol.* 1998;19:450-457.
- Cerruti PA. Mechanisms of action of oxidant carcinogens. *Cancer Detect Prev* 1989; 14:281-284.
- Cerutti P, Ghosh R, Oya Y, Amstad P. The role of the cellular defense in oxidant carcinogenesis. *Environ Health Perspect* 1994; 102:123.
- Challa A, Ahmad N, Mukhtar H. Cancer prevention through sensible nutrition. *Int J Oncol* 1997; 11:1387-92.
- Chance B, Sies H, Boveris A. Hydroperoxide metabolism in mammalian organs. *Physiol. Rev* 1979; 59:527-534.
- Cheeseman KH, Slater TF. An introduction to free radical biochemistry. *Br.Med. Bull.* 1993;491:481-493.
- Chemotherapy Associated Oxidative Stress:Impact on Chemotherapeutic Effectiveness National Institutes of Health. Information on clinical trials. Available at: <http://clinicaltrials.gov>. Accessed August 25, 2004.
- Chen ZM, Colombo T, Conforti L, Grazia DM, Fiedorowicz RJ, Marchi S, Paolini A, Riva E, Zuanetti G, Latini R.. Effects of three new anthracyclines and doxorubicin on the rat isolated heart. *J Pharm Pharmacol* 1987; 39(11): 947-50.
- Cheng KC, Cahilli DS, Kasai H, Nishimura S, Loeb LA. 8 Hydroxyguanine an abundant form of oxidative DNA damage causes G → T and A → C substitutions. *J Biol Chem* 1992; 267: 166.
- Chessman KH, Slater TF. An introduction to free radical biochemistry. *British Med Bull* 1993; 49:481.
- Chhatwal VJS, Ngoi SS, Chan STF, Chia YW, Moolchhala SM. Aberrant expression of nitric oxide synthase in human polyps, neoplastic colonic mucosa and surrounding peritumoral normal mucosa. *Carcinogenesis* 1994; 15:2081-2085.
- Choi JH, Cha BK, Rhee SJ. Effect of green tea catechin on hepatic microsomal phospholipase A2 activities and changes of hepatic phospholipid species in streptozotocin-induced diabetic rats. *Journal of Nutritional Science and Vitaminol* 1998; 44: 673-683.
- Choi MA, Kim BS, Yu R. Serum antioxidative vitamin levels and lipid peroxidation in gastric carcinoma patients. *Cancer Lett* 1999; 136: 89.
- Chung KT, Wong TY, Wei CI, et al. Tannins and human health: a review. *Crit Rev Food Sci Nutr* 1998;38:421-64.
- Cighetti G, Bortone L, Sala S, Allevi P. Mechanisms of action of malondialdehydes and 4 hydroxynonenal on xanthine oxidoreductase. *Arch Biochem Biophys* 2001;389: 195.

- Ciolino HP, Yeh GC. Inhibition of aryl hydrocarbon-induced cytochrome P-450 1A1 enzyme activity and CYP1A1 expression by resveratrol. *Mol. Pharmacol* 1999;56: 760-767.
- Clemens MR, Ladner C, Ehninger G, et al. Plasma vitamin E and β -carotene concentrations during radiochemotherapy preceding bone marrow transplantation. *Am J Clin Nutr* 1990; 51:216-219.
- Clement MV, Hirpara JL, Chawdhury SH, Pervaiz S. Chemopreventive agent resveratrol, a natural product derived from grapes, triggers CD95 signaling-dependent apoptosis in human tumor cells. *Blood* 1998; 92:996-1002.
- Clementi E, Brown GC, Feelishch M, Moncada S. Persistent inhibition of cell respiration by nitric oxide: crucial role of nitrosylation of mitochondrial complex I and protective action glutathione. *Proc Natl Acad Sci* 1998; USA 95: 7631.
- Colowick SP, Kaplan NO, Packer L. *Methods Enzymol.* Academic Press, London, 264 vol. 105 pp.121-5. 1984.
- Conchranie CG. Cellular injury by oxidants. *Am J Med* 1991; 91:23.
- Conklin KA. Dietary antioxidants during cancer chemotherapy: impact on chemotherapeutic effectiveness and development of side effects. *Nutr Can.* 2000;37:1-18.
- Cortes EP, Lutman G, Wanka J, Wang JJ, Pickren J, Wallace J, Holland JF. Adriamycin (NSC-123127) cardiotoxicity. A clinicopathologic correlation. *Cancer Treat Rep* 1975; 6:215-225.
- Creasey WA, McIntosh LS, Brescia T, Odujinrin O, Aspnes GT, Murray E, Marsh JC. Clinical effects and pharmacokinetics of different dosage schedules of adriamycin. *Cancer Res* 1976; 36(1):216-21.
- Cross AR, Jones OTG. Enzymic mechanism of superoxide production. *Biochim Biophys Acta* 1991; 1057:281.
- Curran CF, Narang PK, Reynolds RD. Toxicity profile of dexrazoxane (Zinecard, ICRF-187, ADR-529, NSC-169780), a modulator of doxorubicin cardiotoxicity. *Cancer Treat Rev* 1991; 18: 241-252.
- Daly ESE. Protective Effect of Cysteine and Vitamin E, Crocus Sativus and Nigella Sativa Extracts on Cisplatin-Induced Toxicity in Rats. *J. Islamic Acad. Sci.* 1996; 9:4.
- Davies KJ, Doroshow JH. Redox cycling of anthracyclines by cardiac mitochondria. I. Anthracycline radical formation by NADH dehydrogenase. *J Biol Chem* 1986; 261(7):3060-7.
- Davis HL, Davis TE. Daunorubicin and adriamycin in cancer treatment: an analysis of their roles and limitations. *Cancer Treat Rep* 1979; 63(5):809-15.
- De Haan J, Bladier C, Griffiths P, Kelner M et al. Mice with a homozygous null mutation for the most abundant glutathione peroxidase, Gpx1, show increased susceptibility to the oxidative stress-inducing agents paraquat and hydrogen peroxide. *J Biol Chem* 1998; 273: 22528-22536.
- De la Lastra AC, Motilva V, Martin MJ et al. Protective effect of melatonin on indomethacin-induced gastric injury in rats. *J Pineal Res* 1999; 26: 101-107.
- DeAtley MH, Aksenov MY, Aksenova MV, et al. Antioxidants protect against reactive oxygen species associated with adriamycin treated cardiomyocytes. *Cancer Lett* 1999; 136:41-46.
- DeAtley SM, Aksenov MY, Aksenova MV, Jordan B, Carney JM, Butterfield DA. Adriamycin-induced changes of creatine kinase activity in vivo and in cardiomyocyte culture. *Toxicology* 1999; 134(1):51-62.
- Delanian, Bella Mekias S, Lefaix JL. Striking regression of chronic radiotherapy damage in a clinical trial of combined pentoxifylline and tocopherol. *J Clin Oncol.* 1999; 17:3283-3290.

- Delconstantinos G, Villiotou V, Stavrides JC, Salemes N, Gogas J. Nitric oxide and peroxynitrite production by human erythrocytes a causative factor of toxic anemia in breast cancer patients. *Anticancer Res.* 1997; 15:1435.
- Delius M, Enders G, Xuan Z, Liebich H, Brendel W. Biological effects of shock waves: Kidney damage by shock waves in dose dependence. *Ultrasound in Med Biol.* 1988. 14: 117-120.
- Della TP, Podesta A, Pincirol G, Iatropoulos MJ, Mazue G. Long-lasting effect of dexrazoxane against anthracycline cardiotoxicity in rats. *Toxicol Pathol* 1996; 24(4):398-402.
- Denoyelle C, Vasse M, Korner M, Mishal Z, Ganne F, Vannier JP, et al. Cerivastatin, an inhibitor of HMG-CoA reductase, inhibits the signaling pathways involved in the invasiveness and metastatic properties of highly invasive breast cancer cell lines: An *in vitro* study. *Carcinogenesis* 2001; 22:1139-48.
- Devi Priya S, Shyamala Devi CS. Protective effect of Quercetin in cisplatin induced cell injury in the rat kidney. *Ind. J. Pharmacol.* 1999; 31: 422-426.
- Di Marco A, Gaetani M, Scarpinato B. Adriamycin (NSC-123, 127): a new antibiotic with antitumor activity. *Cancer Chemother Rep* 1969; 53(1):33-7.
- Dimitroulakos J, Ye LY, Benzaquen M, Moore MJ, Kamel-Reid S, Freedman MH, et al. Differential sensitivity of various pediatric cancers and squamous cell carcinomas to lovastatin-induced apoptosis: therapeutic implications. *Clin Cancer Res* 2001; 7:158-67.
- Ding L, Liu Z, Zhu Z, Luo G, Zhao D, Ni J. Biochemical characterization of selenium-containing catalytic antibody as a cytosolic glutathione peroxidase mimic. *Biochem J* 1998; 332: 251-255.
- Diplock AT, Rice Evans K, Burdon RH. Is there a significant role for lipid peroxidation in causation of malignancy and for antioxidants. *Cancer Prevent* 1993; 54: 1952.
- Dodd DA, Atkinson JB, Olson RD, Buck S, Cusack BJ, Fleischer S, Boucek RJ, Jr. Doxorubicin cardiomyopathy is associated with a decrease in calcium release channel of the sarcoplasmic reticulum in a chronic rabbit model. *J Clin Invest* 1993; 91(4):1697-705.
- Doll D, Peto R. The causes of cancer. Quantitative estimates of avoidable risks of cancer in the United States today. Oxford: Oxford University Press, 1981.
- Dong Z, Staroselsky AH, Qi X, Xie K, Fidler IJ. Inverse correlation between expression of inducible nitric oxide synthase activity and production of metastasis in K-1735 murine melanoma cells. *Cancer Res* 1994; 54: 789.
- Donovan PJ, Smith GT, Lawlor TE, Cifone MA, Mulie H, Keefer LK. Quantification of slaxenulum diolate mutagenicity in four different *in vitro* assays. *Nitric oxide* 1997;1: 158.
- Doroshov JH, Davies KJ. Redox cycling of anthracyclines by cardiac mitochondria. II. Formation of superoxide anion, hydrogen peroxide, and hydroxyl radical. *J Biol Chem* 1986; 261(7):3068-74.
- Doroshov JH, Locker GY, Baldinger J, Myers CE. The effect of doxorubicin on hepatic and cardiac glutathione. *Res Commun Chem Pathol Pharmacol* 1979; 26(2):285-95.
- Doroshov JH, Locker GY, Myers CE. Enzymatic defenses of the mouse heart against reactive oxygen metabolites: alterations produced by doxorubicin. *J Clin Invest* 1980; 65(1): 128-35.
- Doroshov JH, Tallent C, Schechter JE. Ultrastructural features of Adriamycin-induced skeletal and cardiac muscle toxicity. *Am J Pathol* 1985; 118(2): 288-97.
- Doroshov JH. Effect of anthracycline antibiotics on oxygen radical formation in rat heart. *Cancer Res* 1983;43(2):460-72.
- Doroshov JR. Doxorubicin induced cardiotoxicity. *N Eng J Med* 1991; 324: 843-845.

- Dorr RT. Cytoprotective agents for anthracyclines. *Semin Oncol.* 1991; 23: 23-34.
- Douki H, Cadet J. Peroxynitrite mediated oxidation of purine bases of nucleosides and isolated DNA. *Free Radical Res* 1996; 24: 369.
- Downs JR, Clearfield M, Weis S, Whitney E, Shapiro DR, Beere PA, Langendorfer A, Stein EA, Kruyer W, Gotto AM for the AFCAPS/TextCAPS Research Group. Primary prevention of acute coronary events with lovastatin in men and women with average cholesterol levels. *J. Am. Med. Assoc* 1998; 279: 1615-1622.
- Doyban DC, Levi J, Jacobs C, Kosek J, Weiner MW. Mechanisms of cisplatin-induced nephrotoxicity: II. Morphologic observations. *J. Pharmacol. Exp. Ther* 1980; 213: 551-556.
- Dubois RN, Radhika A, Reddy BS, Entingh AJ. Increased cyclooxygenase-2 levels in carcinogen-induced rat colon tumors. *Gastroenterology* 1996; 110: 1259-1262.
- Durken M, Agbenu J, Finckh B, et al. Deteriorating free radical trapping capacity and antioxidant status in plasma during bone marrow transplantation. *Bone Marrow Transplant* 1995; 15: 757-762.
- Ellis CN, Ellis MB, Blakemore WS. Effect of adriamycin on heart mitochondrial DNA. *Biochem J* 1987; 245(1): 309-12.
- El-Missiry MA, Abdel-Aziz AF. Influence of melatonin on proliferation and antioxidant system in Ehrlich ascites carcinoma cells. *Cancer Lett* 2000; 151: 119-125.
- El-Missiry MA. Prophylactic effect of melatonin on lead-induced inhibition of heme biosynthesis and deterioration of antioxidant system in male rats. *J Biochem Mol Toxicol* 2000; 14: 57-61.
- Elwood PC, Renaud S, Sharp DS, Beswick AD, O'Brien JR, Yarnell JWG. Ischemic heart disease and platelet aggregation. *Circulation* 1991; 83: 38-44.
- Emerit I, Keck M, Levy A, Feingold J, Michelson A. Activated oxygen species at the origin of chromosome breakage and sister chromatid exchanges. *Mutat Res* 1982; 103: 165.
- Esterbauer H. Possible mutagens derived from lipids and lipid precursors. *Mutat Res* 1990; 238: 223.
- Faber M, Coudray C, Hida H, Mousseau M, Favier A. Lipid peroxidation products, and vitamin and trace element status in patients with cancer before and after chemotherapy including adriamycin: a preliminary study. *Biol Trace Elem Res.* 1995; 47: 117-123.
- Falcone G, Filippelli W, Mazzarella B, Tufano R, Mastronardi P, Filippelli A, Berrino L, Rossi F. Cardiotoxicity of doxorubicin: effects of 21-aminosteroids. *Life Sci.* 1998; 63: 1525-1532.
- Fauconneau B, WaffoTeguo P, Huguet F, Barrier L, Decendit A, Merillon JM. Comparative study of radical scavenger and antioxidant properties of phenolic compounds from *Vitis vinifera* cell cultures using *in vitro* tests. *Life Sci* 1997; 61: 2103-2110.
- Faure H, Coudray C, Mousseau M, et al. 5-hydroxymethyluracil excretion, plasma TBARS and plasma antioxidant vitamins in adriamycin treated patients. *Free Radic Biol Med.* 1996; 20: 979-983.
- Feleszko W, Bakowiec EZ, Sieberth E, Marczak M, Da,browska A, Giermasz A, Czajka A, Jakobisiak M. Lovastatin and TNF- α exhibit potentiated antitumor effects against Ha-ras transformed murine tumor via inhibition of tumor-induced angiogenesis. *Int. J. Cancer* 1999; 81: 560-567.
- Feleszko W, Mlynarczuk I, Ewa Z, Czajka A. Lovastatin potentiate antitumor activity and attenuates cardiotoxicity of doxorubicin on three tumor models in mice. *Clin Can Research* 2000; 6: 2044-2052.
- Feleszko W, Zagozydzon R, Go J, Jakobisiak M. Potentiated antitumor effects of cisplatin and lovastatin against MmB16 melanoma in mice. *Eur. J. Cancer* 1998; 34: 406-411.

- Felley BE. Role of nitric oxide in genotoxicity; Implication of carcinogenesis. *Cancer Metastasis rev* 1998; 17: 25.
- Fenster BE, Tsao PS, Rockson SG. Endothelial dysfunction clinical strategies for treating oxidant stress. *Am Heart J* 2003; 146:218-26.
- Feron VJ, Til HP, deVrjer F, Woutersen RA, Cassee FR, Van Vladeren PJ. Aldehydes; occurrence, Carcinogenic potential mechanism of action and risk assessment. *Mutation Res* 1991; 259: 363.
- Ferrans VJ. Overview of cardiac pathology in relation to anthracycline cardiotoxicity. *Cancer Treat Rep* 1978; 62(6):955-61.
- Fiske CH, Subbarow YT. Colorimetric determination of phosphorus. *J Biol.Chem* 1925; 66: 375-400.
- Flohe, L, Beckman R, Giertz H, Loschen G. Oxygen centered free radicals a mediators of inflammations, in *Oxidative stress*, edited by H Sies (Academic Press, New York) 1985: 185.
- Fontecave M, Lepoivre M, Elleingand E, Gerez C, Guittet O. Resveratrol, a remarkable inhibitor of ribonucleotide reductase. *FEBS Letters* 1998; 421:277-279.
- Forrester K, Ambs S, Lupold SE, Kapusi RB, Spillarc EA, Weinberg WC. Nitric oxide induced p53 accumulation and regulation of incucible nitric oxide synthase (NOS2) expression by wild type p53. *Rpoc Natil Acad Sci* 1996;USA 93:2442.
- Frankel EN, Kanner J, German JB, Parks E, Kinsella J. Inhibition of oxidation of human low-density lipoprotein by phenolic substances in red wine. *Lancet* 1993b; 341:454-457.
- Frankel EN, Parks EJ, Xu R, Schneeman BO, Davis PA, German JB. Effect of n-3 fatty acid-rich fish oil supplementation on the oxidation of low density lipoproteins. *Lipids* 1994; 29:233-236.
- Frankel EN, Waterhouse AL, Kinsella JE. Inhibition of human LDL oxidation by resveratrol. *Lancet* 1993a; 341:1103-1104.
- Fulda S, Meyer E, Friesen C, Susin SA, Kroemer G, Debatin KM. Cell type specific involvement of death receptor and mitochondrial pathways in drug-induced apoptosis. *Oncogene* 2001; 20: 1063-1075.
- Ganey PE, Carter LS, Mueller RA, Thurman RG. Doxorubicin toxicity in perfused rat heart. Decreased cell death at low oxygen tension. *Circ Res* 1991; 68(6):1610-3.
- Gardner PR, Friedovich I. Inactivation reactivation of aconitase in *Escherichia coli*, A sensitive measure of superoxide radical J. *Boil Chem* 1992; 267:8757.
- Garner AP, Paine MJ, Rodriguez-Crespo I, Chinje EC, Ortiz De Montellano P, Stratford IJ, Tew DG, Wolf CR. Nitric oxide synthases catalyze the activation of redox cycling and bioreductive anticancer agents. *Cancer Res* 1999;59: 1929-1934.
- Gaziano JM. Antioxidant vitamins and coronary artery disease risk. *Am. J. Med* 1994; 97(3A):18S-28S.
- Geetha A, Sankar R, Marar T, Devi CS. Tocopherol reduces doxorubicin-induced toxicity in rats histological and biochemical evidence. *Ind J Physiol Pharmacol* 1990; 34: 94-98.
- Gehm BD, McAndrews JM, Chien PY, Jameson JL. Resveratrol, a polyphenolic compound found in grapes and wine, is an agonist for the estrogen receptor. *Proc. Natl. Acad. Sci. U.S.A.* 1997; 94:14138-14143.
- Gehring NH, Hentze MW, Pantopoulos K. Inactivation of both RNA binding and aconitase activities of iron regulatory protein-1 by quinoneinduced oxidative stress. *J Biol Chem* 1999;274: 6219-6225.

- Gerber M, Aster C, Segala C, Saintot M, Scali J, Simony Lafontaine J, Grenier J, Pujol H. Tumor progression and oxidant antioxidant status. *Cancer Lett.* 1997; 114: 211.
- Gille L, Nohl H. Analyses of the molecular mechanism of adriamycin-induced cardiotoxicity. *Free Rad Biol Med.* 1997; 23:775-782.
- Giroux LM, Davignon J, Naruszewicz M. Simvastatin inhibits the oxidation of low-density lipoproteins by activated human monocyte-derived macrophages. *Biochem Biophys Acta* 1993; 1165:335-8.
- Gitto E, Reiter RJ, Cordaro SP, La Rosa, M, Chlurazzi P, Trimarchi G, Gitto P et al. Oxidative and inflammatory parameters in respiratory distress syndrome of preterm newborns: beneficial effects of melatonin. *Am J Perinatol* 2004; in press.
- Gitto E, Reiter RJ, Karbownik M, Tan DX, Gitto P, Barberi S, Barberi I. Causes of oxidative stress in the pre- and perinatal period. *Biol Neonate* 2002; 81: 146-157.
- Gitto E, Tan DX, Reiter RJ, Karbownik M, Manchester LC, Cuzzocrea S, Fulia F et al. Individual and synergistic actions of melatonin: studies with vitamin E, vitamin C, glutathione, and desferoxamine in liver homogenates. *J Pharm Pharmacol* 2001; 53: 1393-1401.
- Goldberg DM, Hahn SE, Parkes JG. Beyond alcohol: Beverage consumption and cardiovascular mortality. *Clin. Chim. Acta* 1995; 237:155-87.
- Goldstein RS, Mayor GH. The nephrotoxicity of cisplatin. *Life Sci.* 1983; 32: 685-691.
- Gomes A, Vedasiromoni JR, Das M, Sharma RM, Ganguly DK. Anti hyperglycemic effect of black tea (*Camellia sinensis*) in rat. *J Ethnopharmacology* 1995;45:223-226.
- Gonzalez-vitale JC, Hayes DM, Cvitkovic E, Sternberg SS. The renal pathology in clinical trials of cis-platinum-diaminedichloride. *Cancer* 1977;39: 1362-1371.
- Goodman J, Hochstein P. Generation of free radicals and lipid peroxidation by redox cycling of adriamycin and daunomycin. *Biochem Biophys Res Commun* 1977; 77:797-803.
- Gordon JA, Gattone VH. Mitochondrial alterations in cisplatin-induced acute renal failure. *Am. J. Physiol* 1986; 250: F991-F998.
- Gosalvez M, Blanco M, Hunter J, Miko M, Chance B. Effects of anticancer agents on the respiration of isolated mitochondria and tumor cells. *Eur J Cancer* 1974; 10(9): 567-74.
- Gouaze V, Mirault M-E, Carpenter S, Salvayre R, Levade T, Andrieu Abadie N. Glutathione peroxidase-1 overexpression prevents ceramide production and partially inhibits apoptosis in doxorubicin-treated human breast carcinoma cells. *Mol Pharmacol* 2001;60: 488-496.
- Grazioli V, Schiavo R, Casari E, Marzatico F, Rodriguez R, Baena P, Gaetani. Antioxidant enzymatic activities and lipid peroxidation in cultured human chondrocytes from vertebral plate cartilage. *FEBS Lett* 1998;431,149-153.
- Green D, Kroemer G. The central executioners of apoptosis: Caspases or mitochondria? *Trends Cell Biol* 1998;8: 267-71.
- Green DR, Reed JC. Mitochondria and apoptosis. *Science* 1998;281: 1309-1312.
- Green MJ, Hill HAO. Chemistry of dioxygen. *Methods Enzymol* 1984; 105:3.
- Greenblatt MS, Bennett WP, Holstein M, Harris CC. Mutations in the p53 tumor suppressor gene clues to cancer etiology and molecular pathogenesis. *Cancer Res* 1994; 54:4855.
- Greenlee RT, Murray T, Bolden S, Wingo PA. Cancer statistics. *Cancer J. Clin.* 2000; 50:7-33.

- Grip O, Janciauskiene S, Lindgren S. Pravastatin down-regulates inflammatory mediators in human monocytes *in vitro*. *Eur J Pharmacol* 2000; 410:83-92.
- Gross A, McDonnell JM, Korsmeyer SJ. Bcl-2 family members and the mitochondria in apoptosis. *Genes Dev* 1999; 13: 1899-1911.
- Gross SS, Wolin MS. Nitric Oxide; pathophysiological mechanisms. *Annu Rev Physiol* 1995; 57:737.
- Guan Y, Hickey MJ, Borgstahl GE, Hallewell RA, Lepock JR, O'Connor D, Hsieh Y, Nick HS, Silverman DN, Tainer JA. Crystal structure of Y34F mutant human mitochondrial manganese superoxide dismutase and the functional role of tyrosine 34. *Biochemistry* 1998; 37: 4722-4730.
- Gubdjanson S, Hallgrímsson J, Skuldottir G. Properties of transport adenosine triphosphatases. In: H. Peters, G.A. Gresham, R. Paoetti, Arterial Pollution. New York: Plenum Publishing Corp. 1983: 101.
- Guo Q, Zhao B, Li M, Shen S, Xin W. Studies on protective mechanisms of four components of green tea polyphenols against lipid peroxidation in synaptosomes. *Biochimica et Biophysica Acta* 1996; 1304: 210-222.
- Gurr JR, Liu F, Lynn S, Jan KY. Calcium dependant nitric oxide production is involved in arsenite-induced micronuclei. *Mutat Res* 1999; 416: 137.
- Guyton K, Kenster TW. Oxidative mechanisms in Carcinogenesis. *Br Med Bull* 1993; 49:523.
- Hahn SE, Goldberg DM. Modulation of lipoprotein production in Hep G2 cells by fenofibrate and clofibrate. *Biochem. Pharmacol* 1992; 43:625-33.
- Han R, Bieseler B, Kindl H, Schroder G, Stodker R. Expression of a stilbene synthase gene in *Nicotiana tabacum* results in synthesis of the phytoalexin resveratrol. *Plant Mol. Biol.* 1990; 15:325-335.
- Hainaut P, Milner J. Modulation by copper of p53 conformation and sequence specific DNA binding role for Cu(II) / Cu(I) redox mechanism. *Incogene* 1995; 10: 27.
- Halliwell B, Aruoma OI. DNA damage by oxygen derived species its mechanism and measurement in mammalian system. *FEBS Lett* 1991; 281: 9.
- Halliwell B, Gutteridge JMC. Free radical in medicine and biology. (Clarendon Press, Oxford) 1989.
- Halliwell B, Gutteridge JMC. Free radicals in Biology and Medicine. In: Free radicals, ageing and disease. 2nd edition, Clarendon Press, Oxford 1985: 279-315.
- Halliwell B. Antioxidant characterization: methodology and mechanism. *Biochem. Pharmacol.* 1995; 49: 1341-1348.
- Halliwell B, Gutteridge JMC. Role of oxygen free radical and catalytic metal ions in human disease; an overview. *Method Enzymol* 1990; 186: 1.
- Hanigan MH, Gallagher BC, Jr Taylor PT, Large MK. Inhibition of gamma-glutamyl transpeptidase activity by acivicin *in vivo* protects the kidney from cisplatin-induced toxicity. *Cancer Res.* 1994; 54: 5925-5929.
- Hanneman J, Baumann K. Nephrotoxicity of cisplatin, carboplatin and transplatin. A comparative *in vitro* study. *Arch. Toxicol* 1991; 64: 393-400.
- Hannemann J, Baumann K. Cisplatin-induced lipid peroxidation and decrease of gluconeogenesis in rat kidney cortex: Different effects of antioxidants and radical scavengers. *Toxicology* 1988; 51: 119-132.
- Harman D. Free radical theory of aging: increasing the average life expectancy at birth and the maximum life span. *J Anti-Aging Med* 1999; 2: 199-208.

Harris RN, Doroshow JH. Effect of doxorubicin enhanced hydrogen peroxide and hydroxyl radical formation on calcium sequestration by cardiac sarcoplasmic reticulum. *Biochem Biophys Res Commun* 1985; 130(2): 739-45.

Hasinoff BB. Chemistry of dexrazoxane and analogues. *Semin Oncol* 25(4 Suppl 1998; 10): 3-9.

Haunstetter A, Izumo S. Apoptosis basic mechanisms and implications for cardiovascular disease. *Circ Res* 1998; 82: 1111-1129.

Hayaishi O, Shumizu T. Metabolic and functional significance of prostaglandins in lipid peroxide research in lipid peroxides in biology and medicine, edited by K Yag (academic Press), New York 1982: 41.

Henderson IC, Sloss LJ, Jaffe N, Blum RH, Frei E, III. Serial studies of cardiac function in patients receiving adriamycin. *Cancer Treat Rep* 1978; 62(6): 923-9.

Herman EH, Ferrans VJ, Myers CE, Van Vleet JF. Comparison of the effectiveness of ($\pm$)-1,2-bis(3,5-dioxopiperazinyl-1-yl)propane (ICRF- 187) and N-acetylcysteine in preventing chronic doxorubicin cardiotoxicity in beagles. *Cancer Res* 1985; 45: 276-281.

Herman EH, Ferrans VJ. Animal models of anthracycline cardiotoxicity: basic mechanisms and cardioprotective activity. *Prog Pediatr Cardiol* 1998; 8: 49-58.

Herman EH, Lipshultz SE, Rifai N, Zhang J, Papoian T, Yu ZX, Takeda K, Ferrans VJ. Use of cardiac troponin T levels as an indicator of doxorubicin-induced cardiotoxicity. *Cancer Res* 1998; 58(2): 195-7.

Herman EH, Zhang J, Ferrans VJ. Comparison of the protective effects of desferrioxamine and ICRF-187 against doxorubicin-induced toxicity in spontaneously hypertensive rats. *Cancer Chemother Pharmacol* 1994; 35(2):93-100.

Hjerken S, Pan H. Purification and characterization of two forms of a low affinity Ca^{2+} -ATPase from erythrocyte membranes. *Biochimica et Biophysica ACTA* 1983; 728: 281-288.

Ho Y, Gargano M, Cao J, Bronson RT, Heimler I, Hutz RJ. Reduced Fertility in Female Mice Lacking Copper-Zinc Superoxide Dismutase. *J Biol Chem* 1998; 273:7765-7769.

Hortobagyi GN. Anthracyclines in the treatment of cancer. An overview. *Drugs* 54 Suppl 1997; 4:1-7.

Hrelia S, Bordoni C, Angeloni E, Leoncini T, Gallina T, Lercker G, Biagi PL. Green tea extracts can counteract the modification of fatty acid composition induced by doxorubicin in cultured cardiomyocytes. *Prostaglandins Leukotrienes and Essential Fatty Acids* 2002; 66(5-6): 519-524.

Hsieh TC, Burfeind P, Laud K, Backer JM, Traganos F, Darzynkiewicz Z, Wu JM. Cell cycle effects and control of gene expression by resveratrol in human breast carcinoma cell lines with different metastatic potentials. *Int. J. Oncol* 1999; 15: 245-252.

Hsieh Y, Guan Y, Tu C, Bratt PJ, Angerhofer A, Lepock JR, Hickey MJ, Tainer JA, Nick HS, Silverman DN. Probing the active site of human manganese superoxide dismutase: the role of glutamine 143. *Biochemistry* 1998; 37, 4731-4739.

Huang C, Zhang Z, Ding M, Li J, Ye J, Leonard SS, Shen HM, Butterworth L, Lu Y, Costa M, Rojanasakul Y, Castranova V, Vallyathan V, Shi X. Vanadate induces p53 transactivation through hydrogen peroxide and causes apoptosis. *J Biol Chem* 2000; 275: 32516-32522.

Huang YL, Sheu JY, Lin TH. Association between oxidative stress and changes of trace elements in patients with breast cancer. *Clin BioChem* 1999; 32: 131.

- Huether G. The contribution of extrapineal sites of melatonin synthesis to circulating melatonin levels in higher vertebrates. *Experientia* 1993; 49: 665-670.
- Hunnisett A, Davies S, McLaren-Howard J, Gravett P, Finn M, Gueret-Wardle D. Lipoperoxides as an index of free radical activity in bone marrow transplant recipients: preliminary observations. *Biol Trace Elem Res* 1995; 47:125-132.
- Hunt C, Sim JE, Sullivan SJ, Featherstone T, Golden W, Kapp-Herr CV, Hock RA, Gomez RA, Parsian AJ, Spitz DR. Genomic instability and catalase gene amplification induced by chronic exposure to oxidative stress. *Cancer Res* 1998; 58: 3986-3992.
- Husain K, Morris C, Whitworth C, Trammel GL, Rybak LP, Somani SM. 4-Methylthiobenzoic acid protection against cisplatin nephrotoxicity: antioxidant system. *Fundam. Appl. Toxicol* 1996; 32: 278-284.
- Husain K, Morris C, Whitworth C, Trammell GL, Rybak LP, Somani SM. Protection by ebselen against cisplatin-induced nephrotoxicity: antioxidant system. *Mol Cell Biochem* 1998; 178: 127.
- Hutchinson F. Chemical Changes induced in DNA by ionizing radiations. *Prog. Nucleic Acid Res. Mol Biol* 1985; 32:115.
- IARC. IARC Monographs on the evaluation of the Carcinogenic Risk of Chemicals to Humans Alkyl Compounds Aldehydes Epoxides and peroxides (IARC Lyon, France) 1985: 163.
- Iarussi D, Auricchio U, Agretto A, Murano A, Giuliano M. Protective effects of coenzyme Q10 on anthracycline cardiotoxicity: control study in children with acute lymphoblastic leukemia and non-Hodgkin lymphoma. *Mol Aspects Med.* 1994; 15(suppl): s207-s212.
- Ikeda T, Tsumagari H, Nohara T. Steroidal oligoglycosides from *Solanum nigrum*. *Chem Pharm Bull (Tokyo)* 2000; 48(7): 1062-1064.
- Illingworth DR, Sexton GJ. Hypocholesterolemic effects of mevinolin in patients with heterozygous familial hypercholesterolemia. *J. Clin. Invest* 1984; 74: 1972-1978.
- Imahie H, Adachi T, Nakagawa Y, Nagasaki T, Yamamura T, Hori M. Effects of adriamycin, an anticancer drug showing testicular toxicity, on fertility in male rats. *J Toxicol Sci* 1995; 20:183-93.
- Imai H, Narashima K, Arai M, Sakamoto H, Chiba N, Nakagawa Y. Suppression of leukotriene formation in RBL-2H3 cells that overexpressed phospholipids hydroperoxide glutathione peroxidase. *J Biol Chem* 1998; 273: 1990-1997.
- Imlay a, Chin S, Linn S. Toxic DNA damage by hydrogen peroxide through the Fenton reaction in vivo and in vitro. *Science* 1988; 240:640.
- Inoue I, Goto S, Mizotani K, Awata T, Mastunaga T, Kawai S, et al. Lipophilic HMG-CoA reductase inhibitor has an anti-inflammatory effect: reduction of mRNA levels for interleukin-1beta, interleukin-6, cyclooxygenase-2, and p22phox by regulation of peroxisome proliferator-activated receptor alpha (PPAR alpha) in primary endothelial cells. *Life Sci* 2000; 67:863-76.
- Isner JM, Ferrans VJ, Cohen SR, Witkind BG, Virmani R, Gottdiener JS, Beck JR, Roberts WC. Clinical and morphologic cardiac findings after anthracycline chemotherapy. Analysis of 64 patients studied at necropsy. *Am J Cardiol* 1983; 51(7): 1167-74.
- Ito Hiroshi. Doxorubicin selectively inhibits muscle gene expression in cardiac muscle cells in vivo and in vitro. *Proc Natl Acad Sci* 1990; USA 87:4275.
- Izawa S, Inoue Y, Kimura A. Importance of catalase in the adaptive response to hydrogen peroxide: analysis of acatalasaemic *Saccharomyces cerevisiae*. *Biochem J* 1996; 320:61-67.
- Jaenke RS. An anthracycline antibiotic-induced cardiomyopathy in rabbits. *Lab Invest* 1974; 30(3): 292-304.

- Jakobisiak M, Bruno S, Skierski JS, Darzynkiewicz Z. Cell cycle-specific effects of lovastatin. *Proc. Natl. Acad. Sci. USA*, 1991; 88: 3628-3632.
- Jang M, Cai L, Udeani GO, Slowing KV, Thomas CF, Beecher CW, Fong HHS, Farnsworth NR, Kinghorn DA, Mehta RG, Moon RC, Pezzuto JM. Cancer chemopreventive activity of resveratrol, a nature product derived from grapes. *Science* 1997; 275:218-220.
- Jang M, Pezzuto JM. Cancer chemopreventive activity of resveratrol. *Drugs Exp. Clin. Res* 1999;25: 65-77.
- Jenkins DC, Charles IG, Thomsen LL, Moss SW, Holmes LS, Baylis SA. Roles of nitric oxide in tumor growth. *Proc Natl Acad Sci* 1995;USA 92: 4392.
- Jensen RA, Acton EM, Peters JH. Doxorubicin cardiotoxicity in the rat: comparison of electrocardiogram, transmembrane potential, and structural effects. *J. Cardiovasc. Pharmacol* 1984; 6: 186-200.
- Jessie S. Antioxidant nutrients and oxidative DNA damage IN AFRIC. *Cancer control Research*: 20.
- Jeyaseelan R, Polzat C, Wu HY, Kedes L. Molecular mechanisms of doxorubicin-induced cardiomyopathy. Selective suppression of Reiske iron-sulfur protein, ADP/ATP translocase, phosphofructokinase genes is associated with ATP depletion in rat cardiomyocytes. *J Biol Chem* 1997; 272(9):5828-32.
- Jones PH, Davidson MH, Stein EA, Bays HE, Mckenney JM, Miller E, et al. Comparison of efficacy and safety of rosuvastatin versus atorvastatin, simvastatin and pravastatin across doses (STELLAR* Trail). *Am J Cardiol* 2003; 92:152-60.
- Jong-Koo Kang, Young-Jung Lee, Kyong-Ok No, Eun-Yong Jung, Jong-Hwan Sung, Yun-Bae Kim, Sang-Yoon Nam. Ginseng intestinal metabolite-I (GIM-I) reduces doxorubicin toxicity in the mouse testis. *Reproductive Toxicology* 2002; 16: 291-298.
- Junod AF. Effects of oxygen intermediates on cellular functions. *Am Rev Respire Dis* 1987;135:s32.
- Kalivendi S, Kotamraju S, Zhao H, Joseph J, Kalyanaraman B. Doxorubicin-induced apoptosis is associated with increased transcription of endothelial nitric-oxide synthase: Effect of antiapoptotic antioxidants and calcium. *J Biol Chem* 2001; 276: 47266-47276.
- Kang PM, Izumo S. Apoptosis and heart failure: A critical review of the literature. *Circ Res* 2000; 86: 1107-1120.
- Kang YJ, Chen Y, Epstein PN. Suppression of doxorubicin cardiotoxicity by overexpression of catalase in the heart of transgenic mice. *J Biol Chem* 1996; 271(21):12610-6.
- Kang YJ, Chen Y, Yu A, Voss-McCowan M, Epstein PN. Overexpression of metallothionein in the heart of transgenic mice suppresses doxorubicin cardiotoxicity. *J Clin Invest* 1997; 100(6): 1501-6.
- Kang YJ, Sun X, Chen Y, Zhou Z. Inhibition of doxorubicin chronic toxicity in catalase-overexpressing transgenic mouse hearts. *Chem Res Toxicol* 2002; 15(1): 1-6.
- Karim S, Bhandari U, Kumar H, Salam A, Siddiqui M, Pillai KK. Doxorubicin induced cardiotoxicity and its modulation by drugs. *Indian J Pharmacol* 2001; 33:202-207.
- Kasai H. Analysis of a form of oxidative DNA damage 8- hydroxy - 2'deoxyguanosine, as a marker of cellular oxidative stress during carcinogenesis. *Mutat Res* 1997; 387:147.
- Katiyar SK, Agarwal R, Mukhtar H. Inhibition of spontaneous and photo-enhanced lipid peroxidation in mouse epidermal microsomes by epicatechin derivatives from green tea. *Cancer Lett* 1994; 79:61-66.

- Katiyar SK, Agarwal R, Zaim MT, Mukhtar H. Protection against *N*-nitrosodiethylamine and benzo (a)pyrene-induced forestomach and lung tumorigenesis in A/J mice by green tea. *Carcinogenesis* 1993; 14:849–855.
- Kato K, Murai I, Asai S et al. Central effect of melatonin against stress-induced gastric ulcers in rats. *Neuroreport* 1997; 8: 2305–2309.
- Kaufmann SH, Earnshaw WC. Induction of apoptosis by cancer chemotherapy. *Exp Cell Res*. 2000;256:42–49.
- Kawada N, Seki S, Masayasu I, Kuroki T. Effect of antioxidants, resveratrol, quercetin, and *N*-acetylcysteine, on the functions of cultured rat hepatic stellate cells and kupffer cells. *Hepatology* 1998; 27:1265–1274.
- Kaya H, Oral B, Ozguner F, Tahan V, Babar Y, Delibas N. The effect of melatonin application on lipid peroxidation during cyclophosphamide therapy in female rats. *Zentralbl Gynakol* 1999; 211: 499–502.
- Kehoe R, Singer DH, Trapani A, Billingham M, Levandowski R, Elson J. Adriamycin-induced cardiac dysrhythmias in an experimental dog model. *Cancer Treat Rep* 1978; 62(6): 963–78.
- Keizer HG, Pinedo HM, Schuurhuis GJ, Joenje H. Doxorubicin (adriamycin): a critical review of free radical-dependent mechanisms of cytotoxicity. *Pharmacol Ther* 1990; 47(2): 219–31.
- Kelloff GJ, Hawk ET, Crowell JA, et al. Strategies for identification and clinical evaluation of promising chemopreventive agents. *Oncology* 1996; 10:1471–88.
- Kenneth A, Conklin MD. *Integrative Cancer Therapies* 2004; 3(4): 294–300.
- Kersten L, Br aunlich H, Keppler BK, Glesing C, Wendelin M, Westphal J. Comparative nephrotoxicity of some antitumor-active platinum and ruthenium complexes in rats. *J Appl Toxicol* 1998; 18: 93–101.
- Khan SG, Katiyar SK, Agarwal R, Mukhtar H. Enhancement of antioxidant and phase II enzymes by oral feeding of green tea polyphenols in drinking water to SKH-1 hairless mice: Possible role in cancer chemoprevention. *Cancer Res* 1992; 52:4050–4052.
- Khan WA, Wang ZY, Athar M, et al. Inhibition of the skin tumorigenicity of (+/-)-7 beta,8 alphadihydroxy- 9 alpha,10 alpha-epoxy-7,8,9,10-tetrahydrobenzo[a]pyrene by tannic acid, green tea polyphenols and quercetin in Sencar mice. *Cancer Lett* 1988; 42:7–12.
- Khanzode SS, Muddeshwar MG, Khanzode SD, Dakhale GN. Antioxidant enzymes and lipid peroxidation in different stages of breast cancer. *Free Radic Res* 2004; 38:81–85.
- Kilic E, Hermann DM, Isemann S, Böhr M. Effects of pinealectomy and melatonin on the retrograde degeneration of retinal ganglion cells in a novel model of intraorbital optic nerve transection in mice. *J Pineal Res* 2002; 32: 106–111.
- Kim DH, Landry AB, Lee YS, Katz AM. Doxorubicin-induced calcium release from cardiac sarcoplasmic reticulum vesicles. *J Mol Cell Cardiol* 1989; 21(5): 433–6.
- Kim YK, Byun HS, Kim YH, Woo JS, Lee SH. Effect of cisplatin on renal function in rabbits: Mechanism of reduced glucose reabsorption. *Toxicol. Appl. Pharmacol* 1995; 130: 19–26.
- Klausner RD, Rouault TA, Harford JB. Regulating the fate of mRNA: The control of cellular iron metabolism. *Cell* 1993; 72: 19–28.
- Kluck RM, Bossy-Wetzel E, Green DR, Newmeyer DD. The release of cytochrome *c* from mitochondria: A primary site for Bcl-2 regulation of apoptosis. *Science* 1997;275: 1132–1136.
- Kobashigawa JA, Katznelson S, Laks H, Johnson JA, Yeatman L, Wang XM, et al. Effect of pravastatin on outcomes after cardiac transplantation. *N Engl J Med* 1995; 333:621–7.

- Kohlmeier L, Weterings KGC, Steck S, et al. Tea and cancer prevention: an evaluation of the epidemiologic literature. *Nutr Cancer* 1997; 27:1-13.
- Koning J, Palmer P, Franks CR, Mulder DE, Speyer JL, Green MD, Hellmann K. Cardioxane ICRF-187 towards anticancer drug specificity through selective toxicity reduction. *Cancer Treat Rev* 1991; 18(1): 1-19.
- Kono Y, Fridovich I. Superoxide radical inhibits catalase. *J Biol Chem* 1982; 257:5751.
- Konopa J. G2 block induced by DNA crosslinking agents and its possible consequences. *Biochem Pharmacol* 1988; 37: 2303-2309.
- Kopp P. Resveratrol, a phytoestrogen found in red wine. A possible explanation for the conundrum of the "French paradox"? *Eur. J. Endocrinol* 1998; 138: 619-620.
- Kotamraju S, Konorov EA, Joseph J, Kalyanaraman B. Doxorubicin induced apoptosis in endothelial cells and cardiomyocytes is ameliorated by nitron spin traps and ebselen. *J Biol Chem* 2000; 275: 33585-33592.
- Kotsinas A, Gorgoulis V, Zacharatos P, Zioris H, Triposkiadis F, Donta I, Kyriakidis M, Karayannacos P, Kittas C. Antioxidant agent nimesulid and beta-blocker metoprolol do not exert protective effects against rat mt-mitochondrial DNA alterations in adriamycin-induced cardiotoxicity. *Biochem Biophys Res Commun* 1999; 254:651-656.
- Krishnamoorthy KK. The nutritional and therapeutic value of tea: In proceedings of international symposium on Tea Science. Yamanishi T (ed) Kurofune printing co. Ltd. Shizuoka, Japan 1991:6-11.
- Kurakata S, Kada M, Shimada Y, Komai T, Nomoto K. Effects of different inhibitors of 3-hydroxy-3-methylglutaryl coenzyme-A (HMG-CoA) reductase, pravastatin sodium and simvastatin, on sterol synthesis and immunological functions in human lymphocytes *in vitro*. *Immunopharmacology* 1996; 34:51-61.
- Kureishi Y, Luo Z, Shiojima I, Bialik A, Fulton D, Lefer DJ, et al. The HMG-CoA reductase inhibitor simvastatin activates the protein kinase Akt and promotes angiogenesis in normocholesterolemic animals. *Nat Med* 2000; 6:1004-10. Erratum in: *Nat Med* 2001; 7:129.
- Kwak B, Mulhaupt F, Myit S, Mach F. Statins as a newly recognized type of immunomodulator. *Nat Med* 2000; 6:1399-402.
- Ladner C, Ehninger G, Gey KF, Clemens MR. Effect of etoposide (VP16-213) on lipid peroxidation and antioxidant status in a high-dose radiochemotherapy regimen. *Cancer Chemother Pharmacol* 1989; 25:210-212.
- Lambertenghi-Deliliers G, Zanon PL, Pozzoli EF, Bellini O. Myocardial injury induced by a single dose of adriamycin: an electron microscopic study. *Tumori* 1976; 62(5): 517-28.
- Lamson DW, Brignall MS. Antioxidants in cancer therapy; their actions and interactions with oncologic therapies. *Altern Med Rev*. 1999; 4:304-329.
- Laskin JD, Heck D, Laskin DL. Inhibitory effects of a green tea polyphenol fraction on 12-O-tetradecanoylphorbol-13-acetate-induced hydrogen peroxide formation in mouse epidermis. In Huang MT, Ho CT, Lee CY (eds): "Phenolic Compounds in Foods and Health II: Antioxidant and Cancer Prevention." Washington, DC: Amer. Chem. Soc., 1992:308-314.
- Laufs U, La Fata V, Plutzky J, Liao JK. Upregulation of endothelial nitric oxide synthase by HMG CoA reductase inhibitors. *Circulation* 1998; 97:1129-35.
- Lee V, Randhawa AK, Singal PK. Adriamycin-induced myocardial dysfunction *in vitro* is mediated by free radicals. *Am J Physiol* 1991; 261(4 Pt 2): H989-H995.
- Lee Y, Galoforo SS, Berns CM, Chen JC, Davis BH, Sim JE, Corry PM, Spitz DR. Glucose deprivation-induced cytotoxicity and alterations in mitogen-activated protein kinase

activation are mediated by oxidative stress in multidrug-resistant human breast carcinoma cells. *J Biol Chem* 1998; 273: 5294-5299.

Lee YJ, Shacter E. Oxidative stress inhibits apoptosis in human lymphoma cells. *J Biol Chem*. 1999; 274:19792-19798.

Lefrak EA, Pitha J, Rosenheim S, Gottlieb JA. A clinicopathologic analysis of adriamycin cardiotoxicity. *Cancer* 1973; 32:302-314.

Legha SS, Wang YM, Mackay B, Ewer M, Hortobagyi GN, Benjamin RS, Ali MK. Clinical and pharmacologic investigation of the effects of alpha-tocopherol on adriamycin cardiotoxicity. *Ann N Y Acad Sci* 1982; 393:411-8.

Lehotay DC, Levey BA, Levey GS. Inhibition of cardiac guanylate cyclase by doxorubicin and some of its analogs. *Biomed Pharmacother* 1983; 37(7): 312-6.

Lenton KJ, Greenstock CL. Ability of human plasma to protect against ionizing radiation is inversely correlated with age. *Mech Ageing Dev*. 1999; 107:15-20.

Lepoivre M, Fieschi F, Coves J, Thelander K, Fontecave M. Inactivation of ribonucleotide reductase by nitric oxide. *Biochem Biophys Res Commun* 1991; 179: 193.

Levi J, Jacobs C, Kalman S, Mc Tighe M, Weinder MW. Mechanism of cisplatin nephrotoxicity. I. Effect on SH groups in rat kidney. *J. Pharmacol. Exp. Ther* 1980; 213: 545-550.

Li L, Kilbourn RG, Adams J, Fidler IJ. Role of nitric oxide in lysis of tumor cells by cytokine activated endothelial cells. *Cancer Res*. 1991; 51: 411.

Lin W, Xue H, Liu S, HE Y, Fu J, Zhou. Genotoxicity of nitric oxide produce from sodium nitroprusside. *Mutat Res* 1998; 413: 121.

Lissoni P, Rovelli F, Malugani F, Bucovec R, Conti A, Maestroni GJ. Anti-angiogenic activity of melatonin in advanced cancer patients. *Neuroendocrinol Lett* 2001; 22:45-47.

Lledías F, Rangel P, Hansberg W. Oxidation of catalase by singlet oxygen. *J Biol Chem* 1998; 273: 10630-10637.

Lobo RA. Benefits and risks of estrogen replacement therapy. *American Journal of Obstetrics and Gynecology* 1995; 173:982-989.

Loehrer PJ, Einhorn LH. Drugs five years later. Cisplatin. *Ann.Intern. Med* 1984; 100: 704-713.

Look MP, Musch E. Lipid peroxides in the polychemotherapy of cancer patients. *Chemotherapy*. 1994; 40:8-15.

Lopez I, Goudou C, Ribrag V, Sauvage C, Hazebroucq G. Treatment of mucositis with vitamin E during administration of neutropenic antineoplastic agents [in French]. *Ann Med Interne (Paris)*. 1994; 92:405-408.

Lopez-Burillo S, Tan DX, Mayo JC, Sainz RM, Manchester LC, Reiter RJ. Melatonin, xanthurenic acid, resveratrol, EGCG, vitamin C and lipolic acid differentially reduce oxidative DNA damage induced by Fenton reagents: a study of their individual and synergistic actions. *J Pineal Res* 2003; 34:269-277.

Los M, Droge W, Stricker K, Baeuerle PA, Schulze-Osthoff K. Hydrogen peroxide as a potent activator of T lymphocyte functions. *Cur J Immunol* 1995; 25:159.

Lowry OH, Rosenbrough NJ, Farr AC, Randell RJ. Protein measurement with folin-phenol reagent. *J Biol Chem* 1975; 193:265-75.

Lu B, Scott GK, Chang CH, Baldwin MA, Benz CC. Oxidant stress impaired DNA - binding of estrogen receptor from human breast cancer. *Mol Cell Endocrinol* 1998; 146:151.

- Lu R, Serrero G. Resveratrol, a natural product derived from grape, exhibits antiestrogenic activity and inhibits the growth of human breast cancer cells. *J. Cell. Physiol.* 1999; 179: 297-304.
- Lui RC, Laregina MC, Herbold DR, Johnson FE. Testicular cytotoxicity of intravenous doxorubicin in rats. *J Urol* 1986; 136: 940-3.
- Lui SL, Chan LY, Zhang XH, Zhu W, Chan TM, Fung PC, Lai KN. Effect of mycophenolate mofetil on nitric oxide production and inducible nitric oxide synthase gene expression during renal ischaemia reperfusion injury. *Nephrology Dialysis Transplantation* 2001; 16:1577-1582.
- Luo X, Evrotsky Y, Cole D, Trines J, Benson LN, Lehotay DC. Doxorubicin-induced acute changes in cytotoxic aldehydes, antioxidant status and cardiac function in the rat. *Biochim Biophys Acta* 1997; 1360(1): 45-52.
- MacRax WD, Stich HF. Induction of sister Chromatid exchange in Chinese Hamster ovary cells by thiol and hydrazine compounds. *Mutation Res* 1979; 68:351.
- Madge LA, Baydoun A R. H₂O₂ modulates basal and his tamine stimulated nitrix oxide release in human umbilical vein engothelial cells stimulation nof NO synthase by H₂O₂ is inhibited by L Name and removal of extracellular calcium. *J physiol* 1994;475: P65.
- Majima H, Oberley TD, Furukawa K, Mattson MP, Yen HC, Szweda LI, St Clair DK. Prevention of Mitochondrial Injury by Manganese Superoxide Dismutase Reveals a Primary Mechanism for Alkaline-induced Cell Death. *J Biol Chem* 1998;273, 8217-8224.
- Maliszka KL, Hasinoff BB. Inhibition of anthracycline semiquinone formation by ICRF-187 (dextrazoxane) in cells. *Free Radic Biol Med* 1996; 20(7):905-14.
- Marnett LJ, Tuttle MA. Comparison of the mutagenecity of malondialdehyde and the side products formed during its chemical synthesis. *Cancer Res*1980; 40: 276.
- Marnett LJ. DNA adducts of unsaturated aldehydes and dicarbonyl compounds. In *DNA adducts identification and biological significance*, edited by K Hemminiki A Dipple, D E G Shuker, F F Kadlubar, D Segerbck & H Bartsch (IARC Scientific Publications, France) 1994: 151.
- Martee L. Hensley, Lynn M. Schuchter, Celeste Lindley, Neal J. Meropol et al. American Society of Clinical Oncology Clinical Practice Guidelines for the use of Chemotherapy and Radiotherapy Protectants. *Journal of Clinical Oncology* 1999; 17: 3333-3355.
- Martin M, Macias M, Escames G, Leon J, Acuña-Castroviejo D. Melatonin but not vitamins C and E maintains glutathione homeostasis in t-butyl hydroperoxide induced mitochondrial oxidative stress. *FASEB J* 2000; 14: 1677-1679.
- Martins EAL, Robalinho RL, Meneghini R. Oxidative stress induces activation of a cytosolic protein responsible for control of iron uptake. *Arch Biochem Biophys* 1995; 316:128-134.
- Mason JW, Bristow MR, Billingham ME, Daniels JR. Invasive and noninvasive methods of assessing adriamycin cardiotoxic effects in man: superiority of histopathologic assessment using endomyocardial biopsy. *Cancer Treat Rep* 1978; 62(6): 857-64.
- Mataix J, Quiles JL, Huertas JR, Battino M, Manas M. Tissues specific interactions of exercise, dietary fatty acids, and vitamin E in lipid peroxidation. *Free Rad Biol Med* 1998; 24: 511-521.
- Matar P, Rozados VR, Binda MM, Roggero EA, Bonfil RD, Scharovsky OG. Inhibitory effect of lovastatin on spontaneous metastases derived from a rat lymphoma. *Clin. Exp. Metastasis* 1999;17: 19-25.

- Matsui A, Ikeda T, Enomoto K, Hosoda K, Nakashima H, Omae K. Increased formation of oxidative DNA damage 8-hydroxy 2 deoxyguanosine. In human breast cancer tissue and its relationship to GSTP1 and COMT genotypes. *Cancer Lett* 2000; 15:87.
- Matsushima H, Yonemura K, Ohishi K, Hishida A. The role of oxygen free radicals in cisplatin-induced acute renal failure in rats. *J Lab Clin Med* 1998; 131: 518-26.
- McCord JM. Oxygen derived free radicals in post ischemic tissue injury. *New England Journal of Medicine* 1985;312:159 .163.
- McRitchie AN, Jun SS, German Z, Yuhana IS, Sherman TS. Estrogen upregulate endothelial nitric oxide synthase gene expression in fetal pulmonary artery endothelium. *Circ. Res* 1997;81:355.
- McCord JM, Fridovich I. Superoxide dismutase. An enzymic function for erythrocuprein (Hemocuprein). *J. Biol Chem* 1969; 244:6049.
- McCord JM, Russell WJ. Superoxide inactivates creatine phosphokinase during reperfusion of ischemic heart. In *Oxyradicals in molecular biology and pathology*, edited by PA Cerutti, I – Fridovich & J M Mcford (A. R. Liss, New York) 1988:27.
- Merski JA, Daskal I, Busch H. Effects of adriamycin on ultrastructure of nucleoli in the heart and liver cells of the rat. *Cancer Res* 1976; 36(5): 1580-4.
- Miller NJ, Castelluccio C, Tijburg L, Rice-Evans C. The antioxidant properties of the aflavins and their gallate esters-radical scavengers or metal chelators? *FEBS Lett* 1996; 392:40-44.
- Mimnaugh EG, Trush MA, Bhatangar M, Gram TE. Enhancement of reactive oxygen-dependent mitochondrial membrane lipid peroxidation by the anticancer drug adriamycin. *Biochem Pharmacol* 1985; 34:847-856.
- Minotti G, Cairo G, Monti E. Role of iron in anthracycline cardiotoxicity: new tunes for an old song? *FASEB J* 1999; 13(2): 199-212.
- Minotti G, Recalcati S, Mordente A, Liberi G, Calafiore AM, Mancuso C, Preziosi P, Cairo G. The secondary alcohol metabolite of doxorubicin irreversibly inactivates aconitase/iron regulatory protein-1 in cytosolic fractions from human myocardium. *FASEB J* 1998; 12: 541-552.
- Misra HP, Fridovich I. The role of superoxide anion in the auto-oxidation of epinephrine and a simple assay for superoxide dismutase. *J. Biol. Chem* 1972; 247: 3170-3175.
- Misra HP. Generation of superoxide free radical during the autoxidation of thiols. *J Boil Chem* 1974; 249:2151.
- Mitchell RN, Cotran RS. Cell injury, adaptation, and death. In: Kumar V, Cotran RS, Robbins SL, editors. *Robbins. Basic Pathology*. 7th ed. New Delhi: Harcourt (India) Pvt. Ltd. 2003.
- Miura K, Goldstein RS, Pasino DA, Hook JB. Cisplatin nephro-toxicity: Role of filtration and tubular transport of cisplatin in isolated perfused kidneys. *Toxicology* 1987; 44: 147-248.
- Mohazzab HKM, Woline MS. Properties of a Superoxide anion generating microsomal NADH oxidoreductase, a potential pulmonary artery PO₂ sensor. *Am J Physiol* 1994; 267:L823.
- Moller P, Walin H. Adduct Formation Mutagenesis and nucleotide excision repair of DNA damage produced by reactive oxygen species and lipid peroxidation product. *Mutat Res* 1998; 410: 271.
- Moncada S, Palmer RMJ, Higgs EA. Nitric oxide: physiology, pathophysiology, and pharmacology. *Pharmacol. Rev* 1991; 43: 109-141.
- Morikawa K, Moridawa A. Immunomodulatory effect of recombinant human superoxide dismutase (SOD) on human B lymphocyte function in vitro. *Cell Immunol* 1996; 172: 70.

- Moron MS, Depierre JW, Mannervik B. Levels of glutathione, glutathione reductase and glutathione S-transferase activities in rat lung and liver. *Biochimica et Biophysica ACTA* 1979; 582:67-78.
- Mostafa AM, Nagi MN, Al-Rikabi AC, Al-Shabanah OA, El-Kashef HA. Protective effect of aminoguanidine against cardiovascular toxicity of chronic doxorubicin treatment in rats. *Res Commun Mol Pathol Pharmacol* 1999;106:193-202.
- Muindi JR, Sinha BK, Gianni L, Myers CE. Hydroxyl radical production and DNA damage induced by anthracycline-iron complex. *FEBS Lett* 1984; 172: 226-230.
- Mukhtar H, Katiyar SK, Agarwal R. Green tea and skin-anticarcinogenic effects. *J Invest Dermatol* 1994; 102:3-7.
- Mukhtar H, Wang ZY, Katiya SK, Agarwal R. Tea components: antimutagenic and anticarcinogenic effects. *Preventive Medicine* 1992; 21: 351-360.
- Murat Y, Ersin F, Hasan E, Muharrem U, Sadik S, Kemal M. Erdosteine prevents doxorubicin-induced cardiotoxicity in rats. *Pharmacological Research* 2003; 48:377-382.
- Murray CJL, Lopez AD. *The Global Burden of Disease: a comprehensive assessment of mortality and disability from diseases, injuries and risk factors in 1990 and projected to 2020*. 1st ed. Cambridge: Harvard University Press, 1996.
- Musial J, Undas A, Gajewski P, Jankowski M, Sydor W, Szczeklik A. Anti-inflammatory effects of simvastatin in subjects with hypercholesterolemia. *Int J Cardiol* 2001; 77:247-53.
- Myers CE, Gianni L, Simone CB, Klecker R, Greene R. Oxidative destruction of erythrocyte ghost membranes catalyzed by the doxorubicin-iron complex. *Biochemistry* 1982; 21: 1707-1712.
- Myers CE, McGuire WP, Liss RH, Ifrim I, Grotzinger K, Young RC. Adriamycin: the role of lipid peroxidation in cardiac toxicity and tumor response. *Science* 1977; 197(4299): 165-7.
- Nagi MN, Mansour MA. Protective effect of thymo-quinone against doxorubicin-induced cardiotoxicity in rats: A possible mechanism of protection. *Pharmacol Res* 2000; 41:283-289.
- Nair SC, Salomi MJ, Panikkar B, Panikkar KR. Modulatory effects of *Crocus sativus* and *Nigella sativa* extracts on cisplatin-induced toxicity in mice. *J. Ethnopharmacol.* 1991; 31: 75-83.
- Narayana K, D'Souza UJ, Rao KP Effect of ribavirin on epididymal sperm count in rat. *Indian J Physiol Pharmacol* 2002; 46: 97-101.
- Narula J, Haider N, Virmani R, DiSalvo TG, Kolodgie FD, Hajjar RJ, Schmidt U, Semigran MJ, Dec GW, Khaw BA. Apoptosis in myocytes in end-stage heart failure. *New Eng J Med* 1996;335: 1182-1189.
- Narula J, Pandey P, Arbustini E, Haider N, Narula N, Kolodgie FD, Dal Bello B, Semigran MJ, Bielsa-Masdeu A, Dec GW, Israels S, Ballester M, Virmani R, Saxena S, Kharbanda S. Apoptosis in heart failure: Release of cytochrome c from mitochondria and activation of caspase-3 in human cardiomyopathy. *Proc Natl Acad Sci* 1999;USA 96:8144-8149.
- Nathan CF, Xie QW. Nitric oxide synthases: roles, tolls, and controls. *Cell* 1994;78:915-918.
- Nazeyrollas P, Prevost A, Baccard N, Manot L, Devillier P, Millart H. Effects of amifostine on perfused isolated rat heart and on acute doxorubicin-induced cardiotoxicity. *Cancer Chemother Pharmacol* 1999; 43(3): 227-32.
- Nictocera P, Bonfoco E, Brune B. Mechanism for nitric oxide induced cell death involvement of apoptosis. *Adv Neuroimmunol* 1997; 5: 411.

- Nishio E, Watanbe Y. The involvement of reactive oxygen species and arachidonic acid in alpha 1-adrenoceptor - induced smooth muscle cell proliferation and migration. *Br J Pharmacol* 1997; 121:665.
- Nohl H. Demonstration of the existence of an organo-specific NADH dehydrogenase in heart mitochondria. *Eur J Biochem*. 1987; 169: 585-591.
- O'Brien PJ. Antioxidants and Cancer, Molecular mechanism in Free radicals. In diagnostic medicines, edited by D Armstrong (Plenum Press, New York) 1994: 215.
- O'Brien PJ, Dameron GW, Beck ML, Kang YJ, Erickson BK, Di Battista TH, Miller KE, Jackson KN, Mittelstadt S. Cardiac troponin T is a sensitive, specific biomarker of cardiac injury in laboratory animals. *Lab Anim Sci* 1997; 47(5): 486-95.
- Ohkawa H, Ohishi N, Yagi K. Assay for lipid peroxidation in animal tissues by thiobarbituric acid reaction. *Anal Biochem* 1979; 95: 351.
- Ohnishi T, Suzuki T, Suzuki Y, Ozawa K. A comparative study of plasma membrane Mg^{2+} -ATPase activities in normal, regenerating and malignant cells. *Biochimica et Biophysica ACTA* 1982; 684: 67-74.
- Ohue M, Tomita N, Monden T, Fujita M, Fukunaga, Takami J. Frequent alteration of p 53 gene in carcinoma in adenoma of colon. *Cancer Res*. 1994; 54: 4798.
- Oltvai ZN, Millman CL, Korsmeyer SJ. Bcl-2 heterodimerizes *in vivo* with a conserved homolog, Bax, that accelerates programmed cell death. *Cell* 1993; 74: 609-619.
- Oshino N, Chance B, Sies H, Bucher T. The role of H_2O_2 generation in perfused rat liver and the reaction of catalase compound I and hydrogen donors. *Arch Biochem Biophys* 1973; 154: 117.
- Pace-Asciak CR, Hahn S, Diamandis EP, Soleas G, Goldberg DM. The red wine phenolics transresveratrol and quercetin block human platelet aggregation and eicosanoid synthesis: implications for protection against coronary heart disease. *Clin. Chim. Acta*. 1995; 235:207-19.
- Pace-Asciak CR, Rounova O, Hahn SE, Diamandis EP, Goldberg DM. Wines and grape juices as modulators of platelet aggregation in healthy human subjects. *Clin. Chim. Acta* 1996; 246: 163-182.
- Palinski W: Immunomodulation: a new role for statins? *Nat Med* 2000; 12:1311-2.
- Palmeira CM, Serrano J, Kuehl DW, Wallace KB. Preferential oxidation of cardiac mitochondrial DNA following acute intoxication with doxorubicin. *Biochim Biophys Acta* 1997; 1321(2): 101-6.
- Pannala AS, Rice-Evans CA, Halliwell B, Singh S. Inhibition of peroxynitrite-mediated tyrosine nitration by catechin polyphenols. *Bio Biop Res Comm* 1997; 232: 164-168.
- Pantopoulos K, Hentze MW. Rapid response to oxidative stress mediated by iron regulatory protein. *EMBO J* 1995; 14: 2917-2924.
- Pantopoulos K, Mueller S, Atzberger A, Ansorge W, Stremmel W, Hentze MW. Differences in the regulation of iron regulatory protein- 1 (IRP-1) by extra and intracellular oxidative stress. *J Biol Chem* 1997 ;272:9802-9808.
- Park D. Peroxyl and alcoxyl radicals causes DNA base modifications. *Cancer Lett* 1992; 28:1235.
- Parkin DM, Pisani P, Ferlay J. Estimates of the worldwide incidence of 25 major cancers in 1990. *Inter. J. Cancer* 1999; 80(6): 827-841.
- Parkin DM. The global burden of cancer. *Seminars in Cancer Biology* 1998; 8(4): 219-235.

- Parthasarathy S, Rankin SM. Role of oxidized low density lipoprotein in atherogenesis. *Prog. Lipid Res* 1992; 31:127-143.
- Pederson TC, Aust D. The role of superoxide and singlet oxygen in lipid peroxidation promoted by xanthine oxidase. *Biochem Biophys Res Commun* 1973; 52:1071.
- Pelat M, Dessy C, Massion P, Desager JP, Feron O, Balligand JL. Rosuvastatin decreases caveolin-1 and improves nitric oxide dependent heart rate and blood pressure variability in apolipoprotein E-/- mice *in vivo*. *Circulation* 2003; 107:2480-6.
- Pelikan PC, Weisfeldt ML, Jacobus WE, Miceli MV, Bulkley BH, Gerstenblith G. Acute doxorubicin cardiotoxicity: functional, metabolic, and morphologic alterations in the isolated, perfused rat heart. *J Cardiovasc Pharmacol* 1986; 8(5): 1058-66.
- Perchellet J, Perchellet EM. Antioxidants and multistage carcinogenesis in mouse skin. *Free Radical Biol Med* 1989; 7:377-408.
- Peter RU, Gottlob P. Management of cutaneous radiation injuries: diagnostic and therapeutic principles of the cutaneous radiation syndrome. *Military Med.* 2002; 167(suppl 1): 110-112.
- Pezzuto JM. Plant-derived anticancer agents. *Biochem Pharmacol* 1997;53:121-33.
- Pisani P, Parkin DM, Bray F, Ferlay J. Estimates of the worldwide mortality from 25 cancers in 1990. *Inter J. Cancer* 1999; 83(1): 18-29.
- Platel D, Pouna P, Bonoron-Adele S, Robert J. Comparative cardiotoxicity of idarubicin and doxorubicin using the isolated perfused rat heart model. *Anticancer Drugs* 1999; 10(7): 671-6.
- Player TY. Lipid Peroxidation in rat liver, hepatomas and regenerating liver, in *Free radicals, lipid peroxidation and cancer*, edited by D C H McBrien & T F Slater (Academic Press London) 1981: 173.
- Poeggeler B, Reiter RJ, Tan D-X, Chen L-D, Manchester LC. Melatonin, hydroxyl radical-mediated oxidative damage, and aging: A hypothesis. *J Pineal Res* 1993;14: 151-168.
- Pouna P, Bonoron-Adele S, Gouverneur G, Tariosse L, Besse P, Robert J. Development of the model of rat isolated perfused heart for the evaluation of anthracycline cardiotoxicity and its circumvention. *Br J Pharmacol* 1996; 117(7): 1593-9.
- Powls G. Free radical formation by antitumor quinones. *Free Radic Biol Med* 1989; 6: 63-101.
- Pozo D, Reiter RJ, Calvo JR, Guerrero JM. Inhibition of cerebellar nitric oxide synthase and cyclic GMP production by melatonin via complex formation with calmodulin. *J Cell Biochem* 1997; 65: 430-432.
- Pryor WA. Oxyradicals and related species, their fermentation, lifetime, and reactions. *Annu Rev Physiol* 1986; 48: 657.
- Punnonen K, Ahotupa M, Akaishi K, Hyoty M, Kudo R, Punnonen R. Antioxidant enzymes activities and oxidative stress in human breast cancer. *J Cancer Res Clin Oncol* 1994; 120: 374.
- Qi W, Tan DX, Reiter RJ et al. Melatonin reduces lipid peroxidation and tissue edema in cerulein-induced acute pancreatitis in rats. *Dig Dis Sci* 1999; 44: 2257-2262.
- Quiles JL, Huertas JR, Battino M, Mataix J, Ramirez-Tortosa MC. Antioxidant, nutrient and adriamycin toxicity. *Toxicology* 2000; 180 (1): 79-95.
- Raber-Durlacher JE, Weijl NI, Abu Saris M, De Koning B, Zwinderman AH, Santo S. Oral mucositis in patients treated with chemotherapy for solid tumours: a retrospective analysis of 150 cases. *Support Care Cancer* 2000; 8: 366-371.

Rader DJ, Davidson MH, Caplan RJ, Pears JS. Lipid and apolipoprotein ratios: Association with coronary artery disease and effects of rosuvastatin compared with atorvastatin, pravastatin and simvastatin. *Am J Cardiol* 2003; 91 (Suppl): 20-24.

Rajnakova A, Hoh PM, Ngoi SS, Alponat A, Mochhala A. Expression of differential nitric oxide synthase isoforms in human normal gastric mucosa and gastric cancer tissue. *Carcinogenesis* 1997; 18:1841.

Rao NM, Joshi NN, Shinde SR, Advani SH, Ghosh SN. Premature separation of centromere and aneuploidy : an indicator of high risk in unaffected individuals from familial breast cancer families. *Eur J Cancer Prev* 1996; 5: 343.

Rao S, Lowe M, Herliczek TW, Keyomarsi K. Lovastatin mediated G1 arrest in normal and tumor breast cells is through inhibition of CDK2 activity and redistribution of p27, independent of p53. *Oncogene* 1998; 17:2393-2402.

Ray G, Shahid M, Husain SA. Effect of Nitric oxide and malondialdehyde on sister chromatid exchanges in breast cancer. *Br J Biomed Sci* 2001; 58:169.

Ray G, Shukla NK, Deo S, Raina V, Ashok S, Husain SA. Lipid peroxidation, free radical production and antioxidant status in breast cancer. *Breast Cancer Res Treat* 2000; 59:163.

Reaume A, Elliot JL, Hoffman EK, Kowall NW, Ferrante RJ, Siwek DF, Wilcox HM, Flood DG, Beal MF, Brown RH Jr, Scott RW, Snider WD. Motor neurons in Cu/Zn superoxide dismutase-deficient mice develop normally but exhibit enhanced cell death after axonal injury. *Nature Genet* 1996; 13: 43-47.

Reichard P. Regulation of deoxyribotide synthesis. *Biochemistry* 1987; 26:3245-3248.

Reiter RJ, Carneiro RC, Oh CS. Melatonin in relation to cellular anti-oxidative defence mechanisms. *Horm Metab Res* 1997; 29: 363-372.

Reiter RJ, Tan DX, Cabrera J et al. The oxidant/antioxidant network: role of melatonin. *Biol Signal Recept* 1999; 8: 56-63.

Reiter RJ, Tan DX, Cabrera J, D'Arpa D. A review of the evidence supporting melatonin's role as an antioxidant. *J Pineal Res* 1995; 18: 1-11.

Reiter RJ, Tan DX, Manchester LC, Calvo JR. Antioxidant capacity of melatonin. In: *Handbook of Antioxidants*, 2nd edn. Ed. Cadenas E, Packer L, Marcel Dekker, New York, 2002:565-613.

Reiter RJ, Tan DX, Osuna C, Gitto E. Actions of melatonin in the reduction of oxidative stress: a review. *J Biomed Sci* 2000; 7: 444-458.

Reiter RJ. Interactions of the pineal hormone melatonin with oxygen-centered free radicals: A brief review. *Braz J Med Biol Res* 1993; 26: 1141-1155.

Reiter RJ. Oxidative damage in the central nervous system: protection by melatonin. *Prog Neurobiol* 1998; 56: 359-384.

Renaud SC, Beswick AD, Fehily AM, Sharp DS, Elwood PC. Alcohol and platelet aggregation: the Caerphilly prospective heart disease study. *Am. J. Clin. Nutr* 1992; 55:1012-1017.

Richard culter. Nutrients improve results from medical therapy. National Institute of Health excreted from beating cancer from nutrition by Patrick G). chapter 7.

Rinehart JJ, Lewis RP, Balcerzak SP. Adriamycin cardiotoxicity in man. *Ann Intern Med* 1974; 81(4):475-8.

Rodriguez C, Mayo JC, Sainz RJ, Antolin I, Herrera F, Martin V, Reiter RJ. Regulation of antioxidant enzymes: a significant role for melatonin. *J Pineal Res* 2004; 36: 1-9.

Rosenberg B. Fundamental studies with cisplatin. *Cancer* 1985; 55: 2303-15.

- Rosenoff SH, Olson HM, Young DM, Bostick F, Young RC. Adriamycin-induced cardiac damage in the mouse: a small-animal model of cardiotoxicity. *J Natl Cancer Inst* 1975; 55(1):191-4.
- Rosenson RS, Tangney CC, Casey LC. Inhibition of proinflammatory cytokine production by pravastatin. *Lancet* 1999; 353:983-4.
- Rossi MA, Cecchini G. Lipid peroxidation in hepatoma of different degrees of deviation. *Cell biochem Function* 1983; 49.
- Rouault TA, Klausner RD: Iron-sulfur clusters as biosensors of oxidants and iron. *Trends Biochem Sci* 1996; 21: 174-177.
- Rubbo H, Radi R, Trujillo M, Telleri R, Kalyan armana B, Barnes S. Nitric oxide regulation of superoxide and peroxynitrite dependent lipid peroxidation. Formation of novel nitrogen containing oxidized lipid derivatives. *J Biol Chem* 1994; 269:26066.
- Russo A, Longo R, Vanella A. Antioxidant activity of propolis: role of caffeic acid phenethyl ester and galangin. *Fitoterapia* 2002; 73(1): S21-S29.
- Saad SY, Najjar TA, Al-Rikabi AC. The preventive role of deferoxamine against acute doxorubicin induced cardiac lesions. *Pharmacol Res* 2001; 43:211-8.
- Sacco G, Bigioni M, Evangelista S, Goso C, Manzini S, Maggi CA. Cardioprotective effects of zofenopril, a new angiotensin-converting enzyme inhibitor, on doxorubicin-induced cardiotoxicity in the rat. *Eur. J. Pharmacol* 2001; 414:71-78.
- Sadzuka Y, Sugiyama T, Hirota S. Modulation of cancer chemotherapy by green tea. *Clin Cancer Res* 1998; 4:153-6.
- Salvemini D, Seibert K, Masferrer JL, Misko TP, Currie MG, Needleman P. Endogenous nitric oxide enhances prostaglandin production in a model of renal inflammation. *J. Clin. Invest* 1994; 93:1940-1947.
- Sangeetha P, Das UN, Koratkar R, Suryaprabha P. Increase in free radical generation and lipid peroxidation following chemotherapy in patients with cancer. *Free Radic Biol Med.*1990; 8:15-19.
- Sano M, Takahashi Y, Yoshino K, Shimoi K, Nakamura Y, Tomita I, Oguni I, Konomoto H. Effect of tea (*Camellia sinensis* L.) on lipid peroxidation in rat liver and kidney: a comparison of green and black tea feeding. *Biol Pharma Bull* 1995; 18: 1006-1008.
- Santos DL, Moreno AJ, Leino RL, Froberg MK, Wallace KB. Carvedilol protects against doxorubicin induced mitochondrial cardiomyopathy. *Toxicol Appl Pharmacol* 2002; 185: 218-27.
- Sarvazy N. Visualization of doxorubicin-induced oxidative stress in isolated cardiac myocytes. *Am J Physiol* 1996; 271(5 Pt 2): H2079-H2085.
- Sawada T, Tamada H, Mori J. Secretion of testosterone and epidermal growth factor in mice with oligozoospermia caused by doxorubicin hydrochloride. *Andrologia* 1994; 26:151-3.
- Sawyer DB, Fukazawa R, Arstall MA, Kelly RA. Daunorubicin-induced apoptosis in rat cardiac myocytes is inhibited by dexrazoxane. *Circ Res* 1999; 84: 257-265.
- Sayed-Ahmed MM, Khattab MM, Gad MZ, Osman AM. Increased plasma endothelin-1 and cardiac nitric oxide during doxorubicin-induced cardiomyopathy. *Pharmacol Toxicol* 2001;89:140-144.
- Scalia R, Gooszen ME, Jones SP, Hoffmeyer M, Rimmer DM, Trocha SD, et al. Simvastatin exerts both anti-inflammatory and cardioprotective effects in Apo E deficient mice. *Circulation* 2001; 103: 2598-603.

- Schoneach J. The induction of chromosomal aberrations by hydrogen peroxide in strains of ascites tumours in mice. *Mutations Res* 1967; 4: 385.
- Schulze-Osthoff K, Bauer MK, Vogt M, Wesselborg S. Oxidative stress and signal transduction. *Int J Vitam Nutr Res* 1997; 67: 336-342.
- Sdzuka Y, Shoji T, Takino Y. Effect of cisplatin on the activities of enzymes which protect against lipid peroxidation. *Biochem. Pharmacol.* 1992; 43:1872-1875.
- Seethalakshmi L, Flores C, Kinkead T, Carboni AA, Malhotra RK, Menon M. Effects of subchronic treatment with cisplatin on testicular function, fertility, pregnancy outcome, and progeny. *J. Androl* 1992; 13: 65-74.
- Sehested M, Jensen PB, Sorensen BS, Holm B, Friche E, Demant EJ. Antagonistic effect of the cardioprotector (+)-1,2-bis(3,5-dioxopiperazinyl-1-yl)propane (ICRF-187) on DNA breaks and cytotoxicity induced by the topoisomerase II directed drugs daunorubicin and etoposide (VP-16). *Biochem Pharmacol* 1993; 46(3):389-93.
- Seibert K, Masferrer J. Role of inducible cyclooxygenase (COX-2) in inflammation. *Receptor* 1994; 94:17-23.
- Seifert CF, Nesser ME, Thompson DE. Dexrazoxane in the prevention of doxorubicin-induced cardiotoxicity. *Ann Pharmacother* 1994; 28: 1063-1072.
- Serrano J, Palmeira CM, Kuehl DW, Wallace KB. Cardioselective and cumulative oxidation of mitochondrial DNA following subchronic doxorubicin administration. *Biochim Biophys Acta* 1999; 1411(1): 201-5.
- Shacter E, Williams JA, Hinson RM, Senturker S, Lee Y-J. Oxidative stress interferes with cancer chemotherapy: inhibition of lymphoma cell apoptosis and phagocytosis. *Blood*.2000;96:307-313.
- Shadle SE, Bammel BP, Cusack BJ, Knighton RA, Olson SJ, Mushlin PS, Olson RD. Daunorubicin cardiotoxicity: evidence for the importance of the quinone moiety in a free-radical-independent mechanism. *Biochem Pharmacol* 2000; 60(10): 1435-44.
- Shameberger RJ. Increase in peroxidation in carcinogenesis. *J Natl Cancer Inst* 1972; 48:1491.
- Shepherd J, Hunnighake DB, Barter P, Mckenney, Hutchinson HG. Guidelines for lowering lipids to reduce coronary artery disease risk: A comparison of rosuvastatin with atorvastatin, pravastatin and simvastatin for achieving lipid-lowering goals. *Am J Cardiol* 2003; 91 (Suppl): 11-19.
- Shim JS, Kang MH, KimYH, Roh JK, Roberts C, Lee IP. Chemopreventive effect of green tea (*Camellia sinensis*) among cigarette smokers. *Cancer Epidemiol Biomarkers Prev* 1995; 4: 387-391.
- Shishehbor MH, Brennam ML, Aviles RJ, Fu X, Penn MS, Sprecher DL, et al. Statins promote potent systemic antioxidant effects through specific inflammatory pathways. *Circulation* 2003; 108:426-31.
- Sies H, Sharov VS, Klotz LO, Briviba K. Glutathione peroxidase protects against peroxynitrite-mediated oxidations. A new function for selenoproteins as peroxynitrite reductase. *J Biol Chem* 1997; 272: 27812-27817.
- Singal PK, Deally CM, Weinberg LE. Subcellular effects of adriamycin in the heart: a concise review. *J. Mol. Cell Cardiol* 1987; 19: 817-828.
- Singal PK, Pierce GN. Adriamycin stimulates low-affinity Ca^{2+} binding and lipid peroxidation but depresses myocardial function. *Am J Physiol* 1986; 250(3 Pt 2): H419-H425.

- Singal PK, Siveski-Iliskovic N, Hill M, Thomas T, Li T. Combination therapy with probucol prevents adriamycin-induced cardiomyopathy. *J Mol Cell Cardiol* 1995; 27:1055-1063.
- Siveski-Iliskovic N, Hill M, Chow DA, Singal PK. Probucol protects against adriamycin cardiomyopathy without interfering with its antitumor effect. *Circulation* 1995; 91(1):10-5.
- Skinner DC, Malpoux B. High melatonin concentrations in third ventricular fluid are not due to Galen vein blood recirculating through the choroid plexus. *Endocrinology* 1999; 140:4399-4405.
- Slater TF, Sawyer BC. The stimulatory effects of carbon tetrachloride and other halogenoalkanes or peroxidative reactions in rat liver fractions *in vitro*. *Biochemical Journal* 1971; 123: 805-14.
- Sofni T, Ischidate M. Induction of chromosomal aberrations in cultured Chinese hamster cells superoxide generation system. *Mutat Res* 1984; 140:27.
- Soleas GJ, Ciamandis EP, Goldberg DM. Resveratrol: a molecule whose time has come? *Clin. Biochem* 1997; 30:91-113.
- Somani SM, Ravi R, Rybak LP. Diethylthiocarbamate protection against cisplatin nephrotoxicity. *Drug Chem. Toxicol.* 1995; 18:151-170.
- Sondik EJ. Breast cancer trends :Incidence, mortality and survival. *Cancer* 1994; 74:995-999.
- Sozen S, Coskun U, Sancak B, et al. Serum levels of interleukin-18 and nitrite + nitrate in renal cell carcinoma patients with different tumor stage and grade. *Neoplasma* 2004; 51:25-29.
- Speranza M, Bagley AC, Lynch RE. Cells enriched for catalase are sensitized to the toxicities of bleomycin, adriamycin, and paraquat. *J Biol Chem* 1993; 268:19039-19043.
- Speyer JL, Green MD, Kramer E, Rey M, Sanger J, Ward C, Dubin N, Ferrans V, Stecy P, Zeleniuch-Jacquotte A. Protective effect of the bispiperazinedione ICRF-187 against doxorubicin-induced cardiac toxicity in women with advanced breast cancer. *N Eng J Med* 1988; 319: 745-752.
- Sreejayan N, Rao MNA. Curcumin inhibits iron dependent lipid peroxidation. *Int. J. Pharmacol* 1993; 100:93-97.
- Sreejayan N, Rao MNA. Curcuminoids as potent inhibitors of lipid peroxidation. *J Pharm Pharmacol* 1994; 46(12): 1013-6.
- Sreejayan N, Rao MNA. Nitric oxide scavenging by curcuminoids. *J. Pharm. Pharmacol* 1997; 49:105-7.
- Stark ME, Szurzewski JH. Role of nitric oxide in gastro intestinal and hepatic function and disease. *Gastroenterology* 1992; 103:1928.
- Starkebaum GA, Durack DT. Letter: Early onset of daunorubicin (daunomycin) cardiotoxicity. *Lancet* 1975; 2(7937): 711-2.
- Steimle V, Siegrist CA, Mottet A, Lisowska-Grospierre B, Mach B. Regulation of MHC class II expression by interferon-gamma mediated by the transactivator gene CIITA. *Science* 1994; 265:106-9.
- Steinberg D, Parsatharethy S, Carew TE, Khoo JC, Witztum JL. Beyond cholesterol. Modification of low-density lipoprotein that increase its atherogenicity. *N. Engl. J. Med.* 1989; 320:915-924.
- Steinberg D. LDL oxidation and atherogenesis. In: *Atherosclerosis IX. Proceedings of the Ninth International Symposium on Atherosclerosis* (Stein, O., Eisenberg, S. and Stein, Y., Eds.) JTA, U.S.A. 1992; 41-46.

- Stoner GD, Mukhtar H. Polyphenols as cancer chemopreventive agents. *J Cell Biochem* 1995; 22:169-80.
- Subbaramaiah K, Chung WJ, Michaluart P et al. Resveratrol inhibits cyclooxygenase-2 transcription and activity in phorbol ester-treated human mammary epithelial cells. *J. Biol. Chem* 1998; 273:21875-21882.
- Subbaramaiah K, Michaluart P, Chung WJ, Tanabe T, Telang N, Dannenberg AJ. Resveratrol inhibits cyclooxygenase-2 transcription in human mammary epithelial cells. *Ann. N. Y. Acad. Sci* 1999; 889: 214-223.
- Subramaniam S, Shyama S, Jagadeesan M, Shyamala Devi CS. Oxidant and antioxidant levels in the erythrocytes of breast cancer patients treated with CMF. *Med Sci Res* 1993; 21:79-80.
- Suganuma M, Okabe S, Oniyama M, et al. Wild distribution of [3H](-)-epigallocatechin gallate, a cancer preventive polyphenol, in mouse tissue. *Carcinogenesis* 1998; 19:1771-6.
- Sumi S, Beauchamp D, Townsend CM, Uchida T, Murakami M, Rajaraman S, Ishizuka J, Thompson JC. Inhibition of pancreatic adenocarcinoma cell growth by lovastatin. *Gastroenterology* 1992; 103: 982-989.
- Summerfield FW, Tappel AL. Determination of Fluorescence quenching of the environment of DNA cross links made by malondialdehydes. *Biochim Biophys Acta* 1983; 740:185.
- Sun FY, Lin X, Mao LZ, Ge WH, Zhang LM, Huang YL, Gu J. Neuroprotection by melatonin against ischemic neuronal injury associated with modulation of DNA damage and repair in the rat following a transient cerebral ischemia. *J Pineal Res* 2002; 33(1): 48-56.
- Sun J, Chen Y, Li M, Ge Z. Role of antioxidant enzymes on ionizing radiation resistance. *Free Rad Biol Med* 1998; 24: 586-593.
- Surh YJ, Hurh YJ, Kang JY, Lee E, Kong G, Lee SJ. Resveratrol, an antioxidant present in red wine, induces apoptosis in human promyelocytic leukemia (HL-60) cells. *Cancer Lett* 1999; 140: 1-10.
- Takahashi M, Fukuda K, Ohata T, Sugimura T, Wakabayashi K. Increased expression of inducible and endothelial constitutive nitric oxide synthases in rat colon tumors induced by azoxymethane. *Cancer Res* 1997; 57:1233-1237.
- Takako Y, Takako N, Kyeoung I, Shigea T. Effect of green tea tannin on cisplatin induced nephropathy in LLL-PK1 Cells and rats. *J Pharm Pharmacol* 1999; 31:427-430.
- Takemoto M, Liao JK. Pleiotropic effects of 3-hydroxy-3-methylglutaryl coenzyme a reductase inhibitors. *Arterioscler Thromb Vasc Biol* 2001; 11:1712-9.
- Tamir S, Tannenbaum SR. The role of nitric oxide (NO) in the carcinogenic process. *Biophys. Acta* 1996; 1288:F31-F36.
- Tampo Y, Tsukamoto M, Yonaha M. The antioxidant action of 2-methyl-6- (p-methoxyphenyl)-3,7-dihydroimidazo[1, 2-alpha] pyrazin-3-one (MCLA), a chemiluminescence probe to detect superoxide anions. *FEBS Lett* 1998; 430: 348-352.
- Tan DX, Chen LD, Poeggeler B, Manchester LC, Reiter RJ. Melatonin: a potent, endogenous hydroxyl radical scavenger. *Endocr J* 1993; 1: 57-60.
- Tan DX, Manchester LC, Reiter RJ, Plummer BF, Limson J, Weintraub ST, Qi W. Melatonin directly scavenges H₂O₂. A potentially new metabolic pathway of melatonin biotransformation. *Free Radical Biol. Med* 2000; 29: 1177-1185.
- Tan DX, Reiter RJ, Manchester LC, Yan MT, El-Sawi M, Sainz RM, Mayo JC et al. Chemical and physical properties and potential mechanisms: melatonin as a broad spectrum antioxidant and free radical scavenger. *Curr Top Med Chem* 2002; 2:181-198.

- Tanaka K, Yasohara M, Suzumura K, Narita H, Suzuki T. Effects of fluvastatin and its major metabolites on low-density lipoprotein oxidation and cholesterol esterification in macrophages. *Jpn J Pharmacol* 2001; 86:289-96.
- Taylor S, Davenport LD, Speranza MJ, Mullenbach GT, Lynch RE. Glutathione peroxidase protects cultured mammalian cells from the toxicity of adriamycin and paraquat. *Arch Biochem Biophys* 1993; 305: 600-605.
- Terao J, Piskula M, Yao Q. Protective effect epicatechin, epicatechin gallate, and quercetin on lipid peroxidation in phospholipid bilayers. *Arch Biochem Biophys* 1994; 308:278-284.
- Tesonere L, D'Arpa D, Conti S, Giaccone V, Pintaudi AM, Livrea MA. Melatonin protects human red blood cells from oxidative haemolysis: new insights into the radical-scavenging activity. *J Pineal Res* 1999; 27: 95-105.
- Tessitore L, Davit A, Sarotto I, Caderni G. Resveratrol depresses the growth of colorectal aberrant crypt foci by affecting bax and p21 (CIP) expression. *Carcinogenesis* 2000; 21: 1619-1622.
- Tetef ML, Synold TW, Chow W, Leong L, Margolin K, Morgan R, Raschko J, Shibata S, Somlo G, Yen Y, Groshen S, Johnson K, Lenz HJ, Gandara D, Doroshow JH. Phase I trial of 96-h continuous infusion of dexrazoxane in patients with advanced malignancies. *Clin Cancer Res* 2001; 7: 1569-1576.
- Thangaraju M, Vijayalakshmi T, Sachdanandam P. Effects of Tamosifen on lipid peroxide and antioxidative system in postmenopausal women with breast cancer *Cancer* 1994; 74: 173.
- Thibault A, Samid D, Tompkins AC, Figg WD, Cooper MR, Hohl RJ, Trepel J, Liang B, Patronas N, Venzon DJ, Reed E, Myers CE. Phase I study of lovastatin, an inhibitor of the mevalonate pathway in patients with cancer. *Clin. Cancer Res* 1996; 2: 483-491.
- Thibodeau PA, Paquette B. DNA damage induced by catecholestrogens in the presence of copper (II) generation of reactive oxygen species and enhancement by NADH. free radical *Biol Med* 1999;27: 1367.
- Thomas CE, Aust SD: Release of iron from ferritin by cardiotoxic anthracycline antibiotics. *Arch Biochem Biophys* 1986; 248: 684-689.
- Thomsen LL, Lavton FG, Knowles RG, Beesley FE, Riveross Moreno V, Moncada S. Nitric Oxide synthase activity in human gynecological cancer. *Cancer Res.* 1994; 54: 1352.
- Thomsen LL, Miles DW, Happerfield L, Bobrow LG, Knowles RG, Moncada S. Nitric Oxide synthase activity in human breast cancer. *Br. J Cancer* 1995; 72:41.
- Tokarska-Schlattner M, Wallimann T, Schlattner U. Multiple interference of anthracyclines with mitochondrial creatine kinases: preferential damage of the cardiac isoenzyme and its implications for drug cardiotoxicity. *Mol Pharmacol* 2002; 61(3): 516-23.
- Torti FM, Bristow MR, Howes AE, Aston D, Stockdale FE, Carter SK, Kohler M, Brown BW, Jr., Billingham ME. Reduced cardiotoxicity of doxorubicin delivered on a weekly schedule. Assessment by endomyocardial biopsy. *Ann Intern Med* 1983; 99(6): 745-9.
- Treskes M, Boven E, Holwerda U, Pinedo HM, Van Der Vijgh WJ. Time dependence of the selective modulation of cisplatin-induced nephrotoxicity by WR 2721 in the mouse. *Cancer Res.* 1992; 52: 2257-2260.
- Tsai SH, Lin-Shiau SY, Lin JK. Suppression of nitric oxide synthase and the down-regulation of the activation of NF- κ B in macrophages by resveratrol. *Br. J.Pharmacol* 1999; 126: 673-680.
- Tsuda H. Chromosomal aberrations induced by hydrogen peroxide in cultured mammalian cells. *Jpn J Genet* 1981; 56:1.

- Tzeng E, Kim YM, Pitt BR, Lizonova A, Kovesh I, Billar TR. Adenoviral transfer of the inducible nitric oxide synthase gene blocks endothelial apoptosis. *Surgery* 1997; 122: 255.
- Unverferth DV, Magorien RD, Unverferth BP, Talley RL, Balcerzak SP, Baba N. Human myocardial morphologic and functional changes in the first 24 hours after doxorubicin administration. *Cancer Treat Rep* 1981; 65(11-12): 1093-7.
- Vaca CE, Wilhelm J, Harms Rihadahl M. Interaction of lipid peroxidation product with DNA A Review. *Mutat Res Rev Genet Toxicol* 1988; 195:137.
- Vamvakas S, Vock E, Lutz WK. On the role of DNA Double Strand breaks in toxicity and carcinogenesis. *Rev Toxicol* 1997; 27:155.
- Van Vleet JF, Ferrans VJ, Weirich WE. Cardiac disease induced by chronic adriamycin administration in dogs and an evaluation of vitamin E and selenium as cardioprotectants. *Am J Pathol* 1980; 99(1):13-42.
- Vani T, Rajani M, Sarkar S, Shishoo C.J. Antioxidant properties of the Ayurvedic formulation Triphala and its constituents. *Int. J. Pharmacol* 1997; 35(5): 313-7.
- Vasquez-Vivar J, Martasek P, Hogg N, Masters BSS, Pritchard KA Jr, Kalyanaraman B. Endothelial nitric oxide synthase-dependent superoxide generation from adriamycin. *Biochemistry* 1997; 36: 11293-11297.
- Vile GF, Basu-Modak S, Waltner C, Tyrrell RM. Heme oxygenase 1 mediates an adaptive response to oxidative stress in human skin fibroblasts. *Proc Natl Acad Sci* 1994;USA 91: 2607-2610.
- Villani F, Monti E, Piccinini F, Favalli L, Lanza E, Rozza Dionigi A, Poggi P. Relationship between doxorubicin-induced ECG changes and myocardial alterations in rats. *Tumori* 1986;72: 323-329.
- Virtamo J, Pientinen P, Huttunen JK, et al. Incidence of cancer mortality, following alpha-tocopherol and beta-carotene supplementation: a postintervention follow-up. *JAMA* 2003;290:476-485.
- Visioli F, Bellomo G, Galli C. Free radical-scavenging properties of olive oil polyphenols. *Biochem Biophys Res Commun* 1998; 247:60-4.
- Voest EE, van Acker SA, van der Vijgh WJ, van Asbeck BS, Bast A. Comparison of different iron chelators as protective agents against acute doxorubicin-induced cardiotoxicity. *J Mol Cell Cardiol* 1994; 26(9):1179-85.
- Vogt M, Bauer MK, Ferrari D, Schulze-Osthoff K. Oxidative stress and hypoxia/reoxygenation trigger CD95 (APO-1/Fas) ligand expression in microglial cells. *FEBS Lett* 1998;429: 67-72.
- Von Harsdorf R, Li PF, Dietz R. Signaling pathways in reactive oxygen species-induced cardiomyocyte apoptosis. *Circulation* 1999; 99: 2934-2941.
- Von Hoff DD, Layard MW, Basa P et al. Risk factors for doxorubicin-induced congestive heart failure. *Ann Intern Med* 1979; 91:710-717.
- Wagdi P, Fiuri M, Aeschbacher B, Fikrie A, Meier B. Cardioprotection in patients undergoing chemo and/or radiotherapy for neoplastic disease: a pilot study. *Jpn Heart J* 1996; 37:353-359.
- Wagner B, Buettner GR, Oberley LW, Burns CP. Sensitivity of K562 and HL-60 cells to edelfosine, an ether lipid drug, correlates with production of reactive oxygen species. *Cancer Res* 1998; 58: 2809-2816.
- Wahab MH, Akoul ES, Abdel-Aziz AA. Modulatory effects of melatonin and vitamin E on doxorubicin induced cardiotoxicity in Ehrlich ascites carcinoma-bearing rats. *Tumori* 2000; 86: 157-162.

- Wang CY, Zhong WB, Chang TC, Lai SM, Tsai YF. Lovastatin, a 3-hydroxy-3-methylglutaryl coenzyme A reductase inhibitor, induces apoptosis and differentiation in human anaplastic thyroid carcinoma cells. *J Clin Endocrinol Metab* 2003; 88:3021-6.
- Wang L, Ma W, Markovich R, Chen J-W, Wang PH. Regulation of cardiomyocyte apoptotic signaling by insulin-like growth factor 1. *Circ Res* 1998; 83: 516-522.
- Wang M, Dhingra K, Hittelman WN, Liehr JG, deAndrade M, Li D. Lipid peroxidation induced putative malondialdehyde DNA adducts in human breast. *Tissues Cancer Epidemiol Biomarkers Prev* 1996; 5: 705.
- Wang S, Leonard SS, Ye J, Ding M, Shi X. The role of hydroxyl radical as a messenger in Cr (VI)-induced p53 activation. *Am J Physiol* 2000; 279:C868-C875.
- Wang YM, Madanat FF, Kimball JC, Gleiser CA, Ali MK, Kaufman MW, van Eys J. Effect of vitamin E against adriamycin-induced toxicity in rabbits. *Cancer Res* 1980; 40(4):1022-7.
- Ward JA, Bardin CW, Knight M, Robinson J, Gunsalus G, Morris ID. Delayed effects of doxorubicin on spermatogenesis and endocrine function in rats. *Reprod Toxicol* 1988; 2:117-26.
- Ward JM, Fauvie KA. The nephrotoxic effects of *cis* diammine-dichloroplatinum II in male F344 rats. *Toxicol. Appl. Pharmacol* 1976; 38: 535-547.
- Wassmann S, Laufs U, Baumer AT, Muller K, Ahlbory K, Linz W, et al. HMG-CoA reductase inhibitors improve endothelial dysfunction in normocholesterolemic hypertension via reduced production of reactive oxygen species. *Hypertension* 2001; 37:1450-7.
- Wassmann S, Laufs U, Muller K, Konkol C, Ahlbory K, Baumer AT, et al. Cellular antioxidant effects of atorvastatin *in vitro* and *in vivo*. *Arterioscler Thromb Vasc Biol* 2002; 22:300-5.
- Wattenberg LW. Prevention therapy basic science and the resolution of the cancer problem. *Cancer Res* 1993; 53:5890-5896.
- Weijl NI, Hopman GD, Wipkink-Bakker A, et al. Cisplatin combination chemotherapy induces a fall in plasma antioxidants of cancer patients. *Ann Oncol.* 1998; 9:1331-1337.
- Weinstein DM, Mihm MJ, Bauer JA. Cardiac peroxynitrite formation and left ventricular dysfunction following doxorubicin treatment in mice. *J Pharmacol Exp Ther* 2000; 294(1): 396-401.
- Weisburger JH, Rivenson A, Garr K, et al. Tea, or tea and milk, inhibit mammary gland and colon carcinogenesis in rats. *Cancer Lett* 1997; 114:323-7.
- Weisburger JH. *American Journal Clinical Nutrition* 1991;53:226S.
- Weisburger JH. Tea antioxidants and health. In: Cadenas E, Packer L, eds. *Handbook of antioxidants*. New York: Marcel Dekker, Inc., 1996;469-86.
- Weijl NI, Cleton FJ, Osanto S. Free radical and antioxidants in chemotherapy induced toxicity. *Cancer Treat Rev* 1997; 23:574-579.
- Weijl NI, Elsendoorn TJ, Lentjes EGWM, et al. Supplementation with antioxidant micronutrients and chemotherapy induced toxicity in cancer patients treated with cisplatin-based chemotherapy: a randomized double blind placebo-controlled study. *Eur J Cancer* 2004; 40:1713-1723.
- Westman N, Marklund SL. Copper and zinc containing superoxide dismutase and manganese containing superoxide dismutase in human tissues and human malignant tumors. *Cancer Res* 1981; 41: 2962-2966.
- Whittaker M, Whittaker JW. A glutamate bridge is essential for dimer stability and metal selectivity in manganese superoxide dismutase. *J Biol Chem* 1998; 273, 22188-22193.

- Wilson SH, Simari RD, Best PJ, Peterson TE, Lerman LO, Aviram M, et al. Simvastatin preserves coronary endothelial function in hypercholesterolemia in the absence of lipid lowering. *Arterioscler Thromb Vasc Biol* 2001; 21:122-8.
- Winer EP, Marrow M, Osborne CK, Harris JR. Malignant tumours of breast. In *Cancer Principles and practice of oncology*. Eds Vincent T DeVita Jr., Samuel Hellman and Steven A Rosenberg, 6th edition Lippincott Williams and Wilkins, Philadelphia. 2001:1651-1717.
- Wink DA, Vodovotz Y, Laval J, Laval F, Dewhurst MW, Mitchell JB. The multifaceted role of nitric oxide in cancer. *Carcinogenesis* 1998; 19: 711.
- Witztum JL. The oxidation hypothesis of atherosclerosis. *Lancet* 1994; 344:793-95.
- Wng MY, Liehr JG. Induction by estrogens of lipid peroxidation and lipid peroxide derived malondialdehyde DNA adducts in male Syrian hamsters; role of lipid peroxidation in estrogen induced kidney carcinogenesis. *Carcinogenesis* 1995;16: 1941.
- World Health Organization. *World Health Report 2001. Mental Health: New Understanding, New Hope*. Geneva: WHO, 2001.
- Xie K, Dong Z, Findler IJ. Activation of nitric oxide synthase gene for inhibition of cancer metastasis. *K leukocyte boil* 1996; 59:797.
- Xie K, Huang S, Dong Z, Juang SH, Gutman M, Xie Q. Transfection with the inducible nitric oxide synthase gene suppress tumorigenicity and abrogates metastasis y K 1737 murine melanoma cells. *J Exp. Med.* 1995; 181: 1333.
- Xu Y, Ho C-T, Amin SG, Han C, Chung FL. Inhibition of tobacco-specific nitrosamine-induced lung tumorigenesis in A/J mice by green tea and its major polyphenol as antioxidants. *Cancer Res* 1992; 52:3875-3879.
- Xu Z, Zhao S, Zhou H, Ye H, Li J. Atorvastatin lowers plasma matrix metalloproteinase-9 in patients with acute coronary syndrome. *Clin Chem* 2004; 50:750-3.
- Xuwan Liu, Zhongyi Chen, Chu Chang Chua, Yan-Shan Ma, George A. Youngberg, Ronald Hamdy, Balvin HL Chua. Melatonin as an effective protector against doxorubicin-induced cardiotoxicity. *Am J Physiol Heart Circ Physiol* 2002; 283: H254-H263.
- Yan H, Harding JJ. Glycation induced inactivation and loss of antigenicity of catalase and superoxide dismutase. *Biochem J* 1997; 328: 599-605.
- Yang CS, Chung JY, Yang GY, Chhabra SK, Lee MJ. Tea and tea polyphenols in cancer prevention. *J. Nutr* 2000; 130:S472-S478.
- Yang CS, Lee MJ, Chen L, et al. Polyphenols as inhibitors of carcinogenesis. *Environ Health Perspect* 1997; 105:971-6.
- Yang CS, Wang ZY. Tea and Cancer. *J Natl Cancer Inst* 1993; 85:1038-1049.
- Yang JA, Choi JH, Rhee SJ. Effects of green tea catechin on phospholipase A2 activity and antithrombus in streptozotocin diabetes rats. *Journal of Nutrition Science Vitaminol* 1999; 45:, 337-346.
- Yokozawa T, Dong E, Nakagawa T, Kashiwagi H, Nakagawa H, Takeuchi S, Chung HY. In vitro and in vivo studies on the radical-scavenging activity of tea. *Journal of Agricultural and Food Chemistry* 1998;46: 2143-2150.
- Yoshida M, Itzuka K, Hara M, Nishijima H, Shimada A, Nakada K, Satoh Y, Kama Y, Terada A. Prevention of nephrotoxicity of cisplatin by repeated oral administration of ebselen in rats. *Tohoku J. Exp. Med.* 2000; 191: 209-220.
- Yoshie Y, Ohshima H. Synergistic induction of DNA strands breakage by catechol estrogen and nitric oxide implication for hormonal carcinogenesis. *Free radical Biol Med* 1998;24: 341.

- Youn H, Kim EJ, Roe JH, Hah YC, Kang SO. A novel nickel-containing superoxide dismutase from *Streptomyces* spp. *Biochem J* 1996; 318: 889-896.
- Young AJ, Lowe GM. Antioxidant and prooxidant properties of carotenoids. *Arch Biochem Biophys* 2001;385:20-27.
- Zeillinger R, Rantascher E, Schnexeberger C, Tschugguel W, Eder S, Sliutz G. Simultaneous expression of nitric oxide synthase and estrogen receptor in human breast cancer cell line. *Breast Cancer Res Tr* 1996;40:205.
- Zhang H, Squadrito GL, Uppu R, Pryor WA. Reaction of peroxynitrite with melatonin: a mechanistic study. *Chem Res Toxicol* 1999; 12: 526-534.
- Zhang JG, Zhong LF, Zhang M., Ma XL, Xia YX, Lindup WE. Amelioration of cisplatin toxicity in rat renal cortical slices by dithiothreitol *in vitro*. *Hum. Exp. Toxicol* 1994; 13: 89-93.
- Zhou H, Miyaji T, Kato A, Fujigaki Y, Sano K, Hishida A. Attenuation of cisplatin-induced acute renal failure is associated with less apoptotic cell death. *J. Lab. Clin. Med.* 1999; 134(6): 649-658.
- Zhou S, Starkov A, Froberg MK, Leino RL, Wallace KB. Cumulative and irreversible cardiac mitochondrial dysfunction induced by doxorubicin. *Cancer Res* 2001; 61(2): 771-7.
- Zorzato F, Salviati G, Facchinetti T, Volpe P. Doxorubicin induces calcium release from terminal cisternae of skeletal muscle. A study on isolated sarcoplasmic reticulum and chemically skinned fibers. *J Biol Chem* 1985; 260(12): 7349-55.
- Zweier JL. Iron-mediated formation of an oxidized adriamycin free radical. *Biochim Biophys Acta* 1985; 839(2): 209-13.