

CONTENTS

| | Page No. |
|---|-------------|
| Acknowledgements | i-ii |
| Contents | iii-vii |
| List of Tables | viii-xi |
| List of Figures | xii-xxii |
| Abbreviations | xxiii-xxvii |
| | |
| CHAPTER 1 REVIEW OF LITERATURE | 1-53 |
| 1.1 Cardiovascular diseases | 1 |
| 1.2 Economic impact | 3 |
| 1.3 Myocardial Infarction | 3 |
| 1.3.1 Pathophysiology of Myocardial Infarction | 4 |
| 1.3.2 Mechanisms of myocardial injury | 5 |
| 1.3.3 Risk factors and Symptoms of MI | 7 |
| 1.3.4 Diagnosis and Laboratory finding of MI | 8 |
| 1.3.5 Treatment of myocardial infarction | 9 |
| 1.4 Reactive oxygen species and oxidative stress | 11 |
| 1.4.1 Sources of Reactive Oxygen Species | 12 |
| 1.4.3 Molecular damage induced by free radicals | 14 |
| 1.5 Reactive oxygen species and cardiovascular system | 16 |
| 1.5.1 ROS and calcium ions | 19 |
| 1.5.2 ROS and lipotoxicity | 19 |
| 1.5.3 Nitric oxide and cardiac function | 20 |
| 1.5.4 C-Reactive protein | 21 |
| 1.5.5 Myloperoxidase | 22 |
| 1.5.6 Apoptosis | 23 |

| | | |
|--|---|---------------|
| 1.6 | Catecholamine induced myocardial necrosis | 25 |
| 1.6.1 | Mechanism of ISO induced myocardial infarction | 27 |
| 1.7 | Defenses against oxidative stress | 30 |
| 1.8 | Natural antioxidants a promising ray | 33 |
| 1.8.1 | Antioxidants in ISO induced Myocardial infarction | 34 |
| 1.9 | Vitamin E (α -tocopherol) | 37 |
| 1.10 | Green tea (<i>Camellia sinensis</i>) | 39 |
| 1.11 | Lycopene # | 42 |
| 1.12 | <i>Lagenaria Siceraria</i> (Bottle Gourd) # | 46 |
| 1.13 | Pomegranate (<i>Punica Granatum</i>) # | 50 |
| CHAPTER 2 INTRODUCTION | | 54-62 |
| CHAPTER 3 AIMS AND OBJECTIVES | | 63-64 |
| CHAPTER 4 MATERIALS AND METHODS | | 65-101 |
| 4.1.1 | Drugs | 65 |
| 4.1.2 | Chemicals | 65 |
| 4.1.3 | Sources of diagnostic kits # | 66 |
| 4.1.4 | Collection and authentication of <i>Lagenaria siceraria</i> Fruits # | 66 |
| 4.1.4.2 | Test dose preparation | 67 |
| 4.1.5 | Experimental animals | 67 |
| 4.1.6 | Fixation of optimum dosage of drugs | 68 |
| 4.1.7 | Experimental design | 68 |
| 4.2 | Assessment of Biochemical parameters | 71 |
| 4.2.1 | Removal and Processing of Serum and Tissues for Various Estimations | 71 |
| 4.2.3 | Assessment of biochemical parameters | 72 |
| 4.2.4 | Hemodynamic measurements | 72 |

| | | |
|---------|---|-------|
| 4.2.4.1 | Electrocardiographic measurements | 72 |
| 4.2.4.2 | Measurement of Blood pressure | 72 |
| 4.2.5 | Assessment of serum cardiac marker enzymes | 72-73 |
| 4.2.5.1 | Assay of Aspartate transaminase (AST/GOT) | 72 |
| 4.2.5.2 | Assay of Alanine transaminase (ALT/GPT) | 72 |
| 4.2.5.3 | Assay of Alkaline phosphatase (ALP) | 73 |
| 4.2.5.4 | Assay of Lactate dehydrogenase (LDH) | 73 |
| 4.2.5.5 | Assay of CreatinekinaseMB (CKMB) | 73 |
| 4.2.5.6 | Assay of serum total protein (TP) | 73 |
| 4.2.6.6 | Assay of Uric acid (UA) | 73 |
| 4.2.6 | Assessment of lipid peroxidation and endogenous antioxidants | 73-79 |
| 4.2.6.1 | Assay of Lipid Peroxidation (LPO) | 73 |
| 4.2.6.2 | Assay of Reduced Glutathione (GSH) | 74 |
| 4.2.6.3 | Assay of Glutathione peroxidase (GPx) | 75 |
| 4.2.6.4 | Assay of Glutathione Stransferase (GST) | 76 |
| 4.2.6.5 | Assay of Superoxide dismutase (SOD) | 77 |
| 4.2.6.6 | Assay of Catalase (CAT) | 78 |
| 4.2.6.7 | Estimation of Vitamin E | 79 |
| 4.2.7 | Assessment of membrane bound phosphatases | 79-83 |
| 4.2.7.1 | Assay of $\text{Na}^+ \text{K}^+$ ATPas | 79 |
| 4.2.7.2 | Assay of Ca^{2+} ATPase | 80 |
| 4.2.7.3 | Assay of Mg^{2+} ATPase | 81 |
| 4.2.7.4 | Determination of Inorganic Phosphorus | 82 |
| 4.2.7.5 | Estimation of Na^+ , K^+ and Ca^{++} | 83 |
| 4.2.7.6 | Estimation of tissue Protein | 83 |
| 4.2.8 | Separation of Lactate dehydrogenase (LDH) isoenzymes | 84 |
| 4.2.9 | Lipid Profile | 85-87 |

| | | |
|----------|---|--------|
| 4.2.9.1 | Extraction of Lipids from heart tissue | 85 |
| 4.2.9.2 | Estimation of Total cholesterol (TC) | 86 |
| 4.2.9.3 | Estimation of Triglyceride (TG) | 86 |
| 4.2.9.4 | Estimation of High density lipoproteins (HDL) | 86 |
| 4.2.9.5 | Estimation of LDL and VLDL | 86 |
| 4.2.9.6 | Estimation of Phospholipids (PL) | 86 |
| 4.2.9.7 | Estimation of Free Fatty acids (FFA) | 87 |
| 4.2.10 | Lipid metabolizing enzymes | 88-90 |
| 4.2.10.1 | Estimation of tissue Lecithin cholesterol acyl transferase (LCAT) | 88 |
| 4.2.10.2 | Estimation of Tissue Cholesterol ester synthase (CES) | 89 |
| 4.2.10.3 | Estimation of Tissue Lipoprotein Lipase (LPL) | 90 |
| 4.2.11 | Measurement of Myeloperoxidase (MPO) activity | 91 |
| 4.2.12 | Measurement of tissue nitrite level | 92 |
| 4.2.13 | Measurement of Creactive protein (CRP) | 92 |
| 4.2.14 | Histopathology study | 93-95 |
| 4.2.14.1 | Haemotoxyline and eosin staining | 93 |
| 4.2.14.2 | Masson's trichrome staining | 94 |
| 4.2.14.3 | Periodic acid Schiff's staining | 95 |
| 4.2.15 | DNA fragmentation Analysis by Gel Electrophoresis | 96 |
| 4.2.16 | Macroscopic enzyme mapping (TTC Staining) | 97 |
| 4.2.17 | Estimation of Caspase-3 protease level | 97 |
| 4.3 | In vitro antioxidant study | 98-102 |
| 4.3.1 | DPPH radical scavenging assay | 98 |
| 4.3.2 | Superoxide radical scavenging assay | 99 |
| 4.3.3 | Nitric oxide scavenging assay | 100 |
| 4.3.4 | Lipid peroxidation in rat liver homogenate | 101 |
| 4.4 | Statistical Analysis | 102 |

| | | |
|---------------------------------------|--------------------------------------|----------------|
| CHAPTER 5 | RESULTS | 103-223 |
| 5.1 | Pilot study for dose fixation | 103-106 |
| 5.2 | Effect of Vit.E and GT | 107-135 |
| 5.3 | Effect of Vit.E and LYP | 136-163 |
| 5.4 | Effect of Vit.E and PGFE | 164-191 |
| 5.5 | Effect of Vit.E and LSFJ | 192-219 |
| 5.6 | <i>In vitro</i> antioxidant activity | 220-223 |
| CHAPTER 6 | DISCUSSION | 224-252 |
| CHAPTER 7 | SUMMARY AND CONCLUSION | 253-262 |
| BIBLOGRAPHY | | 263-315 |
| PUBLICATIONS AND PRESENTATIONS | | 316-317 |