

LIST OF FIGURES

Figure No.		Page No.
1.1	Narrowing of coronary artery during myocardial infarction	5
1.2	Generation of various oxidants by different sources	13
1.3	Metabolism of ROS and the mechanism of oxidative tissue damage leading to pathological conditions	17
1.4	Mechanism by which ROS can alter the structure and function of cardiac muscle	18
1.5	Effects of nitric oxide and peroxynitrite on cellular levels	21
1.6	Mechanism of myocardial dysfunction by apoptosis and necrosis	25
1.7	Structure of Isoproterenol	26
1.8	Schematic representation of isoproterenol induced cell damage	29
1.9	Pro-oxidant and Antioxidant Interactions	32
1.10	Structure of Vitamin E (α -tocopherol)	37
1.11	Structure of Green tea	40
1.12	Structure of lycopene	43
1.13	Fruits of <i>Lagenariasiceraria</i>	47
1.14	Fruits of Pomegranate (<i>Punicagranatum</i>)	51
5.1	Effect of Vit.E, GT, LYP, LSFJ and PGFE at different doses on serum LDH and CK-MB levels in ISO injected rats	105
5.2	Effect of Vit.E, GT, LYP, LSFJ and PGFE at different doses on tissue LPO and GSH levels in ISO injected rats	106

5.3	Effect of Vit. E (100 mg/kg/day, p.o) and GT (100 mg/kg/day, p.o) for 30 days on ECG changes in normal and ISO (200 mg/kg, s.c)injected rats	115
5.4	Effect of Vit. E (100 mg/kg/day, p.o) and GT (100 mg/kg/day, p.o) for 30 days on systolic, diastolic and mean blood pressure in normal and ISO (200 mg/kg, s.c)injected rats	117
5.5	Effect of Vit. E (100mg/kg/day, p.o) and GT (100mg/kg/day, p.o) for 30 days on serum (a) AST and ALT (b) ALP and LDH levels in normal and ISO (200mg/kg, s.c) injected rats	118
5.6	Effect of Vit. E (100mg/kg/day, p.o) and GT (100mg/kg/day, p.o) for 30 days on serum (a) CK-MB (b) Uric acid and total protein levels in normal and ISO (200mg/kg, s.c) injected rats	119
5.7	Effect of Vit. E (100mg/kg/day, p.o) and GT (100mg/kg/day, p.o) for 30 days on myocardial Lipid peroxidation in normal and ISO (200mg/kg, s.c) injected rats	120
5.8	Effect of Vit. E (100mg/kg/day, p.o) and GT (100mg/kg/day, p.o) for 30 days on Na ⁺ /K ⁺ ATPase, Mg ⁺² ATPase and Ca ⁺² ATPase activities in normal and ISO (200mg/kg, s.c)injected rats	122
5.9	Effect of Vit. E (100mg/kg/day, p.o) and GT (100mg/kg/day, p.o) for 30 days on serum LDH isoenzyme pattern in normal and ISO (200mg/kg, s.c) injected rats	123

5.10	Effect of Vit. E (100mg/kg/day, p.o) and GT (100mg/kg/day, p.o) for 30 days on serum a) TC and TG, b) HDL levels in normal and ISO (200mg/kg, s.c) injected rats	124
5.11	Effect of Vit. E (100mg/kg/day, p.o) and GT (100mg/kg/day, p.o) for 30 days on a) LDL and VLDL, b) FFA and PL levels in normal and ISO (200mg/kg, s.c) injected rats	125
5.12	Effect of Vit.E (100mg/kg/day, p.o) and GT (100mg/kg/day, p.o) for 30 days on (a) LCAT and LPL (b) CES levels in normal and ISO (200mg/kg, s.c) injected rats	127
5.13	Effect of Vit.E (100mg/kg/day, p.o) and GT (100mg/kg/day, p.o) for 30 days on serum CRP level in normal and ISO (200mg/kg, s.c) injected rats	128
5.14	Effect of Vit. E (100mg/kg/day, p.o) and GT (100mg/kg/day, p.o) for 30 days on tissue MPO activity in normal and ISO (200mg/kg, s.c) injected rats	128
5.15	Effect of Vit. E (100mg/kg/day, p.o) and GT (100mg/kg/day, p.o) for 30 days on tissue nitrite levels in normal and ISO (200mg/kg, s.c) injected rats	129
5.16	Effect of Vit. E (100mg/kg/day, p.o) and GT (100mg/kg/day, p.o) for 30 days on Histopathological (H & E) alteration in normal and ISO (200mg/kg, s.c) injected rats	130
5.17	Effect of Vit. E (100mg/kg/day, p.o) and GT (100mg/kg/day, p.o) for 30 days on Periodic acid Schiff's staining in normal and ISO (200mg/kg, s.c) injected rats (10X)	132

5.18	Effect of Vit.E (100mg/kg/day, p.o) and GT (100mg/kg/day, p.o) for 30 days on Masson's Trichrome staining of cardiac tissue in normal and ISO (200mg/kg, s.c) injected rats (40X)	133
5.19	Effect of Vit. E (100mg/kg/day, p.o) and GT (100mg/kg/day, p.o) for 30 days on macroscopic enzyme mapping (TTC) assay and area of infarction in normal and ISO (200mg/kg, s.c) injected rats.	134
5.20	Effect of Vit.E (100mg/kg/day, p.o) and GT (100mg/kg/day, p.o) for 30 days on DNA damage (gel electrophoresis) in normal and ISO (200mg/kg, s.c) injected rats	135
5.21	Effect of Vit.E (100mg/kg/day, p.o) and GT (100mg/kg/day, p.o) for 30 days on Caspase-3 activity in normal and ISO (200mg/kg, s.c) injected rats	135
5.22	Effect of Vit. E (100mg/kg/day, p.o) and LYP (10mg/kg/day,p.o)for 30 days on ECG changes in normal and ISO (200mg/kg, s.c) injected rats	143
5.23	Effect of Vit. E (100mg/kg/day, p.o) and LYP (10mg/kg/day,p.o)for 30 days on systolic, diastolic and mean blood pressure in normal and ISO (200mg/kg, s.c) injected rats	145
5.24	Effect of Vit. E (100mg/kg/day, p.o) and LYP (10mg/kg/day,p.o)for 30 days on serum (a) AST and ALT (b) ALP and LDH levels in normal and ISO (200mg/kg, s.c) injected rats	146
5.25	Effect of Vit. E (100mg/kg/day, p.o) and LYP (10mg/kg/day,p.o)for 30 days on serum (a) CK-MB (b) Uric acid and Total protein levels in normal and ISO (200mg/kg, s.c) injected rats	147

5.26	Effect of Vit. E (100mg/kg/day, p.o) and LYP (10mg/kg/day, p.o)for 30 days on myocardial Lipid peroxidation in normal and ISO (200mg/kg, s.c) injected rats	148
5.27	Effect of Vit. E (100mg/kg/day, p.o) and LYP (10mg/kg/day,p.o)for 30 days on the activity of Na ⁺ /K ⁺ ATPase, Mg ²⁺ ATPase and Ca ²⁺ ATPase in normal and ISO (200mg/kg, s.c) injected rats	150
5.28	Effect of Vit. E (100mg/kg/day, p.o) and LYP (10mg/kg/day,p.o)for 30 days on LDH isoenzyme pattern in normal and ISO (200mg/kg, s.c) injected rats	151
5.29	Effect of Vit. E (100mg/kg/day, p.o) and LYP (10mg/kg/day,p.o)for 30 days on serum a) TC and TG, b) HDL levels in normal and ISO (200mg/kg, s.c) injected rats	152
5.30	Effect of Vit. E (100mg/kg/day, p.o) and LYP (10mg/kg/day,p.o)for 30 days on a) LDL and VLDL, b) FFA and PL levels in normal and ISO (200mg/kg, s.c) injected rats	153
5.31	Effect of Vit. E (100mg/kg/day, p.o) and LYP (10mg/kg/day, p.o)for 30 days on (a) LCAT and LPL (b) CES levels in normal and ISO (200mg/kg, s.c) injected rats	155
5.32	Effect of Vit. E (100mg/kg/day, p.o) and LYP (10mg/kg/day,p.o)for 30 days on serum CRP in normal and ISO (200mg/kg, s.c) injected rats	156
5.33	Effect of Vit. E (100mg/kg/day, p.o) and LYP (10mg/kg/day,p.o)for 30 days on tissue Myloperoxidase activity in normal and ISO (200mg/kg, s.c) injected rats	156

5.34	Effect of Vit. E (100mg/kg/day, p.o) and LYP (10mg/kg/day,p.o)for 30 days on tissue nitrite levels in normal and ISO (200mg/kg, s.c) injected rats	157
5.35	Effect of Vit. E (100mg/kg/day, p.o) and LYP (10mg/kg/day,p.o)for 30 days on Histopathological alteration in normal and ISO (200mg/kg, s.c) injected rats (10X)	158
5.36	Effect of Vit. E (100mg/kg/day, p.o) and LYP (10mg/kg/day, p.o)for 30 days on Periodic acid Schiff's staining in normal and ISO (200mg/kg, s.c) injected rats (10X)	160
5.37	Effect of Vit. E (100mg/kg/day, p.o) and LYP (10mg/kg/day,p.o)for 30 days on Masson's Trichrome staining of cardiac tissue in normal and ISO (200mg/kg, s.c) injected rats (40X)	161
5.38	Effect of Vit. E (100mg/kg/day, p.o) and LYP (10mg/kg/day,p.o)for 30 days on macroscopic enzyme mapping assay (TTC) and area of infarction in normal and ISO (200mg/kg,s.c) injected rats	162
5.39	Effect of Vit. E (100mg/kg/day, p.o) and LYP (10mg/kg/day,p.o)for 30 days on DNA damage in normal and ISO (200mg/kg,s.c) injected rats	163
5.40	Effect of Vit. E (100mg/kg/day, p.o) and LYP (10mg/kg/day,p.o)for 30 days on Caspase-3 activity in normal and ISO (200mg/kg, s.c) injected rats	163
5.41	Effect of Vit. E (100mg/kg, p.o) and PGFE (100mg/kg, p.o) for 30 days on ECG changes in normal and ISO (200mg/kg,s.c) injected rats	171

5.42	Effect of Vit. E (100mg/kg, p.o) and PGFE (100mg/kg, p.o) for 30 days on systolic, diastolic and mean blood pressure in normal and ISO (200mg/kg,s.c) injected rats	173
5.43	Effect of Vit. E (100mg/kg, p.o) and PGFE (100mg/kg, p.o) for 30 days on serum (a) AST and ALT (b) ALP and LDH levels in normal and ISO (200mg/kg,s.c) injected rats	174
5.44	Effect of Vit. E (100mg/kg, p.o) and PGFE (100mg/kg, p.o) for 30 days on serum (a) Ck-MB (b) Uric acid and Total protein levels in normal and ISO (200mg/kg, s.c) injected rats	175
5.45	Effect of Vit. E (100mg/kg, p.o) and PGFE (100mg/kg, p.o) for 30 days on myocardial Lipid peroxidation in normal and ISO (200mg/kg,s.c) injected rats	176
5.46	Effect of Vit. E (100mg/kg, p.o) and PGFE (100mg/kg, p.o) for 30 days on the activity of Na ⁺ /K ⁺ ATPase, Mg ²⁺ ATPase and Ca ²⁺ ATPase in normal and ISO (200mg/kg, s.c) injected rats	178
5.47	Effect of Vit. E (100mg/kg, p.o) and PGFE (100mg/kg, p.o) for 30 days on LDH isoenzyme pattern in normal and ISO (200mg/kg, s.c) injected rats	179
5.48	Effect of Vit. E (100mg/kg, p.o) and PGFE (100mg/kg, p.o) for 30 days on serum a) TC and TG, b) HDL-c levels in normal and ISO (200mg/kg, s.c) injected rats	180
5.49	Effect of Vit. E (100mg/kg, p.o) and PGFE (100mg/kg, p.o) for 30 days on a) LDL and VLDL b) FFA and PL levels in normal and ISO (200mg/kg, s.c) injected rats	181

5.50	Effect of Vit. E (100mg/kg, p.o) and PGFE (100mg/kg, p.o) for 30 days on (a) LCAT and LPL (b) CES levels in normal and ISO (200mg/kg, s.c) injected rats	183
5.51	Effect of Vit. E (100mg/kg, p.o) and PGFE (100mg/kg, p.o) for 30 days on serum CRP levels in normal and ISO (200mg/kg, s.c) injected rats	184
5.52	Effect of Vit. E (100mg/kg, p.o) and PGFE (100mg/kg, p.o) for 30 days on tissue MPO activity in normal and ISO (200mg/kg, s.c) injected rats	184
5.53	Effect of Vit. E (100mg/kg, p.o) and PGFE (100mg/kg, p.o) for 30 days on tissue nitrite levels in normal and ISO (200mg/kg, s.c) injected rats	185
5.54	Effect of Vit. E (100mg/kg, p.o) and PGFE (100mg/kg, p.o) for 30 days on Histopathological alteration in normal and ISO (200mg/kg, s.c) injected rats	186
5.55	Effect of Vit. E (100mg/kg, p.o) and PGFE (100mg/kg, p.o) for 30 days on Periodic acid Schiff's staining in normal and ISO (200mg/kg, s.c) injected rats (10X)	188
5.56	Effect of Vit. E (100mg/kg, p.o) and PGFE (100mg/kg, p.o) for 30 days on Masson's trichrome staining of cardiac tissue in normal and ISO (200mg/kg, s.c) injected rats (40X)	189
5.57	Effect of Vit. E (100mg/kg, p.o) and PGFE (100mg/kg, p.o) for 30 days on macroscopic enzyme assay and area of infarction in normal and ISO (200mg/kg, s.c) injected rats	190
5.58	Effect of Vit. E (100mg/kg, p.o) and PGFE (100mg/kg, p.o) for 30 days on DNA damage (gel electrophoresis) in normal and ISO (200mg/kg,s.c) injected rats	191

5.59	Effect of Vit. E (100mg/kg, p.o) and PGFE (100mg/kg, p.o) for 30 days on Caspase-3 protease activity in normal and ISO (200mg/kg, s.c) injected rats	191
5.60	Effect of Vit. E (100mg/kg/day, p.o) and LSFJ (400mg/kg/day, p.o) for 30 days on ECG changes in normal and ISO (200mg/kg, s.c) injected rats	199
5.61	Effect of Vit. E (100mg/kg/day, p.o) and LSFJ (400mg/kg/day, p.o) for 30 days on systolic, diastolic and mean blood pressure in normal and ISO (200mg/kg, s.c) injected rats	201
5.62	Effect of Vit. E (100mg/kg/day, p.o) and LSFJ (400mg/kg/day, p.o) for 30 days on serum (a) AST and ALT (b) ALP and LDH levels in normal and ISO (200mg/kg, s.c) injected rats	202
5.63	Effect of Vit. E (100mg/kg/day, p.o) and LSFJ (400mg/kg/day, p.o) for 30 days on serum (a) CK-MB (b) Uric acid and Total protein levels in normal and ISO (200mg/kg, s.c) injected rats	203
5.64	Effect of Vit. E (100mg/kg/day, p.o) and LSFJ (400mg/kg/day, p.o) for 30 days on myocardial Lipid peroxidation in normal and ISO (200mg/kg, s.c) injected rats	204
5.65	Effect of Vit. E (100mg/kg/day, p.o) and LSFJ (400mg/kg/day, p.o) for 30 days on the activity of Na ⁺ /K ⁺ ATPase, Mg ²⁺ ATPase and Ca ²⁺ ATPase in normal and ISO (200mg/kg, s.c) injected rats	206
5.66	Effect of Vit. E (100mg/kg/day, p.o) and LSFJ (400mg/kg/day, p.o) for 30 days on LDH isoenzyme pattern in normal and ISO (200mg/kg, s.c) injected rats	207

5.67	Effect of Vit. E (100mg/kg/day, p.o) and LSFJ (400mg/kg/day, p.o) for 30 days on serum a) TC and TG, b) HDL levels in normal and ISO (200mg/kg, s.c) injected rats	208
5.68	Effect of Vit. E (100mg/kg/day, p.o) and LSFJ (400mg/kg/day, p.o) for 30 days on a) LDL and VLDL b) FFA and PL levels in normal and ISO (200mg/kg, s.c) injected rats	209
5.69	Effect of Vit. E (100mg/kg/day, p.o) and LSFJ (400mg/kg/day, p.o) for 30 days on (a) LCAT and LPL (b) CES levels in normal and ISO (200mg/kg, s.c) injected rats	211
5.70	Effect of Vit. E (100mg/kg/day, p.o) and LSFJ (400mg/kg/day, p.o) for 30 days on serum CRP levels in normal and ISO (200mg/kg, s.c) injected rats	212
5.71	Effect of Vit. E (100mg/kg/day, p.o) and LSFJ (400mg/kg/day, p.o) for 30 days on tissue MPO activity in normal and ISO (200mg/kg, s.c) injected rats	212
5.72	Effect of Vit. E (100mg/kg/day, p.o) and LSFJ (400mg/kg/day, p.o) for 30 days on tissue nitrite levels in normal and ISO (200mg/kg, s.c) injected rats	213
5.73	Effect of Vit. E (100mg/kg/day, p.o) and LSFJ (400mg/kg/day, p.o) for 30 days on Histopathological alteration in normal and ISO (200mg/kg, s.c) injected rats	214
5.74	Effect of Vit. E (100mg/kg/day, p.o) and LSFJ (400mg/kg/day, p.o) for 30 days on Periodic acid Schiff's staining in normal and ISO (200mg/kg, s.c) injected rats (10X)	216

5.75	Effect of Vit. E (100mg/kg/day, p.o) and LSFJ (400mg/kg/day, p.o) for 30 days on Masson's trichrome staining of cardiac tissue in ISO (200mg/kg,s.c) injected rats (40X)	217
5.76	Effect of Vit. E (100mg/kg/day, p.o) and LSFJ (400mg/kg/day, p.o) for 30 days on area of infarction in normal and ISO (200mg/kg, s.c) injected groups	218
5.77	Effect of Vit. E (100mg/kg/day, p.o) and LSFJ (400mg/kg/day, p.o) for 30 days on DNA damage by gel electrophoresis in normal and ISO (200mg/kg, s.c) injected rats	219
5.78	Effect of Vit. E (100mg/kg/day, p.o) and LSFJ (400mg/kg/day, p.o) for 30 days on Caspase-3 activity in normal and ISO (200mg/kg, s.c) injected rats	219
5.79	Effect of Vit.E, GT, LYP, PGFE and LSFJ against DPPH radical scavenging assay	221
5.80	Effect of Vit.E, GT, LYP, PGFE and LSFJ against superoxide radical scavenging assay	222
5.81	Effect of Vit.E, GT, LYP, PGFE and LSFJ against nitric oxide radical scavenging assay	222
5.82	Effect of Vit.E, GT, LYP, PGFE and LSFJ against iron induced lipid peroxidation in rat liver	223