

BIBLIOGRAPHY

BIBLIOGRAPHY

Acs, Z., Palkovits, M. and Stark, E. (1980) Changes of glutamic decarboxylase activity after dexamethasone in selected area of the rat brain. *Neuroscience.*, 19, 97- 101.

Adam, P. A. J. and Haynes, R. C. Jr. (1969) Control of hepatic mitochondrial CO₂ fixation by glucagon, epinephrine and cortisol. *J. Biol. Chem.*, 244, 6444-6450.

Ader, R. (1968) Effects of early experience on emotional and physiological reactivity in the rat. *J. Comp. Physiol. Psychol.*, 66, 264-268.

Agrawal, H. C., Banik, N. L., Bone, A. H., Davison, A. N., Mitchell, R. F. and Spohn, M. (1970a) A new myelin like fraction isolated from developing rat brain. *Biochem. J.*, 120, 635- 642.

Ahima, R. and Harlan, R. (1990) Charting of type II corticosteroid receptor like immunoreactivity in the rat central nervous system. *Neuroscience.*, 39, 579- 604.

Ahima, R., Krozowski, Z. and Harlan, R. (1991) Type I corticosteroid receptor like immunoreactivity in the rat CNS: Distribution and regulation by corticosteroids. *J. Comp. Neurol.*, 313, 522- 538.

Ahima, R., Garcia, M. M. and Harlan, R. (1992) Intracellular localization of corticosteroid receptor in brain: Potential interactions with signal transduction pathways. *Proc. Soc. Expt. Biol. Med.*, 201, 244- 253.

Ahmed, K. and Thomas, B. S. (1971) The effect of long chain fatty acids on sodium plus potassium ion stimulated adenosine triphosphatase of rat brain. *J. Biol. Chem.*, 246, 103- 109.

Akner, G., Sundquist, K. G., Denis, M., Wikstrom, A. and Gustaffson, J. A. (1990) Immunocytochemical localization of glucocorticoid receptor in human gingival fibroblast and evidence for a colocalization of glucocorticoid receptor with cytoplasmic microtubules. *Eur. J. Cell Biol.*, 53, 390- 401.

Alaniz, D., Maria, J. T. and Marra, C. A. (1992) Glucocorticoid and mineralocorticoid hormones depress liver 5 desaturase activity through different mechanism. *Lipids.*, 27, 294- 304.

Ali, M. and Vedeckis, W. V. (1987) The glucocorticoid receptor protein binds to transfer RNA. *Science.*, 235, 467- 470.

Allen, C. and Kendall, J. W. (1967) Maturation of the circadian rhythm of plasma corticosterone in the rat. *Endocrinology.*, 80, 926-930.

Altman, A. (1970) Postnatal neurogenesis and problem of neural plasticity. In Developmental Neurobiology (Eds) W. A. Himwich. Charles C. Thomas, Springfield, p 197- 237.

Altman, A. and Bayer, S. (1975) Postnatal development of the hippocampal dentate gyrus under experimental conditions. In 'The Hippocampus' (Eds) R. L. Isaacson and K. H. Pribram, New York, Plenum Press. Vol. I, p 95-122.

Anderson, T. R. and Schanberg, S. M. (1975) Effect of thyroxine and cortisol on brain ornithine decarboxylase activity and swimming behavior in developing rat. Biochem. Pharmacol., 24, 495- 501.

Armanini, M. P., Hutchins, C., Stein, B. A. and Sapolsky, R. M. C. (1990) Glucocorticoid endangerment of hippocampal neurons is NMDA receptor dependent. Brain Res., 532, 7- 12.

Aurcchio, F. (1989) Phosphorylation of steroid receptor. J. Steroid Biochem., 32, 613-622.

Auriolles, V. R. M. and Sobrino, F. (1991) Glucocorticoid inhibit fructose 2, 6 - biphosphate synthesis in rat thymocytes. Opposite effect of cyclohexamide. Biochim. Biophys. Acta., 1091, 96- 100.

Azmitia, E. C. Jr. and McEwen, B. S. (1969) Corticosterone regulation of tryptophan hydroxylase in midbrain of rat. Science, 166, 1274- 1276.

Azmitia, E. C. Jr. and McEwen, B. S. (1974) Adrenocortical influence on rat brain tryptophan hydrolase activity. Brain Res., 78, 291- 302.

Baggen, M. G. A., Jansen, H., Lammers, R., Verschoor, L. and Birkenhager, J. C. (1987) Disparate effect of ACTH (1-24) and corticosterone on lipoprotein lipase in rat adipose tissue. J. Endocrinol., 114, 369- 372.

Balazs, R. and Richter, D. (1973) Effect of hormones on the biochemical maturation of the brain . In' Biochemistry of the Developing Brain ' Vol 1. (Ed.) Himwich, Marcel Dekker, Inc. New York, p 253-269.

Balmforth, A. J., Yasunari, K., Vaughan, P. F. T. and Ball, S. G. (1989) Glucocorticoid modify differentially dopamine and prostaglandin E₁ mediated cAMP formation by the cultured human astrocytoma clone D384. J. Neurochem., 52, 1613- 1618.

Bartlett, G. R. (1959) Phosphorous assay in column chromatography. J. Biol. Chem., 234, 466- 468.

Battenburg, J. J. and Elfring, R. H. (1992) Pre - translational regulation by glucocorticoid of fatty acid and phosphatidyl choline synthesis in type II cells from foetal rat lung. FEBS lett., 307, 164- 168.

Bass, A. D., Chambers, J. W. and Richterik (1963) The effect of hydrocorti-

sone on ALB uptake by the isolated perfused rat liver. *Life Sci.*, 4, 266-270.

Bau, D. and Vernadakis, A. (1982) Effect of corticosterone on brain cholinergic enzymes in chick embryo. *Neurochem. Res.*, 7, 821- 829.

Beckett, G. J. and Boyd, G. S. (1975) Evidence for the activation of bovine cholesterol ester hydrolase by a phosphorylation involving an adenosine 3'5' monophosphate dependent kinase. *Biochem. Soc. Trans.*, 3, 892- 894.

Behrens, B. A., Elliott, E. M., Miller, C. A., Schilling, J. W., Newcombe, R. and Sapolsky, R. M. (1992) Glucocorticoid exacerbate kainic acid induced extracellular accumulation of excitatory amino acids in the rat hippocampus. *J. Neurochem.*, 58, 1730- 1735.

Ben-Bassat, H., Polliak, A., Rosenbaum, S. M., Naparstek, E., Shouval, D. and Inbar, M. (1977) Fluidity of membrane lipids and lateral mobility of concanavalin A receptors in the cell surface on normal lymphocytes and lymphocytes from patients with malignant lymphoma and leukemias. *Cancer. Res.*, 37, 1307-1311.

Benvegnu, A. L. D., Toffano, G., Orlando, P. and Massari, P. (1978) Effect of brain cortex phospholipids on adenylate cyclase activity of mouse brain. *J. Neurochem.*, 30, 23- 26.

Bernsohn, J. and Spitz, F. J. (1974) Linoleic and linolenic acid dependency of some brain membrane - bound enzymes after lipid deprivation in rats. *Biochem. Biophys. Res. Commun.*, 57, 293- 298.

Betito, K., Diorio, J., Meaney, M. J. and Boksa, P. (1992) Adrenal phenylethanolamine N-methyl transferase induction in relation to glucocorticoid receptor dynamics: Evidence that acute exposure to high cortisol levels is sufficient to induce enzyme. *J. Neurochem.*, 58, 1853- 1862.

Bhargava, H. K. (1988) Effect of corticosterone administration on certain neurochemical parameters in rat brain regions. Ph.D thesis submitted to M. S. University of Baroda. Baroda, India.

Bhargava, H. K., Lalitha, T. and Telang, S. D. (1991) Corticosterone administration and lipid metabolism in brain regions during development. *Indian. J. Biochem. Biophys.*, 28, 214- 218.

Beaumont, K. (1987) Adrenocorticoid receptors in C6 glioma cells: effect on cell growth. *Neurochem. Res.*, 12, 701- 704.

Blackwell, G. J., Carnuccio, R. D., Rosa, M., Floer, R. J., Parente, L. and Persico, P. (1980) Macrocortin, a polypeptide causing the antiphospholipase effect of glucocorticoid. *Nature (London)*, 287, 147- 149.

Bodwell, J. E., Orti, E., Coull, J. M., Pappin, D. J. C., Mandel, D. B., Smith,

L. I. and Swift, F. (1991) Identification of phosphorylated sites in the mouse glucocorticoid receptor. *J. Biol. Chem.*, 266, 7549- 7555.

Bohn, M. C. (1980) Granule cell genesis in the hippocampus of rat treated neonatally with hydrocortisone. *Neuroscience.*, 5, 2003- 2012.

Bohn, M. C. and Lauder, J. M. (1978) The effect of Neonatal hydrocortisone on rat cerebellar development. An autoradiographic and light microscopic study, *Develop. Neurosci.*, 1, 250- 264.

Bohn, M. C. and Lauder, J. M. (1979) Cerebellar granule cell genesis in the hydrocortisone treated rat. *Develop. Neurosci.*, 3, 81- 89.

Bohn, M. C., McEwen, B. S., Luine, V. N. and Blac, I. B. (1984) Development and characterization of glucocorticoid receptors in rat superior cervical ganglion *Dev. Brain Res.*, 14, 211- 218.

Borochoy, H., Zahler, P., Wilbrandt, W. and Shinitzky, M. (1977) The effect of phosphatidyl choline to sphingomyelin mole ratio on the dynamics properties of sheep erythrocyte membranes. *Biochim. Biophys. Acta.*, 470, 382-386.

Bottoms, G. and Goetsch, D. D. (1968) Effects of corticosterone on oxidative metabolism in different tissues of the rat. *Gen. Comp. Endocrinol.*, 10, 310-313.

Bowman, R. E. and Wolf, R. C. (1962) A rapid and specific ultramicro method for total serum cholesterol. *Clin. Chem.*, 8, 302- 309.

Braughler, J. M. and Hall, E. D. (1981) Acute enhancement of spinal cord synaptosomal Na+K+ATPase activity in cats following intravenous methylprednisolone. *Brain Res.*, 219, 464-469.

Breckenridge, W. C., Gombos, G. and Morgan, I. G. (1972) The lipid composition of adult rat brain synaptosomal plasma membranes. *Biochim. Biophys. Acta.*, 266, 695-707.

Breen, G. A. M. and DeVellis, J. (1974) Regulation of glycerol phosphate dehydrogenase by hydrocortisone in dissociated rat cerebral cell cultures. *Dev. Biol.*, 41, 255- 266.

Breen, G. A. M. and DeVellis, J. (1975) Regulation of glycerol phosphate dehydrogenase by hydrocortisone in rat brain explants. *Expt. Cell. Res.*, 91, 159- 169.

Bresnick, E. H., Dalman, F. C., Sanchez, E. R. and Pratt, W. B. (1989) Evidence that the 90 KDa heat shock protein is necessary for the steroid binding conformation of the L-cell glucocorticoid receptor. *J. Biol. Chem.*, 264, 4992-4997.

Brindley, D. N., Cooling, J., Burditt, S. L., Pritchard, P. H., Pawson, S. and

Sturton, R. G.(1979) The involvement of glucocorticoid in regulating the activity of phosphatidate phosphohydrolyase and the synthesis of triacylglycerols in the liver. Effects of feeding rats with glucose, sorbitol,fructose, glycerol and ethanol. *Biochem. J.*, 180,195 -199.

Brivio- Hougland, R. P., Louis, S. L., Musch, K., Waldeck, N. and Williams, M. A. (1976) Liver plasma membranes from essential fatty acid deficient rats. Isolation,fatty acid composition and activities of 5'nucleotidase,ATP ase and adenylate cyclase. *Biochim. Biophys. Acta.*,433, 150- 163.

Brock, T.O. and O'Callaghan, J.P. (1987) Quantitative changes in the synaptic vesicles proteins synapsin I and p³⁸ and the astrocyte specific proteins, glial fibrillary acidic protein are associated with chemical induced injury to the rat central nervous system. *J. Neurosci.*, 7, 931-942.

Brown, J., Clasper, C., Smith, T. and Lomax, M. A. (1992) Effects of a β_2 adrenergic agonist, cimaterol and corticosterone on growth and carcass composition of male rats. *Comp. Biochem. Physiol.*, 102A, 217- 220.

Buccino, R. A,Spann, J. F.,Jr.,Pool, P. E.,Sonnenblick, E. B. and Braunwald, E.(1967) Influence of thyroid state on the contractile properties and energy stores of the myocardium. *J. Clin. Invest.*, 46,1669.

Burdman , J. A., Jahn, G.A and Szijan, I.(1975) Early events in the effect of hydrocortisone acetate on DNA replication in the rat brain. *J.Neurochem.*, 24, 663- 666.

Calogero, A. E., Kamilaris, T. C., Johnson, E. O., Tartaglia, M. E. and Chrosos, G. (1990) Recovery of the rat hypothalamic -pituitary - adrenal axis after discontinuation of prolonged treatment with the synthetic glucocorticoid agonist dexamethasone. *Endocrinology.*, 127, 1574- 1579.

Cammer, W., Sirota, S. R., Zimmerman, T. R. and Norton, W. T.(1980) 5'nucleotidase in rat brain myelin. *J. Neurochem.*, 35, 367-373.

Cammer, W., Snyder, D.S., Zimmerman, T. R., Farroq, M. and Norton, W. T. (1982) Glycerol 6-phosphate dehydrogenase,lactate dehydrogenase activities in oligodendrocytes , neurons,astrocytes and myelin isolated from developing rat brain. *J. Neurochem.*, 38, 360- 367.

Carlos, R. Q., Seidler, F. J. and Slotkin, T. A. (1991) Fetal dexamethasone exposure sensitizes neonatal rat brain to hypoxia: effects on protein and DNA synthesis. *Dev. Brain Res.*,64,161- 166.

Carlos, R. Q., Seidler, F. J. and Slotkin, T. A. (1992) Fetal dexamethasone exposure alters macromolecular characteristics of rat brain development.A critical period for regional selective alteration? *Teratology.*, 46, 45-59.

Carpenter, W. T. Jr. and Bunney, W.R. Jr.(1971) Adrenal cortical activity in depressive illness. *Am. J. Psychiatry.*, 128, 31- 40.

Casper, R., Vernadakis, A. and Timiras, P. S. (1967) Influence of estradiol and cortisol on lipids and cerebrosides in the developing brain and spinal cord of the rat. *Brain Res.*, 5, 524- 526.

Chan, P. H., Kerlan, R. and Fishman, R. A. (1983) Reductions of γ aminobutyric acid and glutamate uptake and Na⁺/K⁺ATPase activity in brain slices and synaptosomes by arachidonic acid. *J. Neurochem.*, 40, 309- 316.

Chao, H. M. and McEwen, B. S. (1990) Glucocorticoid regulation of preproenkephalin messenger ribonucleic acid in the rat striatum. *Endocrinology.*, 126, 3124-3130.

Chou, Y. C., Luttge, W. G. and Sumners, C. (1991) Expression of mineralocorticoid type I and glucocorticoid type II receptor in astrocyte glia as a function of time of culture. *Dev. Brain Res.*, 61, 55-61.

Cidolowski, J.A. and Richon, V. (1984) Evidence for microheterogeneity in the structure of human glucocorticoid receptor. *Endocrinology.*, 115, 1588-1597.

Clayton, C. J., Grosser, B. J. and Stevens, W. (1977) The ontogeny of corticosterone and dexamethasone receptors in rat brain. *Brain Res.*, 134, 445-453.

Cotterrell, M., Balazs, R. and Johnson, A. L. (1972) Effect of corticosteroids on the biochemical maturation of rat brain: postnatal cell formation. *J. Neurochem.*, 19, 2151-2167.

Czech, M. P. (1976) Regulation of the D-glucose transport system in isolated fat cells. *Mol. Cell. Biochem.*, 11, 51-54.

Dailey, J. W. and Batterbee, H. D. (1982) Effect of adrenalectomy on tyrosine hydroxylase activity. *Neuropharmacol.*, 21, 287- 291.

Dallman, F. C., Sanchez, E. R., Lin, A. L.Y., Perini, F. and Pratt, W. B. (1988) Localization of the phosphorylation sites with respect to the functional domains of the mouse L cell glucocorticoid receptor. *J. Biol. Chem.*, 263, 12259-12267.

Daam, G. (1985) Lipids of mitochondria. *Biochim. Biophys. Acta.*, 822, 1-42.

Danielsen, M., Northrop, J. P., Jonklass, J. and Ringold, G. M. (1987) Domains of the glucocorticoid receptor involved in specific and non specific deoxyribonucleic acid binding, hormone activation and transcriptional enhancement. *Mol. Endocrinol.*, 1, 816- 822.

Danze, P. M., Formstecher, P., Richard, C. and Dautrevaux, M. (1987) Microheterogeneity of agonist and antagonist glucocorticoid receptor complexes detected by isoelectric focussing and modification induced by receptor activation.

Biochim. Biophys. Acta., 927, 231-237.

Dawson, G. and Kernes, S. M. (1978) Induction of sulfogalactosylceramide (Sulfatide) synthesis by hydrocortisone (Cortisol) in mouse G-26 oligodendrogloma cell strains. *J. Neurochem.*, 31,1091-1094.

Dawson, G. and Kernes, S. M. (1979) Mechanism of action of hydrocortisone potentiation of sulfogalactosylceramide synthesis in mouse oligodendrogloma clonal cell lines. *J. Biol. Chem.*, 254, 163- 167.

DeKloet, E. R. & Veldhuis, H. D. (1985) Adrenocortical Hormone action. In Handbook of Neurochemistry (Ed) Lajtha, A., Vol.8, Plenum Press, New York. p47-82.

DeKloet, E. R. and Reul, J. M. (1987) Feedback actions and tonic influence of glucocorticoid on brain function: a concept arising from the heterogeneity of brain receptor system. *Psychoneuroendocrinol.*, 12, 83-105.

DeKloet, E. R., Wallach, G. and McEwen, B. S. (1975) Difference in corticosterone and dexamethasone binding of rat brain and pituitary. *Endocrinology*, 96, 598-609.

DeKloet, E. R., Kovacs, G. L., Szabo, G., Telegdy, G., Bohus, B. and Versteeg, D. H. G. (1982) Decreased serotonin turnover in dorsal hippocampus of rat brain shortly after adrenalectomy: selective normalization after corticosterone substitution. *Brain Res.*, 239,659- 663.

DeKloet, E. R., Versteeg, D. H. G. and Kovacs, G. L. (1983) Aldosterone blocks the response to corticosterone in the raphe- hippocampal serotonin system. *Brain Res.*, 264,323-327.

DeKloet, E. R., Sidesma, H. and Reul, J.M. H. M. (1986) Selective control by corticosterone of serotonin-I receptor capacity in raphe hippocampal system. *Neuroendocrinology.*, 42,38-42.

DeKloet, E. R., Reul, J. M. and Sutanto, W. (1990) Corticosteroid and the brain. *J. Steroid. Biochem. Mol. Biol.*, 37, 387-394.

Deliconstantinos, G. (1985) Cortisol effect on Na+K+ATPase activity and on bilayer fluidity of dog brain synaptosomal plasma membranes. *Neurochem. Res.*, 10 , 1605-1613.

Delloroco, R. T. and Melnykovich, G. (1970) Effect of prednisolone on phospholipid metabolism in tissue culture. *Expt. Cell Res.*, 60, 257-261.

DeVellis, J. and English, D. (1968) Hormonal control of glycerophosphate dehydrogenase in the rat brain. *J. Neurochem.*, 15,1061- 1070.

Devenport, L. D. (1979) Adrenal modulation of brain size in adult rats. *Behavioral and Neural Biol.*, 27, 218-221.

Devenport, L. D and Devenport, J. A. (1982) The effect of adrenal hormones on brain and body size. *Physiol. Psychol.*, 10, 399-404.

Devenport, L. D and Devenport, J. A (1985) Adrenocortical hormone and brain growth: Reversibility and differential sensitivity during development. *Expt. Neurol.*, 90, 44-52.

Devenport, L. D and Stith, R.(1992) Mimicking corticosterone daily rhythm with specific receptor agonist. Effect of food, water and sodium intake. *Physiol. Behav.*, 51, 1247- 1255.

Devenport, L. D.,Dallas, S.,Carpenter, C. and Renner, M. J.(1992) The relationship between adrenal steroid and enrichment of induced brain growth. *Behav. Neural Biol.*, 58, 45- 50.

DeWied, D. (1967) Proceedings of the Second International Congress Hormonal Steroids (Martini, L.,Franschini, F. and Motta, M. (eds) *Excerpta Medica Foundation*, Amsterdam, pp 945- 951. cited from DeKloet, E. R. & Veldhuis, H. D. (1985) Adrenocortical Hormone action. In Handbook of Neurochemistry Vol.8, (Ed.) Lajtha, A., Plenum Press, New York. p47-82.

Diamond, M. I.,Miner, J. N., Yoshinaga, S. K. and Yamamoto, K. R. (1990) Transcription factor interaction , selectors of positive or negative regulation from a single DNA element. *Science.*, 249, 1266- 1272.

Dickinson, S. L., Kennett, G. A. and Curzon, G. (1985) Reduced 5- hydroxytryptamine dependent behaviour in rats following chronic corticosterone treatment. *Brain Res.*, 345, 10- 18.

Diez, J. A., Sze, P.Y. and Ginsburg, B. E.(1977) Effects of hydrocortisone and electric foot shock on mouse brain tyrosine hydroxylase activity and tyrosine levels. *Neurochem. Res.*, 2, 161-170.

Dong, Y.,Poellinger, L., Gustaffson, J.A. and Okret, S.(1988) Regulation of glucocorticoid receptor expression: Evidence for transcriptional and post-transcriptional mechanism. *Mol.Endocrinol.*, 2, 1256-1264.

Duman, R. S.,Karbon, E. W., Harrington, C. and Enna, S. J. (1986) An examination of the involvement of phospholipase A₂ and C in the α -adrenergic and τ -aminobutyric acid receptor modulation of cyclic AMP accumulation in rat brain slices. *J. Neurochem.*, 47, 800- 810.

Duman, R. S., Strada, S. J. and Enna, S. J. (1989) Glucocorticoid administration increases receptor mediated and forskolin - stimulated cyclic AMP accumulation in rat brain cerebral cortical slices. *Brain Res.*, 477, 166- 171.

Duman, R. S., Winston, S. M.,Clark, J. A. and Nestler, E. J.(1990) Corticosterone regulates the expression of ADP-ribosylation factor messenger RNA and protein in rat cerebral cortex. *J. Neurochem.*, 55,1813- 1816.

Duval, D., Durant, S. and Homo-Delarche, F. (1983) Non genomic effects of steroids: Interactions of steroid molecules with membrane structures and functions. *Biochim. Biophys. Acta.*, 737, 409- 442.

Eckland, D. J. A., Harbuz, M. S., Jessop, D. S. and Lightman, S. L. (1991) Corticotropin - releasing factor and arginine vasopressin in the hypothalamo-hypophyseal portal blood of rats following high-dose glucocorticoid treatment and withdrawal. *Brain Res.*, 568, 311- 313.

Edwards, P. M. and Rousseau, G. G. (1980) Effects of adrenalectomy and corticosteroids on three enzymes involved in amino acids metabolism in the brain of adult and newborn rats. *J. Steroid Biochem.*, 13, 567- 569.

Eichberg, J. and Hauser, G. (1967) Concentration and disappearance postmortem polyphosphoinositides in developing brain. *Biochim. Biophys. Acta.*, 144, 415-422.

Eichberg, J., Zetuský, W. J., Bell, M. E. and Lavanagh, E. (1981) Effect of polyamines on calcium dependent rat brain phosphatidyl inositol phosphodiesterase. *J. Neurochem.*, 36, 1868-1871.

Ellman, G. L., Courtney, K. D., Andres, V. Jr. and Featherstone, R. M. (1961) A new rapid colorimetric determination of acetylcholine esterase activity. *Biochem. J.*, 7, 88-95.

Ekins, R. (1990) Measurement of free hormone in blood. *Endocrine Rev.*, 11, 5-46.

Enna, S. J. and Karbon, E. W. (1987) Receptor regulation: evidence for a relationship between phospholipid metabolism and neurotransmitter receptor mediated cAMP formation in brain. *TIBS.*, 8, 21-24.

Evans, R. M. (1988) The steroid and thyroid receptor superfamily. *Science.*, 240, 889- 894.

Evans, R. M. and Arriza, J. L. (1989) A molecular framework for the action of glucocorticoid hormone in the nervous system. *Neuron.*, 2, 1105-1112 .

Exton, J. H., Friedmann, N., Wong, E. H. A., Brieneaux, J. P., Corbin, J. and Park, C. R. (1972) Interaction of glucocorticoids with glucagon and epinephrine in the control of gluconeogenesis and glycogenesis in liver and of lipolysis in adipose tissue. *J. Biol. Chem.*, 247, 3579- 3588.

Fanger, B. O., Schreiber, J. and Cidlowski, J. A. (1987) Glucocorticoid increase the length of the G₂ and M phase of the HeLa S₃ cell cycle. *J. Steroid Biochem.*, 28, 345- 347.

Farber, S. and Ciechanover, (1986) Transfer RNA is required for conjugation of ubiquinone to selective substrate of the ubiquinone and ATP dependent proteo-

lytic system. *J. Biol.Chem.*, 261, 3128 - 3134.

Farrell, P. M. and Zachman, R. D. (1973) Induction of choline phosphotransferase and lecithin synthesis in foetal lung by corticosteroids. *Science.*, 179, 297-303.

Farese, R. V. (1984) Phospholipids as intermediates in hormone action. *Mol. Cellular Endocrinol.*, 35, 1- 14.

Farese, R. V., Sabir, A. M. and Vondor, S. L. (1979) Adrenocorticotropin acutely increases adrenal polyphosphoinositides. *J. Biol. Chem.*, 254, 6842-6844.

Feldman, S. and Sarne, Y. (1970) Effect of cortisol on single cell activity in hypothalamic islands. *Brain Res.*, 23, 67- 75.

Field, E. J. (1954) Effect of cortisone on the neonatal rat. *Nature(London).*, 174, 182.

Fish, I. and Winick, M. (1969a) Cellular growth in various region of the developing rat brain. *Pediat. Res.*, 3, 407- 412.

Fisher, M., Gapp, D. A. and Kozak, L. P. (1981) Immunohistochemical localization of sn - glycerol 3 - phosphate dehydrogenase in Bergman glia and oligodendroglia in mouse cerebellum. *Dev. Brain Res.*, 1, 341-354.

Fiske, C. H. and Subba Row, Y. T. (1925) Colorimetric determination of phosphorous. *J.Biol. Chem.*, 66, 375- 400.

Floresani, M., Bonetti, A. C. and Carpenedo, F. (1981) Increase of Na⁺K⁺ATPase activity in intact rat brain synaptosomes after their interaction with phosphatidyl serine vesicles. *Biochem. Biophys. Res. Commun.*, 101, 1337-1344.

Folch, J., Lees, M. and Sloane-Stanley, G. H. (1957) A simple method for the isolation and purification of total lipids from animal tissues. *J. Biol.Chem.*, 226, 497- 509.

Forray, C. and Richelson, E. (1985) Glucocorticoid potentiate the prostaglandin E₁ mediated cAMP formation by a cultured murine neuroblastoma clone. *J. Neurochem.*, 45, 79- 85.

Forsham, P. H. (1962) The Adrenals. In 'Text book of Endocrinology' (Eds.) Williams, R. H. Saunders, Philadelphia.

Frankel, A. D. and Kim, P. S. (1991) Molecular structure of transcription factor: implication for gene regulation. *Cell.*, 65, 717-719.

Funder, J. W. (1993) Mineralocorticoid, glucocorticoid receptors and response elements. *Science.*, 259, 1132-1133.

Fuxe, K., Hokfelt, T., Jonson, G., Levine, S., Lindbrink, P. and Lofstrom, A. (1973) Brain and pituitary adrenal interactions : Studies on central monamine neurons. In 'Brain-Pituitary-Adrenal Interrelationships', (Eds.) Brodish, A. and Redgate, E.S., Basel-Karger, p239-269.

Fuxe, K., Harafstarnd, A., Agnati, J. A., Yu, Z.Y., Cintra, A., Wikstrom, A., Okret, S., Cantoni, E. and Gustafsson, J. A. (1985a) Immunocytochemical studies on the localization of glucocorticoid receptor immunoreactive nerve cells in the lower brain stem and spinal cord of the male rat using a monoclonal antibodies against rat liver glucocorticoid receptor. *Neurosci. Lett.*, 60, 1-6.

Fuxe, K., Wikstrom, A., Okret, S., Agnati, J. A., Harafstarnd, A., Yu, Z.Y., Zoli, M., Vale, W. and Gustafsson, J. A. (1985b) Mapping of glucocorticoid receptor immunoreactive nerve cells in the rat tel and diencephalon using a monoclonal antibody against rat liver glucocorticoid receptor. *Endocrinology.*, 117, 1803- 1812.

Gallagher, B. B. and Glaser, G. H. (1968) Seizure threshold, adrenalectomy and sodium-potassium stimulated ATPase in rat brain. *J. Neurochem.*, 15, 525-528.

Gannon, M. N. and McEwen, B. S. (1990) Calmodulin involvement in stress and corticosterone induced down regulation of cyclic AMP generating systems in brain. *J. Neurochem.*, 55, 276- 284.

Gigore, V., Hollenberg, S.M., Rosenfield, M. G. and Evans, R. M. (1986) Functional domains of the human glucocorticoid receptor. *Cell.*, 46, 645.

Gispen, W. H., Leunissen, J. L. M, Oestreicher, A. B., Verkleij, A. J. and Zwiers, H. (1985) Presynaptic localization of B-50 phosphoprotein: the ACTH sensitive protein kinase substrate involved in rat brain polyphosphoinositide metabolism. *Brain Res.*, 328, 381- 385.

Glowinski, J. and Iversen, L. J. (1966) Regional studies of catecholamines in rat brain, the disposition of H^3 -norepinephrine 3H dopamine and 3H DOPA in various regions of rat brain. *J. Neurochem.*, 13, 656-659.

Godowski, P. J., Picard, D. (1989) Steroid Receptors; How to be both a receptor and a transcription factor. *Biochem. Pharmacol.*, 39, 3135- 3143.

Godowski, P. J., Picard, D. and Yamamoto, K. R. (1988) Signal transduction and transcriptional regulation by glucocorticoid receptor - lex A fusion protein. *Science.*, 241, 812-816.

Gometchu, B., Watson, C. S. and Wu, S. (1993) Use of receptor antibodies to demonstrate membrane GC receptor in cells from human leukemic patients. *FASEB. J.*, 7, 1283- 1292.

Goodman, D. B. P., Allen, J. E. and Rasmussen, H. (1971) Studies on the mecha-

nism of action of aldosterone: Hormone induced changes in lipid metabolism. *Biochemistry.*, 10, 3825-3831.

Goodman, D. B. P., Wong, M. and Rasmussen, H. (1975) Aldosterone-induced membrane phospholipid fatty acid metabolism in the toad urinary bladder. *Biochemistry*, 14, 2803-2809.

Gorigani, N. M. and Meisami, E. (1979) Use of Arrhenius plot of Na+K+ATPase and acetylcholine esterase as a tool for studying changes in lipid-protein interactions in neuronal membranes during brain development. *J. Neurochem.*, 32, 1027- 1032.

Gottlicher, M., Widmark, E., Li, Q., and Gustafsson, J. A. (1992) Fatty acids activate a chimera of the clofibrate acid activated receptor and the glucocorticoid receptor. *Proc.Natl. Acad. Sci.(USA).*, 89, 4653- 4657.

Gould, E., Woolley, C. S. and McEwen, B. S. (1990) Short term glucocorticoid manipulations affect neuronal morphology and survival in the adult rat dentate gyrus. *Neuroscience.*, 37, 367- 375.

Gould, E., Woolley, C. S. and McEwen, B. S. (1991) Adrenal steroids regulate postnatal development of the rat dentate gyrus, I. Effects of glucocorticoids on cell death. *J. Comp. Neurol.*, 313, 479- 885.

Gray, E. G. and Whittaker, V. P. (1962) The isolation of nerve endings from brain: an electron microscopic study of the cell fragments derived by homogenization and centrifugation. *J. Anat.*, 96, 79-88.

Gruol, D. J., Campbell, N. F. and Bourgeois, S. (1986) Cyclic AMP dependent protein kinase promotes glucocorticoid receptor functions. *J. Biol. Chem.*, 261, 4909-4914.

Gumbinas, M., Oda, M. and Huttenlocher, P. (1973) The effect of corticosteroids on myelination of the developing rat brain. *Biol. Neonate.*, 22, 355-366.

Gustafsson, J. A., Duke, J. C., Poellinger, L., Okret, S., Wikstrom, A. C. Bronnegard, M., Gillner, M., Dong, Y., Fuxe, K., Cintra, A., Harstrand, A. and Agnati, L. (1987) Biochemistry, Molecular biology and Physiology of the glucocorticoid receptor. *Endocrine Rev.*, 8, 185- 233.

Gwynne, J. T., Mahaffe, D., Brewer, H. W. and Nay, R. L. (1976) Adrenal cholesterol uptake from plasma lipoproteins regulation by corticotropin. *Proc. Natl. Acad. Sci. (USA).*, 73, 207- 213.

Hallermayer, K., Harmening, C. and Hambrecht, B. (1981) Cellular localization and regulation of glutamine synthase in primary culture of brain cell from neonatal mice. *J. Neurochem.*, 37, 43-52.

Hamamura, M., Shubuki, K. and Yagi, K. (1984) Noxious inputs to supraoptic

neurosecretory cells in the rat. *Neuroscience.*, 2, 49- 61.

Hamilton, B. J. and DeFranco, D.(1989) Glucocorticoid and cAMP induction mechanisms are differently affected by the p85^{gag}-mos oncoprotein. *Proc. Natl. Acad. Sci.(USA).*, 86, 597-601.

Hanbauer, I., Guidotti, A. and Costa, E. (1975) Dexamethasone induces tyrosine hydroxylase in sympathetic ganglia but not in adrenal medulla. *Brain Res.*, 85, 527- 531.

Hard, T., Kellenbach, E., Boelens, R., Mater, B. A., Dahlman, K., Freedman, L. P., Carlstedt-Duke, J., Yamamoto, K. R., Gustaffson, J. A. and Kaptein, R. (1990). Solution structure of the glucocorticoid receptor binding DNA binding domain. *Science.*, 249, 157 -159.

Harikumar, K. G.(1988) Studies on polyphosphoinositides metabolism in rat brain. M. Phil. thesis submitted to M. S. University of Baroda, Baroda, India.

Harrelson, A. and McEwen, B. S.(1987) Dependence of glucocorticoid actions in hippocampus modulating VIP stimulated cyclic AMP formation on *in vivo* presence of ACTH. (Abst.) *Soc. Neurosci.*, 11, 372- 375.

Harrelson, A. and McEwen, B. S.(1987) Steroid hormone influences on cyclic AMP generating system. In *Current Topics in Membrane and Transport. Vol. 31. Molecular Neurobiology: Endocrine approach.* (Eds.) Strauss, J. F. and Pfaff, D.W., Academic Press, New York, pp 217-247.

Harrelson, A., Rostene, W. H. and McEwen, B. S.(1987) Adrenocortical steroids modify neurotransmitter stimulated cAMP accumulation in the hippocampal and limbic brain of the rat. *J. Neurochem.*, 48, 1648- 1655.

Harrison, R. W., Fairfield, S. and Orth, D. N.(1974) Evidence for glucocorticoid transport through target cell membrane. *Biochem. Biophys. Res. Commun.*, 61, 1262.

Harrison, R. and Lunt, G. G.(1975) Biological membranes: Their Structure and Function. John Wiley & Sons. New York.

Heller, C. L., Ortí, E., DeNicola, A. F. (1986) Regulatory factors of glucocorticoid binding in early and term rat placenta. *J. Steroid. Biochem.*, 25, 53-58.

Hellman, L. F., Nakada, J. and Weitzman, E. D.(1970) Cortisol is secreted episodically by normal man. *J. Clin. Endocrinol. Metab.*, 30, 411- 422.

Hennings, S.(1978) Plasma concentration of total and free corticosterone during development in the rat. *Am. J. Physiol.*, 235, E451- 456.

Her, H., Reiss, N., Braquet, P. and Zor, U.(1991) Characterization of glucocorticoid inhibition of antigen- induced inositolphosphate formation by rat

basophilic leukemia cells: Possible involvement of phosphatases. *Biochim. Biophys. Acta.* 1133, 63- 72.

Heroux, J. A., Grigoriadis, D. E. and De Souza, E. B. (1991) Age related decrease in corticotropin- releasing factor (CRF) receptors in rat brain and anterior pituitary gland. *Brain Res.* 542, 155 - 158.

Herschman, H. R. (1986) Polypeptide growth factor and the CNS. *Trends Neurosci.*, 9, 53- 57.

Higginis, J. J., Rousseau, G. G., Baxter, J.D. and Tomkin, G.M. (1973) Early events in glucocorticoid action, activation of the steroid receptor and its subsequent specific nuclear binding studied in a cell free system. *J. Biol.Chem.*, 248, 5866.

Hinds, J. W.(1968) Autoradiographic study of histogenesis in the mouse olfactory bulb. I. Time of origin of neurons and neuroglia. *J. Comp. Neurol.*, 134, 287- 304.

Hirata, F., Schiffman, E., Venkatasubramanian, K., Salomon, L. and Axelrod, J.(1980) A phospholipase A₂ inhibitory protein in rabbit neutrophils induced by glucocorticoid. *Proc. Natl. Acad. Sci.(USA)*., 77, 2533-2536.

Hoeck, W. and Groner, B. (1990) Hormone dependent phosphorylation of the glucocorticoid receptor occur mainly in the amino terminal transactivation domain. *J. Biol. Chem.*, 265, 5403-5408.

Hoeck, W., Rusconi, S. and Groner, B. (1989) Downregulation and phosphorylation of GC receptor in cultured cells. Investigations with monospecific antiserum against a bacterially expressed receptor fragment. *J. Biol. Chem.*, 264, 14396-14402.

Hokkin, L. E. and Hokkin, M. R. (1955) Effects of acetylcholine on phosphate turnover in phospholipids of brain cortex *in vitro*. *Biochim. Biophys. Acta.*, 16, 229-230.

Holbrook, N. J., Bodwell, J. E. and Munck, A.(1984) Nonactivated and activated glucocorticoid receptor complexes in WEH -17 and rat thymus cells. *J. Steroid Biochem.*, 20, 19-22.

Horner, H. C., Munck, A. and Lienhard, G. E.(1987) Dexamethasone cause translocation of glucose transporters from the plasma membranes to an intracellular sites in human fibroblasts. *J. Biol.Chem.*, 262, 17696-17702.

Horner, H. C., Packan, D. R. and Sapolsky, R. M.(1990) Glucocorticoid inhibits glucose transport in cultured hippocampal neurons and glia. *Neuroendocrinology.*, 52, 57- 64.

Horowitz, A. J. and Schanberg, S. M.(1979) Hormonal effect on the development of rat brain gangliosides. I. Cortisol. *Biochem. Pharmacol.*, 28, 881-895.

Horrocks, L. A. and Sun, G. Y. (1972) Ethanolamine plasmalogens. In Research methods in Neurochemistry. (Eds.) Marks, N and Rodnight, R. Vol.I Plenum Press, New York. p223- 231.

Horrocks, L. A. and Sharma, M.(1982) 'Phospholipids'. In "New comprehensive biochemistry". (Eds.) Hawthorne, J. N. and Ansell, G. B. Vol.4. Elsevier biomedical press, Amsterdam. p 51-93.

Howard, E. (1965) Effects of corticosterone and food restriction on growth and on DNA, RNA and cholesterol contents of the brain and liver in infant mice. J. Neurochem., 12, 181- 191.

Howard, E. (1968) Reductions in size and total DNA of cerebrum and cerebellum in adult mice after corticosterone treatment in infancy. Expt. Neurol., 22, 191- 208.

Howard, E.(1973) Increased reactivity and impaired adaptability in operant behaviour of adult mice given corticosterone in infancy. J. Comp. Physiol., 85, 211-220.

Howard, E. (1974) Hormonal effects on the growth and DNA content of the developing brain. In' Biochemistry of the Developing Brain ' (Ed.) Himwich, Vol II. Marcel Dekker, Inc. New York, p 1-68.

Howard, E. and Benjamins, J. A. (1975) DNA, ganglioside and sulfatide in brains of rats given corticosterone in infancy, with an estimate of cell loss during development. Brain Res., 92, 73- 87.

Hundal, H. S. Babij, P., Taylor, P. M., Watt, P. W. and Rennie, M. J. (1991) Effects of corticosteroid on the transport and metabolism of glutamine in rat skeletal muscle. Biochim. Biophys. Acta. 1092, 376- 383.

Huttenlocher, P. R. and Amemiya, I. M. (1978) Effects of adrenocortical steroids and of adrenocorticotropin hormone on (Na⁺-K⁺)-ATPase in immature cerebral cortex. Pediat. Res., 12, 104- 107.

Iacopino, A. M. and Christakos, S. (1990) Corticosterone regulates calbindin D_{28k} mRNA and protein levels in rat hippocampus. J. Biol. Chem., 265, 10177-10180.

Ibarrola, I., Ogiza, K., Mario, A. and Macarulla, J. M.(1991) Steroid hormone bind to rat kidney plasma membrane. J. Bioenerg. Biomembr., 23, 919- 926.

Iuvone, P. M., Morasco, J. and Dunn, A. J. (1977) Effect of corticosterone on the synthesis of ³H catecholamine in the brains of CD-1 mice. Brain Res. 120, 571- 576.

Iversen, L. L. and Salt, P. J. (1970) Inhibition of catecholamine uptake by steroids in the isolated heart. Br. J. Pharmacol., 40, 528-530.

Jani, M. S., Telang, S. D. and Katyare, S. S. (1991) Effect of corticosterone treatment on energy metabolism in rat liver mitochondria. *J. Steroid. Biochem. & Molec. Biol.*, 38, 587-591.

Javoy, K., Glowinski, J. and Kordon, C. (1968) Effects of adrenalectomy on the turnover of norepinephrine in the rat brain. *Eur. J. Pharmacol.*, 4, 103- 104.

Jorgensen, P. L. (1969) Regulation of the (Na+K+) activated ATP hydrolysing enzyme system in rat kidney. II. The effect of aldosterone on the activity in kidneys of adrenalectomized rats. *Biochim. Biophys. Acta.*, 192, 326- 334.

Johnston, D. and Melnykovich, G. (1980) Effects of dexamethasone on the fluorescence polarization of diphenylhexatriene in HeLa cells. *Biochim. Biophys. Acta.*, 596, 320-324.

Johnston, D., Matthews, E. R. and Melnykovich, G. (1980) Glucocorticoid effects on lipid metabolism in HeLa cells: Inhibition of cholesterol synthesis and increased sphingomyelin synthesis. *Endocrinology.*, 107, 1482- 1488.

Jolles, J., Zwiers, H., Van Dongen, C. J., Schotman, P., Wirtz, K. W. A. and Gispen, W. H. (1980) Modulation of brain polyphosphoinositides metabolism by ACTH - sensitive protein phosphorylation. *Nature(London).*, 286, 623-625.

Jones, M. T., Hillhouse, E. W. and Burden, J. (1976) Mechanism of action of fast and delayed corticosteroid feedback at the hypothalamus. *J. Endocrinol.*, 69, 34- 35.

Juurlink, B. H. J., Schousboe, A., Jorgensen, O. S. and Hertz, L. (1981) Induction by hydrocortisone of glutamine synthase in mouse primary astrocyte cultures. *J. Neurochem.*, 36, 136- 142.

Kadekaro, M., Masanori, I., Gross, P. (1988) Local cerebral glucose utilization is increased in acutely adrenalectomized rats. *Neuroendocrinology.*, 47, 329- 337.

Kandutsch, A. A. and Chen, H. (1977) Consequence of blocked sterol synthesis in cultured cells; DNA synthesis and membrane composition. *J. Biol. Chem.*, 252, 409.

Kaur, N., Sharma, N. and Gupta, A. K. (1989) Effect of dexamethasone on lipid metabolism in rat organs. *Indian J. Biochem. Biophys.*, 26, 371- 376.

Kendall, D. A., McEwen, B. S. and Enna, S. J. (1982) The influence of ACTH and corticosterone on ³(H) GABA receptor binding in rat brain. *Brain Res.*, 236, 365- 374.

Kenney, F. T. (1970) Hormonal regulation of synthesis of liver enzymes. In " Mammalian Protein Metabolism " (Ed.) Munro, H. N., Vol. IV. Academic Press, New York, p 131-177.

Kerr, D. S., Campbell, L. W., Thibault, O. and Lanfield, P. W. (1992) Hippocampal glucocorticoid receptor activation enhances voltage dependent Ca^{2+} conductances: Relevance to brain aging. *Proc. Natl. Acad. Sci. (USA)*, 89, 8527- 8531.

Kido, H., Fukusen, N., Ishidoh, K. and Katunuma, N. (1986) Diacyl glycerol amplifies the induction *in vivo* of tyrosine aminotransferase and ornithine decarboxylase by glucocorticoid. *Biochem. Biophys. Res. Commun.*, 138, 275-282.

Kido, H., Fukusen, N. and Katunuma, N. (1987) Tumor promoting phorbol esters amplifies the inductions of tyrosine aminotransferase and ornithine decarboxylase by glucocorticoid. *Biochemistry*, 26, 2349-2353.

Kiss, C., Balas, M. and Ker1-Fülöp, I. (1990) Dexamethasone decreases membrane fluidity of leukemia cells. *Leukemia Res.*, 14, 221- 225.

Kito, M., Ishinaga, M., and Nishihara, M. (1978) Function of phospholipids on the regulatory properties of solubilized and membrane bound sn-glycerol-3-phosphate acyltransferase of *Escherichia coli*. *Biochem.J.*, 529, 237.

Klein, I. and Levey, G. S. (1971a) Activation of myocardial adenylate cyclase by histamine in guinea pig, cat and human heart. *J. Clin. Invest.*, 50, 1012.

Klein, L. E. and Lo, C. S. (1992) Regulation of rat renal (Na+K+) adenosine triphosphatase mRNA levels by corticosterone. *Experientia*, 48, 768- 773.

Knizley, H. Jr. (1972) The hippocampus and septal area as primary target sites for corticosterone. *J. Neurochem.*, 19, 2737-2745.

Kovacs, S. (1973) The role of thyroid and adrenocortical hormones in the biochemical maturation of the rat brain. In 'Hormones and Brain Function, (Ed.) Lissak, K., Plenum Press, New York. p 53-67.

Kovacs, G. L. and Telegdy, G. (1978) Results in Neuroendocrinology, Neurochemistry and Sleep Research, Vol 7, (K. Lissak, Ed.). Akademiai Kiado, Budapest pp 31-97. cited from DeKloet, E. R. & Veldhuis, H. D. (1985) Adrenocortical Hormone action. In Handbook of Neurochemistry (Ed.) Lajtha, A. Vol.8, Plenum Press, New York. p47-82.

Kovacs, K. J. and Makara, G. B. (1988) Corticosterone and dexamethasone act at different brain sites to inhibit adrenalectomy induced adrenocorticotropin secretion. *Brain Res.*, 474, 205- 210.

Koval. M. and Pagano, R. E. (1991) Intracellular transport and metabolism of sphingomyelin. *Biochim. Biophys. Acta.*, 1082, 113- 125.

Krishnakumar, N. (1993) Effect of corticosterone treatment on the fatty acid composition of the phospholipids of rat liver mitochondria. M.Sc dissertation

submitted to Biochemistry Department, M. S. University of Baroda, Baroda, India.

Krozowski, Z. B. and Funder, J. W. (1983) Renal mineralocorticoid receptor and hippocampal corticosterone binding species have identical intrinsic steroid specificity. *Proc. Natl. Acad. Sci. (USA)*, 80, 6056-6060.

Kumar, S., Ruthcole, F., Chiappelli, F. and DeVellis, J. (1989) Differential regulation of oligodendrocyte marker by glucocorticoid post-transcriptional regulation of both proteolipid protein and myelin basic protein and transcriptional regulation by GPDH. *Proc. Natl. Acad. Sci. (USA)*, 86, 6807-6811.

Lachuer, J., Buda, M. and Tappaz, M. (1992) Differential time course activation of the brain stem catecholaminergic groups following chronic adrenalectomy. *Neuroendocrinology*, 56, 125-132.

Lalitha, T., Krishnakumar, K., Ramakrishnan, C. V. and Telang, S. D. (1988) Effect of maternal alcohol consumption on the lipid composition of CNS in the offspring. *J. Neurochem.*, 50, 1346-1351.

Lalitha, T., Aarthi, T., Rohini, P., Narayanasamy, K., Ramakrishnan, C. V. and Telang, S. D. (1990) Alcohol exposure and undernutrition: Effects on lipid metabolism and alcohol partitioning in rat brain *in vitro*. *Alcohol & Alcoholism* 25, 477-482.

Lambert, J. T., Peters, J. A. and Cotterrell G. A. (1987) Actions of synthetic and endogenous steroids on the GABA receptor. *Trends Pharmacol. Sci.*, 8, 224-227.

Landfield, P. W., Warmire, J. C. and Lynch, G. (1978) Hippocampal aging and adrenocorticoids: Quantitative correlations. *Science*, 202, 1098-1101.

Landfield, P. W., Baskin, R. and Pitler, J. (1981) Brain aging correlates: retardation by hormonal-pharmacological treatments. *Science*, 214, 581.

Langley, S. C. and York, D. A. (1990) Increased type II glucocorticoid sensitive enzyme activities in the brain of the obese Zucker rat. *Brain Res.*, 533, 268-274.

Lee, G. J. (1991) Inhibition of sodium-potassium ATPase: potentially ubiquitous mechanism contributing to central nervous system neuropathology. *Brain Res. Rev.* 16, 283-300.

Lee, S., Panerai, A. E., Bellabarba, D. and Friesman, H. G. (1980) Effect of endocrine modification and pharmacological treatment of brain and pituitary concentration of β -endorphin. *Endocrinology*, 107, 245-248.

Leibowitz, S. F., Diaz, S. and Tempel, D. (1989) Norepinephrine in the paraventricular nucleus stimulates corticosterone release. *Brain Res.*, 496, 219-227.

Leveille, P. J., McGinnis, J. F., Maxwell, D. S. and DeVellis, J. (1980) Immunocytochemical localization of glycerol-3-phosphate dehydrogenase in rat oligodendrocytes. *Brain Res.*, 196, 287-305.

Levey, G. S. (1971) Restoration of norepinephrine responsiveness of solubilized myocardial adenylate cyclase by phosphatidyl inositol. *J. Biol. Chem.*, 246, 7405-7407.

Levikzki, A. (1988) From epinephrine to cyclic AMP. *Science.*, 241, 800- 805.

Li, X., Song, L., Kolasa, K. and Jope, R. S. (1992) Adrenalectomy potentiates immediate early gene expression in rat brain. *J. Neurochem.*, 58, 2330- 2333.

Lin, R. C. and Snodgrass, P. J. (1982) Effect of dexamethasone on 3-hydroxy-3- methyl-glutaryl coenzyme A reductase activity and cholesterol synthesis in rat liver. *Biochim. Biophys. Acta.*, 713, 240- 250.

Linder, V. A. (1988) Lipid and protein composition of membranes and carbohydrate metabolism in rats with adrenalectomy. Correction of disturbances by vitamin K and E. *UKR Biokhim Zh.*, 60, 55-59.

Liu, J., Haigh, R. M. and Jones, C. T. (1992) Enhancement of noradrenaline-induced inositol polyphosphate formation by glucocorticoid in rat vascular smooth muscle cells. *J. Endocrinol.*, 133, 405- 411.

Loeb, J. N. (1976) Corticosteroids and growth. *Physiol. Medicine.*, 295, 547-552.

Long, C. N. H., Katzin, B. and Fry, E. G. (1940) Adrenal cortex and carbohydrate metabolism. *Endocrinology.*, 26, 309- 344.

Low, M. G. and Finean, J. B. (1978) Specific release of plasma membrane enzymes by a phosphatidyl inositol specific phospholipase C. *Biochim. Biophys. Acta.*, 508, 565- 570.

Lowry, O. H, Rosenbrough, N. J., Farr, A. I. and Randal, R. J. (1951) Protein measurement with the folin phenol reagent. *J. Biol. Chem.*, 193, 265- 275.

Lowy, M. T. (1992) Kainic acid induced decrease in hippocampal corticosteroid receptors. *J. Neurochem.*, 58, 1561-1568.

Luisi, B. F., Xu, W. X., Otwinoski, Z., Freedman, L. P., Yamamoto, K. R. and Sigler, P. B. (1991) Crystallographic analysis of the interaction of the glucocorticoid receptor with DNA. *Nature (London).*, 352, 497-506.

Magarinos, A. M., Corrini, H., De Nicola, A. F. and McEwen, B. S. (1986) Mineralocorticoid regulation of salt intake is preserved in hippocampectomized rats. *Neuroendocrinology.*, 44, 494- 497.

Mahaffe, D., Reifz, R. C. and Ney, R. L. (1974) The mechanism of action of adrenocorticotropin hormone. The role of mitochondrial cholesterol accumulation in the regulation of steroidogenesis. *J. Biol. Chem.*, 249, 227- 233.

Maitra, U. S., Khan, M. S. and Rosner, W. (1993) Corticosteroid binding globulin receptor of the rat hepatic membrane: solubilization, partial characterization and the effect of steroids on binding. *Endocrinology*, 133, 1817-1822.

Manchester, K. L. (1970) Sites of hormonal regulation of protein metabolism. In *'Mammalian Protein Metabolism.'* (Ed.) Munro, H. N. Vol IV, New York, Academic Press, p 229- 298.

Mandelbrod, I., Fieldman, S. and Werman, R. (1974) Inhibition of firing is the primary effect of microelectrophoresis of cortisol to units in the rat tuberal hypothalamus. *Brain Res.*, 80, 303- 315.

Manitius, A., Bensch, K. and Epstein, F. H. (1968) (Na⁺- K⁺)activated ATPase in kidney cell membranes of normal and methylprednisolone treated rats. *Biochim. Biophys. Acta.*, 150, 563- 571.

Markey, K. A. Towle, A. C. and Sze, P.Y. (1982) Glucocorticoid influence on tyrosine hydroxylase in mouse locus coeruleus during postnatal development. *Endocrinology*, 111, 1519- 1523.

Marshall, S., Huang, H. H., Kledzik, G. S., Campbell, G. A. and Meites, J. (1978) Glucocorticoid regulation of prolactin receptors in kidneys and adrenals of male rats. *Endocrinology*, 102, 869.

Martin, C. E., Cake, M. H., Hartmann, P.L. and Cook, I. F. (1977) Relationship between foetal corticosteroids, maternal progesterone and parturition in the rat. *Acta Endocrinol.*, 84, 167- 176.

Masferrer, J. L., Seibert, K., Zweifel, B. and Needleman, P. (1992) Endogenous glucocorticoid regulate an inducible cyclooxygenase enzyme. *Proc. Natl. Acad. Sci. (USA)*, 89, 3917- 3921.

Massa, E., Morero, R. D., Bloj, B., and Farias, R. N. (1975) Hormone action and membrane fluidity: effect of insulin and cortisol on the hill coefficient of rat erythrocyte membrane bound acetyl cholinesterase and Na⁺+K⁺ATPase. *Biochem. Biophys. Res. Commun.*, 66, 115- 122.

Mazer, J. S., Garabedian, M. and Vulliet, P.R. (1990) Phosphorylation of a cloned glucocorticoid receptor fragment by a novel proline directed protein kinase. *FASEB. J.*, 4, A2233(Abstract).

McCarthy, K. D. and DeVellis, J. (1980) Preparation of separate astroglial and oligodendroglial cell culture from rat cerebral tissue. *J. Cell Biol.*, 85, 890-902.

McDonald, T. J., Hoffmann, G. E., Myers, D. A. and Nathanielsz, P. W. (1990)

Hypothalamic glucocorticoid implants prevent foetal ovine adrenocorticotropin secretion in response to stress. *Endocrinology.*, 127, 2862- 2868.

McEwen, B. S. (1982) Glucocorticoid and hippocampus: receptors in search of a function. In *Adrenal Actions on Brain Functions'* (Eds.) Ganten, D. and Pfaff, D. Springer- Verlag, New York, p 1-21.

McEwen, B. S. (1991) Non-genomic and genomic effects of steroid on neural activity. *Trend Pharmaceutic. Sci.*, 12, 141-147.

McEwen, B. S. and Wallach, G. (1973) Corticosterone binding to hippocampus: Nuclear and Cytosol binding *in vitro*. *Brain Res.*, 57, 373-386.

McEwen, B. S., Weiss, J. M. and Schwartz, L. S. (1968) Selective retention of corticosterone by limbic structures in rat brain. *Nature(London).*, 220, 911-912.

McEwen, B. S. Zigmond, R. E. and Gerafach, J. (1972) Sites of steroid binding and action in the brain. In *Structure and Fuction of Nervous Tissue* (Ed.) Bourne, G. H., Academic Press, New York. Vol. 5, p 205-291.

McEwen, B. S., DeKloet, E. R. and Wallach, G. (1976) Interaction *in vivo* and *in vitro* of corticoids and progesterone with cell nuclei and soluble macro-molecule from rat brain region and pitutary. *Brain Res.*, 105, 129-136.

McEwen, B. S., DeKloet, E. R. and Rostene, W. (1986a) Adrenal steroid receptors and actions in the nervous system. *Physiol. Rev.*, 66, 1121- 1188.

Meaney, M. J., and Aitken, D. H.(1985) [³H]Dexamethasone binding in rat frontal cortex. *Brain Res.*, 278, 176- 180.

Meaney, M. J., Sapolsky, R. M. and McEwen, B. S.(1985) The development of the glucocorticoid receptor system in the limbic brain. 1 Ontogeny and autoregulation. *Dev. Brain Res.*, 18, 165- 168.

Meaney, M. J., Aitken, D. H., van Berkel, C., Bhatnagar, S. and Sapolsky, R. M. (1988) Effect of neonatal handling on age related impairments associated with the hippocampus. *Science.*, 239, 766- 768.

Meflah, K., Harb, J., Duflos, Y. and Bernard, S.(1984) 5'nucleotidase from bovine caudate nucleus synaptic plasma membranes: specificity for substrates and cations; study of the carbohydrate moiety by glycosidases. *J. Neurochem.*, 42, 1107- 1115.

Melby, J. M., Wennhold, A. R. and Nelson, D. H. (1981) Corticosteroid- induced lipid changes in rat liver microsomes. *Endocrinology.*, 109, 920- 923.

Melia, K. R., Rasmussen, K., Terwilliger, R. Z., Haycock, J. W., Nestler, E. J. and Duman, R. S. (1992) Coordinate regulation of the cyclic AMP system with firing rate and expression of tyrosine hydroxylase in the rat locus coeruleus: Effects of chronic stress and drug treatments. *J. Neurochem.*, 58,

494- 502.

Melnykovych, G., Matthews, E., Gray, S. and Lopez, I. (1976) Inhibition of cholesterol biosynthesis in HeLa cells by glucocorticoid. *Biochem. Biophys. Res. Commun.*, 71, 506- 512.

Melnykovych, G., Bansal, N., Houle, A. and Nyquist, D. (1992) Effect of compound RU38486 on growth and lipid synthesis in glucocorticoid sensitive human leukemia cell line CEM-C7. *UKR. Biokhim. Zh.*, 64, 49- 54.

Mendel, D. B., Bodwell, J. E. and Munck, A. (1986) Glucocorticoid receptors lacking hormone binding activity are bound in nuclei of ATP depleted cells. *Nature (London)*, 324, 478-480.

Mendel, D. B., Orti, E., Smith, L. I., Bodwell, J. E. and Munck, A. (1990) Evidence for glucocorticoid receptor cycle and nuclear dephosphorylation of the steroid binding protein. In Molecular Endocrinology and Steroid hormone Action. (Eds.) Sato, G. H. & Stevens, J. L., Alan R. Liss, Inc. New York. p 97-117.

Merisko, E. M., Ojakian, G. K., Widnell, C. C. (1981) The effects of phospholipids on the properties of hepatic 5' nucleotidase. *J. Biol. Chem.*, 256, 1983-1993.

Mersman, H. J. and Segal, H. L. (1969) Glucocorticoid control of the liver glycogen synthetase activating systems. *J. Biol. Chem.*, 244, 1701- 1704.

Meyer, J. L. (1983) Early adrenalectomy stimulates subsequent growth and development of rat brain. *Expt. Neurol.*, 82, 432-446.

Meyer, J. L. (1986) Biochemical effects of corticosteroids on neural tissues. *Physiol. Rev.*, 65, 946-1020.

Meyer, J. L. (1987) Prevention of adrenalectomy - induced brain growth stimulation by corticosterone treatment. *Physiol. Behav.*, 41, 391-395.

Meyer, J. L. and Czupriya, M. (1982) Effect of glucocorticoid on galactosyl ceramide sulfotransferase activity in brain. *Brain Res.*, 252, 192-196.

Meyer, J. L. and McEwen, B. S. (1982) Evidence for glucocorticoid target cells in the rat optic nerve: Physiochemical characterization of cytosol binding sites. *J. Neurochem.*, 39, 436.

Meyer, J. L. and Fairman, K. R. (1985) Early adrenalectomy increases myelin content of the rat brain. *Dev. Brain Res.*, 17, 1-9.

Meyer, J. L., Luine, V. N., Khylichevskaya, R. I. and McEwen, B. S. (1979) Glucocorticoid and hippocampal enzyme activity. *Brain Res.*, 166, 172- 175.

Meyer, J. L., Leveille, P. J., De Vellis, J., Gerlach, L. and McEwen, B. S.

(1982) Evidence for glucocorticoid target cells in the rat optic nerve: hormone binding and glycerol-3-phosphate dehydrogenase induction. *J. Neurochem.*, 39, 423-434.

Micheau, J., Destrade, C. and Soumireu-Mourat, B. (1985) Time dependent effects of post training intrahippocampal injection of corticosterone in retention of appetite learning tasks in mice. *Eur. J. Pharmacol.*, 106, 39- 46.

Miller, A. L., Chaptal, C., McEwen, B. S. and Peck, E. J. Jr. (1978) Modulation of high affinity GABA uptake in hippocampal synaptosomes by glucocorticoid. *Psychoneuroendocrinology* 3, 155- 164.

Miller, D. A., Schmidt, T. J. and Litwack, G. (1985) Protein kinase activity associated with the purified rat hepatic glucocorticoid receptor. *Proc. Natl. Acad. Sci. (USA)*, 82, 4003- 4007.

Miller, A. H., Spencer, R. L., Stein, M. and McEwen, B. S. (1990) Adrenal steroid receptor binding in spleen and thymus after stress and dexamethasone. *Am. J. Physiol. Endocr. Metab.*, 259, E405- E412.

Mitropoulos, K. A. and Balasubramaniam, S. (1976) The role of glucocorticoid in the regulation of the diurnal rhythm of hepatic β -hydroxy- β -methyl glutaryl coenzyme A reductase and cholesterol 7- α - hydroxylase. *Biochem. J.*, 160, 49-55.

Mobley, P. L. and Sulser, F. (1980a) Adrenal corticoids regulate sensitivity of noradrenaline receptor- coupled adenylate cyclase in brain. *Nature (London)*, 286, 608 - 609.

Mobley, P. L. and Sulser, F. (1980b) Adrenal corticoids affect the norepinephrine sensitive adenylate cyclase system in the rat limbic forebrain. *Eur. J. Pharmacol.*, 65, 321- 322.

Mobley, P. L., Mannier, H. and Sulser, F. (1983) Norepinephrine sensitive adenylate cyclase system in rat brain. Role of Adrenal corticoids. *J. Pharmacol. Exp. Ther.*, 226, 71- 77.

Moberg, S. P., Scapagini, V., DeGroot, J. and Ganone, W. F. (1971) Effect of sectioning the fornix on diurnal fluctuation in plasma corticosterone levels in the rat. *Neuroendocrinology*, 7, 11- 15.

Mohr, E. and Schmitz, E. (1991) Functional characterization of estrogen and glucocorticoid responsive elements in the rat oxytocin gene. *Mol. Brain Res.*, 9, 293- 298.

Moncada, S. and Palmer, R. M. J. (1991) Inhibition of the induction of nitric oxide synthase by glucocorticoids: yet another explanation for their anti-inflammatory effects?. *TIPS* 12, 130- 131.

Moore, K. E. and Phillipson, O. T. (1975) Effect of dexamethasone on phenyl-

lethanolamine - N - methyltransferase and adrenaline in the brain and superior cervical ganglia of adult and neonatal rats. *J. Neurochem.*, 25, 289- 294.

Morrison, W. R. and Smith, L. M. (1964) Preparation of fatty acid methyl esters and dimethyl acetates from lipids with fluoride - methanol. *J. Lipid Res.*, 5, 600- 608.

Morrison, M. R. and Rosenberg, R. N. (1983) Specific messenger RNA changes in Joseph disease cerebella. *Ann. Neurol.*, 14, 73-79.

Murray, D. K. and Nelson, D. H. (1987) Dexamethasone inhibition of cholesterol stimulated glucose transport in 3T3-L1 cells. *Biochim. Biophys. Acta.*, 898, 308 - 312.

Murray, D. K., Rhumann-Wennhold, A. and Nelson, D. H. (1982) Adrenalectomy decreases the sphingomyelin and cholesterol content of fat cell ghost. *Endocrinology.*, 111, 452- 455.

Munck, A., Guyre, P. M. and Holbrook, N. J. (1984) Physiological functions of glucocorticoids in stress and their relation to pharmacological actions. *Endocrine Rev.*, 5, 25 -43.

Nakanishi, S., Kita, T., Taii, S., Imura, H. and Nima, S. (1977) Glucocorticoid effect on the level of corticotropin messenger RNA activity in rat pituitary. *Proc. Natl. Acad. Sci. (USA).*, 74, 3283- 3286.

Nazir, M. I, Rizvi, H. A. and Ali, S. S. (1988) Effect of cortisone on the lipid composition of adipose tissue plasma and liver in a lizard. *Pak. J. Sci. Ind. Res.*, 31, 706-710.

Nelson, D. H. (1980) Corticosteroid induced changes in phospholipid membranes as mediators of their action. *Endocrine Rev.*, 1, 180-198.

Nelson, D. H. (1990a) Dexamethasone increases neutral sphingomyelinase activity and spingosine levels in 3T3-L1 fibroblast. *Biochem. Biophys. Res. Commun.*, 167, 607- 613.

Nelson, D. H. (1990b) Inhibitory action of spingosine and dexamethasone on glucose uptake studies with H₂O₂ and phorbol esters. *Life Sci.*, 46, 1843-1850.

Nelson, D. H. and Murray, D. K. (1982) Dexamethasone increases the synthesis of sphingomyelin in 3T3-L1 cell membranes. *Proc. Natl. Acad. Sci. (USA).*, 79, 6690- 6692.

Nelson, D. H. and Murray, D. K. (1987) Dexamethasone inhibition of H₂O₂ stimulated glucose transport, *Endocrinology.*, 120, 156-159.

Nelson D. H. and Murray, D. K. (1989) Dexamethasone and sphingolipid inhibit Concavalin A stimulated glucose uptake in 3T3- L1 fibroblast. *Endocrine Res.*,

14, 305- 318.

Nelson D. H. and Rhumann- Wennhold, A. (1975) An effect of cortisol on super oxide anion production by rat lung microsomes. *Physiologist.*, 18,333.

Nelson D. H. and Rhumann- Wennhold, A. (1979) Effect of lipid extraction, adrenalectomy and cortisol upon free radical formation by rat lung microsomes. *J. Steroid. Biochem.*, 11, 1381.

Neskovic, N. M., Sarlieve, L., Nussbeum, J. L., Kostic, D. M. and Mandel, P. (1972) Quantitative thin layer chromatography of glycolipids in animal tissues. *Clin. Acta.*, 38, 147- 153.

Nicols, N. R., Masters, J. N., Moradzadeh, D. S. and Finch, C. E. (1988) Glial fibrillary acidic protein mRNA is decreased in rat brain region in response to acute and chronic corticosterone treatment. *Soc. Neurosci. Abstr.*, 14, 1325.

Nicols, N. R., Osterburg, H. H., Masters, J. N., Millar, S. L. and Finch, C. E. (1990) Messenger RNA for glial fibrillary acidic protein is decreased in rat brain following acute and chronic corticosterone treatment. *Mol. Brain Res.*, 7, 1-7.

Noguchi, T., Sugisaki, T., Watanabe, M., Kohsaka, S. and Tsukada, Y. (1982) Effect of bovine growth hormone on the restricted cerebral development induced by neonatal hydrocortisone intoxication. *J. Neurochem.*, 38, 246- 256.

Norenberg, M. D. (1979) The distribution of glutamine synthetase in the rat central nervous system. *J. Histochem. Cytochem.*, 27, 756- 762.

Norton, W. T. and Poduloso, S. E. (1973) Myelination in rat brain: Changes in myelin composition during brain maturation. *J. Neurochem.*, 21, 759- 773.

O'Callaghan, J. P., Brinton, R. E. and McEwen, B. S. (1989) Glucocorticoid regulate the concentration of glial acidic fibrillary protein throughout the brain. *Brain Res.*, 494, 159-161.

O'Callaghan, J. P., Brinton, R. E. and McEwen, B. S. (1991) Glucocorticoid regulate the synthesis of glial acidic fibrillary protein in intact and adrenalectomized rats but do not affect its expression following brain injury. *J. Neurochem.*, 57, 860-869.

Oda, M. A. S. and Huttenlocher, P. R. (1974) The effect of corticosteroids on dendritic development in the rat brain. *Yale. J. Biol. Med.*, 3, 155- 165.

Olpe, H. R. and McEwen, B. S. (1976) Glucocorticoid binding to receptor - like protein in rat brain pituitary ontogenetic and experimentally induced changes. *Brain Res.*, 105, 121-128.

Ong, J. M., Simlolo, R. B., Saffari, B. and Kern, P. A. (1992) The regula-

tion of lipoprotein lipase gene expression by dexamethasone in isolated rat adipocytes. *Endocrinology*, 130, 2310- 2316.

Orchinik, M., Murray, T. F. and Moore, F. L. (1991) A corticosteroid receptor in neuronal membranes. *Science*, 252, 1848- 1850.

Orchinik, M., Murray, T. F., Franklin, P. H. and Moore, F. L. (1992) Guanyl nucleotides modulate binding to steroid receptors in neuronal membranes. *Proc. Natl. Acad. Sci.(USA)*, 89, 3830-3834.

Orti, E., Mendel D. B. and Munck, A. (1989) Phosphorylation of glucocorticoid receptor associated and free forms of the 90KDa heat shock protein before and after receptor activation. *J. Biol. Chem.*, 264, 231-237.

Orti, E., Mendel D. B., Smith, L. J. and Munck, A. (1989) Agonist dependent phosphorylation and dephosphorylation of glucocorticoid receptor in intact cells. *J. Biol. Chem.*, 264, 9728-9731.

Orti, E., Bodwell, J. E. and Munck, A. (1992) Phosphorylation of steroid hormone receptor. *Endocrine Rev.*, 13, 105- 127.

Owen, D. G., Barker, J. L., Segel, M. and Study, R. (1986) In "Molecular and Cellular Mechanisms of Anesthetics" (Eds.) Roth, S. H. and Miller, K. W. Plenum Press, New York, p 27- 41.

Patel, A. J., Hunt, A. and Tahourdin, C. S. M. (1983a) Regulation of *in vivo* glutamine synthase activity by glucocorticoid in the developing rat brain. *Dev. Brain Res.*, 10, 83-91.

Pavlik, A. and Buresova, M. (1984) The neonatal cerebellum: the highest level of glucocorticoid receptor in the brain. *Dev. Brain Res.*, 12, 13-20.

Pearce, D. and Yamamoto, K. R. (1993) Mineralocorticoid and glucocorticoid receptor activities distinguished by non receptor factors at a composite responsive element. *Science*, 259, 1161-1164

Perisic, O., Radojcic, M. and Kanazir, D. T. (1987) Protein kinase activity can be separated from activated rat liver glucocorticoid receptor. *J. Biol. Chem.*, 262, 11688- 11691.

Piddington, R. and Moscona, A. A. (1967) Precocious induction of retinal glutamine synthetase by hydrocortisone in the embryo and culture. Age dependent difference in tissue response. *Biochim. Biophys. Acta.*, 141, 429-432.

Pieringer, J., Lizak, R. J. and Pieringer, R. A. (1991) Regulation of 5'nucleotidase activity by corticosterone in neuron enriched cultures. (Abstract) of 13th ISN meeting, Sydney, Australia. *J. Neurochem.*, 57, S155.

Pittman, R. C. and Steinberg, D. (1977) Activatable cholesterol esterase and triacylglycerol lipase activities of rat adrenal and their relationship.

Biochim. Biophys. Acta., 487, 431- 444.

Plotsky, P. M. (1985) Hypophyseotropic regulation of adrenohypophyseal adrenocorticotropin secretion. Fed. Proc., 44, 207- 213.

Plotsky, P. M. (1991) Pathways to the secretion of adrenocorticotropin. A view from the portal. J. Neuroendocrinol., 3, 1-10.

Preston, S. L. and McMorris, F. A. (1984) Adrenalectomy of rats results in hypomyelination of the central nervous system. J. Neurochem., 42, 262- 267.

Ramachandran, C., Gray, S. L. and Melnykovich, G. (1978) Coordinate repression of cholesterol biosynthesis and cytoplasmic 3-hydroxy 3- methylglutaryl coenzyme A synthase by glucocorticoid in HeLa cells. Arch. Biochem. Biophys., 189, 205- 211.

Rebuffe-Scrive, M. Walsh, U. A., McEwen, B. and Rodin, J. (1992) Effects of chronic stress and exogenous glucocorticoid on regional fat distribution and metabolism. Physiol. Behav., 52, 583- 590.

Reif-Lehrer, L. (1971) Glutamine synthetase activity in human retinal tissue. Arch. Ophthalmol., 86, 72-76.

Reif-Lehrer, L. and Amos, H. (1968) Hydrocortisone requirement for the induction of glutamine synthetase activity in chick embryo retinas. Biochem. J., 106, 425-430.

Reker, C. E., LaPointe, M. C. Kovacic-Milivojevic, B., Chiou, W. J. H. and Vedeckis, W. V. (1987) A possible role for dephosphorylation in glucocorticoid receptor transformation. J. Steroid Biochem., 26, 653-665.

Reul, J. M. and DeKloet, E. R. (1985) Two receptor systems for corticosterone in rat brain: microdistribution and differential occupation. Endocrinology., 117, 2505-2511.

Reul, J. M., VandenBosch, F. R. and DeKloet, E. R. (1987a) Differential response of type I and type II corticosteroid receptors to changes in plasma steroid levels and circadian rhythmicity. Neuroendocrinology. 45, 407-412.

Reul, J. M., VandenBosch, F. R. and DeKloet, E. R. (1987b) Relative occupation of type I and type II corticosteroid receptor in rat brain following stress and dexamethasone treatment: functional applications. J. Endocrinol., 115, 459- 467.

Rhumann-Wennhold, A. and Nelson, D. H. (1978) An effect of corticosteroids and 100% oxygen on aryl hydrocarbon hydroxylase, cytochrome C reductase, and free radical formation by rat lung microsomes. Metabolism., 27, 1013.

Ricker, D. K., Sastre, A., Baker, T., Roth, R. H., and Riker, W. F. J. (1979)

Regional high affinity [3 H]choline accumulation in cat fore brain: selective increase in caudate putamen after corticosteroid pretreatment. *Mol. Pharmacol.*, 16, 886- 899.

Rivier, C. and Vales, W. W. (1983) Interaction of corticotropin releasing factor and arginine vasopressin in adrenocorticotropin secretion *in vivo*. *Endocrinology.*, 13, 939- 942.

Robinson, J. P. and Kendall, D. A. (1990) The influence of adrenalectomy on α -adrenoceptor in rat cerebral cortex slices. *Mol. Brain Res.*, 7, 69-74.

Rodan, S. B. and Rodan, S. A. (1986) Dexamethasone effects on β - adrenergic receptors and adenylate cyclase regulatory protein G_s and G_i in ROS 17/2.8 cells. *Endocrinology.*, 118, 2510-2518.

Rodbell, M., Birnbaumer, L. and Pohl, S. L. (1971a) Hormones, receptors and adenylate cyclase activity in mammalian cells, In 'The role of adenylate cyclase and 3'5' AMP in biological systems' (Eds.) Rall, T.W, Rodbell, M. and Condliffe, P. U. S. Govt. Printing office, Washington, D.C. p 50- 103.

Rooney, S. A., Gobran, L., Gross, I., Wai-Lee, T. S., Nardone, L. L. and Motoyama, E. K. (1976) Studies on pulmonary surfactant. Effects of cortisol administration to foetal rabbits on lung phospholipid content, composition and biosynthesis. *Biochim. Biophys. Acta.*, 450, 121.

Roosevelt, T. S., Rhumann-Wennhold, A. and Nelson D. H. (1973) Adrenal corticosteroid effects upon rat brain mitochondrial metabolism. *Endocrinology.*, 93, 619.

Ros, M., Northup, J. K. and Malbon, C. C. (1989) Adipocyte G-protein and adenylate cyclase: Effects of adrenalectomy. *Biochem. J.*, 257, 737- 744.

Rosener, W. (1990) The functions of corticosteroids binding globulin and sex hormone binding globulin: Recent advances. *Endocrine Rev.*, 11, 80- 91.

Rosseau, G. G. (1984) Control of gene expression by glucocorticoid hormones. *Biochem. J.*, 224, 1-8.

Rossi, F., Partriarca, P. and Zabucchi, G. (1976) The mechanism of control of phagocytic metabolism. In 'The Reticuloendothelial System in Health and Disease, Functions and Characteristics' (Eds.) Reichard, S. M., Escobar, M. R., Friedman, H., Plenum Press, New York. p 205.

Rossini, G. P., Wikstrom, A.C. and Gustaffsson, J. A. (1989) Glucocorticoid receptor complexes are associated with small RNA *in vitro*. *J. Steroid Biochem.*, 32, 633-642.

Rothchild, A. J., Langlais, P. J., Schatzberg, A. F., Walsh, F. X., Cole, J.O. and Bird, E. D. (1984) Dexamethasone increases plasma free dopamine in man. *J. Psychol Res.*, 18, 217-223.

Rotsztein, W. H., Besson, J., Briaud, B., and Gagnant, L., Rosselin, G. and Kordan, C. (1980) Effect of steroid of vasointestinal peptide in discrete brain regions and peripheral tissues. *Neuroendocrinology.*, 31, 287- 291.

Rubin, M. S., Swislocki, N. T. and Sonenberg, M. (1973) Modification by bovine growth hormone of liver plasma membranes enzymes, phospholipids and circular dichroism. *Arch. Biochem. Biophys.*, 243- 251.

Sadasivudu, B., Rao, T. and Murthy, C. R. K. (1977) Metabolic effects of hydrocortisone in mouse brain. *Neurochem. Res.*, 2, 521- 532.

Sadasivudu, B., Rao, T. and Murthy, C. R. K. (1977) Acute metabolic effects of ammonia in mouse brain. *Neurochem. Res.*, 2, 639- 655.

Saito, N., Guitart, X., Hayward, M., Tallman, J. F., Duman, R. S. and Nestler, E. J. (1989) Corticosterone differentially regulates the expression of G_{sq} and G_{iq} messenger RNA and protein in cerebral cortex. *Proc. Natl. Acad. Sci. (USA).*, 86, 3906 -3910.

Sakly, M. and Koch, B. (1981) Ontogenesis of glucocorticoid receptor in rat anterior pituitary gland: transient dissociation among cytosolic receptor density, nuclear uptake and regulation of corticotropic activity. *Endocrinology.*, 108, 591-596.

Salas, M. and Schapiro, S. (1970) Hormonal influence upon the maturation of the rat brain's responsiveness to sensory stimuli. *Physiol. Behav.*, 5, 7-10.

Sandemann, Jr. H. (1978) Regulation of membrane enzymes by lipids. *Biochim. Biophys. Acta.*, 515, 209- 237.

Saphier, D. and Feldman, S. (1987) Effects of septal and hippocampal stimuli on paraventricular nucleus neurons. *Neuroscience.*, 749- 755.

Saphier, D. and Feldman, S. (1988) Ionophoretic application of glucocorticoids inhibits identified neurones in the rat paraventricular nucleus. *Brain Res.*, 453, 183- 190.

Sapolsky, R. M. (1985a) A mechanism of glucocorticoid toxicity in the hippocampus, increased neuronal vulnerability to metabolic insults. *J. Neurosci.*, 5, 1228-1232.

Sapolsky, R. M. (1985b) Glucocorticoid toxicity in hippocampus: Temporal aspects of neuronal vulnerability. *Brain Res.*, 359, 300- 305

Sapolsky, R. M. (1987) Glucocorticoid and hippocampal damage. *Trends Neurosci.*, 10, 346-349.

Sapolsky, R. M. (1991) The Adrenocortical axis. In 'Handbook of the Biology of Aging' Academic Press, New York. p 330- 346.

Sapolsky, R. M.(1992) Do glucocorticoid concentration rise with age in rats. *Neurobiol. Aging.*, 13, 171-174.

Sapolsky, R. M. and McEwen, B.S.(1985) Down regulation of neural corticosterone receptors by corticosterone and dexamethasone. *Brain Res.*, 339, 161-165.

Sapolsky, R. M., and Meaney, M. J.(1986) Maturation of the adrenocortical stress response: Neuroendocrine control, mechanisms and the stress hyporesponsive period. *Brain Res. Rev.*, 11, 65- 76.

Sapolsky, R. M.,Krey, L. C. and McEwen, B.S.(1983a) Corticosterone receptors decline in a site specific manner in the aged rat brain. *Brain Res.*, 289, 235- 240.

Sapolsky, R. M.,Krey, L. C. and McEwen, B.S.(1983b) The adrenocortical stress response in the aged male rats: impairment of recovery from stress. *Experimental Gerontol.*, 55- 64.

Sapolsky, R. M.,Krey, L. C. and McEwen, B.S.(1984b) Glucocorticoid sensitive hippocampal neurons are involved in terminating the adrenocortical stress response. *Proc. Natl. Acad. Sci. (USA).*, 81, 6174- 6177.

Sapolsky, R. M.,Krey, L. C. and McEwen, B.S.(1984b) Stress down regulation of corticosterone receptor in a site specific manner in the brain. *Endocrinology.*, 114, 287-292.

Sapolsky, R. M.,Krey, L. C. and McEwen, B.S.(1985) Prolonged glucocorticoid exposure reduces hippocampal neuronal number. Implication of aging. *J. Neurosci.*, 5, 1221- 1227.

Sapolsky, R. M.,Krey, L. C. and McEwen, B.S.(1986) The Neuroendocrinology of stress and aging: The glucocorticoid cascade hypothesis. *Endocrine Rev.*, 7, 284- 301.

Sapolsky, R. M., Packan, D. R. and Vale, W. W.(1988) Glucocorticoid toxicity in the hippocampus: in vitro demonstration. *Brain Res.*, 453, 367- 371.

Sapolsky, R. M., Morgan, S. and Squire, L. R.(1991) Inhibition of glucocorticoid secretion by the hippocampal formation in the primate. *J. Neurosci.*, 11, 3695- 3704.

Saunderva, G. (1989) Effect of corticosterone on Na+K+ATPase activity in rat brain regions.M. Phil.thesis submitted to M. S. University of Baroda, Baroda.

Sawas, A. H. and Gilbert, J. C. (1981) Effect of adrenergic agonists and antagonists and of the catechol nucleus on the Na+ K+ ATPase and Mg++ ATPase activities of synaptosomes. *Biochem. Pharmacol.*, 30, 1799- 1803.

Schapiro, S. (1968) Some physiological, biochemical and behavioural conse-

quences of neonatal hormone administration: Cortisol and Thyroxine. *Gen. Comp. Endocrinol.*, 10, 214- 228.

Scheff, S. W., Bernardo, L. S. and Cotman, C.W. (1980) Hydrocortisone administration retards axon sprouting in the rat dentate gyrus. *Exp. Neurol.*, 68, 195-201.

Scherrer, L. C., Ddalman, F. C., Massa, E., Meshinchi, S. and Pratt, W. B. (1990) Structural and functional reconstitution of the glucocorticoid receptor-Hsp90 complex. *J. Biol. Chem.* 265, 21397-21400.

Schumacher, M. (1990) Rapid membrane effect of steroid hormones: an emerging concept in neuroendocrinology. *Trends Neurosci.*, 13, 359 - 362.

Segal, H. L. and Kim, Y. S. (1963) Glucocorticoid stimulation of the biosynthesis of glutamic alanine transaminase. *Proc. Natl. Acad. Sci.(USA).*, 50, 912- 918

Seifert, S.C. and Golenbock, T. D. (1978) Mechanisms of deoxycorticosterone inhibition of plasminogen activator in rat hepatoma cells. *Proc. Natl. Acad. Sci. (USA).*, 75, 6130- 6233.

Sharma, R. (1991) Glucocorticoid actions and biomodulators: An integrated biological control. *Indian J. Biochem. Biophys.*, 28, 159- 163.

Sharma, R., Kido, H. and Katunuma, N. (1990) Sphingosine inhibition of tyrosine aminotransferase and tryptophan oxygenase induction by dexamethasone in primary culture of rat hepatocytes. *Biochem. Biophys. Res. Commun.*, 168, 823-829.

Sharma, M., Uma, S. and Mira, A. (1980) Effects of neonatal protein undernutrition on rat brain polyphosphoinositides. *Indian J. Biochem. Biophys.*, 1, 246- 247.

Shen, J. T. and Ganong, W. F. (1976a) Effects of variations in pituitary - adrenal activity on dopamine- β - hydroxylase activity in various regions of rat brain. *Neuroendocrinology.*, 20, 311-318.

Shen, J. T. and Ganong, W. F. (1976b) Effects of variations in adrenocortical function on dopamine- β - hydroxylase and norepinephrine in the brain of the rat. *J. Pharmacol. Exp. Ther.*, 199, 639-648.

Shinitzky, M. and Inbar, M. (1976) Microviscosity parameters and protein mobility in biological membranes. *Biochim. Biophys. Acta.*, 433, 133- 149.

Shinitzky, M. and Barenholz, Y. (1978) Fluidity parameters of lipid regions determined by fluorescence polarization. *Biochim. Biophys. Acta.*, 515, 367-394.

Simons, S. S. (1977) Glucocorticoid receptor-steroid complex binding to DNA.

Competition between DNA and DNA binding cellulose. *Biochim. Biophys. Acta.*, 496, 349-354.

Sims, N. R. and Carnegie, P. R. (1978) 2'³Cyclic nucleotide 3'phosphodiesterase. In 'Advances in Neurochemistry'. (Eds.) Agranoff, B. W. and Aprison, M. H., Plenum Press, New York, Vol.3, p1-41.

Singh, V. B. and Moudgil, V. K. (1984) Protein kinase activity of purified rat liver glucocorticoid receptor. *Biochem. Biophys. Res. Commun.*, 125, 1067-1073.

Singh, V. B., Corley, K. C., Phan, T. H. and Biber, M. C. B. (1990) Increases in the activity of tryptophan hydroxylase from rat cortex and midbrain in response to acute or repeated sound stress are blocked by adrenalectomy and restored by dexamethasone treatment. *Brain Res.*, 516, 66- 76.

Slotkin, T. A., Barnes, G., Lau, C., Seidler, F. J., Trepanier, P., Weigel, S. J. and Whitmore, W. L. (1983) Development of polyamine and biogenic amine systems in brain and hearts of neonatal rats given dexamethasone: role of biochemical alterations in cellular maturation for producing deficit in ontogeny of neurotransmitter levels, uptake, storage and turnover. *J. Pharmacol. Exp. Ther.*, 221, 686- 693.

Sloviter, R. S. and Nilaver, G. (1987) Immunocytochemical localization of GABA, cholecystokinin, vasoactive intestinal peptide and somatostatin like immunoreactivity in the area in dentate gyrus and hippocampus of the rat. *J. Comp. Neurol.*, 256, 42-60.

Sloviter, R. S., Valiquette, G., Abrams, G. M., Ronk, E. C., Sollas, A. L., Paul, L. A. and Neubort, S. (1989) Selective loss of hippocampal granule cell in the mature rat brain after adrenalectomy. *Science.*, 243, 535- 538.

Smith, R. M., Patel, A. J., Kingsbury, A. E., Hunt, A. and Balazs, R. (1980) Effects of thyroid state on brain development: β -adrenergic receptors and 5' Nucleotidase activity. *Brain Res.*, 198, 375- 387.

Smith, E. L., Hill, R. L., Lehman, I. R., Lefkowitz, R. J., Handler, P. and White A. (1983) Principles of Biochemistry. 7th Edition. McGraw-Hill Book Company, Singapore. p 389.

Smith, G. D., Seckl, J. R., Sheward, W. J., Bennie, J. G., Carroll, S. M., Dick, H. and Harmer, A. J. (1991) Effect of adrenalectomy and dexamethasone on neuropeptide content of dorsal root ganglion in the rat. *Brain Res.*, 564, 27 - 30.

Southorn, B. G., Palmer, R. M. and Garlick, P. J. (1990) Acute effects of corticosterone on tissue protein synthesis and insulin sensitivity in rats *in vivo*. *Biochem. J.*, 272, 187- 191.

Spencer, R. L., Miller, A. A., Stein, M. and McEwen, B. S. (1991) Corticosterone regulation of type I type II adrenal steroid receptors in brain pituitary

and immune tissue. *Brain Res.*, 549, 236 -246.

Spiegel, A. M., Backlund, P. S. Jr., Butrynski, J. E., Jones, T. L. Z. and Simonds, W. F. (1991) The G protein connection: molecular basis of membrane association. *Trends Biochem. Sci.*, 16, 338-341.

Stanley, G. B., Lanthier, D., Chin, A. S. and Leibowitz, S. F. (1989) Suppression of neuropeptide Y-elicited eating by adrenalectomy or hypophysectomy: reversal with corticosterone. *Brain Res.*, 501, 32- 36.

Stastny, F. (1971) Hydrocortisone as a possible inducer of Na⁺K⁺ATPase in the chick embryo cerebral hemispheres. *Brain Res.*, 25, 397- 410.

Stephens, J. L. and Pieringer, R. A (1984) Regulation of aryl sulfatase A and sulfogalactolipid turnover by cortisol in myelinogenic cultures in cells dissociated from embryonic mouse brain. *Biochem. J.*, 219, 689- 697.

Stone, E. A.(1979) Reduction by stress of norepinephrine stimulated accumulation of cyclic AMP in rat cerebral cortex. *J. Neurochem.*, 32, 1335- 1337.

Sumners, C., Gault, T. R. and Fregly, M. J.(1991) Potentiation of angiotensin II induced drinking by glucocorticoid is a specific glucocorticoid type II receptor (GR) mediated event. *Brain Res.*, 552, 283- 290.

Sun, A. Y. and Samorajski, T. (1970) Effects of ethanol on the activity of adenosine triphosphatase and acetylcholine esterase activity in synaptosomes isolated from guinea - pig brain. *J. Neurochem.*, 17,1365- 1372.

Sun, G. Y. and Sun, A. Y. (1974) Synaptosomal plasma membranes: Acyl group composition of phosphoglycerides and Na⁺K⁺ATPase activity during fatty acid deficiency. *J. Neurochem.*, 22, 15- 18.

Sun, A. Y. and Sun, G.Y.(1976) In 'Function and Metabolism of Phospholipids in CNS and PNS'.(Eds.) Porcellati,G.,Amaducci, L. and Galli, G. Plenum Press, New York.p 169-197.

Sutherland, V. C. and Rikimaru, M. (1964) The regional effects of adrenalectomy and ethanol on cerebral amino acids in rat. *Intl. J. Neuropharmacol.*, 3, 135- 139.

Suzuki, K. (1965) The pattern of mammalian brain gangliosides. III Regional and developmental differences *J. Neurochem.*, 12, 969-979.

Svennerholm, L. (1956) The quantitative estimation of cerebroside in nervous system. *J. Neurochem.*, 1, 42-53.

Sze, P. Y. (1981) Developmental regulatory aspects of brain tryptophan hydroxylase. In 'Serotonin Current Aspects of Neurochemistry and Function' (Eds.) Haber, G. and Gabay, S., Plenum Press, New York, p 507-523.

Sze, P. Y., Necers, L. and Towle, A. C. (1976) Glucocorticoid as a regulatory factor for brain tryptophan hydroxylase. *J. Neurochem.*, 26, 169- 173.

Sze, P. Y., Marchi, M., Towle, A. C. and Giacobini, E. (1983) Increased uptake of ³H choline by rat superior cervical ganglion. An effect of dexamethasone. *Neuropharmacology*, 22, 711- 716.

Szentendrei, T. and Fekete, M. I. K. (1990) Modulation of rat brain cortical α_2 -adrenoceptors by treatment with hydrocortisone for 10 days. *J. Neurochem.*, 54, 1852- 1857.

Taylor, M. and Howard, E. (1971) Impaired glucose homeostasis in adult rats after corticosterone treatment in infancy. *Endocrinology.*, 88, 1190- 1202

Tesoriere, G., Vento, R., Taibi, G., Calvaruso, G. and Schiavo, M. R. (1989) Biochemical aspects of chick embryo retina development: The effects of glucocorticoids. *J. Neurochem.*, 52, 1487- 1494.

Tombaugh, G. C., Yang, S. H., Swanson, R. A. and Sapolsky, R. M. (1992) Glucocorticoid exacerbate hypoxic and hypoglycemic hippocampal injury *in vitro*: Biochemical correlation and role of astrocytes. *J. Neurochem.*, 59, 137- 146.

Torday, J. S., Smith, B. T. and Giroud, C. J. P. (1975) The rabbit foetal lung as a glucocorticoid target tissue. *Endocrinology.*, 96, 1462- 1467.

Towle, A. C., Sze, P. Y. and Lauder, J. M. (1982) Cytosol glucocorticoid binding in monoaminergic cell groups. *Dev. Neurosci.*, 5, 458- 464.

Tornello, S., Orti, F., Denicola, A., Rainbow, T. C. and McEwen, B. S. (1982) Regulation of glucocorticoid receptors in brain by corticosterone treatment of adrenalectomized rats. *Neuroendocrinology.*, 35, 411- 417.

Tsuneshi, S., Takada, S., Motoike, T., Ohashi, T., Sano, K. and Nakamura, H. (1991) Effect of dexamethasone on the expression of myelin basic protein, proteolipid protein and glial fibrillary acidic protein genes in developing rat brain. *Dev. Brain Res.*, 61, 117-123.

Turner, B. B., Katz, R. J. and Carroll, B. J. (1979) Neonatal corticosteroid permanently alters brain activity of epinephrine synthesizing enzyme in stressed rats. *Brain Res.*, 166, 426-430.

Uma, S. and Ramakrishnan, C. V (1983a) Studies on polyphosphoinositides in developing rat brain. *J. Neurochem.*, 50, 914-916.

Uno, H., Lohmiller, L., Thieme, C., Kemnitz, J. W., Engle, M. J., Roecker, E. B. and Farrell, P. M. (1990) Brain damage induced by perinatal exposure to dexamethasone in foetal rhesus macaques, I. Hippocampus. *Dev. Brain Res.*, 53, 157- 167.

Vacca, A., Screpanti, I., Maroder, M., Petrangeli, E., Franti, L., and Gulino,

A., (1989) Tumor promoting phorbol esters and ras oncogenes expression inhibit the glucocorticoid receptor transcription from the mouse mammary tumor virus long terminal repeat. *Mol.Endocrinol.*, 3, 1659- 1665.

Vaccaro, D. E., Leeman, S. E. and Reif-Lehrer, L. (1979) Glutamine synthetase activity *in vivo* and in primary cell cultures of rat hypothalamus. *J. Neurochem.*, 33, 953-957.

Vallette, G., Vanet, A., Sumida, C. and Nunez, E. A. (1991) Modulatory effects of unsaturated fatty acids on the binding of glucocorticoids to rat liver glucocorticoid receptors. *Endocrinology.*, 129, 1363- 1369.

Valeri, P., Palmery, M., Pattacchioli, A., Catalani, B., Tifa, B. and Angelucci, L. (1980) Role and regulation of brain glucocorticoid receptors. *Pharmacol. Res. Commun.*, 12, 283- 292.

VanEekelen, J. A. M., Bohn, M. C. and DeKloet, E. R. (1991) Postnatal ontogeny of mineralocorticoid and glucocorticoid receptor gene expression in regions of the rat tel and diencephalon. *Dev. Brain Res.*, 61, 33-43.

Vanloon, G. R., Shum, A. and Sole, M. J. (1981) Decreased brain serotonin turnover after short term (two hour) adrenalectomy in rats; a comparison of four turnover methods. *Endocrinology.*, 108, 1392- 1402.

Veldhuis, H. D., VanKoppen, C., VanIittersum, M. and DeKloet, E. R. (1982) Specificity of the adrenal steroid receptor system in rat hippocampus. *Endocrinology.*, 110, 2044-2051.

Vermes, I., Smelik, P. G. and Mudler, A. H. (1976) Effects of hypophysectomy, adrenalectomy and corticosterone treatment on uptake and release of putative neurotransmitters by rat hypothalamic tissue *in vitro*. *Life Sci.*, 19, 1719-1726.

Vernadakis, A. and Tamiras, P. S. (1967) Effect of estradiol and cortisol on neural tissue in culture. *Experientia.*, 23, 467- 468.

Viani, P., Cervato, G., Fiorilli, A. and Cestaro, B. (1991) Age related difference in synaptosomal peroxidative damage and membrane properties. *J. Neurochem.*, 56, 253-258.

Virgin, C. E. Jr., Ha, T. P. T., Packan, D. R., Tombaugh, G. C., Yang, S. H., Horner, H. C. and Sapolsky, R. M. (1991) Glucocorticoid inhibits glucose transport and glutamate uptake in hippocampal astrocytes: Implications for glucocorticoid neurotoxicity. *J. Neurochem.*, 57, 1422- 1428.

Vishwanath, B. S., Frey, F. J., Bradbury, M., Dallman M. F. and Frey, B. M. (1992) Adrenalectomy decreases lipocortin-1 messenger ribonucleic acid and tissue protein content in rats. *Endocrinology.*, 130, 585- 591.

Waziri, R. and Sahu S. K. (1980) Induction of 2' 3'- cyclic nucleotide 3'-phosphohydrolase and morphological alteration in C6 glioma cells by dexamethasone (3-hydroxy-4-methoxy benzyl) 2-imidazolinone and prostaglandin E₁. In *Vitro.*, 16, 97- 102.

Weber, G., Srivastava, S. K. and Singhal, R. L. (1965) Role of enzymes in homeostasis. Early effects of corticosteroid hormone on hepatic gluconeogenic enzymes ribonucleic acid metabolism and aminoacid. *J. Biol.Chem.*, 240, 750-756.

Wehrenberg, W. B., Janowski, B. A., Piering, A. W., Culler, F. and Jones, K. L. (1990a) Glucocorticoids: potent inhibitors and stimulators of growth hormone secretion. *Endocrinology.*, 126, 3200- 3203.

Wehrenberg, W. B., Bergman, P. J., Stagg, L., Ndon, J. and Giustina, A. (1990b) Glucocorticoid inhibition of growth in rats : partial reversal with somatostatin antibodies. *Endocrinology.*, 127, 2705- 2708.

Weinberger, C., Hollenberg, S. M., Rosenfield, M. G. and Evans, R. M. (1985) Domain structure of human glucocorticoid receptor and its relationship to the v-erb A oncogene product. *Nature(London).*, 318, 670.

Weissmann, G. and Thomas, L. (1964) The effect of corticosteroids upon connective tissues and lysosomes. *Recent. Prog. Horm. Res.*, 20, 215.

Wheller, K. P., Walker, J. A. and Barker, D. M. (1975) Lipid requirement of the membrane sodium -plus -potassium ion dependent adenosine triphosphatase system. *Biochem. J.*, 146, 713- 722.

White, D. A. (1973) In 'Form and Function of Phospholipids'. (Eds.) Ansell, G. B., Hawthorne, J. N. and Dawson, R. M. C., Elsevier Publication, The Netherlands, p 441- 482.

Widmaier, E. P., Rosen, K. and Abbott, B. (1992) Free fatty acids activate the hypothalamic - pituitary adrenocortical axis in rats. *Endocrinology.*, 131, 2313- 2318.

Wong, M. and Moss, R. L. (1991) Electrophysiological evidence for rapid membrane action of the gonadal steroid 17 β -estradiol on CA₁ pyramidal neurons in rat hippocampus. *Brain Res.*, 543, 148 - 152.

Woolley, C. S., Gould, E. and McEwen, B.S. (1990) Exposure of excess glucocorticoid alters dendrite morphology of adult hippocampal pyramidal neurons. *Brain Res.*, 531, 225-231.

Woolley, C. S., Gould, E., Sakai, R. R., Spencer, R. L. and McEwen, B.S. (1991) Effects of aldosterone or RU 28362 treatment on adrenalectomy - induced cell death in the dentate gyrus of the adult rat. *Brain Res.*, 554, 312- 315.

Wrange, O., Okret, S., Radojcic, M., Carlsledt- Duke, J. and Gustaffson, J. A.

(1984) Characterization of the purified activated glucocorticoid receptor from rat liver cytosol. *J. Biol.Chem.*, 259, 4534.

Yamamoto, S. (1978) Prednisolone-3,20 bis guanyl hydrazone: Mode of interaction with rat brain sodium potassium - activated adenosine triphosphatase. *Eur. J. Pharmacol.*, 50, 409- 418.

Yang, Y. T. and McElligotti, M. A.(1989) Multiple actions of β -adrenegic agonist on skeletal muscle and adipose tissue. *Biochem. J.*, 261, 1-10.

Yates, F. and Maran, J.(1979) In 'Hand book of Physiology' (Eds.) Greep, R. and Stwood, E., American Physiological Soc., USA, p 367- 404.

Yehuda, R., Fairman, K. R. and Meyer, J. S. (1989) Enhanced brain cell proliferation following early adrenalectomy in rats. *J. Neurochem.*, 53, 241- 248.

Zimmermann, H. (1992) 5'nucleotidase : molecular structure and functional aspects. *Biochem. J.*, 285, 345- 365.

Zoli, M., Ferraguti, F., Gustafsson, J. A., Toffano, G., Fuxe, K. and Agnati, L. F. (1991) Selective reduction of glucocorticoid receptor immunoreactivity in the hippocampal formation and central amygdaloid nucleus of the aged rats. *Brain Res.*, 545, 199-207.

Zonta, N., Ferrario, P., DiGiulio, A. M., Zecca, L., Gorio, A. and Mantegazza, P. (1992) Neurochemical changes of long term adrenalectomy in rat brain: Effect on Neurotransmitter amino acids. *Intl J. Dev. Neurosci.*, 10, 439-445.

Zor, U., Her, E., Harell, T., Fischer, G., Naor, Z., Braquet, P., Feber, E. and Reiss, N.(1990) Arachidonic acid release by basophilic leukemia cells and macrophages stimulated by Ca^{2+} ionophores, antigen and diacyl glycerol: essential role for protein kinase C and prevention by glucocorticoid. *Biochim. Biophys. Acta.*, 1091, 385- 392.

Zuo, F. H. G. and Yi-Zhang, C.(1992) Estimation of glucocorticoid membrane binding sites in synaptic plasma membrane isolated from porcine brain. *Acta Physiol.*, 44, 170- 174.