

LIST OF TABLES

LIST OF TABLES

<u>Table No.</u>	<u>Title</u>	<u>After page</u>
2.1	Table for Magnifications of optical microscope	3
2.2	Table for Chemical Assay and impurities of NaNO_3	44
4.1	Table for Types of indenters	82
5.1	Table of logarithms of diagonal length (Knoop) corresponding to logarithms of load at various quenching temperatures	104
5.2	Table of logarithms of diagonal length (Vickers) corresponding to logarithms of load at various quenching temperatures	104
5.3	Slopes n_1 , n_2 and constants a_1 , a_2 in region I and region II of $\log P$ vs. $\log d$ graph and also load P_k at kink (Knoop Indenter)	106
5.4	Slopes n_1 , n_2 and constants a_1 , a_2 in region I and region II of $\log P$ vs. $\log d$ graph and also load P_k at kink (Vickers Indenter)	106
6.1	Knoop hardness numbers corresponding to different loads at various quenching temperatures	116
6.2	Vickers hardness numbers corresponding to different loads at various quenching temperatures	116

6.3	Average values of hardness in HLR (Knoop and Vickers) at various quenching temperatures and ratio H_K/H_V	118
6.4	C_K and C_V values at different quenching temperatures	119
6.5	$\log(T_Q/d_K^2)$ values corresponding to different loads (HLR) at various quenching temperatures	119
6.6	$\log(T_Q/d_V^2)$ values corresponding to different load (HLR) at various quenching temperatures	119
6.7	$\log(a_2 d_K^2/T_Q)$ values corresponding to different loads (HLR) at various quenching temperatures	122
6.8	$\log(a_2 d_V^2/T_Q)$ values corresponding to different loads (HLR) at various quenching temperatures	122
6.9	$\log(\bar{H}_K T_Q/a_2)$ and $\log(\bar{H}_V T_Q/a_2)$ values at various quenching temperatures	123
6.10.1	Values of A, B, D, P/B, AP, E and DE/Const. to corresponding to various quenching 6.10.16 temperatures (Knoop and Vickers indenters)	126
6.11	Values of A, C, D, E and C/D (Knoop Indenter) at different quenching temperatures	129

6.12	Values of A, C, D, E and C/D (Vickers Indenter) at various quenching temperatures	129
6.13	Electrical conductivity σ_c values at various temperatures	131
6.14	Values of $\text{Log}(T_Q d_v)$ corresponding to different loads for reciprocal of quenching temperatures	137
6.15	Values of $\text{Log}(T_Q d_k)$ corresponding to different loads for reciprocal of quenching temperatures	137
6.16	Values of $\log(\sigma_c/\bar{H}_v)$ and $\log(\sigma_c/\bar{H}_k)$ for corresponding $\log T$	139
6.17	Values of $\log(\sigma_c T^{1-k}/\bar{H}_v)$ and $\log(\sigma_c T^{1-k}/\bar{H}_k)$ for corresponding values of $1/T$	141
7.1A & B	Graphical analysis of $\text{Log } P$ vs. $\text{Log } d$ plot (region II Knoop and Vickers Indenter) by visual estimation of best straight line method	146
7.2	Zero-sum method analysis for estimation of best straight line plot of $\text{Log } P$ vs. $\text{Log } d$ (region II Knoop and Vickers Indenters)	146
7.3	Centroid method analysis for estimation of best straight line plot of $\text{Log } P$ vs. $\log d$ (region II Knoop and Vickers Indenters)	146

7.4	Analysis of straight line plot of log P vs. log d (region II Knoop and Vickers Indenters) by using data in specific manner	146
7.5	Graphical analysis of straight line plot of log P vs. log d plot (region II Knoop and Vickers Indenters) by using statistical method finding regression coefficients	146
7.6	Graphical analysis of $\log(\bar{H} T_Q)$ vs. Log T_Q plot by different methods of estimation of best straight line	146
7.7	Graphical analysis of $\text{Log}(\sigma T^{1-k}/\bar{H})$ vs. $10^3/T$ plot by different methods of estimation of best straight line	146
9.1	Table of length of etch pit and weight loss for different time of etching at various etching temperatures for different concentrations of etchant	183
9.2	Table of rate of tangential dissolution V_t and surface dissolution V_s along with V_t/V_s at different temperatures for various concentrations of etchant	184
9.3	Table of activation energies E_t , E_s , E_σ and E_μ for different concentrations of aqueous sodium hydroxide solutions	185

9.4	Showing values of electrical conductivity of aqueous sodium hydroxide solutions at different temperatures for different concentrations	196
9.5	Showing electrical conductivity of aqueous sodium hydroxide solutions at 18°C for various concentrations taken from literature	196
9.6	Showing maximum etch rates V_{cm} , V_{sm} and maximum electrical conductivity σ_m for aq. sodium hydroxide solution, lactic acid and formic acid	197
9.7a & b	Tables showing viscosity of aqueous sodium hydroxide at 20°C for various concentrations and for 50%, 19.1 M solution of sodium hydroxide at different temperatures respectively	198
9.8	Showing V_t , V_s and V_t/V_s for different concentrations corresponding to different temperatures	203
10.1	Showing diagonal lengths of thermal etch pits and wt. loss of calcite cleavage faces at different temperatures and time of etching	225
10.2	Table showing etch rates V_t of thermal etching along direction $[110]$ and $[\bar{1}\bar{1}0]$ and V_s at different etching temperatures	226

10.3	Activation energy values $E_{t\ th}$, $E_{s\ th}$, $E_{t\ ch}$, $E_{s\ ch}$ and ratios $E_{t\ th}/E_{t\ th}$ and $E_{t\ ch}/E_{s\ ch}$ for activation energy thermal etching to chemical etching using various etchants.	228
11.1	Table showing length, depth (MBI), Base, Area and volume of etching alongwith their rates of dissolution at different etching temperatures.	234
11.2	SEM observations of length, Area, volume of etch pits alongwith their rates of dissolution.	236
11.3	Showing logarithm of different dimensions corresponding to different values of reciprocal of temperatures.	237
11.4	Activation energies.	238
A ₀	General information on InSb crystal	I
A-1	Values of log d corresponding to log P at various quenching temperatures	VI
A-2	Vickers hardness numbers corresponding to different loads at various quenching temperatures	VI
A-3	Showing average hardness values H_v , C and % deviation of C from mean value for various quenching temperatures	VIII

		T_7
A-4	Values of $\text{Log } (T_Q/d_v^2)$ for different load in HLR for various quenching temperatures	XI
A-5	Values of n_1, n_2, a_1, a_2 of $\log P$ vs. $\log d$ graph	XI
A-6	Values of $\log (a_2 d_v^2)$ for different loads at various quenching temperatures	XII
A-7	Values of $\log H, \text{Log } (a_2 H), \log (H T_Q/a_2)$ and constant E for various quenching temperatures	XII
A-8.1 to A-8.6	Values of constant A, B, AB, D, P/B, AP and E at different loads for various quenching temperatures	XV
A-9	Values of constant AB, D, AP, DE/Const., P/B, E, C and C/D for various quenching temperatures alongwith mean values, and coefficient of variation in percentage	XV
A-10	Graphical analysis of $\log H T_Q$ vs. $\log T_Q$ plot by different methods of estimation of best straight line	XVIII