

- Abdel-Hamid, M. A., Attwood, M. M. and Guest, J. R. (2001) Pyruvate oxidase contributes to the aerobic growth efficiency of *Escherichia coli*. *Microbiol.* **147**, 1483-1498
- Akinrinde, E. A. (2006) Strategies for improving crops' use-efficiencies of fertilizer nutrients in sustainable agricultural systems. *Pak. J. Nutrition* **5**(2), 185-193
- Ali, S., ul-Haq, I., Qadeer, M. A. and Iqbal, J. (2002) Production of citric acid by *Aspergillus niger* using cane molasses in a stirred fermentor. *Electr. J. Biotech.* **5**(3), 258-271
- Allenby, N. E. E., O'Connor, N., Pragai, Z., Ward, A. C., Wipat, A. and Harwood, C. R. (2005) Genome-wide transcriptional analysis of the phosphate starvation stimulon of *Bacillus subtilis*. *J. Bacteriol.* **187**(23), 8063-8080
- Alvarez-Vasquez, F., González-Alcón, C. and Torres, N. V. (2000) Metabolism of citric acid production by *Aspergillus niger*: Model definition, steady-state analysis and constrained optimization of citric acid production rate. *Biotechnol. Bioeng.* **70**(1), 82-108
- Anastassiadis, S. and Rehm, H. -J. (2005) Continuous citric acid secretion by a high specific pH dependent active transport system in yeast *Candida oleophila* ATCC 20177. *Electr. J. Biotech.* **8**(2), 146-161
- Anoop, V. M., Basu, U., McCammon, M. T., McAlister-Henn, L. and Taylor, G. J. (2003) Modulation of citrate metabolism alters aluminum tolerance in yeast and transgenic *Canola* overexpressing a mitochondrial citrate synthase. *Plant Physiol.* **132**, 2205-2217
- Antoniewicz, M. R., Kelleher, J. K. and Stephanopoulos, G. (2007) Elementary metabolite units (EMU): A novel framework for modeling isotopic distributions. *Metab. Eng.* **9**(1), 68-86
- Aoshima, M., Ishii, M., Yamagishi, A., Oshima, T. and Igarashi, Y. (2003) Metabolic characteristics of an isocitrate dehydrogenase defective derivative of *Escherichia coli* BL21(DE3). *Biotechnol. Bioeng.* **84**(6), 732-737
- Arcand, M. M. and Schneider, K. D. (2006) Plant- and microbial-based mechanisms to improve the agronomic effectiveness of phosphate rock: A review. *An. Acad. Bras. Cienc.* **78**(4), 791-807
- Babu-khan, S., Yeo, T. C., Martin, W. L. and Duron, M. R. (1995) Cloning of a mineral phosphate-solubilizing gene from *Pseudomonas cepacia*. *Appl. Environ. Microbiol.* **61** (3), 972-978

- Bailey, J. E. (1991) Toward a science of metabolic engineering. *Science* **252**, 1668-1675
- Bailey, J. E., Shurlati, A., Hatzimanikatis, V., Lee, K., Renner, W. A. and Tsai, P. E. (1996) Inverse metabolic engineering a strategy for directed genetic engineering of useful phenotypes. *Biotechnol. Bioeng.* **52**, 109-121
- Bainton, N. J., Lynch, J. M., Naseby, D. and Way, J. A. (2004) Survival and ecological fitness of *Pseudomonas fluorescens* genetically engineered with dual biocontrol mechanisms. *Microb. Ecol.* **48**(3), 349-357
- Ballerstedt, H., Volkers, R. J., Mars, A. E., Hallsworth, J. E., dos Santos V. A., Puchalka, J., van Duuren, J., Eggink, G., Timmis, K. N., de Bont, J. A. and Wery, J. (2007) Genomotyping of *Pseudomonas putida* strains using *P. putida* KT2440-based high-density DNA microarrays: implications for transcriptomics studies. *Appl. Microbiol. Biotechnol.* **75**(5), 1133-1142
- Bar-Yosef, B., Rogers, R. D., Wolfram, J. H. and Richman, E. (1999) *Pseudomonas cepacia*-Mediated rock phosphate solubilization in kaolinite and montmorillonite suspensions. *Soil Sci. Soc. Am. J.* **63**, 1703-1708
- Basu, A. and Phale, P. S. (2006) Inducible uptake and metabolism of glucose by the phosphorylative pathway in *Pseudomonas putida* CSV86. *FEMS Microbiol. Lett.* **259**(2), 311-316
- Basu, A., Apte, S. K. and Phale, P. S. (2006) Preferential utilization of aromatic compounds over glucose by *Pseudomonas putida* CSV86. *Appl. Environ. Microbiol.* **72**(3), 2226-2230
- Berovic, M. and Legisa, M. (2007) Citric acid production. *Biotechnol. Annu. Rev.* **13**, 303-343
- Bongaerts, J., Kramer, M., Muller, U., Raeven, L. and Wubbolts, M. (2001) Metabolic engineering for microbial production of aromatic amino acids and derived compounds. *Metab. Eng.* **3**, 289-300
- Bro, C., Regenber, B., Förster, J. and Nielsen, J. (2006) In silico aided metabolic engineering of *Saccharomyces cerevisiae* for improved bioethanol production. *Metab. Eng.* **8**(2), 102-111
- Buell, C. R., Joardar, V., Lindeberg, M., Selengut, J., Paulsen, I. T., Gwinn, M. L., Dodson, R. J., Deboy, R. T., Durkin, A. S., Kolonay, J. F., Madupu, R., Daugherty, S., Brinkac, L.,

- Beanan, M. J., Haft, D. H., Nelson, W. C., Davidsen, T., Zafar, N., Zhou, L., Liu, J., Yuan, Q., Khouri, H., Fedorova, N., Tran, B., Russell, D., Berry, K., Utterback, T., Van Aken, S. E., Feldblyum, T. V., D'Ascenzo, M., Deng, W. L., Ramos, A. R., Alfano, J. R., Cartinhour, S., Chatterjee, A. K., Delaney, T. P., Lazarowitz, S. G., Martin, G. B., Schneider, D. J., Tang, X., Bender, C. L., White, O., Fraser, C. M. and Collmer, A. (2003) The complete genome sequence of the Arabidopsis and tomato pathogen *Pseudomonas syringae* pv. *tomato* DC3000. *Proc. Natl. Acad. Sci. U.S.A.* **100** (18), 10181-10186
- Bugg, T., Foght, J. M., Pickard, M. A. and Gray, M. R. (2000) Uptake and active efflux of polycyclic aromatic hydrocarbons by *Pseudomonas fluorescens* LP6a. *Appl. Environ. Microbiol.* **66**, 5387–5392
- Cameron, D. C. and Chaplen, F. W. R. (1997) Developments in metabolic engineering. *Curr. Opin. Biotechnol.* **8**(2), 175-180
- Carlson, R. P. (2007) Metabolic systems cost-benefit analysis for interpreting network structure and regulation. *Bioinformatics* **23**(10), 1258-1264
- Carson, K. C., Holliday, S., Glenn, A. R., Dilworth, M. J. (1992) Siderophore and organic acid production in root nodule bacteria. *Arch. Microbiol.* **157**(3), 264-271
- Causey, T. B., Shanmugam, K. T., Yomano, L. P. and Ingram, L. O. (2004) Engineering *Escherichia coli* for efficient conversion of glucose to pyruvate. *Proc. Natl. Acad. Sci. USA* **101**(8), 2235-2240
- Chao, Y. P. and Liao, J. C. (1993) Alteration of growth yield by overexpression of phosphoenolpyruvate carboxylase and phosphoenolpyruvate carboxykinase in *Escherichia coli*. *Appl. Environ. Microbiol.* **59**, 4261–4265
- Chao, Y. P. and Liao, J. C. (1994) Metabolic responses to substrate futile cycling in *Escherichia coli*. *J. Biol. Chem.* **269**(7), 5122-5126
- Chopra, I. and Roberts, M. (2001) Tetracycline Antibiotics: Mode of action, applications, molecular biology, and epidemiology of bacterial resistance. *Microbiol. Mol. Biol. Rev.* **65**(2) 232-260
- Christensen, B. B., Sternberg, C., Andersen, L. E., Moller, S., Givskov, M. and Molin, S. (1998) Establishment of new genetic traits in a microbial biofilm community. *Appl. Environ. Microbiol.* **64**(6), 2247–2255

- Clark, D. P. (1989) The fermentation pathways of *Escherichia coli*. FEMS Microbiol. Rev. **5**, 223–234
- Cocaign-Bousquet, M., Guyonvarch, A. and Lindley, N. D. (1996) Growth rate-dependent modulation of carbon flux through central metabolism and the kinetic consequences for glucose-limited chemostat cultures of *Corynebacterium glutamicum*. Appl. Environ. Microbiol. **62**(2), 429–436
- Cohen, S., Chang, A. C. Y. and Leslie, H. S. U. (1972) Nonchromosomal antibiotic resistance in bacteria: Genetic transformation of *Escherichia coli* by R-factor DNA (CaCl₂/extrachromosomal DNA/plasmid). Proc. Nat. Acad. Sci. USA **69**(8), 2110–2114
- Compant, S., Duffy, B., Nowak, J., Clément, C. and Barka, E. A. (2005) Use of plant growth-promoting bacteria for biocontrol of plant diseases: Principles, Mechanisms of Action, and Future Prospects. Appl. Environ. Microbiol. **71**(9), 4951–4959
- Cooper, R. A. (1974) Methylglyoxal formation during glucose catabolism by *Pseudomonas saccharophila*. Identification of methylglyoxal synthase. Eur. J. Biochem. **44**(1), 81–86
- Copeland, A., Lucas, S., Lapidus, A., Barry, K., Detter, J. C., Glavina, T., Hammon, N., Israni, S., Pitluck, S., Saunders, E. H., Schmutz, J., Larimer, F., Land, M., Kyrpides, N., Anderson, I., Richardson, P. Unpublished (submitted 2005) Complete sequence of *Pseudomonas fluorescens* PfO-1. (www.ncbi.nlm.nih.gov)
- Copeland, A., Lucas, S., Lapidus, A., Barry, K., Detter, J.C., Glavina, T., Hammon, N., Israni, S., Dalin, E., Tice, H., Pitluck, S., Chain, P., Malfatti, S., Shin, M., Vergez, L., Schmutz, J., Larimer, F., Land, M., Hauser, L., Kyrpides, N., Lykidis, A., Parales, R. and Richardson, P. Unpublished (submitted 2007a) Complete sequence of *Pseudomonas putida* F1. (www.ncbi.nlm.nih.gov)
- Copeland, A., Lucas, S., Lapidus, A., Barry, K., Glavina del Rio, T., Dalin, E., Tice, H., Pitluck, S., Bruce, D., Goodwin, L., Chertkov, O., Brettin, T., Detter, J. C., Han, C., Kuske, C. R., Schmutz, J., Larimer, F., Land, M., Hauser, L., Kyrpides, N., Kim, E., McCarthy, J. K. and Richardson, P. Unpublished (submitted 2008) Complete genome sequence of *Pseudomonas putida* GB-1. (www.ncbi.nlm.nih.gov)
- Copeland, A., Lucas, S., Lapidus, A., Barry, K., Glavina, T., Dalin, E., Tice, H., Pitluck, S., Kiss, H., Brettin, T., Detter, J. C., Bruce, D., Han, C., Schmutz, J., Larimer, F., Land, M., Hauser, L., Kyrpides, N., Mikhailova, N., Hersman, L., Dubois, J., Maurice, P. and

- Richardson, P. Unpublished (submitted 2007b) Complete sequence of *Pseudomonas mendocina* ymp. (www.ncbi.nlm.nih.gov)
- Cremer, J., Eggling, L. and Sahm, H. (1991) Control of the lysine biosynthesis sequence in *Corynebacterium glutamicum* as analyzed by overexpression of the individual corresponding genes. *Appl. Environ. Microbiol.* **57**(6), 1746-1752
- Cuskey, S. M., Wolff, J. A., Phibbs, P. V. Jr. and Olsen, R. H. (1985) Cloning of genes specifying carbohydrate catabolism in *Pseudomonas aeruginosa* and *Pseudomonas putida*. *J. Bacteriol.* **162**(3), 865-871
- Danson, M. J., Harford, S. and Weitzman, P. D. J. (1979) Studies on a mutant form of *Escherichia coli* citrate synthase desensitised to allosteric effectors. *Eur. J. Biochem.* **101**, 515-521
- De Gelder, L., Ponciano, J. M., Joyce, P. and Top, E. M. (2007) Stability of a promiscuous plasmid in different hosts: No guarantee for a long-term relationship. *Microbiol.* **153**, 452-463
- de Graaf, A. A., Eggeling, L. and Sahm, H. (2001) Metabolic engineering for L-lysine production by *Corynebacterium glutamicum*. *Adv. Biochem. Eng. Biotechnol.* **73**, 9-29
- de la Fuente, J. M., Ramírez-Rodríguez, V., Cabrera-Ponce, J. L. and Herrera-Estrella, L. (1997) Aluminum tolerance in transgenic plants by alteration of citrate synthesis. *Science* **276**, 1566-1568
- De Maeseneire, S. L., De Mey, M., Vandedrinck, S., Vandamme, E. J. (2006) Metabolic characterization of *E. coli* citrate synthase and phosphoenolpyruvate carboxylase mutants in aerobic cultures. *Biotechnol. Lett.* **28**(23), 1945-1953
- De Mey, M., Lequeux, G. J., Beauprez, J. J., Maertens, J Van Horen, E., Soetaert, W. K., Vanrolleghem, P. A. and Vandamme, E. J. (2007) Comparison of different strategies to reduce acetate formation in *Escherichia coli*. *Biotechnol. Prog.* **23**, 1053-1063
- Death, A. and Ferenci, T. (1994) Between feast and famine: Endogenous inducer synthesis in the adaptation of *Escherichia coli* to growth with limiting carbohydrates. *J. Bacteriol.* **176**(16), 5101-5107

- del Castillo, T. and Ramos, J. L. (2007) Simultaneous catabolite repression between glucose and toluene Metabolism in *Pseudomonas putida* is channeled through different signaling pathways. *J. Bacteriol.* **189**(18), 6602–6610
- del Castillo, T., Ramos, J. L., Rodríguez-Herva, J. J., Fuhrer, T., Sauer, U., Duque, E. (2007) Convergent peripheral pathways catalyze initial glucose catabolism in *Pseudomonas putida*: Genomic and flux analysis. *J. Bacteriol.* **189**(14), 5142-5152
- Delaunay, S., Uy, D., Baucher, M. F., Engasser, J. M., Guyonvarch, A. and Goergen, J. L. (1999) Importance of phosphoenolpyruvate carboxylase of *Corynebacterium glutamicum* during the temperature triggered glutamic acid fermentation. *Metab. Eng.* **1**, 334-343
- Delhaize, E., Hebb, D. M. and Ryan, P. R. (2001) Expression of a *Pseudomonas aeruginosa* citrate synthase gene in tobacco is not associated with either enhanced citrate accumulation or efflux. *Plant Physiol.* **125**(4), 2059-2067
- Dey, R., Pal, K. K., Bhatt, D. M. and Chauhan, S. M. (2004) Growth promotion and yield enhancement of peanut (*Arachis hypogaea* L.) by application of plant growth-promoting rhizobacteria. *Microbiol. Res.* **159**(4), 371-394
- Diaz-Perez, A. L., Roman-Doval, C., Diaz-Perez, C., Cervantes, C., Sosa-Aguirre, C. R., Lopez-Meza, J. E. and Campos-Garc, J. (2007) Identification of the *aceA* gene encoding isocitrate lyase required for the growth of *Pseudomonas aeruginosa* on acetate, acyclic terpenes and leucine. *FEMS Microbiol. Lett.* **269**, 309-316
- Diaz-Ricci, J. C., Regan, L. and Bailey, J. E. (1991) Effect of alteration of the acetic acid synthesis pathway on the fermentation pattern of *Escherichia coli*. *Biotechnol. Bioeng.* **38**, 1318–1324
- Dittrich, C. R., Bennett, G. N. and San, K. Y. (2005) Characterization of the acetate-producing pathways in *Escherichia coli*. *Biotechnol. Prog.* **21**(4), 1062-1067
- Dixon, G. H. and Kornberg, H. L. (1959) Assay methods for key enzymes of the glyoxylate cycle. *Proc. Biochem. Soc.*, 3P
- Donald, L. J., Molgat, G. F. and Duckworth, H. W. (1989) Cloning, sequencing, and expression of the gene for NADH-sensitive citrate synthase of *Pseudomonas aeruginosa*. *J. Bacteriol.* **171**(10), 5542-5550

- Egamberdieva, D. (2008) Plant growth promoting properties of rhizobacteria isolated from wheat and pea grown in loamy sand soil. *Turk. J. Biol.* **32**, 1-7
- Eisenberg, R. C. and Dobrogosz, W. J. (1967) Gluconate metabolism in *Escherichia coli*. *J. Bacteriol.* **93**, 941-949
- Eisenberg, R. C., Butters S. J., Quay, S. C. and Friedman, S. B. (1974) Glucose uptake and phosphorylation in *Pseudomonas fluorescens*. *J. Bacteriol.* **120**, 147-153
- Elbahloul, Y. and Steinbüchel, A. (2006) Engineering the genotype of *Acinetobacter* sp. strain ADP1 to enhance biosynthesis of cyanophycin. *Appl. Environ. Microbiol.* **72**(2), 1410-1419
- El-Holi, M. A. and Al-Delaimy, K. S. (2003) Citric acid production from whey with sugars and additives by *Aspergillus niger*. *Afr. J. Biotechnol.* **2** (10), 356-359
- El-Mansi, E. M. and Holms, W. H. (1989) Control of carbon flux to acetate excretion during growth of *Escherichia coli* in batch and continuous cultures. *J. Gen. Microbiol.* **135**(11), 2875-2883
- Emmerling, M., Bailey, J. E. and Sauer, U. (1999) Glucose catabolism of *Escherichia coli* strains with increased activity and altered regulation of key glycolytic enzymes. *Metab. Eng.* **1**, 117-127
- Emmerling, M., Dauner, M., Ponti, A., Fiaux, J., Hochuli, M., Szyperski, T., Wüthrich, K., Bailey, J. E. and Sauer, U. (2002) Metabolic flux responses to pyruvate kinase knockout in *Escherichia coli*. *J. Bacteriol.* **184**(1), 152-164
- Entner, N. and Doudoroff, M. (1952) Glucose and gluconic acid oxidation of *Pseudomonas saccharophila*. *J. Biol. Chem.* **196**, 853-862
- Farinha, M. A. and Kropinski, A. M. (1990) Construction of broad-host-range plasmid vectors for easy visible selection and analysis of promoters. *J. Bacteriol.* **172**(6), 3496-3499
- Farmer, W. R. and Liao, J. C. (1997) Reduction of aerobic acetate production by *Escherichia coli*. *Appl. Environ. Microbiol.* **63**(8), 3205-3210
- Ferenci, T. (1999) Regulation by nutrient limitation. *Curr. Opin. Microbiol.* **2**, 208-213
- Fischer, E. and Sauer, U. (2003) A novel metabolic cycle catalyzes glucose oxidation and anaplerosis in hungry *Escherichia coli*. *J. Biol. Chem.* **278**(47), 46446-46451

- Flores, N., Xiao, J., Berry, A., Bolivar, F. and Valle, F. (1996) Pathway engineering for the production of aromatic compounds in *Escherichia coli*. *Nat. Biotechnol.* **14**(5), 620-623
- Flores, S., de Anda-Herrera, R., Gosset, g. and Bolivar, F. G (2004) Growth-rate recovery of *Escherichia coli* cultures carrying a multicopy plasmid, by engineering of the pentose-phosphate pathway. *Biotechnol. and Bioeng.* **87**(4), 485-494
- Förster, A., Aurich, A., Mauersberger, S. and Barth, G. (2007b) Citric acid production from sucrose using a recombinant strain of the yeast *Yarrowia lipolytica*. *Appl. Microbiol. Biotechnol.* **75**(6), 1409-1417
- Förster, A., Jacobs, K., Juretzek, T., Mauersberger, S. and Barth, G. (2007a) Overexpression of the ICL1 gene changes the product ratio of citric acid production by *Yarrowia lipolytica*. *Appl. Microbiol. Biotechnol.* **77**(4), 861-869
- Franklin, F. C. H., Bagdasarian, M., Bagdasarian, M. M. and Timmis, K. N. (1981) Molecular and functional analysis of the TOL plasmid pWWO from *Pseudomonas putida* and cloning of genes for the entire regulated aromatic ring meta cleavage pathway. *Proc. NatL Acad. Sci. USA* **78**(12), 7458-7462
- Fuhrer, T., Fischer, E. and Sauer, U. (2005) Experimental identification and quantification of glucose metabolism in seven bacterial species. *J. Bacteriol.* **187**, 1581-1590
- Garnak, M. and Reeves, H. C. (1979) Purification and properties of phosphorylated isocitrate dehydrogenase of *Escherichia coli*. *J. Biol. Chem.* **254**, 7915-7920
- Gerretsen, F. C. (1948) The influence of microorganisms on the phosphate intake by the plant. *Plant and Soil* **1**, 51-81
- Gerstmeir, R., Wendisch, V. F., Schnicke, S., Ruan, H., Farwick, M., Reinscheid, D. and Eikmanns, B. J. (2003) Acetate metabolism and its regulation in *Corynebacterium glutamicum*. *J. Biotechnol.* **104**(1-3), 99-122
- Gill, R. T. (2003) Enabling inverse metabolic engineering through genomics. *Curr. Opin. Biotechnol.* **14**(5), 484-490
- Girlanda, M., Perotto, S., Moenne-Loccoz, Y., Bergero, R., Lazzari, A., Defago, G., Bonfante, P. and Luppi, A. M. (2001) Impact of biocontrol *Pseudomonas fluorescens*

- CHA0 and a genetically modified derivative on the diversity of culturable fungi in the cucumber rhizosphere. *Appl. Environ. Microbiol.* **67**(4), 1851-1864
- Gokarn, R. R., Eiteman, M. A. and Altman, E. (1998) Expression of pyruvate carboxylase enhances succinate production in *Escherichia coli* without affecting glucose uptake. *Biotechnol. Lett.* **20**, 795–798
- Gokarn, R. R., Eiteman, M. A. and Altman, E. (2000) Metabolic analysis of *Escherichia coli* in the presence and absence of the carboxylating enzymes phosphoenolpyruvate carboxylase and pyruvate carboxylase. *Appl. Environ. Microbiol.* **66**, 1844–1850
- Gokarn, R. R., Evans, J. D., Walker, J. R., Martin, S. A., Eiteman, M. A. and Altman E. (2001) The physiological effects and metabolic alterations caused by the expression of *Rhizobium etli* pyruvate carboxylase in *Escherichia coli*. *Appl. Microbiol. Biotechnol.* **56**(1-2), 188-195
- Goldstein A. H. and Liu S. T. (1987) Molecular Cloning and Regulation of a mineral phosphate solubilizing gene from *Erwinia Herbicola*. *Bio/Technology* **5**, 72-74
- Goodacre, R., Vaidyanathan, S., Dunn, W. B., Harrigan, G. G. and Kell, D. B. (2004) Metabolomics by numbers: Acquiring and understanding global metabolite data. *Trends Biotechnol.* **22**(5), 246-252
- Gosset, G. (2005) Improvement of *Escherichia coli* production strains by modification of the phosphoenolpyruvate:sugar phosphotransferase system. *Microb. Cell. Fact.* **4**(1), 14
- Gourdon, P., Baucher, M. F., Lindley, N. D. and Guyonvarch, A. (2000) Cloning of the malic enzyme gene from *Corynebacterium glutamicum* and role of the enzyme in lactate metabolism. *Appl. Environ. Microbiol.* **66**(7), 2981-2987
- Graupner, S. and Wackernagel, W. (1999) Cloning vector pYanni3, complete sequence. Unpublished (www.ncbi.nlm.nih.gov; GenBank Accession Number: AJ247371)
- Gross, F., Ring, M. W., Perlova, O., Fu, J., Schneider, S., Gerth, K., Kuhlmann, S., Stewart, A. F., Zhang, Y. and Müller, R. (2006) Metabolic engineering of *Pseudomonas putida* for methylmalonyl-CoA biosynthesis to enable complex heterologous secondary metabolite formation. *Chem. Biol.* **13**(12), 1253-1264
- Gruer, M. J., Bradbury, A. J. and Guest, J. R (1997) Construction and properties of aconitase mutants of *Escherichia coli*. *Microbiol.* **143**(6), 1837-1846

- Guebel, D. V. and Torres Darias, N. V. (2001) Optimization of the citric acid production by *Aspergillus niger* through a metabolic flux balance model. *Electr. J. Biotech.* **4**(1), 1-17
- Guerinot, M. L., Meidl, E. J. and Plessner, O. (1990) Citrate as a siderophore in *Bradyrhizobium japonicum*. *J. Bacteriol.* **172**(6), 3298-3303
- Gupta, A., Meyer, J. M. and Goel, R. (2002) Development of heavy metal-resistant mutants of phosphate solubilizing *Pseudomonas* sp. NBRI 4014 and their characterization. *Curr. Microbiol.* **45**(5), 323-327
- Guymon, L. F. and Eagon, R. G. (1974) Transport of glucose, gluconate, and methyl alpha-D-glucoside by *Pseudomonas aeruginosa*. *J. Bacteriol.* **117**(3), 1261-1269
- Gyaneshwar, P., Naresh Kumar, G. and Parekh, L. J. (1998) Effect of buffering on the phosphate-solubilizing ability of microorganisms. *World J. Microbiol. Biotechnol.* **14**, 669-673
- Gyaneshwar, P., Naresh Kumar, G., Parekh, L. J. and Poole, P. S. (2002) Role of soil microorganisms in improving P nutrition of plants. *Plant Soil* **245**, 83-93
- Gyaneshwar, P., Parekh, L. J., Archana, G., Poole, P. S., Collins, M. D., Hutson, R.A. and Naresh Kumar, G. (1999) Involvement of a phosphate starvation inducible glucose dehydrogenase in soil phosphate solubilization by *Enterobacter asburiae*. *FEMS Microbiol. Lett.* **177**, 223-229
- Haas, D. and Défago, G. (2005) Biological control of soil-borne pathogens by fluorescent pseudomonads. *Nature Rev. Microbiol.* **3**(4), 307-319
- Hameeda, B., Reddy, Y., Rupela, O. P., Kumar, G. N. and Reddy, G. (2006) Effect of carbon substrates on rock phosphate solubilization by bacteria from composts and macrofauna. *Curr. Microbiol.* **53**(4), 298-302
- Hamel, R. D. and Appanna, V. D. (2001) Modulation of TCA cycle enzymes and aluminum stress in *Pseudomonas fluorescens*. *J. Inorg. Biochem.* **87**(1-2), 1-8
- Hamel, R., Levasseur, R. and Appanna, V. D. (1999) Oxalic acid production and aluminum tolerance in *Pseudomonas fluorescens*. *J. Inorg. Biochem.* **76**(2), 99-104
- Haq, I -ul., Ali, S., Qadeer, M. A. and Iqbal, J. (2004) Citric acid production by selected mutants of *Aspergillus niger* from cane molasses. *Biores. Technol.* **93**(2), 125-130

- Harley, C. B., Lawrie, J., Betlach, M., Crea, R., Boyer, H. W. and Hedgpeth, J. (1988) Transcription initiation at the tet promoter and effect of mutations. *Nucleic Acids Res.* **16**(15), 7269-7285
- Haro, M. A. and de Lorenzo, V. J. (2001) Metabolic engineering of bacteria for environmental applications: Construction of *Pseudomonas* strains for biodegradation of 2-chlorotoluene. *J. Biotechnol.* **85**(2), 103-113
- Harris, J. N., Peter, B. New and Martin, P. M. (2006) Laboratory tests can predict beneficial effects of phosphate-solubilising bacteria on plants. *Soil Biol. Biochem.* **38**, 1521-1526
- Heeb, S., Itoh, Y., Nishijyo, T., Schnider, U., Keel, C., Wade, J., Walsh, U., O'Gara, F. and Haas, D. (2000) Small, stable shuttle vectors based on the minimal pVS1 replicon for use in gram-negative, plant associated bacteria. *Mol. Plant-Microbe Interact.* **13**, 232-237
- Hernández-Lucas, I., Pardo, M. A., Segovia, L., Miranda, J. and Martínez-Romero, E. (1995) *Rhizobium tropici* chromosomal citrate synthase gene. *Appl. Environ. Microbiol.* **61**(11), 3992-3997
- Herrgard, M. J., Covert, M. W. and Palsson, B. W. (2004) Reconstruction of microbial transcriptional regulatory networks. *Curr. Opin. Biotechnol.* **15**, 70-77
- Hester, K. L., Lehman, J., Najjar, F., Song, L., Roe, B. A., MacGregor, C. H., Hager, P. W., Phibbs, P. V. Jr. and Sokatch, J. R. (2000) Crc is involved in catabolite repression control of the bkd operons of *Pseudomonas putida* and *Pseudomonas aeruginosa*. *J. Bacteriol.* **182**, 1144-1149
- Higa, A. I., Milrad de Forchetti, S. R., Cazzulo, J. J. (1976) CO₂-fixing enzymes in *Pseudomonas fluorescens*. *J. Gen. Microbiol.* **93**(1), 69-74
- Holford, I. C. R. (1997) Soil phosphorus: Its measurement, and its uptake by plants. *Aust. J. Soil. Res.* **35**, 227-239
- Holms, H. (2001) Flux analysis: A basic tool of microbial physiology. *Adv. Microbial. Physiol.* **45**, 271-340
- Hong, S. H. and Lee, S. Y. (2001) Metabolic flux analysis for succinic acid production by recombinant *Escherichia coli* with amplified malic enzyme activity. *Biotechnol. Bioeng.* **74**(2), 89-95

- Hong, S. H. and Lee, S. Y. (2002) Importance of redox balance on the production of succinic acid by metabolically engineered *Escherichia coli*. *Appl. Microbiol. Biotechnol.* **58**(3), 286-290
- Howes, W. V. and McFadden, B. A. (1962) Isocitrate lyase and malate synthase in *Pseudomonas indigofera*. *J. Bacteriol.* **84**, 1212-1221
- Huang, K. -X., Rudolph, F. B., and Bennett, G. N. (1999) Characterization of Methylglyoxal synthase from *Clostridium acetobutylicum* ATCC 824 and its use in the formation of 1,2-Propanediol. *Appl. Environ. Microbiol.* **65**(7), 3244-3247
- Ishige, T., Krause, M., Bott, M., Wendisch, V. F., Sahm, H. (2003) The phosphate starvation stimulon of *Corynebacterium glutamicum* determined by DNA microarray analyses. *J. Bacteriol.* **185**(15), 4519-4529
- Ishijima, S., Katagiri, F., Kodaki, T., Izui, K., Katsuki, H., Nishikawa, K., Nakashima, H. and Ooi, T. (1985) Comparison of amino acid sequences between phosphoenolpyruvate carboxylases from *Escherichia coli* (allosteric) and *Anacystis nidulans* (non-allosteric): Identification of conserved and variable regions. *Biochem. Biophys. Res. Commun.* **133**(2), 436-441
- Izui, K., Ishijima, S., Yamaguchi, Y., Katagiri, F., Murata, T., Shigesada, K., Sugiyama, T. and Katsuki, H. (1986) Cloning and sequence analysis of cDNA encoding active phosphoenolpyruvate carboxylase of the C4-pathway from maize. *Nucleic Acids Res.* **14**(4), 1615-1628
- Jin, S. and Sonenshein, A. L. (1994) Identification of two distinct *Bacillus subtilis* citrate synthase genes. *J. Bacteriol.* **176**(15), 4669-4679
- Jin, S. and Sonenshein, A. L. (1996) Characterization of the major citrate synthase of *Bacillus subtilis*. *J. Bacteriol.* **178**(12), 3658-3660
- Joardar, V., Lindeberg, M., Jackson, R. W., Selengut, J., Dodson, R., Brinkac, L. M., Daugherty, S. C., Deboy, R., Durkin, A. S., Giglio, M. G., Madupu, R., Nelson, W. C., Rosovitz, M. J., Sullivan, S., Crabtree, J., Creasy, T., Davidsen, T., Haft, D. H., Zafar, N., Zhou, L., Halpin, R., Holley, T., Khouri, H., Feldblyum, T., White, O., Fraser, C. M., Chatterjee, A. K., Cartinhour, S., Schneider, D. J., Mansfield, J., Collmer, A. and Buell, C. R. (2005) Whole-genome sequence analysis of *Pseudomonas syringae* pv. *phaseolicola*

- 1448A reveals divergence among pathovars in genes involved in virulence and transposition. *J. Bacteriol.* **187** (18), 6488-6498
- Jones, K. L., Kim, S. -W. and Keasling, J. D. (2000) Low-copy plasmids can perform as well as or better than high-copy plasmids for metabolic engineering of bacteria. *Met. Eng.* **2**, 328-338
- Jung, G. Y. and Stephanopoulos (2004) A functional protein chip for pathway optimization and *in vitro* metabolic engineering. *Science* **304**, 428-431
- Kabir, M. M. and Shimizu, K. (2004) Metabolic regulation analysis of *icd*-gene knockout *Escherichia coli* based on 2D electrophoresis with MALDI-TOF mass spectrometry and enzyme activity measurements. *Appl. Microbiol. Biotechnol.* **65**(1), 84-96
- Kai, Y., Matsumura, H., Inoue, T., Terada, K., Nagara, Y., Yoshinaga, T., Kihara, A., Tsumura, K. and Izui, K. (1999) Three-dimensional structure of phosphoenolpyruvate carboxylase: A proposed mechanism for allosteric inhibition. *Proc. Natl. Acad. Sci. U S A.* **96**(3), 823-828
- Katagiri, F., Kodaki, T., Fujita, N., Izui, K., Katsuki, H. (1985) Nucleotide sequence of the phosphoenolpyruvate carboxylase gene of the cyanobacterium *Anacystis nidulans*. *Gene* **38**(1-3), 265-269
- Keasling, J. D. (1999) Gene-expression tools for the metabolic engineering of bacteria. *Trends Biotechnol.* **17**(11), 452-460
- Kelleher, J. K. (2001) Flux estimation using isotopic tracers: Common ground for metabolic physiology and metabolic engineering. *Metab. Eng.* **3**(2), 100-110
- Khan, M. S., Zaidi, A. and Wani, P. A. (2006) Role of phosphate-solubilizing microorganisms in sustainable agriculture—A review. *Agron. Sustain. Dev.* **26**, 1-15
- Khosla, C and Bailey, J. C (1988) The *Vitreoscilla* hemoglobin gene: Molecular cloning, nucleotide sequence and genetic expression in *Escherichia coli*. *Mol. Gen. Genet.* **214**(1), 158-161
- Kiefer, P., Heinzle, E. Zelder, O. and Wittmann, C. (2004) Comparative metabolic flux analysis of lysine-producing *Corynebacterium glutamicum* cultured on glucose or fructose. *Appl. Environ. Microbiol.* **70**(1), 229-239



- Kim, K. Y., Jordan, D. and Krishnan, H. B. (1998) Expression of genes from *Rahnella aquatilis* that are necessary for mineral phosphate solubilization in *Escherichia coli*. FEMS Microbiol. Lett., **159**(1), 121-127
- Kim, K. Y., Jordan, D. and Krishnan, H. B. (1997) *Rahnella aquatilis*, a bacterium isolated from soybean rhizosphere, can solubilize hydroxyapatite. FEMS Microbiol. Lett. **153**(2), 273-277
- Kiyohara, H., Nagao, K., Kouno, K. and Yano, K. (1982) Phenanthrene-degrading phenotype of *Alcaligenes faecalis* AFK2. Appl. Environ. Microbiol. **43**(2), 458-491
- Kleman, G. L. and Strohl, W. R. (1994) Acetate metabolism by *Escherichia coli* in high-cell-density fermentation. Appl. Environ. Microbiol. **60**(11), 3952-3958
- Koch, B., Worm, J., Linda E. J., Hojberg, O. and Nybroe, O. (2001) Carbon limitation induces σ S-dependent gene expression in *Pseudomonas fluorescens* in soil. Appl. Environ. Microbiol. **67**, 3363-3370
- Kodaki, T., Katagiri, F., Asano, M., Izui, K. and Katsuki, H. (1985) Cloning of phosphoenolpyruvate carboxylase gene from a cyanobacterium, *Anacystis nidulans*, in *Escherichia coli*. J. Biochem. **97**, 533-539
- Koffas, M. A. G., Roberge, C. M., Lee, K. and Stephanopoulos, G. (1999) Metabolic Engineering, Annu. Rev. Biomed. Eng. **1**, 535-557
- Koffas, M. A., Jung, G. Y., Aon, J. C. and Stephanopoulos, G. (2002) Effect of pyruvate carboxylase overexpression on the physiology of *Corynebacterium glutamicum*. Appl. Environ. Microbiol. **68**(11), 5422-5428
- Kornberg, A. (1995) Inorganic polyphosphate: Toward making a forgotten polymer unforgettable. J. Bacteriol. **177**(3), 491-496
- Kovach, M. E., Elzer, P. H., Hill, D. S. Robertson, G. T., Farris, M. A., Roop, R. M. II and Peterson, K. M. (1995) Four new derivatives of the broad-host-range cloning vector pBBR1MCS, carrying different antibiotic-resistance cassettes. Gene **166**, 175-176
- Koyama, H., Kawamura, A., Kihara, T., Hara, T., Takita, E. and Shibata D. (2000) Overexpression of mitochondrial citrate synthase in *Arabidopsis thaliana* improved growth on a phosphorus-limited soil. Plant Cell. Physiol. **41**(9), 1030-1037

- Koyama, H., Takita, E., Kawamura, A., Hara, T., Shibata, D. (1999) Overexpression of mitochondrial citrate synthase gene improves the growth of carrot cells in Al-phosphate medium. *Plant Cell. Physiol.* **40**(5), 482-488
- Kragelund, L., Christoffersen, B., O. Nybroe, and de Bruijn, F. J. (1995) Isolation of lux gene fusions in *Pseudomonas fluorescens* DF57 inducible by starvation for nitrogen or phosphorus. *FEMS Microbiol. Ecol.* **17**, 95–106
- Kragelund, L., Hosbond, C. and Nybroe, O. (1997) Distribution of metabolic activity and phosphate starvation response of lux-tagged *Pseudomonas fluorescens* reporter bacteria in the barley rhizosphere. *Appl. Environ. Microbiol.* **63**(12), 4920-4928
- Kramer, M., Bongaerts, J., Bovenberg, R., Kremer, S., Müller, U., Orf, S., Wubbolts, M. and Raeven, L. (2003) Metabolic engineering for microbial production of shikimic acid. *Metab. Eng.* **5**(4), 277-283
- Kubicek-Pranz, E. M., Mozelt, M., Rohr, M., Kubicek, C. P. (1990) Changes in the concentration of fructose 2,6-bisphosphate in *Aspergillus niger* during stimulation of acidogenesis by elevated sucrose concentration. *Biochim. Biophys. Acta.* **1033**(3), 250-255
- Kucey, R. M. N. (1983) Phosphate-solubilizing bacteria and fungi in various cultivated and virgin Alberta soils. *Can. J. Soil Sci.* **63**, 671-678
- Kucey, R. M. N., Jansen, H. H. and Leggett, M. E. (1989) Microbially mediated increases in plant-available phosphorus. *Adv. Agron.* **42**, 199–228
- Kumar, R. S., Ayyadurai, N., Pandiaraja, P., Reddy, A. V., Venkateswarlu, Y., Prakash, O. and Sakthivel, N. (2005) Characterization of antifungal metabolite produced by a new strain *Pseudomonas aeruginosa* PUPa3 that exhibits broad-spectrum antifungal activity and biofertilizing traits. *J. Appl. Microbiol.* **98**(1), 145-154
- Kumar, R., Pandey, S. and Pandey, A. (2006) Plant roots and carbon sequestration. *Curr. Sci.* **91**(7), 885-890
- Labes, M., Pühler, A. and Simon, R. (1990) A new family of RSF1010-derived expression and lac-fusion broad-host-range vectors for gram-negative bacteria. *Gene* **89**, 37-46
- Lakshmi, T. M. and Helling, R. B. (1976) Selection for citrate synthase deficiency in *icd* mutants of *Escherichia coli*. *J. Bacteriol.*, **127**(1), 76-83

- Large, P. J., Peel, D. and Quayle, J. R. (1962) Microbial growth on C(1) compounds. 4. Carboxylation of phosphoenolpyruvate in methanol-grown *Pseudomonas* AM1. *Biochem. J.* **85**(1), 243-250
- Lee, D. G., Urbach, J. M., Wu, G., Liberati, N. T., Feinbaum, R. L., Miyata, S., Diggins, L. T., He, J., Saucier, M., Deziel, E., Friedman, L., Li, L., Grills, G., Montgomery, K., Kucherlapati, R., Rahme, L.G. and Ausubel, F. M. (2006) Genomic analysis reveals that *Pseudomonas aeruginosa* virulence is combinatorial. *Genome Biol.* **7**(10), R90
- Lee, J. -Y., Roh, J. -R. and Kim, H. -S. (2004) Metabolic engineering of *Pseudomonas putida* for the simultaneous biodegradation of benzene, toluene, and p-xylene mixture. *Biotechnol. Bioeng.* **43**(11), 1146-1152
- Lee, S. J., Lee, D. Y., Kim, T. Y., Kim, B. H., Lee, J. and Lee, S. Y. (2005a) Metabolic engineering of *Escherichia coli* for enhanced production of succinic acid, based on genome comparison and in silico gene knockout simulation. *Appl. Environ. Microbiol.* **71**(12), 7880-7887
- Lee, S. Y., Hong, S. H. and Moon, S. Y. (2002) *In silico* metabolic pathway analysis and design: Succinic acid production by metabolically engineered *Escherichia coli* as an example. *Genome Informatics* **13**, 214-223
- Lee, Y. N. and Lessie, T. G. (1974) Purification and characterization of the two 6-Phosphogluconate dehydrogenase species from *Pseudomonas multivorans*. *J. Bacteriol.* **120**(3), 1043-1057
- Legisa, M., and Matthey, M. (2007) Changes in primary metabolism leading to citric acid overflow in *Aspergillus niger*. *Biotechnol. Lett.* **29**(2), 181-190
- Lessard, P. (1996) Metabolic engineering, the concept coalesces. *Nature Biotechnol.* **14**, 1654-1655
- Lessie, T. G. and Phibbs, P. V. Jr. (1984) Alternative pathways of carbohydrate utilization in pseudomonads. *Annu. Rev. Microbiol.* **38**, 359-388
- Liao, J. C., Chao, Y. P. and Patnaik, R. (1994) Alteration of the biochemical valves in the central metabolism of *Escherichia coli*. *Ann. N. Y. Acad. Sci.* **745**, 21-34

- Liao, J. C., Hou, S. Y. and Chao, Y. P. (1996) Pathway analysis, engineering and physiological considerations for redirecting central metabolism. *Biotechnol. Bioeng.* **52**, 129-140
- Lin, H., Bennett, G. N. and San, K. Y. (2005a) Effect of carbon sources differing in oxidation state and transport route on succinate production in metabolically engineered *Escherichia coli*. *J. Ind. Microbiol. Biotechnol.* **32**(3), 87-93
- Lin, H., Bennett, G. N. and San, K. -Y. (2005c) Genetic Reconstruction of the aerobic central metabolism in *Escherichia coli* for the absolute aerobic production of succinate. *Biotechnol. Bioeng.* **89**(2), 148-156
- Lin, H., Bennett, G. N. and San, K. Y. (2005d) Metabolic engineering of aerobic succinate production systems in *Escherichia coli* to improve process productivity and achieve the maximum theoretical succinate yield. *Metab. Eng.* **7**(2), 116-127
- Lin, H., Bennett, G. N. and San, K. Y. (2005e) Fed-batch culture of a metabolically engineered *Escherichia coli* strain designed for high-level succinate production and yield under aerobic conditions. *Biotechnol. Bioeng.* **90**(6), 775-779
- Lin, H., Bennett, G. N. and San, K. Y. (2005f) Chemostat culture characterization of *Escherichia coli* mutant strains metabolically engineered for aerobic succinate production: A study of the modified metabolic network based on metabolite profile, enzyme activity, and gene expression profile. *Metab. Eng.* **7**(5-6), 337-352
- Lin, H., San, K. Y. and Bennett, G. N. (2005b) Effect of *Sorghum vulgare* phosphoenolpyruvate carboxylase and *Lactococcus lactis* pyruvate carboxylase coexpression on succinate production in mutant strains of *Escherichia coli*. *Appl. Microbiol. Biotechnol.* **67**(4), 515-523
- Lin, T., Huang, H., Shen, F. and Young, C. (2006) The protons of gluconic acid are the major factor responsible for the dissolution of tricalcium phosphate by *Burkholderia cepacia* CC-AI74. *Biores. Technol.* **97**(7), 957-960
- Liu, S. -T., Lee, L. -Y., Tai, C. -Y., Hung, C. -H., Chang, Y. -S., Wolfram, J. H., Rogers, R. and Goldstein, A. H. (1992) Cloning of an *Erwinia herbicola* gene necessary for gluconic acid production and enhanced mineral phosphate solubilization in *Escherichia coli* HB101: Nucleotide sequence and probable involvement in biosynthesis of the coenzyme pyrroloquinoline quinine. *J. Bacteriol.* **174**(18), 5814-5819

- López-Bucio, J., de La Vega, O. M., Guevara-García, A., Herrera-Estrella, L. (2000) Enhanced phosphorus uptake in transgenic tobacco plants that overproduce citrate. *Nature Biotechnol.* **18**(4), 450-453
- Lucy, M., Reed, E. and Glick, B. R. (2004) Applications of free living plant growth-promoting rhizobacteria. *Antonie van Leeuwenhoek* **86**, 1-25
- Luinenburg, I. and Coleman, J. R. (1993) Expression of *Escherichia coli* phosphoenolpyruvate carboxylase in a cyanobacterium. Functional complementation of *Synechococcus* PCC 7942 ppc. *Plant Physiol.* **101**(1), 121-126
- Lupski, J. R., Projan, S. j., Qzaki, L. S. and Godson, N. (1986) A temperature-dependent pBR322 copy number mutant resulting from a Tn5 position effect. *Proc. Natl. Acad. Sci. USA* **83**, 7381-7385
- Lynch, W. H., MacLeod, J. and Franklin, M. (1975) Effect of temperature on the activity and synthesis of glucose-catabolizing enzymes in *Pseudomonas fluorescens*. *Can. J. Microbiol.* **21**(10), 1560-1572
- MacGregor, C. H., Wolff, J. A., Arora, S. K., Hylemon, P. B. and Phibbs, P. V. (1992) Catabolite repression control in *Pseudomonas aeruginosa*, p. 198–206. In E. Galli, S. Silver, and B. Witholt (ed.), *Pseudomonas molecular biology and biotechnology*. American Society for Microbiology, Washington, D.C.
- Mal'tseva, O. V. and Golovleva, L. A. (1982) Central metabolic characteristics of a *Pseudomonas aeruginosa* culture degrading DDT. *Mikrobiologia* **51**, 5-11
- March, J. C., Eiteman, M. A. and Altman, E. (2002) Expression of an anaplerotic enzyme, pyruvate carboxylase, improves recombinant protein production in *Escherichia coli*. *Appl. Environ. Microbiol.* **68**(11), 5620–5624
- Mark, G., Morrissey, J. P., Higgins, P. and O'gara, F. (2006) Molecular-based strategies to exploit *Pseudomonas* biocontrol strains for environmental biotechnology applications. *FEMS Microbiol. Ecol.* **56**(2), 167-177
- Matsuno, K., Blais, T., Serio, A. W., Conway, T., Henkin, T. M. and Sonenshein, A. L. (1999) Metabolic imbalance and sporulation in an isocitrate dehydrogenase mutant of *Bacillus subtilis*. *J. Bacteriol.* **81**(11), 3382-3391

- Mercado-Blanco, J. and Bakker, P. A. (2007) Interactions between plants and beneficial *Pseudomonas* spp.: Exploiting bacterial traits for crop protection. *Antonie Van Leeuwenhoek*. **92**(4), 367-389
- Midgley, M. and Dawes, E. A. (1973) The regulation of transport of glucose and methyl α -glucoside in *Pseudomonas aeruginosa*. *Biochem. J.* **132**, 141-154
- Millard, C. S., Chao, Y.-P., Liao, J. C. and Donnelly, M. I. (1996) Enhanced production of succinic acid by overexpression of phosphoenolpyruvate carboxylase in *Escherichia coli*. *Appl. Environ. Microbiol.* **62**, 1818-1810
- Millay, R. H. Jr., Schilling, H. and Hersh, L. B. (1978) The reduced nicotinamide adenine nucleotide-activated phosphoenolpyruvate carboxylase from *Pseudomonas* MA. Further studies on regulatory properties. *J. Biol. Chem.* **253**(5), 1371-1377
- Mitchell, C. G. (1996) Identification of a multienzyme complex of the tricarboxylic acid cycle enzymes containing citrate synthase isoenzymes from *Pseudomonas aeruginosa*. *Biochem. J.* **313**(2), 769-774
- Mitchell, C. G. and Dawes, E. A. (1982) The role of oxygen in the regulation of glucose metabolism, transport and the tricarboxylic acid cycle in *Pseudomonas aeruginosa*. *J. Gen. Microbiol.* **128**(1), 49-59
- Mitchell, C. G. and Weitzman, P. D. J. (1986) Molecular size diversity of citrate synthases from *Pseudomonas* species. *J. Gen. Microbiol.* **132**(3), 737-742
- Mitchell, C. G., Anderson, S. C. and el-Mansi E. M. (1995) Purification and characterization of citrate synthase isoenzymes from *Pseudomonas aeruginosa*. *Biochem. J.* **309**(2), 507-511
- Mlakar, T. and Legiša, M. (2006) Citrate inhibition-resistant form of 6-Phosphofructo-1-Kinase from *Aspergillus niger*. *Appl. Environ. Microbiol.* **72**(7), 4515-4521
- Monds, R. D., Newell, P. D., Schwartzman, J. A. and O'Toole, G. A. (2006) Conservation of the Pho regulon in *Pseudomonas fluorescens* Pf0-1. *Appl. Environ. Microbiol.* **72**(3), 1910-1924
- Moreau, P. L. (2004) Diversion of the metabolic flux from pyruvate dehydrogenase to pyruvate oxidase decreases oxidative stress during glucose metabolism in nongrowing

- Escherichia coli* cells incubated under aerobic, phosphate starvation conditions. J. Bacteriol. **186**(21), 7364–7368
- Morikawa, M., Izui, K., Taguchi, M. and Katsuki, H. (1980) Regulation of *Escherichia coli* phosphoenolpyruvate carboxylase by multiple effectors *in vivo*. J. Biochem. **87**, 441–449
- Muller, C., Petruschka, L., Cuyppers, H., Burchhardt, G. and Herrmann, H. (1996) Carbon catabolite repression of phenol degradation in *Pseudomonas putida* is mediated by the inhibition of the activator protein PhlR. J. Bacteriol., **178**(7), 2030–2036
- Narrod, W. A. and Wood, W. A. (1956) Carbohydrate oxidation by *Pseudomonas fluorescens*. V. Evidence for gluconokinase and 2-ketogluconokinase. J. Biol. Chem. **220**(1), 45–55
- Nelson, K. E., Weinle, C., Paulsen, I. T., Dodson, R. J., Hilbert, H., Martins dos Santos, V. A., Fouts, D. E., Gill, S. R., Pop, M., Holmes, M., Brinkac, L., Beanan, M., DeBoy, R. T., Daugherty, S., Kolonay, J., Madupu, R., Nelson, W., White, O., Peterson, J., Khouri, H., Hance, I., Chris Lee, P., Holtzapple, E., Scanlan, D., Tran, K., Moazzez, A., Utterback, T., Rizzo, M., Lee, K., Kosack, D., Moestl, D., Wedler, H., Lauber, J., Stjepandic, D., Hoheisel, J., Straetz, M., Heim, S., Kiewitz, C., Eisen, J. A., Timmis, K. N., Dusterhoft, A., Tummeler, B. and Fraser, C. M. (2002) Complete genome sequence and comparative analysis of the metabolically versatile *Pseudomonas putida* KT2440. Environ. Microbiol. **4**(12), 799–808
- Neubauer, P., Lin, H. Y. and Mathisizik, B. (2003) Metabolic load of recombinant protein production: Inhibition of cellular capacities for glucose uptake and respiration after induction of a heterologous gene in *Escherichia coli*. Biotechnol. Bioeng. **83**(1), 53–64
- Newaz, S. S. and Hersh, L. B. (1975) Reduced nicotinamide adenine dinucleotide-activated phosphoenolpyruvate carboxylase in *Pseudomonas* MA: Potential regulation between carbon assimilation and energy production. J Bacteriol. **124**, 825–833
- Nguyen, N. T., Maurus, R., Stokell, D. J., Ayed, A., Duckworth, H. W. and Brayer, G. D. (2001) Comparative analysis of folding and substrate binding sites between regulated hexameric type II citrate synthases and unregulated dimeric Type I enzymes. Biochem. **40**, 13177–13187
- Nielsen, J. (2001) Metabolic engineering. Appl. Microbiol. Biotechnol. **55**, 263–283

- Nielsen, J. (2003) It is all about metabolic fluxes. *J. Bacteriol.* **185**(24), 7031–7035
- Noda, Y., Berlett, B. S., Stadtman, E. R., Aponte, A., Morgan, M. and Shen, R.-F. (2007) Identification of enzymes and regulatory proteins in *Escherichia coli* that are oxidized under nitrogen, carbon, or phosphate starvation. *Proc. Natl. Acad. Sci. USA* **104**(47), 18456-18460
- O'Brien, R. W. (1975) Enzymatic analysis of the pathways of glucose catabolism and gluconeogenesis in *Pseudomonas citronellolis*. *Arch. Microbiol.* **103**, 71-76
- O'Brien, R., Chuang D. T., Taylor, B. L. and Utter, M. F. (1977) Novel enzymic machinery for the metabolism of oxalacetate, phosphoenolpyruvate, and pyruvate in *Pseudomonas citronellolis*. *J. Biol. Chem.* **252**, 1257-1263
- Ogawa, T., Murakami, K., Mori, H., Ishii, N., Tomita, M. and Yoshin, M. (2007) Role of phosphoenolpyruvate in the NADP-isocitrate dehydrogenase and isocitrate lyase reaction in *Escherichia coli*. *J. Bacteriol.* **189**(3), 1176-1178
- Oliver, S. (2002) Metabolism: Demand management in cells. *Nature* **418**, 33-34
- Olsen, R. H., Debusscher, G. and McCombe, W. R. (1982) Development of broad-host-range vectors and gene banks: Self-Cloning of the *Pseudomonas aeruginosa* PAO chromosome. *J. Bacteriol.* **150**(1), 60-69
- Omar, S. A. (1998) The role of rock phosphate solubilizing fungi and vesicular arbuscular mycorrhizza (VAM) in growth of wheat plants fertilized with rock phosphate. *World J. Microb. Biot.* **14**, 211-219
- Ornston, L. N. (1971) Regulation of catabolic pathways in *Pseudomonas*. *Bacteriol. Rev.* **35**(2), 87-116
- Ostergaard, S., Olsson, L. and Nielsen, J. (2000) Metabolic Engineering of *Saccharomyces cerevisiae*. *Microbiol. Mol. Biol. Rev.* **64**(1) 34-50
- Ouyang, S. P., Luo, R. C., Chen, S. S., Liu, Q., Chung, A., Wu, Q. and Chen, G. Q. (2007) Production of polyhydroxyalkanoates with high 3-hydroxydodecanoate monomer content by *fadB* and *fadA* knockout mutant of *Pseudomonas putida* KT2442. *Biomacromolecules* **8**(8), 2504-2511

- Palleroni, N. J., Kunisawa, R., Contopoulou, R. and Doudoroff, M. (1973) Nucleic acid homologies in the genus *Pseudomonas*. *Int. J. Syst. Bacteriol.* **23**, 333-339
- Pandey, A., Trivedi, P., Kumar, B., Palni, L. M. S. (2006) Characterization of a Phosphate solubilizing and antagonistic strain of *Pseudomonas putida* (B0) isolated from a sub-alpine location in the Indian Central Himalaya. *Curr. Microbiol.* **53**(2), 102-107
- Pao, S. S., Paulsen, I. T. and Saier, M. H. Jr. (1998) Major Facilitator Superfamily *Microbiol. Mol. Biol. Rev.* **62**(1), 1-34
- Papagianni, M. (2007) Advances in citric acid fermentation by *Aspergillus niger*: Biochemical aspects, membrane transport and modeling. *Biotechnol. Adv.* **25**(3), 244-263
- Papagianni, M., Wayman, F. and Mattey, M. (2005) Fate and role of ammonium ions during fermentation of citric acid by *Aspergillus niger*. *Appl. Environ. Microbiol.* **71**(11), 7178-7186
- Park, S. -J., McCabe, J., Turana, J. and Gunsalus, R. P. (1994) Regulation of the citrate synthase (gltA) gene of *Escherichia coli* in response to anaerobiosis and carbon supply: Role of the arcA gene product. *J. Bacteriol.* **176**(16), 5086-5092
- Patel, D. K., Archana G. and Naresh Kumar G. (2008) Variation in the nature of organic acid secretion and mineral phosphate solubilization by *Citrobacter* sp. in the presence of different sugars. *Curr. Microbiol.* **56**(2), 168-174
- Patil, K. R., Akesson, M. and Nielsen, J. (2004) Use of genome-scale microbial models for metabolic engineering. *Curr. Opin. Biotechnol.* **15**(1), 64-69
- Patnaik, R. and Liao, J. C. (1994) Engineering of *Escherichia coli* central metabolism for aromatic metabolite production with near theoretical yield. *Appl. Environ. Microbiol.* **60**(11), 3903-3908
- Patton, A. J., Hough, D. W., Towner, P. and Danson, M. J. (1993) Does *Escherichia coli* possess a second citrate synthase gene? *Eur. J. Biochem.* **214**(1), 75-81
- Paul, D. and Sarma, Y. R. (2006) Plant growth promoting rhizobacteria (PGPR)-mediated root proliferation in black pepper (*Piper nigrum* L.) as evidenced through GS Root software. *Arch. Phytopathol. Plant Protection* **39**(4), 311-314

- Paulsen, I. T., Press, C., Ravel, J., Kobayashi, D., Myers, G. S., Mavrodi, D., DeBoy, R. T., Seshadri, R., Ren, Q., Madupu, R., Dodson, R. J., Durkin, S., Brinkac, L. M., Daugherty, S. C., Sullivan, S. A., Rosovitz, M., Gwinn, M. L., Zhou, L., Nelson, W. C., Weidman, J., Watkins, K., Tran, K., Khouri, H. M., Pierson, E., Pierson, L. III, Thomashow, L. and Loper, J. (2005) Complete genome sequence of the plant commensal *Pseudomonas fluorescens* Pf-5. *Nature Biotechnol.* **23**, 873-878
- Peng, L, Arauzo-Bravo, M. J., Shimizu K. (2004) Metabolic flux analysis for a *ppc* mutant *Escherichia coli* based on ¹³C-labelling experiments together with enzyme activity assays and intracellular metabolite measurements. *FEMS Microbiol. Lett.* **235**(1), 17-23
- Pérez-Pantoja, D., Guzmán, L., Manzano, M., Pieper, D. H. and Gonzalez, B. (2000) Role of *tfdCIDIEIFI* and *tfdDIICIEIFII* gene modules in catabolism of 3-Chlorobenzoate by *Ralstonia eutropha* JMP134(pJP4). *Appl. Environ. Microbiol.* **66**(4), 1602–1608
- Peterson, C. N., Mandel, M. J. and Silhavy, T. J. (2005) *Escherichia coli* starvation diets: Essential nutrients weigh in distinctly. *J. Bacteriol.* **187**(22), 7549-7553
- Peterson, G. L. (1979). Review of the Folin phenol quantitation method of Lowry, Rosenberg, Farr and Randall. *Anal. Biochem.* **100**, 201
- Petrarulo, M., Facchini, P., Cerelli, e., Marangella, M. and Linari, F. (1995) Citrate in urine determined with a new citrate lyase method. *Clin. Chem.* **41**(10), 1518-1521
- Phibbs P. V. Jr., Feary, T. W. and Blevins, W. T. (1974) Pyruvate carboxylase deficiency in pleiotropic carbohydrate-negative mutant strains of *Pseudomonas aeruginosa*. *J. Bacteriol.* **118**(3), 999-1009
- Phue, J. –N., Noronha, S. B., Hattacharyya, R., Wolfe, A. J. and Shiloach, J. (2005) Glucose metabolism at high density growth of *E. coli* B and *E. coli* K: Differences in metabolic pathways are responsible for efficient glucose utilization in *E. coli* B as determined by microarrays and Northern Blot analyses. *Biotechnol. Bioeng.* **90**(7), 805-820
- Pikovskaya, R. I. (1948) Mobilization of phosphorus in soil in connection with vital activity of some microbial species. *Microbiol.* **17**, 362– 370
- Ponmurugan, P. and Gopi, C. (2006) In vitro production of growth regulators and phosphatase activity by phosphate solubilizing bacteria. *Afr. J. Biotechnol.* **5**, 348-350

- Poole, K. and Hancock, R. E. W (1986) Phosphate-starvation-induced outer membrane proteins of members of the families *Enterobacteriaceae* and *Pseudomonodaceae*: Demonstration of immunological cross-reactivity with an antiserum specific for porin protein P of *Pseudomonas aeruginosa*. J. Bacteriol. **65**(3), 987-993
- Portais, J. C. and Delort, A. M. (2002) Carbohydrate cycling in micro-organisms: What can (13)C-NMR tell us? FEMS Microbiol. Rev. **26**(4), 375-402
- Pradhan, N and Sukla, L. B. (2005) Solubilization of inorganic phosphates by fungi isolated from agriculture soil. Afr. J. Biotechnol. **5**(10), 850-854
- Preston, G. M. (2004) Plant perceptions of plant growth-promoting *Pseudomonas*. Phil. Trans. R. Soc. Lond. B. **359**, 907-918
- Quay, S. C., Friedman, S. B. and Eisenberg, R. C. (1972) Gluconate regulation of glucose catabolism in *Pseudomonas fluorescens*. J. Bacteriol. **112**, 291-298
- Ramakrishna, N., Lacey, J., Smith, J. E. (1991) Effect of surface sterilization, fumigation and gamma irradiation on the microflora and germination of barley seeds. Int. J. Food Microbiol. **13**(1), 47-54
- Ramos, C., Molbak, L. and Molin, S. (2000) Bacterial activity in the rhizosphere analyzed at the single-cell level by monitoring ribosome contents and synthesis rates. Appl. Environ. Microbiol. **66**(2), 801-809
- Ramos, J. L. and Timmis, K. N. (1987) Experimental evolution of catabolic pathways of bacteria. Microbiol. Sci. **4**(8), 228-237
- Ramos-Gonzalez, M. I., Duque, E. and Ramos, J. L. (1991) Conjugational transfer of recombinant DNA in cultures and in soils: Host range of *Pseudomonas putida* TOL plasmids. Appl. Environ. Microbiol. **57**, 3020-3027
- Rao, N. N. and Kornberg, A (1999) Inorganic polyphosphate regulates responses of *Escherichia coli* to nutritional stringencies, environmental stresses and survival in the stationary phase. Prog. Mol. Subcell. Biol. **23**, 183-195
- Rao, N. N., Liu, S. and Kornberg, A. (1998) Inorganic polyphosphate in *Escherichia coli*: The phosphate regulon and the stringent response. J. Bacteriol. **180**(8), 2186-2193

- Reinscheid, D. J., Eikmanns, B. J. and Sahm, H. (1994) Characterization of the isocitrate lyase gene from *Corynebacterium glutamicum* and biochemical analysis of the enzyme. *J. Bacteriol.* **176**(12), 3474-3483
- Rhee, J. I., Bode, J., Diaz-Ricci, J. C., Pooch, D., Weigel, B., Kretzmer, G. and Schugler, K. J. (1997) Influence of the medium composition and plasmid combination on the growth of recombinant *Escherichia coli* JM109 and on the production of the fusion protein EcoRI::SPA. *Biotechnol.* **55**(2), 69-83
- Rodríguez, H. and Fraga, R. (1999) Phosphate solubilizing bacteria and their role in plant growth promotion. *Biotechnol. Adv.* **17**, 319-339
- Rodríguez, H., Gonzalez, T., Goire, I. and Bashan, Y. (2004) Gluconic acid production and phosphate solubilization by the plant growth-promoting bacterium *Azospirillum spp.* *Naturwissenschaften* **91**(11), 552-555
- Rodríguez, H., Fraga, R., Gonzalez, T. and Bashan, Y. (2006) Genetics of phosphate solubilization and its potential applications for improving plant growth-promoting bacteria. *Plant and Soil.* **287**(1-2), 15-21
- Rogers, P. L., Jeon, Y. J., Lee, K. J. and Lawford, H. G. (2007) *Zymomonas mobilis* for fuel ethanol and higher value products. *Adv. Biochem. Eng. Biotechnol.* **108**, 263-288
- Rohlin, L., Oh, M. K. and Liao, J. C. (2001) Microbial pathway engineering for industrial processes: Evolution, combinatorial biosynthesis and rational design. *Curr. Opin. Microbiol.* **4**(3), 330-335
- Rohr, M., Kubicek, C. P. and Komínek, J. (1996) Citric acid. In: Röhr, M. ed. *Biotechnology* (Vol. 6). Wiley-VCH. Weinheim, New York, 307-366
- Romano, A. H., Eberhard, S. J., Dingle, S. L. and McDowell, T. D. (1970) Distribution of the phosphoenolpyruvate:glucose phosphotransferase system in bacteria. *J. Bacteriol.* **104**, 808-813
- Romero, S., Merino, E., Bolívar, F., Gosset, G. and Martinez, A. (2007) Metabolic engineering of *Bacillus subtilis* for ethanol production: Lactate dehydrogenase plays a key role in fermentative metabolism. *Appl. Environ. Microbiol.* **73**(16), 5190-5198
- Roy, S. S., Mittra, B., Sharma, S., Das, T. K. and Babu, C. R. (2002) Detection of root mucilage using an anti-fucose antibody. *Annals. of Botany* **89**(3), 293-299

- Rozkov, A., Avignone-Rossa, C. A. Ert, P. F., Jones, P. and O’Kennedy, R. D. (2004) Characterization of the Metabolic Burden on *Escherichia coli* DH1 cells imposed by the presence of a plasmid containing a gene therapy sequence. *Biotechnol. Bioeng.* **88**(7), 909-915
- Ruijter, G. J., Panneman, H. and Visser, J. (1997) Overexpression of phosphofructokinase and pyruvate kinase in citric acid-producing *Aspergillus niger*. *Biochim. Biophys. Acta.* **1334**(2-3), 317-326
- Ruijter, G. J., Panneman, H., Xu, D. and Visser, J. (2000) Properties of *Aspergillus niger* citrate synthase and effects of citA overexpression on citric acid production. *FEMS Microbiol. Lett.* **184**, 35-40
- Rymowicz, W., Rywińska, A., Żarowska, B. and Juszczak, P. (2006) Citric acid production from raw glycerol by acetate mutants of *Yarrowia lipolytica*. *Chemical papers* **60**(5), 391-394
- Sahm, H., Eggeling, L. and de Graaf, A. A. (2000) Pathway analysis and metabolic engineering in *Corynebacterium glutamicum*. *Biol. Chem.* **381**(9-10), 899-910
- Saier, M. H. and Ramseier, T. M. (1996) The catabolite repressor/activator (Cra) protein of enteric bacteria. *J. Bacteriol.* **178**(12), 3411-3417
- Sambrook, J., and Russell, D. W. (2001) *Molecular Cloning: A Laboratory Manual*, 3rd ed. Cold Spring Harbor Laboratory Press, Cold Spring Harbor, N.Y.
- Sánchez, A. M., Bennett, G. N. and San, K. Y. (2005a) Efficient succinic acid production from glucose through overexpression of pyruvate carboxylase in an *Escherichia coli* alcohol dehydrogenase and lactate dehydrogenase mutant. *Biotechnol Prog.* **21**(2), 358-365
- Sánchez, A. M., Bennett, G. N. and San, K. Y. (2005b) Novel pathway engineering design of the anaerobic central metabolic pathway in *Escherichia coli* to increase succinate yield and productivity. *Metab. Eng.* **7**(3), 229-239
- Sánchez, A. M., Bennett, G. N. and San, K. Y. (2006) Batch culture characterization and metabolic flux analysis of succinate-producing *Escherichia coli* strains. *Metab. Eng.* **8**(3), 209-226

- Sánchez, R. and Cejudo, F. J. (2003) Identification and expression analysis of a gene encoding a bacterial-type phosphoenolpyruvate carboxylase from Arabidopsis and Rice. *Plant Physiol.* **132**(2), 949–957
- Sanford, K., Soucaille, P., Whited, G. and Chotani, G. (2002) Genomics to fluxomics and physiomics - pathway engineering. *Curr. Opin. Microbiol.* **5**(3), 318–322
- Santos, P. M., Di Bartolo, I., Blatny, J. M., Zennaro, E. and Valla, S. (2001) New broad-host-range promoter probe vectors based on the plasmid RK2 replicon. *FEMS Microbiol. Lett.* **195**, 91–96
- Sauer, U. and Eikmanns, B. J. (2005) The PEP-pyruvate-oxaloacetate node as the switch point for carbon flux distribution in bacteria. *FEMS Microbiol. Rev.* **29**, 765–794
- Sauer, U., Lasko, D. R., Fiaux, J., Hochuli, M., Glaser, R., Szyperski, T., Wüthrich, K. and Bailey, J. E. (1999) Metabolic flux ratio analysis of genetic and environmental modulations of *Escherichia coli* central carbon metabolism. *J. Bacteriol.* **181**(21), 6679–6688
- Schappinger, D. and W. Hillen. (1996) Tetracyclines: Antibiotic action, uptake, and resistance mechanisms. *Arch. Microbiol.* **165**, 359–369
- Schleissner, C., Reglero, A. and Luengo, J. M. (1997) Catabolism of D-glucose by *Pseudomonas putida* U occurs via extracellular transformation into D-gluconic acid and induction of a specific gluconate transport system. *Microbiol.* **143**, 1595–1603
- Schweizer, H. P. (1991) *Escherichia-Pseudomonas* shuttle vectors derived from pUC18/19. *Gene* **97**(1), 109–121
- Serre, P. A. Citrate synthase. In: *Methods in Enzymology*, edited by J. M. Lowenstein. New York: Academic, 1969, vol. **13**, p. 3–11
- Sharma, V., Kumar, V., Archana, G. and Naresh Kumar, G. (2005) Substrate specificity of glucose dehydrogenase (GDH) of *Enterobacter asburiae* PSI3 and rock phosphate solubilization with GDH substrates as C sources. *Can. J. Microbiol.* **51**(6), 477–482
- Shirai, T., Fujimura, K., Furusawa, C., Nagahisa, K., Shioya, S. and Shimizu, H. (2007) Study on roles of anaplerotic pathways in glutamate overproduction of *Corynebacterium glutamicum* by metabolic flux analysis. *Microb. Cell. Fact.* **23**, 6–19

- Simon, R., Prier, U. and Pühler, A. (1983) A broad host range mobilization system for in vivo genetic engineering: Transposon mutagenesis in gram negative bacteria. *Bio/Technology* **1**, 784–791
- Smith, M. A. and Bidochka, M. J. (1998) Bacterial fitness and plasmid loss: The importance of culture conditions and plasmid size. *Can. J. Microbiol.* **44**, 351–355
- Solaiman, D. K., Ashby, R. D. and Foglia, T. A. (2001) Production of polyhydroxyalkanoates from intact triacylglycerols by genetically engineered *Pseudomonas*. *Appl. Microbiol. Biotechnol.* **56**(5–6), 664–669
- Solaiman, D. K., Ashby, R. D. and Foglia, T. A. (2002) Physiological characterization and genetic engineering of *Pseudomonas corrugata* for medium-chain-length polyhydroxyalkanoates synthesis from triacylglycerols. *Curr. Microbiol.* **44**(3), 189–195
- Solar, T., Turšič, J. and Legiša, M. (2008) The role of glucosamine-6-phosphate deaminase at the early stages of *Aspergillus niger* growth in a high-citric-acid-yielding medium. *Appl. Microbiol. Biotechnol.* [In Press]
- Solomon, M. and Weitzman, P. D. J. (1983) Occurrence of two distinct citrate synthases in a mutant of *Pseudomonas aeruginosa* and their growth-dependent variation. *FEBS Lett.* **155**, 157–160
- Srivastava, S. (2002) Genetic modification of bacteria for enhanced organic acid secretion and its application to plant growth promotion. Ph. D thesis, Department of Biochemistry, The M. S. University of Baroda, Vadodara, Gujarat, India
- Stephanopoulos, G. (1999) Metabolic fluxes and metabolic engineering. *Met. Eng.* **1**, 1–11
- Stephanopoulos, G. and Vallino, J. J. (1991) Network rigidity and metabolic engineering in metabolite overproduction. *Science* **252**, 1675–1681
- Stephanopoulos, G., Alper, H. and Moxley, J. (2004) Exploiting biological complexity for strain improvement through systems biology. *Nat. Biotechnol.* **22**(10), 1261–1267
- Stephanopoulos, G., Aristidou, A. and Nielsen, J. (1998) *Metabolic engineering*. London, UK: Academic Press.
- Stols, L. and Donnelly, M. I. (1997) Production of succinic acid through overexpression of NAD(+)-dependent malic enzyme in an *Escherichia coli* mutant. *Appl. Environ. Microbiol.* **63**(7), 2695–2701

- Stover, C. K., Pham, X. Q., Erwin, A. L., Mizoguchi, S. D., Warrenner, P., Hickey, M. J., Brinkman, F. S., Hufnagle, W. O., Kowalik, D. J., Lagrou, M., Garber, R. L., Goltry, L., Tolentino, E., Westbrook-Wadman, S., Yuan, Y., Brody, L. L., Coulter, S. N., Folger, K. R., Kas, A., Larbig, K., Lim, R., Smith, K., Spencer, D., Wong, G. K., Wu, Z., Paulsen, I. T., Reizer, J., Saier, M. H., Hancock, R. E., Lory, S. and Olson, M. V. (2000) Complete genome sequence of *Pseudomonas aeruginosa* PA01, an opportunistic pathogen. *Nature* **406**, 959-964
- Sugita, C., Ogata, K., Shikata, M., Jikuya, H., Takano, J., Furumichi, M., Kanehisa, M., Omata, T., Sugiura, M. and Sugita M. (2007) Complete nucleotide sequence of the freshwater unicellular cyanobacterium *Synechococcus elongatus* PCC 6301 chromosome: Gene content and organization. *Photosyn. Res.* **93**, 55-67
- Swanson, B. L., Hager, P., Phibbs, P. V. Jr., Ochsner, U., Vasil, M. L. and Hamood, A. N. (2000) Characterization of the 2-ketogluconate utilization operon in *Pseudomonas aeruginosa* PAO1. *Mol. Microbiol.* **37**(3), 561-573
- Taylor, B. L., Barden, R. E. and Utter, M. F. (1972). Identification of the reacting form of pyruvate carboxylase. *J. Biol. Chem.* **247**, 7383-7390
- Theodorou, M. E. and Plaxton, W. C. (1993) Metabolic adaptations of plant respiration to nutritional phosphate deprivation. *Plant Physiol.* **101**(2), 339-344
- Totemeyer, S., Booth, N. A., Nichols, W. W., Dunbar, B. and Booth, I. R. (1998) From famine to feast: The role of methylglyoxal production in *Escherichia coli*. *Mol. Microbiol.* **27**, 553-562
- Underwood, S. A., Buszko, M. L., Shanmugam, K. T. and Ingram, L. O. (2002) Flux through citrate synthase limits the growth of ethanologenic *Escherichia coli* KO11 during xylose fermentation. *Appl. Environ. Microbiol.* **68**(3), 1071-1081
- van der Rest, M. E., Siewe, R. M., Abee, T., Schwarz, E., Oosterhelt, D. and Konings, W. N. (1992) Nucleotide sequence and functional properties of a sodium-dependent citrate transport system from *Klebsiella pneumoniae*. *J. Biol. Chem.* **267**(13), 8971-8989
- Van Dien, S. J. and Keasling, J. D. (1998) A dynamic model of the *Escherichia coli* phosphate starvation response. *J. Theor. Biol.* **190**, 37-49

- van Schie, B. J., Hellingwerf, K. J., van Dijken, J. P., Elferink, M. G., van Dijk, J. M., Kuenen, J. G. and Konings, W. N. (1985) Energy transduction by electron transfer via a pyrrolo-quinoline quinone-dependent glucose dehydrogenase in *Escherichia coli*, *Pseudomonas aeruginosa* and *Acinetobacter calcoaceticus* (var. *lwoffii*). J. Bacteriol. **163**, 493-499
- Vanbleu, E., Marchal, K. and Vanderleyden, J. (2004) Genetic and physical map of the pLAFR1 vector. DNA Seq. **15**(3), 225-227
- Vanbogelen, R. A., Olson, E. R., Wanner, B. L. and Neidhardt, F. C. (1996) Global analysis of proteins synthesized during phosphorus restriction in *Escherichia coli*. J Bacteriol. **178**, 4344-4366
- Vance, C. P., Uhde-Stone, C., Allan, D. L. (2003) Phosphorus acquisition and use: Critical adaptations by plants for securing a nonrenewable resource. New Phytologist **157**, 423-447
- Vandedrinck, S., Deschamps, G., Sablon, E. and Vandamme, E. J. (2001) Metabolic engineering of *Escherichia coli*: Construction and characterization of A *gltA* (citrate synthase) knockout mutant. Meded Rijksuniv Gent. Fak. Landbouwk. Toegep. Biol. Wet. **66**(3a), 333-336
- Varner, J. D. (2000) Large-scale prediction of phenotype: Concept. Biotechnol. Bioeng. **69**(6), 664-678
- Vassilev N, Vassileva M and Nikolaeva I (2006) Simultaneous P-solubilizing and biocontrol activity of microorganisms: Potentials and future trends. Appl. Microbiol. Biotechnol. **71**, 137-144
- Vemuri, G. N and Aristidou A. A. (2005) Metabolic engineering in the -omics Era: Elucidating and modulating regulatory networks. Microbiol. Mol. Biol. Rev. **69**(2), 197-216
- Vemuri, G. N., Eiteman, M. A. and Altman, E. (2002) Succinate production in dual-phase *Escherichia coli* fermentations depends on the time of transition from aerobic to anaerobic conditions. J. Ind. Microbiol. Biotechnol. **28**(6), 325-332
- Vessey, J. K. (2003) Plant growth promoting rhizobacteria as biofertilizers. Plant Soil **255**, 571-586
- Vicente, M. and Ca'novas, J. L. (1973) Glucolysis in *Pseudomonas putida*: Physiological role of alternative routes from the analysis of defective mutants. J. Bacteriol. **116**(2), 908-914

- Vodovar, N., Vallenet, D., Cruveiller, S., Rouy, Z., Barbe, V., Acosta, C., Cattolico, L., Jubin, C., Lajus, A., Segurens, B., Vacherie, B., Wincker, P., Weissenbach, J., Lemaitre, B., Medigue, C. and Boccard, F. (2006) Complete genome sequence of the entomopathogenic and metabolically versatile soil bacterium *Pseudomonas entomophila*. *Nat. Biotechnol.* **24**(6), 673-679
- Walker, A. W. and Keasling, J. D. (2002) Metabolic engineering of *Pseudomonas putida* for the utilization of parathion as a carbon and energy source. *Biotechnol. Bioeng.* **78**(7), 715-721
- Walsh, K. and Koshland, D. E. Jr. (1985a) Characterization of rate-controlling steps in vivo by use of an adjustable expression vector. *Proc. Natl. Acad. Sci. U S A.* **82**(11), 3577-3581
- Walsh, K. and Koshland, D. E. Jr. (1985b) Branch point control by the phosphorylation state of isocitrate dehydrogenase. A quantitative examination of fluxes during a regulatory transition. *J. Biol. Chem.* **260**(14), 8430-8437
- Wang, Z., Xiang, I., Shao, J., Węgrzyn, A. and Węgrzyn, G. (2006) Effects of the presence of ColE1 plasmid DNA in *Escherichia coli* on the host cell metabolism. *Microb. Cell Fact.* **5**, 34
- Wanner, B. L. (1996) Phosphorous assimilation and control of the phosphate regulon, p.1357-1381. In F. C. Neidhardt, R. Curtiss III, J. L. Ingraham, E. C. C. Lin, K. B. Low, B. Magasanik, W. Reznikoff, M. Riley, M. Schaechter, and H. E. Umbarger (ed.), *Escherichia coli* and *Salmonella*: Cellular and molecular biology, 2nd ed. ASM Press, Washington, D.C.
- Wanner, B. L. and Wilmes-Riesenberg, M. R. (1992) Involvement of phosphotransacetylase, acetate kinase, and acetyl phosphate synthesis in control of the phosphate regulon in *Escherichia coli*. *J. Bacteriol.* **174**(7), 2124-2130
- Weber, J. Kayser, A. and Rinas, U. (2005) Metabolic flux analysis of *Escherichia coli* in glucose-limited continuous culture. II. Dynamic response to famine and feast, activation of the methylglyoxal pathway and oscillatory behaviour. *Microbiol.* **151** (3), 707-716
- Wendisch, V. F., Bott, M. and Eikmanns, B. J. (2006) Metabolic engineering of *Escherichia coli* and *Corynebacterium glutamicum* for biotechnological production of organic acids and amino acids. *Curr. Opin. Microbiol.* **9**, 268-274

- West, S. E., Schweizer, H. P., Dall, C., Sample, A. K., Runyen-Janecky, L. J. (1994) Construction of improved *Escherichia-Pseudomonas* shuttle vectors derived from pUC18/19 and sequence of the region required for their replication in *Pseudomonas aeruginosa*. *Gene* **148**(1), 81-86
- White, A. K. and Metcalf, W. W. (2004) The *htx* and *ptx* operons of *Pseudomonas stutzeri* WM88 are new members of the Pho regulon. *J. Bacteriol.* **186**(17), 5876–5882
- Whitelaw, M. A. (2000) Growth promotion of plants inoculated with phosphate-solubilizing fungi. *Adv. Agron.* **69**, 99-151
- Whiting, P. H., Midgley, M. and Dawes, E. A. (1976) The role of glucose limitation in the regulation of the transport of glucose, gluconate and 2-oxogluconate, and of glucose metabolism in *Pseudomonas aeruginosa*. *J. Gen. Microbiol.* **92**(2), 304-310
- Williams, S. G., Greenwood, J. A. and Jones, C. W. (1996) Physiological and biochemical changes accompanying the loss of mucoidy by *Pseudomonas aeruginosa*. *Microbiol.* **142**, 881-888
- Wolf, R. E. Jr., Prather, D. M. and Shea, F. M. (1979) Growth-rate-dependent alteration of 6-phosphogluconate dehydrogenase and glucose 6-phosphate dehydrogenase levels in *Escherichia coli* K-12. *J. Bacteriol.* **139**(3), 1093-1096
- Wolfe, J. A. (2005) The Acetate Switch. *Microbiol. Mol. Biol. Rev.* **69**(1), 12-50
- Xu, D. P., Madrid, C. P., Rohr, M., Kubcek, C. P. (1989) The influence of type and concentration of carbon source on production of citric acid by *Aspergillus niger*. *Appl. Microbiol. Biotechnol.* **30**, 553-558
- Xu, W., Ahmed, S., Moriyama, H. and Chollet, R. (2006) The importance of the strictly conserved, C-terminal glycine residue in phosphoenolpyruvate carboxylase for overall catalysis. Mutagenesis and truncation of Gly-961 in the *Sorghum* C4 leaf isoform. *J. Biol. Chem.* **281**(25), 17238-17245
- Yan, Y., Yang, J., Dou, Y., Ping, S., Chen, M., Yao, Z., Li, H., Lu, W., Zhang, W., Peng, J., Liu, W., He, S., Geng, L., Zhang, X., Yang, F., Li, D., Lin, Z., Wang, Y., Elmerich, C., Lin, M. and Jin, Q. Unpublished (submitted 2006) Complete genome sequence of the metabolically versatile and root-associated nitrogen-fixing bacterium *Pseudomonas stutzeri* A1501. (www.ncbi.nlm.nih.gov)

- Yang, C., Hua, Q., Baba, T., Mori, H. and Shimizu, K. (2003) Analysis of *Escherichia coli* anaplerotic metabolism and its regulation mechanisms from the metabolic responses to altered dilution rates and phosphoenolpyruvate carboxykinase knockout. *Biotechnol. Bioeng.* **84**(2), 129-144
- Yang, Y.-T., Bennett, G. N and San, K.-Y (1998) Genetic and metabolic engineering. *Electronic J. Biotechnol.* **1**(3), 134-141
- Yuan, Z.-C., Zaheer, R., Morton, R. and Finan, T. M. (2006) Genome prediction of PhoB regulated promoters in *Sinorhizobium meliloti* and twelve proteobacteria. *Nucleic Acids Res.* **34**(9), 2686-2697
- Yun, S. -H., Kim, Y. H., Joo, E. J., Choi, J. S., Sohn, J. H. and Kim, S. (2006) Proteome analysis of cellular response of *Pseudomonas putida* KT2440 to tetracycline stress. *Curr. Microbiol.* **53**, 95-101
- Yuste, L., Hervás, A. B., Canosa, I., Tobes, R., Jiménez, J. I., Nogales, J., Pérez-Pérez, M. M., Santero, E., Díaz, E., Ramos, J. L., de Lorenzo, V. and Rojo, F. (2006) Growth phase-dependent expression of the *Pseudomonas putida* KT2440 transcriptional machinery analysed with a genome-wide DNA microarray. *Environ. Microbiol.* **8**(1), 165-177
- Zhang, M., Eddy, C., Deanda, K., Finkelstein, M. and Picataggio, S. (1995) Metabolic engineering of a pentose metabolism pathway in ethanologenic *Zymomonas mobilis*. *Science* **267**, 240-243
- Zhou, S., Iverson, A. G. and Grayburn, W. S. (2008) Engineering a native homoethanol pathway in *Escherichia coli* B for ethanol production. *Biotechnol. Lett.* **30**(2), 335-342
- Zhu, Y., Chen, X., Chen, T., Shi, S. and Zhao, X. (2006) Over-expression of glucose dehydrogenase improves cell growth and riboflavin production in *Bacillus subtilis*. *Biotechnol. Lett.* **28**(20), 1667-1672