



TABLE OF CONTENTS

Engineering the glucose metabolism of *Pseudomonas* spp. by heterologous expression of phosphoenolpyruvate carboxylase (PPC) and citrate synthase (CS) gene

Chapters	Title	Page No.
Chapter 1	Review of literature and Introduction	
1.1	Metabolic Engineering	1
1.1.1	Modern Metabolic Engineering	1
1.1.2	Strategies of Metabolic Engineering	3
1.1.3	Metabolic Engineering in the Post-Genomic Era	5
1.1.4	Model System for Metabolic Engineering	6
1.2	Glucose metabolism in model organism <i>Escherichia coli</i>	7
1.2.1	Glucose uptake in <i>E. coli</i>	7
1.2.2	Glucose catabolic pathways	8
1.3	Metabolic engineering of central carbon metabolism in <i>E. coli</i> for enhanced succinate production	10
1.4	Pseudomonads as model system for metabolic engineering	16
1.5	Carbohydrate metabolism in pseudomonads	19
1.5.1	Glucose catabolic pathways in pseudomonads	20
1.5.2	Contribution of other metabolic pathways in glucose dissimilation	23
1.5.3	Dissimilation of fructose and other carbohydrates	23
1.6	Importance of PEP-Pyruvate-OAA branch point in the cellular metabolism	25
1.6.1	PEP-Pyruvate-OAA node in <i>E. Coli</i>	27
1.6.2	PEP-Pyruvate-OAA node in <i>Bacillus subtilis</i> and <i>Corynebacterium glutamicum</i>	29
1.6.3	Genetic manipulations at the anaplerotic node in <i>E. coli</i> , <i>B. subtilis</i> and <i>C. glutamicum</i>	31
1.6.4	PEP-Pyruvate-OAA node in <i>Pseudomonas citronellolis</i>	33
1.6.5	Influence of PEP-Pyruvate-OAA node on other branch points in the cellular metabolism	34
1.6.6	Fate of engineering the central carbon metabolism in pseudomonads?	35
1.7	P-solubilization- A global challenge	35
1.7.1	Soil P and reasons for its deficiency	36
1.8	P-solubilizing micro-organisms – An Ecofriendly tool	36
1.9	Rationale	38
1.10	Objectives of the present study	40

Chapters	Title	Page No.
Chapter 2	Materials and Methods	
2.1	Bacterial strains / Plasmids	41
2.2	Media and Culture conditions	47
2.2.1	Bushnell-Haas (BH) medium	47
2.2.2	Koser's Citrate medium	48
2.2.3	M9 minimal medium	48
2.2.4	Tris buffered medium	48
2.2.5	Pikovskaya's (PVK) Agar	48
2.2.6	Murashige-Skoog's Medium	49
2.3	Morphological characterization and antibiotic sensitivity profile	49
2.4	Molecular biology tools and techniques	49
2.4.1	Isolation of plasmid and genomic DNA	49
2.4.2	Transformation of plasmid DNA	50
2.4.3	Transfer of plasmid DNA by conjugation	51
2.4.4	Agarose gel electrophoresis	52
2.4.5	Restriction enzyme digestion analysis	52
2.4.6	Gel elution and purification	52
2.4.7	Ligation	53
2.4.8	SDS-PAGE	53
2.4.9	Polymerase Chain Reaction (PCR)	54
2.4.10	DNA sequencing	55
2.4.11	BLAST Search	55
2.5	Aromatic hydrocarbon utilization	55
2.6	Lactose and Citrate utilization	55
2.7	P-solubilization phenotype	55
2.8	Mutant Complementation Phenotype	56
2.9	Physiological experiments	56
2.9.1	Inoculum preparation	56
2.9.2	Growth characteristics and pH profile	57
2.9.3	Analytical techniques	57
2.10	Enzyme assays	59
2.10.1	Preparation of cells and cell free extracts	59
2.10.2	Enzyme Assay Protocols	60
2.10.2.1	PPC assay	60
2.10.2.2	PYC assay	60
2.10.2.3	G-6-PDH assay	61
2.10.2.4	GDH assay	61
2.10.2.5	ICL assay	61
2.10.2.6	ICDH assay	61
2.10.2.7	CS assay	61

Chapters	Title	Page No.
2.11	Enzymatic estimation of organic acids	62
2.11.1	Pyruvic acid	62
2.11.2	Extracellular citric acid	63
2.11.3	Intracellular citric acid	63
2.12	Inoculation of mung beans (<i>Vigna radiata</i>)	64
2.13	Estimation of plasmid copy number	65
Chapter 3	Effect of constitutive heterologous overexpression of phosphoenolpyruvate carboxylase (<i>ppc</i>) gene of <i>Synechococcus elongatus</i> PCC 6301 on physiology and glucose metabolism of <i>P. fluorescens</i> ATCC 13525.	
3.1	Introduction	67
3.1.1	Effects of <i>ppc</i> gene overexpression in <i>E. coli</i> and other organisms.	67
3.1.2	Heterologous <i>ppc</i> overexpression in pseudomonads	68
3.1.2.1	Why <i>ppc</i> overexpression in pseudomonads?	68
3.1.2.2	Why heterologous <i>ppc</i> gene?	70
3.2	Experimental Design	71
3.2.1	Bacterial strains used in this study	71
3.2.2	Expression of <i>lac</i> promoter in pseudomonads	72
3.2.3	Incorporation of <i>S. elongatus</i> PCC 6301 <i>ppc</i> gene under <i>lac</i> promoter of a pseudomonad stable vector	72
3.2.4	Functional confirmation of PPC expressed from pAB2 and pAB3	73
3.2.5	Development of <i>P. fluorescens</i> 13525 harboring <i>ppc</i> gene of <i>S. elongatus</i> PCC 6301	74
3.2.6	Effect of heterologous <i>ppc</i> gene expression on the physiology and glucose metabolism	74
3.3	Results	74
3.3.1	Use of <i>lac</i> promoter for constitutive expression of desired genes in pseudomonads	74
3.3.2	Construction of <i>Pseudomonas</i> stable plasmid containing <i>ppc</i> gene of <i>S. elongatus</i> PCC 6301 under <i>lac</i> promoter	75
3.3.3	<i>E. coli ppc</i> mutant complementation studies	76
3.3.4	SDS-PAGE analysis of the <i>E. coli</i> JM101 transformants carrying pAB2, pAB3 and pAB4 recombinant plasmids	76
3.3.5	Heterologous overexpression of <i>S. elongatus</i> PCC 6301 <i>ppc</i> gene in <i>P. fluorescens</i> 13525	80
3.3.6	Effect of <i>S. elongatus</i> PCC 6301 <i>ppc</i> overexpression on growth pattern and pH profile in presence of different glucose concentrations	80
3.3.7	Physiological effects of <i>S. elongatus</i> PCC 6301 <i>ppc</i> overexpression on M9 minimal medium with 100mM glucose	80
3.3.8	Biochemical effects of <i>ppc</i> overexpression on M9 minimal medium with 100mM glucose	82
3.4	Discussion	84

Chapters	Title	Page No.
Chapter 4	Effect of Pi levels on glucose metabolism and organic acid secretion by <i>P. fluorescens</i> ATCC 13525 in the presence and absence of <i>ppc</i> gene overexpression	
4.1	Introduction	89
4.2	Experimental Design	91
4.2.1	Bacterial strains used in this study	91
4.2.2	Growth and organic acid secretion in presence of varying Pi concentrations	91
4.2.3	Effect of heterologous <i>ppc</i> gene expression on <i>P. fluorescens</i> 13525 physiology and glucose metabolism on TrP1 medium	91
4.3	Results	92
4.3.1	Effect of Pi levels on growth and media acidification of <i>P. fluorescens</i> 13525 transformants	92
4.3.2	Effect of <i>ppc</i> overexpression on growth, glucose consumption and biomass yield on TrP1 medium	95
4.3.3	Effect of <i>ppc</i> overexpression on organic acid secretion in TrP1 medium	96
4.3.4	Effect of <i>ppc</i> overexpression on PYC, GDH G-6-PDH, ICDH and ICL activities	97
4.4	Discussion	
Chapter 5	Effect of constitutive heterologous overexpression of <i>E. coli</i> citrate synthase (<i>cs</i>) gene on glucose metabolism of <i>P. fluorescens</i> ATCC 13525	
5.1	Introduction	104
5.1.1	Biochemical basis of citric acid accumulation in fungi, yeast and bacteria	104
5.1.2	Genetic manipulations for citric acid overproduction	106
5.1.3	Effects of <i>cs</i> gene overexpression in <i>E. coli</i> and other microorganisms	106
5.1.4	Rationale for <i>cs</i> gene overexpression in pseudomonads	107
5.2	Experimental Design	108
5.2.1	Bacterial strains used in this study	108
5.2.2	Construction of pAB7 and pAB9 containing <i>E. coli cs</i> gene under <i>lac</i> promoter	108
5.2.3	Functional confirmation of CS expressed from pAB7 and pAB9	109
5.2.4	Development of <i>P. fluorescens</i> 13525 harboring <i>E. coli cs</i> gene	110
5.2.5	Effect of <i>E. coli cs</i> gene expression on the physiology and glucose metabolism of <i>P. fluorescens</i> 13525	110
5.3	Results	110
5.3.1	Construction of <i>Pseudomonas</i> stable plasmid containing <i>E. coli cs</i> gene under <i>lac</i> promoter	110
5.3.2	<i>E. coli cs</i> mutant complementation	113
5.3.3	Heterologous overexpression of <i>E. coli cs</i> gene in <i>P. fluorescens</i> 13525	113
5.3.4	Effect of <i>E. coli cs</i> overexpression on growth, biomass and glucose utilization of <i>P. fluorescens</i> 13525	114
5.3.5	Biochemical effects of <i>E. coli cs</i> gene overexpression in <i>P. fluorescens</i> 13525	115
5.4	Discussion	119

Chapters	Title	Page No.
Chapter 6	Effect of simultaneous overexpression of <i>ppc-cs</i> genes on glucose metabolism of <i>P. fluorescens</i> ATCC 13525	
6.1	Introduction	124
6.2	Experimental Design	125
6.2.1	Bacterial strains used in this study	125
6.2.2	Development of <i>P. fluorescens</i> 13525 harboring <i>S. elongatus</i> PCC 6301 <i>ppc</i> and <i>E. coli cs</i> genes	125
6.2.3	Determination of physiological and biochemical parameters	125
6.3	Results	126
6.3.1	Estimation of plasmids copy numbers in <i>ppc</i> and <i>cs</i> transformants of <i>P. fluorescens</i> 13525	126
6.3.2	Simultaneous overexpression of <i>Synechococcus elongatus</i> PCC 6301 <i>ppc</i> and <i>E. coli cs</i> genes in <i>P. fluorescens</i> 13525	127
6.3.3	Effect of simultaneous <i>ppc-cs</i> overexpression on physiological properties of <i>P. fluorescens</i> 13525	127
6.3.4	Effect of <i>ppc-cs</i> overexpression on the biochemical properties of <i>P. fluorescens</i> 13525	128
6.4	Discussion	132
Chapter 7	Effect of <i>ppc</i> and <i>cs</i> overexpression on the mineral phosphate solubilizing (MPS) ability of fluorescent pseudomonads	
7.1	Introduction	138
7.2	Experimental Design	139
7.2.1	Bacterial strains used in this study	139
7.2.2	Preliminary characterization of native rhizospheric isolates	140
7.2.3	Development of <i>P. fluorescens</i> 13525 and native pseudomonad isolates with genetic manipulations	140
7.2.4	Growth and MPS phenotype of transformant strains of <i>P. fluorescens</i> 13525 and native isolates of fluorescent pseudomonads	140
7.3	Results	141
7.3.1	Morphological and phenotypic characterization of rhizospheric isolates of pseudomonads	141
7.3.2	Development of <i>P. fluorescens</i> 13525, Fp585, Fp315 and P109 transformants harboring pAB3 plasmid expressing <i>S. elongatus</i> PCC 6301 <i>ppc</i> gene	143
7.3.3	MPS ability of <i>P. fluorescens</i> 13525, Fp585, Fp315 and P109 transformants harboring pAB3 plasmid expressing <i>S. elongatus</i> PCC 6301 <i>ppc</i> gene	144
7.3.4	Growth, RP solubilization and media acidification of <i>ppc</i> transformants of <i>P. fluorescens</i> 13525 and native fluorescent pseudomonads	145
7.3.5	Development of <i>P. fluorescens</i> 13525 expressing <i>E. coli cs</i> gene and its MPS ability on PVK medium	145
7.3.6	Development of <i>P. fluorescens</i> 13525 simultaneously expressing <i>S. elongatus</i> PCC 6301 <i>ppc</i> and <i>E. coli cs</i> genes and its MPS ability on PVK medium	145
7.4	Discussion	148

Chapters	Title	Page No.
Chapter 8	Genetic, phenotypic and biochemical characterization of <i>ppc</i> genomic integrant <i>Pseudomonas</i> P4	
8.1	Introduction	150
8.1.1	P-solubilization properties of <i>Pseudomonas</i> P4	150
8.2	Experimental Design	151
8.2.1	Bacterial strains used in this study	151
8.2.2	Genetic characterization	152
8.2.2.1	16S rDNA characterization of <i>Pseudomonas</i> P4	152
8.2.2.2	Tracing the site of integration of pA172A into <i>Pseudomonas</i> P4 genome	152
8.2.3	Phenotypic characterization	157
8.2.3.1	P-solubilization studies of <i>Pseudomonas</i> P4 as compared to <i>P. fluorescens</i> 13525	157
8.2.3.2	Effect of <i>Pseudomonas</i> P4 inoculation on growth and development of mung bean (<i>Vigna radiata</i>)	157
8.2.4	Biochemical characterization	157
8.2.4.1	Growth and organic acid secretion in presence of varying Pi concentrations	157
8.2.4.2	Physiology and glucose metabolism under Pi -deficient and -sufficient conditions	157
8.3	Results	158
	Genetic characterization	
8.3.1	16S rRNA gene sequence of <i>Pseudomonas</i> P4	158
8.3.2	Investigation of the <i>ppc</i> gene integration site in <i>Pseudomonas</i> P4 genome	161
8.3.2.1	pA172A recovery from <i>Pseudomonas</i> P4 genomic DNA and characterization of the recovered plasmids	161
8.3.2.2	Characterization of <i>ppc</i> gene insert in the 10 selected clones derived from <i>Pseudomonas</i> P4 genome	163
8.3.3	Restriction mapping of randomly selected pA55	166
8.3.4	Determination of pA55 derived <i>Pseudomonas</i> P4 genomic DNA sequence	166
	Phenotypic characterization	
8.3.5	P-solubilizing ability of <i>Pseudomonas</i> P4	169
8.3.6	Plant inoculation studies using <i>Pseudomonas</i> P4	169
	Biochemical characterization	
8.3.7	Effect of Pi levels on growth and media acidification profile of <i>Pseudomonas</i> P4 and <i>P. fluorescens</i> 13525	171
8.3.8	Growth and glucose consumption profile of <i>Pseudomonas</i> P4 and <i>P. fluorescens</i> 13525 on TRP and M9 minimal media	174
8.3.9	Organic acids secreted and enzyme activities in <i>Pseudomonas</i> P4 and <i>P. fluorescens</i> 13525 on TRP and M9 minimal media	175
8.4	Discussion	177
	Summary	182
	Bibliography	188