

Chapter -5

References

REFERENCES

- Abraham Z. *Glimpses of Indian ethnobotany*, (Oxford and IBH Publishing Co. New Delhi, 1981) pp. 308.
- Agarwal AK, Tripathi DM, Sahai R, Gupta N, Saxena RP, Puri A, Singh M, Misra RN, Dubey CB, Saxena KC. Management of giardiasis by a herbal drug 'Pippali Rasayana': a clinical study. *J. Ethnopharmacol.* 1997, 56, 233–236.
- Amitendu D, Arya HPS, Tudu B and Goswami A, Indigenous technical knowledge in animal husbandry, Livestock Research for Rural Development. 2004, 16 (8).
- Anderson LA, Phillipson, JD. Production of cytotoxic canthin-6-one alkaloids by *Ailanthus altissima* plant cell cultures. *J. Nat. Prod.* 1983, 46: 374-378.
- Anderson MM, O'Neill MJ, Phillipson JD, Warhurst DC. In vitro cytotoxicity of a series of quassinoids from *Brucea javanica* fruits against KB cells. *Planta Med.* 1991, 57: 62-74.
- Andrew Chevallier Mnimh, Dorling Kindersley, The Encyclopedia of Medicinal plants, New York, 161pp.
- Ang HH, Chan KL, Mak JW. In vitro antimalarial activity of quassinoids from *Eurycoma longifolia* against Malaysian Chloroquine-resistant *Plasmodium falciparum* isolates. *Planta Med.* 1995, 61: 177-8.
- Anonymous, PDR for Herbal medicines, *Ailanthus altissima* (Medical economics Company Montvale. New Jersey, 1st ed. 1998) pp. 618.
- Anonymous, *The Wealth of India: Raw Materials*, (Council of Industrial and Scientific Research, New Delhi, 1956) pp. 116-118.
- Anonymous. *Butea monosperma (Lam.) Taub. The wealth of India – raw materials revised, Vol. II: B*. New Delhi: Council of Scientific and Industrial Research. 1988.
- Anonymous. *Indian medicinal plants: a compendium of 500 species*, Vol. 1. Madras: Orient Longman Ltd, 1994, 314-318.
- Anonymous. *The Ayurvedic Formulary of India*, (The Controller of Publications, Government of India, Ministry of Health and Family Planning, Department of Health, New Delhi, Part-I, 1st ed. 1978) pp. 10.
- Anonymous. *The Ayurvedic Pharmacopoeia of India*, (The controller of publications, Delhi-110054, Part-1, Vol-III, 1st ed. 2001) pp. 15-16.
- Asolkar LV, Kakkar KK, Chakre OJ. *Glossary of Indian medicinal Plants with active Principles*, (Council of Scientific and Industrial Research, New Delhi, Part-I, 1992) pp. 34.
- Baburanjitsingji Vaidya, Babudaljitsingji Vaidya, *Ayurvedic Vishwakosh*, (Anubhut Yognala, U.P, 3rd ed. Part-I, 1965) pp. 556.
- Balvoine GG, Geletti YV. 1999, Peroxynitrite scavenging by different antioxidants. Part I: convenient assay. *Nitric oxide* 3: 40-54.
- Bandara BMR, Kumar NS, Samaranayake KMS. "An antifungal constituent form the stem bark of *Butea monosperma*, *J Ethnopharmacol* 1989, 25(1):73-5.
- Bandyopadhyay U, Das D, Banerjee R.K. Reactive oxygen species: Oxidative damage and pathogenesis. 1999, *Curr. Sci.* 77(5): 658-666.
- Bartkova J, Lukas J, Strauss M, Bartek J. Cyclin D1 oncoprotein aberrantly accumulates in malignancies of diverse histogenesis. *Oncogene*. 1995, 10: 775-778.

- Basanez G, Nechushtan A, Drozhinin O, Chanturiya A, Choe E, Tutt S, Wood KA, Hsu YT, Zimmerberg J, Youle RJ, Bax. but not Bcl-XL decreases the lifetime of planar phospholipid bilayer membranes at subnanomolar concentrations. *Proc. Natl. Acad. Sci. USA.* 1999, 96: 5492-5497.
- Beauchamp C, Fridovich I. Superoxide dismutase: Improved assays and an assay applicable to acrylamide gels, *Anal Biochem*, 1971, 44, 276.
- Bergers G, Javaherian K, Lo KM, Folkman J, Hanahan D. Effects of angiogenesis inhibitors on multistage carcinogenesis in mice. *Science*. 1999, 284, 808 – 812.
- Bernardi P, Scorrano L, Colonna R, Petronilli V, Di LF. Mitochondria and cell death. Mechanistic aspects and methodological issues, *Eur. J. Biochem*. 1999, 264:687-701.
- Bhatia N and Khosa LR. Identification and microbiological studies on *Ailanthus excelsa* Roxb. bark. *Indian Drugs*. 1989, 26(8): 443-445.
- Bhatia N, Sahai M, Khosa RL. Chemical studies on *Ailanthus excelsa*. *J. Indian Chem. Soc.* 1985, 62: 75.
- Bhatnagar. Lukol in leucorrhoea. *Probe*. 1984, 2: 105.
- Bhattacharya A, Chatterjee A, Ghosal S, Bhattacharya SK. Antioxidant activity of active tannoid principles of *E. officinalis*. *Ind. J. Exp. Biol*. 1999, 37: 676–680.
- Bhatwadekar AD, Chintawar SD, Logade NA, Somani RS, Kasture VS, Kasture SB, Antistress Activity of Butea Monosperma Flowers, *Indian Journal Of Pharmacology*. 1999, 31: 153-155
- Bisognano JD, McGrody KS, Abraham MD, Spence M. *Annals of Internal Medicine*. (University of Rochester Medical Center, Strong Memorial Hospital Rochester, NY, Vol 143, (2005) pp. 159.
- Blois MS, Antioxidant determination by the use of a stable free radical, *Nature*. 1958, 181, 1199.
- Boaz M, Smetana S, Weinstein T, Matas Z, Gafter U, Iaina A, et al. Secondary prevention with antioxidants of cardiovascular disease in end stage renal disease (SPACE): randomized placebo controlled trial. *Lancet*. 2000; 356: 1213-18.
- Boersma AWM. Quantification of apoptotic cells with fluorescein isothiocyanate - labeled AnnexinV in Chinese hamster ovary cell cultures treated with cisplatin. *Cytometry*. 1996 24: 123-130.
- Bonte F. *Simarouba amara* extract increases human skin keratinocyte differentiation. *J. Ethnopharmacol*. 1996 53(2): 65–74.
- Bopalal G Vaidya, Shree Nighantu Adarsh, Purvardha-I, (Chowkhamba Vidyabhavan, Varanasi, 1 ed. 1968) pp. 254-257.
- Bopalal G Vaidya, *Some Controversial Drugs in Indian Medicine*, (Chowkambha, Varanasi, India, 1982) pp. 233.
- Bose C, Bose B. Evaluation of Lukol in leucorrhoea and leucorrhoea associated with pelvic inflammatory disease - A clinical trial. *The Antiseptic*. 1996, (93)2: 49.
- Burnier M, Centeno G, Burki E, Brunner HR, Confocal microscopy to analyze cytosolic and nuclear calcium in cultured vascular cells *Am J Physiol Cell Physiol*. 1994, 266.

- Cai J, Jones DP. Superoxide in apoptosis: mitochondrial generation triggered by cytochrome c loss. *J Biol Chem*. 1998, 273:11401-11404.
- Carmeliet P. Angiogenesis in health and disease. *Nat. Med.* 2003, 9, 653-660
- Chakravarti Venkatesh, Our Tree Neighbours Forest Research Institute, Dehradun (First & last published by the National Council for Educational Research & Training, New Delhi, India in 1976,
- Chang YS, Woo ER. Korean medicinal plants inhibiting to human immunodeficiency virus type 1 (HIV-1) fusion. *Phytother Res*.2003, 17: 426-9.
- Chevallier, *The Encyclopedia of Medicinal Plants, a Practical Reference Guide*, (Kindersley Dorling Ltd, Great Britain, London, 1996) pp. 74-80.
- Chopra IC, Kapoor LD, Handa LK, Chopra IC, Indigenous drugs if India (U. N. Dhur and Sons, Calcutta), 1958, 493,495, 603.
- Chopra RN, Nayar SL, Chopra IC. *Glossary of Indian Medicinal plants*. Council of Scientific and Industrial Research, New Delhi, India, 1956.
- Clapham DE, Sneyd J. *Adv. Second Messenger Phosphoprotein Res*. 1995, 30, 1-24.
- Clapham, D. E. & Sneyd, J. *Adv. Second Messenger Phosphoprotein Res*. 1995, 30, 1-24.
- Colowick SP, Kaplan NO, Packer L. *Methods in Enzymology*. 1984, London: Academic Press: Vol. 105: p. 121-125.
- Crow JP, Dichlorohydorfluorescein and dihydrorhodamine 123 are sensitive indicator of peroxynitrite in vitro: Implications for intracellular measurement of reactive nitrogen and oxygen species, *Nitric Oxide: Biology and Chemistry*.1997, 1, 145-157.
- Cuendet M, Hostettmann K, Potterat O. Iridoid glucosides with free radical scavenging properties from *Fagraea blumei*, *Helv Chim Acta*,1997, 1144.
- Czinner E, Hagymasi K, Blazovics A, Kery A, Szoke E, Lemberkovics E. The invitro effect of Helichys flos on microsomal lipid peroxidation. *Journal of Ethnopharmacology* 2001; 77: 31-5.
- Dabadk SM, Burute PB, Dani SP. Lukol in the treatment of leucorrhea and abnormal uterine bleeding following MTP, IUCD and tubectomy. *The Medicine and Surgery*.1984, 5: 17.
- Darzynkiewicz Z. Cytometry in cell necrobiology: Analysis of apoptosis and accidental cell death (necrosis). *Cytometry*. 1997, 27.
- Dash SK, Padhy S. Review on Ethnomedicines for diarrhoea diseases from Orissa. *J. Hum. Ecol*. 2006, 20(1): 59-64.
- Dasture AV. *Ancient Science of life*. 2002, XXI (4), 281-286.
- David G, Barret JN, Barret EF. *J. Physiol. (London)*. 1998, 509, 59-65.
- Desagher S, Osen-Sand A, Nichols A, Eskes R, Montessuit S, Lauper S, Maundrell K, Antonsson B, Martinou JC. Bid-induced conformational change of Bax is responsible for mitochondrial cytochrome c release during apoptosis. *J. Cell Biol*.1999, 144 (5): 891-901.
- Dhanashekaran S, Suresh B, Sethuraman M, Rajan S. Antifertility activity of *Ailanthus excelsa* Roxb, in female albino rats. *Indian J. Of Exper. Biology*.1993, 31: 384-385.
- Divakar MC. *Plant Drug Evaluation*, 2002, 2nd edition, 119.

- Dutt VC. *The Materia medica of Hindus* by Mittal Publications, New Delhi, 110059, 1995, 148-149.
- Edge R, Truscott TG. Prooxidant and antioxidant reaction mechanisms of carotene and radical interactions with vitamins E and C. *Nutrition*. 1997, 13: 992–994.
- Egan TM, Minta JO, Scrimgeour KG, Cooper JD. Captopril--a potential free radical scavenger: inhibition of PMN NADPH oxidase. *Clin. Invest. Med.* 1988, 11(5): 351-356.
- Ehrenberg B, Montana V, Wei MD, Wuskell JP, Loew LM. Membrane potential can be determined in individual cells from the nernstian distribution of cationic dyes. *Biophys J.* 1988, 53(5):785-94.
- Eilers, J., Plant, T. Konnerth, A. *Cell Calcium*. 1996, 20, 215–226.
- Estevez MD, Wolf A, Schramm U. Effect of PSC 833, Verapamil and Amiodarone on adriamycin toxicity in cultured rat cardiomyocytes. *Toxicol. in Vitro*. 2000, 14, 17–23.
- Farkas DL, Wei MD, Febbroriello P, Carson JH, Loew LM. Simultaneous imaging of cell and mitochondrial membrane potentials. : *Biophys J.* 1989, Dec; 56(6):1053-69.
- Ferrari, R, Ceconi C, Curello S, Cargnani A, Pasini E, Visioli O. The occurrence of oxidative stress during reperfusion in experimental animals and men. *Cardiovas. Drugs. Therap.* 1991, 5: 277–288.
- Folkman J. Role of angiogenesis in tumor growth and metastasis. *Semin. Oncol.* 2002, 29, 15–18.
- Frank BHU, Walter CW. Optimal diets for prevention of coronary heart disease (CHD). *JAMA*. 2002, 27: 2569-78.
- Fredersdorf S, Burns J, Milne AM, Packham G, Fallis L, Gillett CE, Royds JA, Peston D, Hall PA, Hanby AM, Barnes DM, Shousha S, O'Hare MJ, OH, Lu X. High level expression of p27^{Kip1} and cyclin D1 in some human breast cancer cells: inverse correlation between the expression of p27^{Kip1} and degree of malignancy in human breast and colorectal cancers. *Proc. Natl. Acad. Sci. USA*.1997, 94: 6380-6385.
- Frey T. Correlated flow cytometric analysis of terminal events in apoptosis reveals the absence of some changes in some model systems. *Cytometry*. 1997, 28:253-263.
- Gaitan E, Cooksey RC, Legan J, Lindsay RH. Antithyroid effects in vivo and in vitro of vitexin: a C-glucosylflavone in millet. *J. Clin. Endocrinol. Metabol.*1995, 80(4):1144-1147.
- Genta S, Cabrera W, Said A, Farag A, Rashed K. Hypoglycemic activity of leaves and stem bark extracts of *Ailanthus excelsa* in normal and diabetic rats. *Abstracts Biocell.*2005, 29(1): 86.
- Geoffrey AC, Cindy KA, John MP. Recent studies on cytotoxic, anti-HIV and antimalarial agents from plants. *Pure & App/. Chem*.1994, 66(10/11): 2283-2286.
- George RP, Cherry IS, Polonsky J, John AR. The Antineoplastic quassinooids of *Siriba cuspidate*. Suruce and *Ailanthus grandis*. *Prain. J. of Nat. Prod.*1980, 43 (4): 503-508.
- Green LC, Wagner DA Glogowski J. Analysis of nitrate, nitrite and (15N) nitrate in biological fluids, *Anal Biochem*, 1982, 126, 131.
- Gunakkunru A, Padmanaban K, Thirumal P, Pritila J, Parimala G, Vengatesan N, Gnanasekar N, Perianayagam JB, Sharma SK, Pillai KKAnti-diarrhoeal activity of Butea monosperma in experimental animals. *J Ethnopharmacol*. 2005 Apr 26; 98(3):241-4.
- Hall H, Liou YF, Lee KH, Chaney SG, Willingham JW. Antitumor activity of quassinooids.

- J. Pharm. Sci.* 1983, 72: 626.
- Halliwell B, Gutteridge JMC, Arnona OL. The Deoxyribose method: A simple test tube assay for the determination of rate constant for reaction of hydroxyl radical, *Anal Biochem*. 1987, 165, 215.
 - Halliwell B, Gutteridge JMC. The antioxidants of human extracellular fluids. *Arch Biochem Biophys*. 1990, 280(1): 1-8.
 - Halliwell B. Drug antioxidant effects: A basis for drug selection? *Drugs*. 1991, 42(4): 569-605.
 - Halliwell, B., Gutteridge, JMC. Role of free radicals and catalytic metal ions in human disease: an overview. *Methods in Enzymology*. 1990, 186: 1-86.
 - Harary I, Farley B. *In vitro* studies on single beating rat heart cells. *Exp. Cell. Res.* 1963, 29, 451-465.
 - Haynes HF, Nelson ER, Price JR. Alkaloids of the Australian Rutaceae; *Pentaceras australis* Hook Fl. Isolation of the Alkaloids and Identification of Canthin-6-one. *Aust. J. Sci. Res.* 1952, 5(2): 387-400.
 - Hearse DJ, De Leiris J, Loisance J, editors. *Enzymes in cardiology*. A wiley- Interscience publication, London, John Wiley and sons Ltd, 1979.
 - Holick CN, Michaud DS, Stolzenberg Solomon R, Mayne ST, Pietinen P, Taylor PR, et al. Dietary carotenoids, serum beta-carotene, and retinol and risk of lung cancer in the alpha-tocopherol, beta-carotene cohort study. *Am J Epidemiol*. 2002, 156(6): 536-47.
 - Husain A, Virmani OP, Popli SP. *Dictionary of Indian medicinal plants*. Lucknow, India: CIMAP, 1992:88-89.
 - Hye Rhi Choi, Jae Sue Choi, Yong Nam Han, Song Ja Bae and Hae Young Chung, Peroxynitrite Scavenging Activity of Herb Extracts, *Phytother. Res.* 2002, 16, 364-367.
 - Iriama. Uric acid in ischaemic tissues. *Jikeikai Med J.* 1987, 34:145-68.
 - Ithayarasi, A.P., Shyamala Devi, C.S. (1997) Effect of α-tocopherol on isoproterenol-induced changes in lipid and lipoprotein profile in rats. *Ind. J. Pharmacol.* 29: 399-404
 - Jadayel DM, Lukas J, Nacheva E, Bartkova J, Stranks G, De Schouwer PJ, Lens D, Bartek J, Dyer MJ, Kruger AR, Catovsky D. Potential role for concurrent abnormalities of the cyclin D1, p16^{CDKN2A} and p15^{CDKN2B} genes in certain B cell non-Hodgkin's lymphomas. Functional studies in a cell line (Granta 519). *Leukemia (Baltimore)*. 1997, 11: 64-72.
 - Jain SK. Ethnobotany and research on medicinal plants in India. In: *Ethnobotany and the Search for New Drug*. Chichester: John Wiley & Sons; 245-80 (1994).
 - Janus F, Albrechtsen N, Dornreiter I, Wiesmuller L, Grosse F, Deppert W. *Cell. Mol. Life. Sci.* 1999; 55: 12-27-39, 1996
 - Jayaprakash GK, Singh RP, Sakariah KK, Antioxidant activity of grape seed extracts on peroxidation models in-vitro. *J. Agric Food Chem.* 2001, 55, 1018-1022.
 - Joshi BC, Pandey A, Chaurasia L, Pal M, Sharma RP, Khare A. Antifungal activity of stem bark of *Ailanthus excelsa*. *Fitoterapia*. 2003, 74: 689-691.
 - Joshi BP, Pandey A, Sharma RP, Khare A. Quassinoids from *Ailanthus excelsa*. *Phytochemistry*. 2003, 62: 579-584.
 - Kao JP, Harootunian AT, Tsien RY. Photochemically generated cytosolic calcium pulses and their detection by fluo-3. *J. Biol. Chem.* 1989, 264, 8179-8184.

- Kapoor SK, Ahmad PI, Zaman A. Chemical constituents of *Ailanthus excelsa*, *Phytochemistry*.1971, 10: 3333.
- Kardono LBS, Angerhofer CK, Tsauri S, Padmawinata K, Pezzuto JM, Kinghorn AD, Cytotoxic and antimalarial constituents of the roots of *Eurycoma longifolia*. *J. Nat. Prod.*1991, 54: 1360-1367.
- Kasturea VS, Kasturea SB, Chopde CT. Anticonvulsive activity of *Butea monosperma* flowers in laboratory animals *Pharmacology, Biochemistry and Behavior*. 2002, 72, 965-972.
- Khan MSY, Kallm J, Khan IU, Khan MH. Chemical investigation of fruits and leaves of *Ailanthus excelsa* Roxb (Simaroubaceae) *Indian Drugs*, 1994, 31(3): 125-126.
- Khan SA, Shamsuddin KM. Isolation and structure of 13, 18-dehydroexcelsin, a quassinoïd, and glaucarubol from *Ailanthus excelsa*. *Phytochemistry*.1980, 19: 2484-2485.
- Khan SA, Shamsuddin KM. Quassinoïds from *Ailanthus excelsa*. *Indian J. Chem.*1978, 16B: 1045.
- Khan SA, Zuberi SS, Shamsuddin KM. Isolation and structure of Excelsin, a new quassinoïd from *Ailanthus excelsa*. *Indian J. Chem.*1980, 19B: 183-184.
- Kholkute SD, Mudgal V, Deshpande PJ. Screening of indigenous medicinal plants for antifertility potentiality, *Planta Med.* 1976, 29:151-5.
- Khosa RL, Shai M, Bhatia N. Studies on *Ailanthus excelsa*. *Indian Drugs*.1985, 22: 395.
- Kirby GC, O'Neill MJ, Phillipson JD, Warhurst, DC. *Biochem. Pharmacol.*1989, 38: 4367.
- Kirtikar KK, Basu BD, *Indian Medicinal Plants*, International Books Distributor, Dehradun.II nd Edition, Vol-I, 1975, 785-789.
- Kirtikar KR, Basu BD: *Indian Medicinal Plants*. International Books Distributor, Dehradun. Vol-1, 1995:505-507.
- Ko FN, Hsiao G, Kuo YH, Protection of oxidative hemolysis by demethyldiisoeugenol in normal and beta-thalassemic red blood cells, *Free Rad Bio Med.*1997, 22, 215.
- Kram M, Haq I. Screening of medicinal plants for antimicrobial activity. Part I. *Fitoterapia* 1980, 51:231-5.
- Krishnaraju AV, Rao TVN, Sundararaju D, Vanisree M, Tsay H, Subbaraju GV. Biological screening of medicinal plants collected from Eastern Ghats of India using *Artemia salina* (Brine Shrimp Test). *Intern. J. of Appl. Sci. and Eng.*2006, 4(2): 115-125.
- Kumar D, Mishra SK, Tandan SK, Tripathi HC. Possible mechanism of antihelmintic action of palasonin on *Ascaridia galli*. *Indian J Pharmacol* 1995, 27: 161-8.
- Lala Shaligramji Vaishya, *Shree Shaligram Nighantu Bhushanam*, (Khemraj Shrikrushnadas Steem Press, Mumbai, 1981) pp. 203-205.
- Lampidis TJ, Henderson IC, Israel M, Canellos GP. Structural and functional effects of adriamycin on cardiac cells in vitro. *Cancer Res.* 1980, 40, 3901-3909.
- Lancel S, Tissier S, Mordon S, Marechal X, Depontieu F, Scherpereel A, Chopin C, Neviere R. *J Am Coll Cardiol.* 2004 43, 2348-2358
- Lavhale MS, Hukkeri VI, Jaiprakash B. Comparative study of leaves and bark of *Ailanthus excelsa* Roxb for hepatoprotective activity. *Indian Drugs*.20003, 40(6): 355-357.

- Lavhale MS, Hukkeri VI, Jaiprakash B. Hepatoprotective activity of leaves of *Ailanthus excelsa* Roxb on experimental liver damage in rats. *Indian J. Pharm Edu.* 2003, 37(2): 105-106.
- Liaudet L, Yang Z, Al-Affar EB, Szabo C. *Mol Med.* 2001; 7, 406-417
- Liaudet, L., Soriano, F. G., and Szabo, C. *Crit Care Med.* 2000, 28, N37-52
- Loizzo MR, Said A, Tundis R, Rashed K, Statti GA, Hufner A, Menichini M. Inhibition of Angiotensin Converting Enzyme (ACE) by Flavonoids isolated from *Ailanthus excelsa* (Roxb) (Simaroubaceae). *Phytother. Res.* 2007, 21, 32-36.
- Lowry OH, Rosenbrough NJ, Farr AC, Randell RJ. Protein measurement with folin-phenol reagent. *J. Biol. Chem.* (1975) 193: 265-275.
- Luo X, Budihardjo I, Zou H, Slaughter C, Wang X. *Bid*, a Bcl-2 interacting protein, mediates cytochrome c release from mitochondria in response to activation of cell surface death receptors. *Cell.* 1998, 94: 481-490.
- Mahendra Kumar Jain DC. Chemical evaluation of *Ailanthus excelsa*. *Indian J. of chem.* 1964, 2: 40.
- Mandal L. Nutritive values of tree leaves of some tropical species for goats. *Small Ruminant Research.* 1997, 24: 95-105.
- Mandal S, Das PC, Joshi PC, Das SR, Mallik B. A Steroidal constituent of *Ailanthus excelsa* Roxb (Simaroubaceae). *J. Of Indian Chem. Soc.* 1999, 76 (10): 509-510.
- Manjula TS, Geetha A, Shyamala Devi CS. Effect of aspirin on isoproterenol induced myocardial infarction-a pilot study. *Ind J Biochem Biophys.* 1992; 29:378-9.
- Mathew S, Menon PVG, Kurup PA, Indian J. Biochem. Biophys.. 1981, 18, 131.
- Mehta CR, Patel CN. Chemical examination of the bark of *Ailanthus excelsa*, Roxb. Part I. *Indian J. Pharm.* 1959; 21: 143-145.
- Mehtar RK, and Pararsar GC. Effect of *Butea Frondosa*, *Veronianthelmintica* and *Carica papaya* against oxyurides in mice. *Indian Vet. J.* 1966, 43:744-748.
- Meir A, Ginsburg S, Butkevich A, Kachalsky SG, Kaiserman I, Ahdut R, Demirgoren S, Rahamimoff R. *Physiol. Rev.* 1999, 79, 1019-1088.
- Milei J, Nunez RG, Rapaport M. Pathogenesis of isoproterenol-induced myocardial lesions: its reaction to human 'coagulative myocytolysis'. *Cardiology.* 1978, 63(3): 139-151.
- Mishra HP, Fridovich I. The role of superoxide anion in the auto-oxidation of epinephrine and a simple assay for superoxide dismutase. *J. Biol. Chem.* 1972, 247: 3170-3175.
- Mishra M, Shukla YN, Kumar S. Euphane triterpenoid and lipid constituents from *Butea monosperma* *Phytochemistry.* 2000, 54, 835-838.
- Mitchell RN, Cotran RS. Cell injury, adaptation, and death. In: Kumar V, Cotran RS, Robbins SL, Editors. *Robbins. Basic Pathology.* 7th ed. New Delhi: Harcourt (India) Pvt. Ltd. 2003. pp 3-33.
- Mohammad Anis, Sharma MP, Muhammad I. Herbal Ethnomedicine Of The Gwalior Forest Division In Madhya Pradesh, India, *Pharmaceutical Biology*, 2000, Vol. 38, No. 4, 241-253.
- Mohd Shafi Misger MS, Mushtaq Ahmad M, Nazir Ahmad Wani MS, Rashid. (*Indian*

Medical Gazette, 1977) pp.353-356.

- Moldeus P, Cotgreave IA. *Methods Enzymology*. 1994, 234: 482-486.
- Monika V, Shukla YN, Jain SP, Verma SK, Kumar S. Chemistry and Biology of the Indian Dhak tree *Butea monosperma*. *Journal of Medicinal and Aromatic Plant Science*. 1998; 20: 85-92.
- Monjour. Therapeutic trials of experimental murine malaria with the quassinoid, glaucarubinone. *C. R. Acad. Sci. 1987*, 304(6): 129-32.
- Moron, M.S., Depierre, J.W., Mannervik, B. (1979) Levels of glutathione, glutathione reductase and glutathione S-transferase activities in rat lung and liver. *Biochimica et Biophysica ACTA* 582: 67-78.
- Morre DJ. Effect of the quassinoids glaucarubolone and simalikalactone D on growth of cells permanently infected with feline and human immunodeficiency viruses and on viral infections. *Life Sci.* 1998, 62(3): 213-9.
- Murakami C, Fukamiya N, Tamura S, Okano M, Bastow KF, Tokuda H, Mukainaka T, Nishino H, Lee KH. Multidrug-resistant cancer cell susceptibility to cytotoxic quassinoids, and cancer chemopreventive effects of quassinoids and canthin alkaloids. *Bioorg Med Chem.* 2004, 12(18): 4963-8.
- Murray RK, Granner DK, Mayes PA, Rodwell VW, Editors. *Harper's biochemistry*. New York: McGraw -Hill, 2000.
- Musgrove EA, Lee CS, Buckley MF, Sutherland RL. Cyclin D1 induction in breast cancer cells shortens G₁ and is sufficient for cells arrested in G₁ to complete the cell cycle. *Proc. Natl. Acad. Sci. USA.* 1994, 91: 8022-8026.
- Nadkarni KM. *Indian Materia Medica*, Bombay Popular Prakashan, 1976, pp.222-224.
- Nadkarni KM. *The Indian Materia Medica*, (Bombay Popular Prakashan, 1927) pp. 56.
- Nag S, Matai. *Ailanthus excelsa* Roxb (Simaroubaceae) A promising source of leaf proteins. *J. Agric. Food. Chem.* 1994, 42: 579-584.
- Narita M, Shimizu S, Ito T, Chittenden T, Lutz R J, Matsuda H, Tsujimoto Y. Bax interacts with the permeability transition pore to induce permeability transition and cytochrome c release in isolated mitochondria. *Proc. Natl. Acad. Sci. USA*, 1998, 95: 14681-14686.
- Navarro M, Free radical scavenger and anti hepatotoxic activity of *Rosmarinus tomentosus*, *Planta Med.* 1993, 59, 312.
- Nazimuddin SK, Khaleefathullah S. Anti-inflammatory effect of Gul-E-Tesu (*Butea monosperma* Lam flowers). *Bull Islamic Med.* 1982, 2:522-7.
- Nirmala C, Puvanakrishnan R. Protective role of curcumin against isoproterenol induced myocardial infarction in rats. *Mol. Cell. Biochem.* 1996, 159: 85-93.
- Ogino T, Inoue M, Ando Y, Awai M, Maeda H, Morino Y. Chemical modification of superoxide dismutase. Extension of plasma half-life of the enzyme through its reversible binding to the circulating albumin. *Int. J. Peptide Protein Res.* 1988, 32(2): 153-159.
- Ogura M, Cordell GA Fransworth NR. Lymphocytic-Leukaemia in mice. *J. of Nat. Prod.* 1980, 19: 1499.
- Ogura M, Cordell GA, Fransworth NR. Alkaloid constituents of *Ailanthus excelsa*. *Lloydia*. 1978, 41: 166.

- Ogura M, Cordell GA, Kinghorn AD, Fransworth NR. Potential anticancer agents VI. Constituents of *Ailanthus excelsa*. *Lloydia*.1977, 40: 579-84.
- Orlicky J, Sulova Z, Dovinova I, Fiala R, Zahradníkova A, Breier A, Functional Fluo-3/AM Assay on P-Glycoprotein Transport Activity in L1210/VCR Cells by Confocal Microscopy, *Gen. Physiol. Biophys.* 2004, 23, 357-366.
- Oyaizu M, Studies on product of browning reaction prepared from glucose amine, *Jpn J Nutr*, 1986, 44, 307.
- Pacher P, Liaudet, L, Mabley J, Komjati K, Szabo C. *J Am Coll Cardiol*. 2002, 40, 1006-1016
- Pacher, P., Liaudet, L., Bai, P., Mabley, J. G., Kaminski, P. M., Virag, L., Deb, A., Szabo, E., Ungvari, Z., Wolin, M. S., Groves, J. T., and Szabo, C. *Circulation*. 2003, 107, 896-904
- Pandey B, Joshi RP, Sharma, Khare A. New quassinooids from *Ailanthus excelsa*. *Med. Chem. Res.*2007, 13(8/9): 781-789.
- Pandey CN, Arora KL, Kanoji HC, Kambo AS, Suitability of *Ailanthus excelsa* for pencil making. *J. of the Timber Development*.2005, 45: 16-20.
- Pandit Bhavmishra, *Bhavprakash- Purvkhanda*, (Sastu Sahitya Publisher, Raaykhad, Ahmedabad, 2nd ed.1963) pp. 271-272.
- Patan S. Vasculogenesis and angiogenesis. *Cancer Treat. Res.* 2004, 117, 3-32
- Patel RD, Alex RM, Antimicrobial activity of *Ailanthus excelsa* Roxb. *Indian J. Med. Sci.*1967, 21: 229-31.
- Patel RP, Mc Andrew J, Sellak H. Biological aspects of reactive nitrogen species (review). *Biochem Biophys Acta*. 1999, 1411: 385-400.
- Pelosio P, Barbareschi M, Bonoldi E, Marchetti A, Verderio P, Caffo O, Bevilacqua P, Boracchi P, Buttitta F, Barbazza R, Dalla Palma P, Gasparini G. Clinical significance of cyclin D1 expression in patients with node-positive breast carcinoma treated with adjuvant therapy. *Ann. Oncol.*1996, 7: 695-703.
- Plumb JA, Milroy R, Kaye SB. Effects of the pH dependence of 3-(4, 5-dimethylthiazole-2-yl)-2, 5-diphenyl-tetrazoliumbromide-formazan absorption on chemo sensitivity determined by a novel tetrazolium-based assay. *Cancer Research*. 1989, 49, 4435- 4440.
- Polonsky J. Quassinooid bitter principle. *Fortschr. Chem. Org. Naturst.* 1973, 30: 101.
- Post JA, Langer GA, Op den Kamp JAF, Verkleij AJ. Phospholipid asymmetry in cardiac sarcolemma. Anylsis of intact cells and "gas-dissected" membranes. *Biochim. Biophys. Acta*, 1988, 943, 256-266.
- Post JA, Langer GA. Sarcolemmal calcium binding sites in heart: I. Molecular origin in "gas-dissected" sarcolemma. *J. Membrane Biol.* 1992, 129, 49-57.
- Prasad R, Rao YN, Rao SV, Phospholipids Of Palash Butea monosperma Papaya Carica-Papaya Jangli Badam Sterculia-Foetida Coriander Coriandrum-Sativum And Carrot Daucus-Carota Seeds. *Journal-Of-The-American-Oil-Chemists'-Society*. 1987, 64 (10): 1424-1427.
- Prashanth D, Asha MK, Amit A, Padmaja R, Anthelmintic activity of *Butea monosperma* *Fitoterapia*. 2001, 72, 421-422.
- Raffeld M, Jaffe ES. *bcl-1*, t(11;14), and mantle cell-derived lymphomas. *Blood*. 1991, 78: 259-263.

- Rai MK, Pandey AK, Acharya D, Ethno-medicinal Plants Used by Gond Tribe of Bhanadehi, District Chhindwara, Madhya Pradesh. *Journal of non-timber forest*. 2000 7(3/4): 237-241.
- Rajyalaxmi E. Observations on the effect of Lukol in post-IUD, leucorrhoea and bleeding. *The Medicine and Surgery*. 1982, 5: 27.
- Randhawa MS. *Flowering Trees*, National Book Trust, New Delhi, 1965, pp. 152–153.
- Rangan U, Bulkley GB. Prospects for treatment of free radical-mediated tissue injury. In : Cheeseman KH, Slater TF, editors. *Free radicals in medicine*. New York : Churchill Livingstone, 1993. pp. 700-18.
- Ravishankar MN, Shrivastava N, Padh H, Rajani M, Evaluation of antioxidant property of root bark of *Hemidesmus indicus*, *Phytomedicine*, 2002, 153.
- Rawal R, Kolhapure SA. Evaluation of the Efficacy and Safety of "Hair Loss Cream (PCPB Hair Cream)" in the Management of Telogen Effluvium *Indian Journal of Clinical Practice*. 2005, 16(5): 19-26.
- Raymond M, Schiffelers JM, Metselaar MH, Fens AN, Adrienne PCA, Janssen GM, Gert S, Liposome-Encapsulated Prednisolone Phosphate Inhibits Growth of Established Tumors in Mice, *Neoplasia*. 2005 Vol. 7, No. 2, pp. 118 – 127.
- Repetto MG, Llesuy SF. Antioxidant properties of natural compounds used in popular medicine for gastric ulcers. *Braz. J. Med. Biol. Res.* 2002, 35: 523-534.
- Robak J, Gryglewski RJ. Flavonoids are scavengers of superoxide anions, *Biochem Pharmacol* 1998, 37, 837.
- Rosati E, Quaranta M, Ammirante MC, Turco AL, De Feo V. Quassinooids can induce mitochondrial membrane depolarisation and caspase 3 activation in human cells [Letter]. *Cell Death Differ*. 2004 2(16-81): 1.
- Rossant J., and Howard, L. Signaling pathways in vascular development. *Annu. Rev. Cell Dev. Biol.* 2002, 18, 541-573.
- Rottenberg H, Wu S, Quantitative assay by flow cytometry of the mitochondrial membrane potential in intact cells, *Biochim. Biophys. Acta*. 1998, 1404:393-404.
- Rottenberg H, Wu S. Quantitative assay by flow cytometry of the mitochondrial membrane potential in intact cells, *Biochim. Biophys. Acta*, 1404:393-404, 1998.
- Roychowdhury S, Luthe A, Keilhoff G, Wolf G, Thomas FW, Oxidative stress in glial cultures: Detection by DAF-2 fluorescence used as a tool to measure peroxynitrite rather than nitric oxide, *Glia*. 2002, Vol 38, Issue 2 , Pages 103-114.
- Russell C, Scaduto Jr, Lee WG. Measurement of mitochondrial membrane potential using fluorescent rhodamine derivatives. *Biophys J*. 1999, Jan; 76(1 Pt 1):469-77.
- Sandra Levrard, Benoît Pesse, François Feihl, Bernard Waeber, Pal Pacher, Joëlle Rolli, Marie-Denise Schaller, and Lucas Liaudet, Peroxynitrite is a potent inhibitor of Nf- κ B activation triggered by inflammatory stimuli in cardiac and endothelial cell lines, *Journal of Biological Chemistry*, 2005, 1-23
- Sanjappa M. Revision of the genera *Butea* Roxb. Ex Willd. and *Metzotropis* Voigt. (Fabaceae). *Bulletin of the Botanical Survey of India* 29: 1987, 199-225.
- Sehrawat A, Khan TH, Prasad L, Sultana S. *Butea monosperma* and chemomodulation: protective role against thioacetamide mediated hepatic alterations in Wistar rats. *Phytomedicine*. 2006, 13, 157-63.

- Sen CK. Oxygen toxicity and antioxidants: State of the art. *Indian J Physiol pharmacol*. 1995; 39(3): 177 – 96.
- Sethuraman MG, Sulochana N, Ramaswamy S. Analgesic activity of Vitexin. *J. Res. Edu. Ind. Med.* 1990, 61-63.
- Shahidi F, Wanasundara PK, Phenolic antioxidants, *Crit Rev Food Sci Nutr*, 1992, 32, 67.
- Sharma PV, *Drawya Guna- Vijnana*, Ayurvedic series-III, Vegetable drugs (Chaukhamba Bharati Academy, Vol-2. VIIth ed. Varanasi, 1996) pp. 466-68.
- Sherman MM, Borris RP, Ogura M, Cordell GA, Fransworth NR. 3S, 24S, 25-trihydroxytirucall-7-ene from *Ailanthus excelsa*. *Phytochemistry*. 1980, 19: 1499.
- Shrimali M, Jain DC, Darokar MP, Sharma RP. Antibacterial activity of *Ailanthus excelsa* Roxb. *Phytother. Res.* 2001, 15: 165-166.
- Singh NP, Patnayak BC. Nutritive value of *Ailanthus excelsa* Roxb (aradu) leaves for sheep. *Ind. Vet. J.* 1977, 54 (3): 198-201.
- Singh U, Wadhwani AM, Johri BM, *Dictionary of Economic Plants in India*, (Indian Council of Agricultural Research, New Delhi, 1983) pp. 9.
- Slater TF, Sawyer BC. The stimulatory effects of carbon tetrachloride and other halogenoalkanes or peroxidative reactions in rat liver fractions *in vitro*. *Biochem J.* 1971, 123: 805-814.
- Soussi T. The p53 tumour suppressor gene: from molecular biology to clinical investigation. *Ann NY Acad Sci*. 2000; 910: 121-39.
- Stephens NG, Parsons A, Schofield PM, Kelly F, Cheeseman K, Hutchinson MJ, et al. Randomised controlled trial of vitamin E in patients with coronary disease: Cambridge Heart Antioxidant Study (CHAOS). *Lancet*. 1996; 347: 781-6.
- Suresh B, Dhanasekaran Elango SK. Anti-pyretic activity of some plants in female albino rats: A preliminary report. *Ancient Sci. Life.* 1995, 14: 253-7.
- Suroor AK, Shamsuddin MK. Quassinooids from *Ailanthus excelsa*. *Indian J. Of Chem.* 1978, 16B: 1045-1046.
- Sushmakumari S, Jayadeep A, Suresh Kumar JS, Menon PVG. Effect of carnitine on malondialdehyde, taurine and glutathione levels in hearts of rats subjected to myocardial stress by isoproterenol. *Ind. J. Exp. Biol.* 1989, 27: 134-137.
- Tam SW, Theodoras AM, Shay JW, Draetta GF, Pagano M. Differential expression and regulation of Cyclin D1 protein in normal and tumor human cells: association with Cdk4 is required for Cyclin D1 function in G₁ progression. *Oncogene*. 1994, 9: 2663-2674.
- Tamura S, Fukamiya N, Okano M, Koyama J, Koike K, Tokuda H. Three new quassinooids, ailanthiol E, F, and G, from *Ailanthus altissima*. *Chem. Pharm. Bull. (Tokyo)* 2003, 51: 385-9.
- Tappel AL. Lipid peroxidation and damage to cell components. *Fed. Proceedings*. 1973, 32: 1870-1875.
- Thirupurasundari CJ, Jayalakshmi S. Liver Architecture Maintenance by Tincture of Crataegus against Isoproterenol-Induced Myocardially Infarcted Rats. *Journal of Medicinal Food*, 2005, Vol. 8, No. 3: 400-404.
- Thouvenel C, Hocquemiller R, Fournet A. Leishmanicidal activity of two canthin-6-one alkaloids, two major constituents of *Zanthoxylum chiloperone* var. *angustifolium*. *J.*

Ethnopharmacol. 2002, 80(2-3): 199-202.

- Tripathi AK, Jain DC. Excelsin an insect feeding deterrent isolated from *Ailanthus excelsa* (Simaroubaceae). *Phyto. Research.* 1993 7(4): 323-325.
- Tsutsui S., Kume M, Era S. Prognostic value of microvessel density in invasive ductal carcinoma of the breast. *Breast Cancer.* 2003, 10, 312-319
- Uzzan B, Nicolas P, Cucherat M, and Perret GY. Microvessel density as a prognostic factor in women with breast cancer: a systematic review of the literature and meta-analysis. *Cancer Res.* 2004, 64, 2941-2955
- Visweswaran P, Massin EK, Dubose TD. Mannitol-induced acute renal failure. *J. Am. Soc. Nephrol.* 1997, 8: 1028-1033.
- Wagner H, Geyer B, Fiebig M, Kiso Y, Hikino H. Liver-protective drugs. Part 30. Drugs for liver therapy. Part 12. Isobutrin and butrin, the antihepatotoxic principles of *Butea monosperma* flowers, *Planta Med* 1986, (2):77-9.
- Wagner H. New approaches in Phytopharmacological research. *Pure Appl. Chem.* 1999, 71(9): 1649-1654.
- Weidner N, Folkman J, Pozza F, Bevilacqua P, Allred EN, Moore DH, Meli S, Gasparini G. Tumor angiogenesis: a new significant and independent prognostic indicator in early-stage breast carcinoma. *J. Natl. Cancer Inst.* 1992, 84, 1875-1887 *Page 11 of 22*
- Weinstat-Saslow D, Merino MJ, Manrow RE, Lawrence JA, Bluth RF, Wittenbel KD, Simpson JF, Page DL, Steeg PS. Overexpression of cyclin D mRNA distinguishes invasive and *in situ* breast carcinomas from non-malignant lesions. *Nat Med.* 1995, 1: 1257-1260, 1995
- Wexler BC, Greenberg BP. Protective effects of clofibrate on isoproterenol-induced myocardial infarction in arteriosclerotic and non- arteriosclerotic rats. *Atherosclerosis.* 1978, 29: 373-375.
- Wright CW, Quassinooids exhibit greater selectivity against *Plasmodium falciparum* than against *Entamoeba histolytica*, *Giardia intestinalis* or *Toxoplasma gondii* in vitro. *J. Eukaryot. Microbiol.* 1993, 40(3): 244-46.
- Wyllie AH. Apoptosis (the 1992 Frank Rose Memorial Lecture). *Br. J. Cancer.* 1993, 67, 205.
- Yadava RN, Tiwari L, A potential antiviral flavone glycoside from the seeds of *Butea monosperma* O. Kuntze *Journal of Asian Natural Products Research* 2005, Vol. 7, No. 2, 185-188.
- Ye J, Wang S, Loenard SS, Sun Y, Butterworth L, Antonini J. Role of reactive oxygen species and p53 in chromium (VI)-induced apoptosis. *Journal of Biological Chemistry,* 1999, 274, 34974-34980.
- Yoganarashimhan SN, *Medicinal plants-Tamilnadu*, (Interline Publishing Pvt Ltd. Bangalore, India, Vol-2. 2000) pp. 28.
- Zhong Zhang and Thomas L. PalloneResponse of descending vasa recta to luminal pressure *Am J Physiol Renal Physiol.* 2004, 287:535-542.
- Zhu QY, Holt RR, Lazarus SA, Orozco TJ & Keen CL, Inhibitory effects of cocoa flavanols and procyanidin oligomers on free radical-induced erythrocyte hemolysis, *Exp Bio Med,* 2002, 227, 321.