

INDEX

| SR. NO. | TOPIC | PAGE NO |
|--|--|----------------|
| | Title Page | |
| | Certificate | |
| | Declaration | |
| | Acknowledgements | |
| | Abbreviations | |
| | Abstract | |
| | List of Figures | I-VII |
| | List of Tables | VIII-X |
| CHAPTER I. REVIEW OF LITERATURE | | 1-30 |
| 1 | INTRODUCTION | 1-30 |
| 1.1 | Free radicals and Reactive oxygen species | 1 |
| 1.2 | Sources of Free Radicals | 1 |
| 1.2.1 | Cellular Metabolism | |
| 1.2.2 | Environmental | |
| 1.3 | Free Radicals and Human Diseases | 2 |
| 1.4 | Free radical and cardiac disorders | |
| 1.5 | Antioxidants | 3 |
| 1.5.1 | Endogenous Antioxidants | |
| 1.5.1.1 | Intracellular | |
| 1.5.1.2 | Extracellular | |
| 1.5.2 | Exogenous Antioxidants | |
| 1.6 | Antioxidants in disease prevention | 6 |
| 1.7 | Herbal drug as Antioxidants | 7 |
| 1.8 | Plants selected for the present study | 8-23 |
| 1.8.1 | Ailanthus excelsa Roxb | |

| | | |
|---------------|---|-----------|
| 1.8.2 | Butea monosperma Lam. | |
| 1.9 | Objectives of the study | 24 |
| 1.10 | Evaluation of Antioxidant activity | 24 |
| 1.10.1 | In-vitro Methods | 24 |
| 1.10.2 | Acute toxicity study | 25 |
| 1.10.3 | In-Vivo Antioxidant Activity | 25 |
| 1.10.3.1 | Isoproterenol induced myocardial infarction | |
| 1.10.3.2 | Effect of extracts on ISO induced Liver damage | |
| 1.10.3.3 | Isoproterenol Induced Hyperlipidemia | |
| 1.10.4 | In vitro studies using H9c2 cell lines | 26 |
| 1.10.4.1 | Analysis of cell viability | |
| 1.10.4.2 | Measurement of intracellular ROS | |
| 1.10.5 | Studies on Ailanthus excelsa root bark | 27 |
| 1.10.5.1 | Effect of chloroform extracts Ailanthus excelsa root bark on mechanical properties of rat heart | |
| 1.10.5.2 | Effect of chloroform extract of Ailanthus root bark and its isolates on electrophysiological characteristics of neonatal rat cardiomyocytes | |
| 1.10.5.3 | Effects of chloroform extract isolates on perinuclear and nuclear calcium level in H9c2 cells (Fluo-3/AM assay) | |
| 1.10.6 | Studies on compound isolated from root bark | 28 |
| 1.10.6.1 | In vitro antitumor activity for chloroform extract isolates | |
| 1.10.6.1.1 | Cell viability | |
| 1.10.6.1.2 | Tritiated thymidine ([3H]-TdR) incorporation assay | |
| 1.10.6.1.3 | Flow cytometry analysis of DNA content for cell cycle | |
| 1.10.6.1.4 | Annexin V-PI Staining For Apoptosis Detection | |
| 1.10.6.2 | In vivo antitumor activity | |
| 1.10.6.2.1 | Western blot analysis of tumor cells isolated from animals. | |
| 1.11 | Research envisaged | 30 |

| | | |
|----------------|--|--------------|
| 2 | CHAPTER II MATERIALS AND METHODS | 31-56 |
| 2.1 | MATERIALS | 31 |
| 2.1.1 | Plant material | |
| 2.1.2 | Chemicals | |
| 2.1.3 | Animals | |
| 2.2 | METHODS | 31 |
| 2.2.1 | Preparation of powdered material | |
| 2.2.3 | Elemental analysis | |
| 2.2.4 | Extraction of plant material | |
| 2.2.4.1 | Extraction of Ailanthus leaves | |
| 2.2.4.2 | Extraction of Ailanthus root bark | |
| 2.2.4.3 | Preparation of Alkaloidal fraction of root bark | |
| 2.2.4.4 | Extraction of Butea followers | |
| 2.2.5 | Qualitative chemical tests | |
| 2.2.6 | Evaluation of antioxidant activity | |
| 2.2.6.1 | In vitro methods | 32 |
| 2.2.6.1.1 | Determination of reducing power | |
| 2.2.6.1.2 | DPPH radical scavenging activity | |
| 2.2.6.1.3 | Superoxide anion radical scavenging activity | |
| 2.2.6.1.4 | Hydroxyl radical scavenging activity | |
| 2.2.6.1.5 | Nitric oxide radical scavenging activity | |
| 2.2.6.1.6 | Inhibition of Erythrocyte lysis | |
| 2.2.6.1.7 | Rapid screening for antioxidant compounds | |
| 2.2.6.1.8 | Determination of total phenolic content | |
| 2.2.6.2 | In vivo methods | 34 |
| 2.2.6.2.1 | Acute toxicity study | |
| 2.2.6.2.2 | Isoproterenol-induced myocardial infarction (MI) | |
| 2.2.6.2.2.1 | Estimation of endogenous antioxidant enzymes and LPO in heart homogenate | |
| 2.2.6.2.2.2 | Estimation of serum marker enzymes | |
| 2.2.6.2.3 | Isoproterenol induced hyperlipidemia | |
| 2.2.6.2.4 | Histopathological Studies | |

| | | |
|----------------|---|--------------|
| 2.2.6.3 | In vitro studies using H9c2 cell lines | 42-47 |
| 2.2.6.3.1 | Analysis of cell viability | |
| 2.2.6.3.2 | Effect of test material on reactive oxygen species | |
| 2.2.6.3.2.1 | Measurement of intracellular ROS | |
| 2.2.6.3.2.2 | Measurement of cellular superoxide (O ₂ ⁻) | |
| 2.2.6.3.2.3 | Measurement of endogenous nitric oxide (NO) | |
| 2.2.6.3.2.4 | Measurement of cellular peroxynitrite | |
| 2.2.6.3.2.5 | Measurement of mitochondrial membrane potential ($\Delta\Psi_m$) with TMRE | |
| 2.2.6.3.2.6 | Measurement of mitochondrial membrane potential ($\Delta\Psi_m$) with DiOC6 (3) | |
| 2.2.6.3.2.7 | Apoptosis detection by nuclear staining | |
| 2.2.7 | Antitumor activity for compound isolated from Ailanthus root bark | |
| 2.2.7.1 | In vitro methods for antitumor activity | 47-51 |
| 2.2.7.1.1 | Flow cytometry analysis of DNA content for cell cycle treated with different concentrations of AECHL-1 | |
| 2.2.7.1.2 | Annexin V-PI Staining For Apoptosis Detection | |
| 2.2.7.1.3 | Tritiated thymidine ([³ H]-TdR) incorporation assay | |
| 2.2.7.2 | In vivo methods for antitumor activity | 51-52 |
| 2.2.7.2.1 | Materials | |
| 2.2.7.2.2 | Method for antitumor activity | |
| 2.2.8 | Effect of chloroform extract of Ailanthus root bark (AECHL) on the haemodynamics of rats | 53 |
| 2.2.8 | Effect of compounds isolated from root bark on electrophysiological characteristics of the heart using neonatal rat cardiomyocytes | 53 |
| 2.2.8.1 | Isolation of neonatal rat cardiomyocytes | |
| 2.2.8.2 | Preparation of neonatal rat cardiomyocytes | |
| 2.2.8.3 | Effect of compounds isolated from Ailanthus root bark on mechanical properties of myocytes measured with IonOptix | |

| | | |
|---------------|---|----------------|
| 2.2.9 | Effect of compounds isolated from Ailanthus root bark on cytosolic and nuclear calcium in H9c2 cells (Fluo-3/AM assay) | 54 |
| 2.2.10 | Statistical Analysis of Data | 56 |
| 2.2.11 | TLC fingerprint profiles | 56 |
| 3 | CHAPTER III. RESULTS AND DISCUSSIONS | 57-232 |
| 3.1 | Part I- Studies on Ailanthus leaves | 57-92 |
| 3.2 | Part II –Studies on Ailanthus root bark | 92-179 |
| 3.3 | Part III- Studies on Butea flowers | 180-232 |
| 4 | CHAPTER IV. SUMMARY | 233-253 |
| 5 | CHAPTER V. REFERENCES | 254-265 |
| | ANNEXURE-I | |
| | LIST OF PUBLICATIONS | |