LIST OF FIGURES

Fig No	Description	Page No
	General Introduction	
1	The progression of atherosclerotic lesion formation according	15
	to the response to injury hypothesis of atherosclerosis.	
2	Schematic representation of the alterations induced in the	25
	adipose tissue in obesity.	
3	obesity associated with a state of low level systemic inflammation	28
	and dyslipidaemia leading eventually to atherosclerosis.	
4	Mechanism of adipose macrophage infiltration and the role of	32
	adipose inflammation in systemic insulin resistance.	
5	Adipocyte dysfunction and the involvement of adipokines in atheroscleros	is. 59
	Chapter-1	
1.1	Analysis of the weight of different adipose tissue from 4 and 12 weeks	74
	old db/db mice.	
1.2	Analysis of the expression of C/EBP α mRNA in WAT of C57BL/6	76
	and db/db mice at 4 and 12 weeks old.	
1.3	Analysis of the expression of PPAR γ mRNA in WAT of C57BL/6	76
	and db/db mice at 4 and 12 weeks old.	
1.4	Analysis of the expression of aP2 mRNA in WAT of C57BL/6	77
	and db/db mice at 4 and 12 weeks old.	
1.5	Analysis of the expression of LPL mRNA in WAT of C57BL/6	78
	and db/db mice at 4 and 12 weeks old.	
1.6	Analysis of the expression of adiponectin mRNA in WAT of	78
	C57BL/6 and db/db mice at 4 and 12 weeks old.	
1.7	Analysis of the expression of adipsin mRNA in WAT of	79
	C57BL/6 and db/db mice at 4 and 12 weeks old.	
1.8	Analysis of the expression of visfatin mRNA in WAT	79
	of C57BL/6 and db/db mice at 4 and 12 weeks old.	
1.9	Analysis of the expression of TNF alpha mRNA in WAT	80
	of C57BL/6 and db/db mice at 4 and 12 weeks old.	
1.10	Analysis of the expression of IL-6 mRNA in WAT of C57BL/6	81
	and db/db mice at 4 and 12 weeks old.	
1.11	Analysis of the expression of COX-2 mRNA in WAT of C57BL/6	81
	and db/db mice at 4 and 12 weeks old.	

.

1.12	Analysis of the expression of TLR-4 mRNA in WAT of C57BL/6	82
	and db/db_mice at 4 and 12 weeks old.	
1.13	Hematoxylin and eosin stains of visceral adipose tissue of mice	83
	Showing (magnification ×20). (Panel A) C57BL/6 (4 weeks)	
	animal (Panel B) db/db (4 weeks) animal (Panel C) C57BL/6	
	(12 weeks) animal (Panel D) db/db (12 weeks) animal	
	Chapter-2	
2.1	Analysis of the expression of TNF alpha (A), IL-6 (B), MCP-1 (C)	97
	TLR-4 (D) adiponectin (E) mRNA in WAT of C57BL/6 and db/db	
	mice after LPS challange.	
2.2	Analysis of the TNF alpha (A) IL-6 (B), MCP-1 (C) and IL-1 beta (D)	99
	and interferon gamma (E) adiponectin (F) in serum of C57BL/6	
	and db/db mice after LPS challenge using ELISA.	
2.3	Analysis of the expression of SOCS-3 (A) and PPAR gamma (B)	100
	mRNA in WAT of C57BL/6 and db/db mice after LPS challenge.	
2.4	Analysis of the expression of aP2 (A) and LPL (B) mRNA in WAT	101
	of C57BL/6 and db/db mice after LPS challenge.	
2.5	Analysis of the TNF alpha (A) IL-6 (B), MCP-1 (C), IL-1 beta (D)	103
	and IFN gamma (E) in whole blood derived from C57BL/6	
	and db/db mice after LPS incubation using ELISA.	
<u>Chapt</u>	<u>er-3</u>	
3.1	Effect of Pioglitazone treatment on serial glucose increase depicted as	117
	line graph after glucose load (A) and fasting serum insulin (B) of db/db mice.	
3.2	Effect of pioglitazone on the expression aP2 mRNA in WAT of db/db mice	119
3.3	Effect of pioglitazone on the expression LPL mRNA in WAT of db/db mice	119
3.4	Effect of pioglitazone on the expression adiponectin mRNA in WAT (A) and	120
	serum adiponectin (B) in db/db mice	
3.5	Effect of pioglitazone on the expression TNF alpha mRNA in WAT (A)	121
	and tissue TNF alpha (B) in db/db mice	
3.6	Effect of pioglitazone on the expression IL-6 mRNA in WAT (A) and	122
	tissue IL-6 levels (B) in db/db mice.	
3.7	Effect of pioglitazone on the expression resistin mRNA in WAT (A)	122
	and tissue resistin levels (B) in db/db mice.	
3.8	Effect of pioglitazone on the expression SOCS-3 mRNA in WAT in db/db mice.	123
<u>Chapt</u>	<u>er-4</u>	

4.1 Effects of rimonabant, on body weight (A) and fat pad (B) in ob/ob mice. 133

4.2	Effect of rimonabant treatment on serial glucose increase after	134
	glucose load in ob/ob mice.	
4.3	Effect of rimonabant on the expression of RBP-4 (A), adiponectin (B), TNF-	137
	alpha (C) and visfatin (D) mRNA in WAT of ob/ob mice is using q RT-PCR.	
Chap	<u>ter-5</u>	
5.1	Analysis of the expression of TNF alpha (A), MCP-1 (B), Adiponectin (C) RBP-	14
	4 (D) mRNA in WAT of C57BL/6 mice at different weeks of HF diet exposure.	
5.2	Acute dose response effect of rimonabant treatment on the LDL in HF fed	15
	C57BL/6 mice.	
5.3	Expression of RBP-4 mRNA in white adipose tissue of HF fed C57BL/6 mice,	15
	determined by quantitative real-time PCR.	
5.4	Acute effect of rimonabant treatment on the LDL (A) and	1
	total cholesterol (B) in HC fed ApoE3 mice.	
5.5	Expression of RBP-4 mRNA in aortic tissue of HF fed	15
	C57BL/6 mice determined by quantitative real-time PCR.	
5.6	Expression of RBP-4 (A) and MCP-1 (B) mRNA in aortic tissue of HC fed	15
	ApoE3 mice, determined by quantitative real-time PCR. Effect of HC diet	
	on the serum C Reactive Protein (C) and RBP-4 (D) levels in ApoE3 mice.	
5.7	Effect of rimonabant treatment on the expression of RBP-4 (A) and MCP-1(B)	1
	mRNA in aortic tissue of HC fed ApoE3 mice, determined by qRT-PCR.	

.