

## **Content of Tables**

<b>Title of Tables</b>	<b>Page No.</b>
<b>Table 1.1</b> <i>Anabaena</i> PCC 7120 genes unregulated during heterocyst formation.	6
<b>Table 1.2</b> <i>Anabaena</i> PCC 7120 genes down regulated during heterocyst formation.	6
<b>Table 1.3</b> Disrupting DNA elements of <i>Anabaena</i> PCC 7120 and their characteristics.	8
<b>Table 1.4</b> Characteristics features of <i>Anabaena</i> PCC 7120 site specific recombinases.	10
<b>Table 1.5</b> Members of tyrosine recombinase family.	14
<b>Table 1.6</b> Members of serine recombinase family.	14
<b>Table 1.7</b> Conservation of active site residues between members of YRs and topoisomerase IB.	21
<b>Table 1.8</b> Classification of Type II restriction endonucleases	23
<b>Table 1.9</b> Comparison between amino acid sequence of active site core of <i>EcoRII</i> and other members of tyrosine recombinase family	25
<b>Table 2.1</b> Plasmids used in the study	28
<b>Table 2.2</b> <i>E. coli</i> strains used in the study	33
<b>Table 2.3</b> Oligonucleotide primers used in the study.	34
<b>Table 2.4</b> Routine molecular biology techniques during the present study	35
<b>Table 3.1</b> Plasmids used in the study	39
<b>Table 3.2</b> <i>E. Coli</i> strains used in the study	39
<b>Table 3.3</b> Oligonucleotide primers used in the study	39
<b>Table 4.1</b> Plasmids used in the study	55
<b>Table 4.2</b> <i>E. coli</i> strains used in the study	55
<b>Table 4.3</b> Oligonucleotide primers used in the study	55
<b>Table 5.1</b> Plasmids used in the study	68
<b>Table 5.2</b> <i>E. coli</i> strains used in the study	69
<b>Table 5.3</b> Oligonucleotide primers used in the study	69
<b>Table 5.4</b> Combinations of primers used in amplification of <i>xisA</i> N-terminal truncation products.	71
<b>Table 6.1</b> Plasmids used in the study	85
<b>Table 6.2</b> <i>E. coli</i> strains used in the study	86
<b>Table 6.3</b> Oligonucleotide primers used in the study	87
<b>Table 6.4</b> Combinations of primers used in amplification of <i>xisA</i> gene <i>bLZ</i> deletion products.	88
<b>Table 7.1</b> Plasmids used in the study	99
<b>Table 7.2</b> <i>E. coli</i> strains used in the study.	99
<b>Table 7.3</b> Oligonucleotide primers used in the study.	100
<b>Table 7.4</b> Combination of various mutagenic primers used for mutating <i>pxisA1</i> .	102