

INDEX OF LATIN NAMES

(Synonyms are omitted)

|                                                   |     |                                            |     |
|---------------------------------------------------|-----|--------------------------------------------|-----|
| Abelmoschus Medik.                                | 121 | Achyranthes Linn.                          | 463 |
| esculentus (Linn.) Moench.                        | 121 | aspera Linn. var. porphyrostachya Hook. f. | 463 |
| manihot (Linn.) Medik.                            | 121 | Adansonia Linn.                            | 123 |
| Abrus Linn.                                       | 163 | digitata Linn.                             | 123 |
| precatorius Linn.                                 | 163 | Adhatoda Nees                              | 433 |
| Abutilon Gaertn.                                  | 104 | zeylanica Medic.                           | 433 |
| bidentatum Hochst. ex A. Rich.                    | 105 | Aegle Corr.                                | 138 |
| indicum (Linn.) Sweet                             | 105 | marmelos (Linn.) Corr.                     | 138 |
| pannosum (Forst.) Schlecht.                       | 106 | Aeluropus Trin.                            | 618 |
| Acacia Willd.                                     | 225 | lagopoides (Linn.) Trin. ex Thw.           | 618 |
| chundra Willd.                                    | 227 | Aerva Forsk.                               | 467 |
| nilotica (Linn.) Del. ssp. indica (Benth.) Brenan | 228 | lanata (Linn.) Juss.                       | 468 |
| senegal Willd.                                    | 227 | monsonese Mart.                            | 469 |
| tomentosa Willd.                                  | 229 | persica (Burm.) Merr.                      | 467 |
| torta (Roxb.) Craib                               | 225 | Aeschynomene Linn.                         | 203 |
| Acalypha Linn.                                    | 505 | indica Linn.                               | 203 |
| ciliata Forsk.                                    | 506 | AGAVACEAE                                  | 525 |
| indica Linn.                                      | 505 | Agave Linn.                                | 525 |
| wilkesiana Muell.-Arg.                            | 507 | americana Linn.                            | 525 |
| ACANTHACEAE                                       | 415 | Ageratum Linn.                             | 296 |
| Acanthospermum Schrank                            | 299 | conyzoides Linn.                           | 296 |
| hispidum DC.                                      | 299 | AIZOACEAE                                  | 265 |
| Acanthus Linn.                                    | 420 | Allamanda Linn.                            | 330 |
| ilicifolius Linn.                                 | 420 | cathartica Linn.                           | 330 |
|                                                   |     | ALANGIACEAE                                | 278 |

|                                     |     |                                            |     |
|-------------------------------------|-----|--------------------------------------------|-----|
| <i>Alangium</i> Lamk.               | 278 | <i>Amaranthus</i> Linn.                    | 471 |
| <i>salvifolium</i> (L.f.)Wang.      | 278 | <i>gangeticus</i> Linn. var.               | 474 |
| <i>Albizia</i> Durazz.              | 230 | <i>tristis</i> Prain.                      |     |
| <i>labbeck</i> (Linn.) Benth.       | 230 | <i>hybridus</i> Linn. ssp. <i>cruentus</i> | 472 |
| <i>Alhagi</i> Adans.                | 164 | (Linn.) Thell. var.                        |     |
| <i>pseudalhagi</i> (M. Bieb.) Desv. | 164 | <i>paniculatus</i> (Linn.) Thell.          |     |
| ALISMATACEAE                        | 546 | <i>spinosus</i> Linn.                      | 472 |
| <i>Allium</i> Linn.                 | 523 | <i>tricolor</i> Linn.                      | 473 |
| <i>cepa</i> Linn.                   | 524 | <i>viridis</i> Linn.                       | 474 |
| <i>sativum</i> Linn.                | 523 | AMARYLLIDACEAE                             | 523 |
| <i>Alloteropsis</i> Stapf           | 611 | <i>Ammannia</i> Linn.                      | 243 |
| <i>cimicina</i> (Linn.) Stapf       | 611 | <i>baccifera</i> Linn.                     | 244 |
| <i>Aloe</i> Linn.                   | 530 | <i>multiflora</i> Roxb.                    | 244 |
| <i>barbadensis</i> Mill.            | 530 | <i>pentandra</i> Roxb.                     | 243 |
| <i>Alternanthera</i> Forsk.         | 462 | <i>Ampelocissus</i> Planch.                | 147 |
| <i>pungens</i> H.B. & K.            | 462 | <i>latifolia</i> (Roxb.) Planch.           | 147 |
| <i>sessilis</i> (L.) DC.            | 463 | ANACARDIACEAE                              | 152 |
| <i>Alysicarpus</i> Desv.            | 172 | <i>Anethum</i> Linn.                       | 276 |
| <i>bupleurifolius</i> (L.) DC.      | 176 | <i>graveolens</i> Linn.                    | 276 |
| <i>glumaceus</i> (Vahl) DC.         | 174 | <i>Anisomeles</i> R. Br.                   | 451 |
| <i>longifolius</i> Wt. & Arn.       | 173 | <i>indica</i> (L.) Kuntze                  | 451 |
| <i>monilifer</i> (L.) DC.           | 177 | ANNONACEAE                                 | 74  |
| <i>procumbens</i> (Roxb.) Schind.   | 177 | <i>Annona</i> Linn.                        | 76  |
| <i>scariosus</i> Grah. ex Thw.      | 175 | <i>squamosa</i> Linn.                      | 76  |
| <i>tetragonolobus</i> Edgew.        | 175 | <i>Anogeissus</i> Wall.                    | 236 |
| <i>vaginalis</i> (Linn.) DC.        | 178 | <i>latifolia</i> (Roxb.) Bedd.             | 236 |
| AMARANTHACEAE                       | 459 | <i>Antigonon</i> Endl.                     | 484 |
|                                     |     | <i>leptopus</i> Hook. f. & Arn.            | 484 |
|                                     |     | APIACEAE (UMBELLIFERAE)                    | 274 |

|                               |     |                                         |     |
|-------------------------------|-----|-----------------------------------------|-----|
| <i>Apluda</i> Linn.           | 596 | <i>Asphodelus</i> Linn.                 | 531 |
| <i>mutica</i> Linn.           | 596 | <i>tenuifolius</i> Cav.                 | 531 |
| APOCYNACEAE                   | 326 | ASTERACEAE ( COMPOSITAE)                | 288 |
| ARACEAE                       | 544 | <i>Atriplex</i> Linn.                   | 477 |
| <i>Areca</i> Linn.            | 541 | <i>stocksii</i> Boiss.                  | 477 |
| <i>catechu</i> Linn.          | 541 | <i>Avicennia</i> Linn.                  | 436 |
| ARECACEAE ( PALMAE )          | 537 | <i>alba</i> Blume, Bijdr.               | 436 |
| <i>Argemone</i> Linn.         | 83  | AVICENNIACEAE                           | 436 |
| <i>mexicana</i> Linn.         | 83  | <i>Azadirachta</i> A. Juss.             | 142 |
| <i>Argyreia</i> Lour.         | 359 | <i>indica</i> A. Juss.                  | 142 |
| <i>nervosa</i> (Burm.f.) Boj. | 359 | <i>Bacopa</i> Aubl.                     | 397 |
| <i>Aristida</i> Linn.         | 632 | <i>monnieri</i> (L.) Pennell            | 397 |
| <i>adscensionis</i> Linn.     | 632 | BALSAMINACEAE                           | 136 |
| <i>funiculata</i> Trin.       | 633 | <i>Barleria</i> Linn.                   | 426 |
| <i>setacea</i> Retz.          | 632 | <i>cristata</i> Linn.                   | 427 |
| <i>Aristolochia</i> Linn.     | 484 | <i>prionitis</i> Linn.                  | 426 |
| <i>bracteolata</i> Lamk.      | 485 | <i>Basella</i> Linn.                    | 482 |
| ARISTOLOCHIACEAE              | 484 | <i>rubra</i> Linn.                      | 482 |
| <i>Artabotrys</i> R. Br.      | 75  | BASELLACEAE                             | 482 |
| <i>hexapetalus</i> (L.f.)     | 75  | <i>Basilicum</i> Moench.                | 450 |
| <i>Bhandari</i>               |     | <i>polystachyon</i> (L.) Moench.        | 450 |
| <i>Arthrocnemum</i> Moq.      | 477 | <i>Bauhinia</i> Linn.                   | 206 |
| <i>indicum</i> Moq.           | 477 | <i>racemosa</i> Lamk.                   | 206 |
| <i>Artocarpus</i> Forst.      | 515 | <i>Bergia</i> Linn.                     | 102 |
| <i>heterophyllus</i> Lamk.    | 515 | <i>ammannioides</i> Roxb.ex Roth        | 103 |
| ASCLEPIADACEAE                | 333 | <i>odorata</i> Edgew.                   | 102 |
| <i>Asparagus</i> Linn.        | 529 | <i>Bidens</i> Linn.                     | 297 |
| <i>racemosus</i> Willd. var.  | 529 | <i>biterata</i> (Lour.) Merr. & Sherff. | 297 |
| <i>javanica</i> (Kunth) Baker |     |                                         |     |

|                           |     |                              |     |
|---------------------------|-----|------------------------------|-----|
| BIGNONIACEAE              | 410 | Bougainvillea Comm.          | 456 |
| Biophytum DC.             | 135 | spectabilis Willd.           | 456 |
| sensitivum (L.) DC.       | 135 | Brachiaria Grieb.            | 609 |
| Blainvillea Cass.         | 296 | ramosa (L.) Stapf            | 609 |
| acmella (L.) Philipson    | 296 | Brassica Linn.               | 84  |
| Blastania Kotsch. & Peyr. | 251 | juncea (L.) Czern. & Coss.   | 84  |
| cerasiformis (Stocks)     | 251 | nigra Koch.                  | 85  |
| Meeuse                    |     | oleracea Linn. var. capitata | 85  |
| Blepharis Juss.           | 419 | Linn.                        |     |
| maderaspatis (Linn.)      | 419 | BRASSICACEAE                 | 83  |
| Heyne ex Roth             |     | Bridelia Willd.              | 507 |
| repens (Vahl) Roth        | 420 | squamosa (Lamk.) Gehrm.      | 507 |
| Blumea DC.                | 306 | Bruguiera Lamk.              | 234 |
| eriantha DC.              | 308 | gymnorhiza Lamk.             | 234 |
| mollis (D. Don) Merrill   | 308 | Bulbostylis Kunth            | 579 |
| obliqua (L.) Druce        | 306 | barbata (Rottb.) C.B.C.      | 579 |
| oxyodonta DC.             | 307 | Butea Roxb. ex Willd.        | 160 |
| Boerhavia Linn.           | 457 | monosperma (Lamk.) Taub.     | 160 |
| chinensis (L.) Druce      | 458 | BUTOMACEAE                   | 548 |
| diffusa Linn.             | 457 | CACTACEAE                    | 264 |
| verticillata Poir.        | 458 | Cadaba Forsk.                | 93  |
| BOMBACACEAE               | 122 | fruticosa (L.) Druce         | 93  |
| BORAGINACEAE              | 349 | Caesalpinia Linn.            | 217 |
| Borassus Linn.            | 538 | crista Linn.                 | 218 |
| flabellifer Linn.         | 538 | pulcherrima (Linn.) Swartz.  | 217 |
| Borreria C.F.W. Meyer     | 282 | CAESALPINIACEAE              | 205 |
| articulata (L.f.) Will.   | 282 | Caesulia Roxb.               | 295 |
| stricta (L.f.) Schum.     | 283 | axillaris Roxb.              | 295 |

|                                    |     |                                       |     |
|------------------------------------|-----|---------------------------------------|-----|
| <i>Cajanus</i> DC.                 | 199 | CARYOPHYLLACEAE                       | 97  |
| <i>cajan</i> (L.) Millsp.          | 199 | <i>Caryota</i> Linn.                  | 539 |
| <i>Callistemon</i> R. Br.          | 240 | <i>urens</i> Linn.                    | 539 |
| <i>lanceolatus</i> DC.             | 240 | <i>Cassia</i> Linn.                   | 206 |
| <i>Calotropis</i> R. Br.           | 336 | <i>absus</i> Linn.                    | 209 |
| <i>gigantea</i> (L.) R. Br.        | 336 | <i>auriculata</i> Linn.               | 212 |
| <i>procera</i> (Ait.) R. Br.       | 337 | <i>fistula</i> Linn.                  | 208 |
| <i>Canavalia</i> DC.               | 194 | <i>italica</i> (Mill.) Lam. ex Steud. | 211 |
| <i>gladiata</i> (Jacq.) DC.        | 194 | <i>occidentalis</i> Linn.             | 211 |
| <i>Canna</i> Linn.                 | 522 | <i>pumila</i> Lamk.                   | 210 |
| <i>flaccida</i> Salisb.            | 522 | <i>roxburghii</i> DC.                 | 208 |
| CANNACEAE                          | 522 | <i>siamea</i> Lamk.                   | 209 |
| <i>Canscora</i> Lamk.              | 346 | <i>tora</i> Linn.                     | 213 |
| <i>diffusa</i> R. Br.              | 346 | <i>Cassytha</i> Linn.                 | 487 |
| CAPPARACEAE                        | 90  | <i>filiformis</i> Linn.               | 487 |
| <i>Capparis</i> Linn.              | 90  | CASUARINA Linn.                       | 519 |
| <i>decidua</i> (Forsk.) Edgew.     | 91  | <i>equisetifolia</i> Linn.            | 519 |
| <i>grandis</i> Linn. f.            | 92  | CASUARINACEAE                         | 519 |
| <i>sepiaria</i> Linn.              | 91  | <i>Catheranthus</i> G. Don            | 327 |
| <i>Capillipedium</i> Stapf         | 598 | <i>roseus</i> (Linn.) G. Don          | 328 |
| <i>assimile</i> (Steud.) A. Camus. | 598 | <i>pusillus</i> (Murr.) G. Don        | 327 |
| <i>Capsicum</i> Linn.              | 390 | <i>Cayretia</i> Juss.                 | 149 |
| <i>annuum</i> Linn.                | 390 | <i>carnosa</i> (Lamk.) Gagnep.        | 149 |
| <i>Cardiospermum</i> Linn.         | 150 | CELASTRACEAE                          | 143 |
| <i>helicacabum</i> Linn.           | 150 | <i>Celosia</i> Linn.                  | 469 |
| <i>Carica</i> Linn.                | 247 | <i>argentea</i> Linn.                 | 469 |
| <i>papaya</i> Linn.                | 247 | <i>cristata</i> Linn.                 | 470 |
| CARICACEAE                         | 247 | <i>Cenchrus</i> Linn.                 | 612 |

|                                                                      |     |                                            |     |
|----------------------------------------------------------------------|-----|--------------------------------------------|-----|
| <i>biflorus</i> Roxb.                                                | 612 | <i>Cleistanthus</i> Hook. f.               | 508 |
| <i>ciliaris</i> Linn.                                                | 613 | <i>malabaricus</i> Muell.                  | 508 |
| <i>Centella</i> Linn.                                                | 275 | CLEOMACEAE                                 | 88  |
| <i>asiatica</i> (L.) Urban                                           | 275 | <i>Cleome</i> Linn.                        | 88  |
| <i>Centranthera</i> R. Br.                                           | 403 | <i>gynandra</i> Linn.                      | 88  |
| <i>indica</i> (L.) Gamble                                            | 403 | <i>viscosa</i> Linn.                       | 89  |
| <i>Centratherum</i> Cass.                                            | 315 | <i>Clerodendrum</i> Linn.                  | 444 |
| <i>anthelminticum</i> (Willd.)<br>O. K.                              | 315 | <i>inerme</i> (L.) Gaertn.                 | 442 |
| <i>Ceriops</i> Arnott.                                               | 233 | <i>multiflorum</i> (Burm. f.)<br>O. Kuntze | 445 |
| <i>Candolleana</i> Arn.                                              | 233 | <i>splendens</i> G. Don                    | 442 |
| CHENOPODIACEAE                                                       | 475 | <i>Clitoria</i> Linn.                      | 201 |
| <i>Chenopodium</i> Linn.                                             | 476 | <i>ternatea</i> Linn.                      | 201 |
| <i>album</i> Linn.                                                   | 476 | <i>Coccinia</i> Wt. & Arn.                 | 261 |
| <i>Chloris</i> Sw.                                                   | 625 | <i>grandis</i> (L.) Voigt.                 | 261 |
| <i>virgata</i> Sw.                                                   | 625 | <i>Cocculus</i> DC.                        | 78  |
| <i>Chrozophora</i> Juss.                                             | 502 | <i>hirsutus</i> (L.) Diels.                | 78  |
| <i>prostrata</i> Dalz.                                               | 502 | <i>Cocos</i> Linn.                         | 542 |
| <i>rottleri</i> (Geis.) Juss.                                        | 502 | <i>nucifera</i> Linn.                      | 542 |
| <i>Cicer</i> Linn.                                                   | 202 | <i>Coix</i> Linn.                          | 593 |
| <i>arietinum</i> Linn.                                               | 202 | <i>lachryma-jobi</i> Linn.                 | 593 |
| <i>Cissampelos</i> Linn.                                             | 78  | <i>Coldenia</i> Linn.                      | 354 |
| <i>pareira</i> Linn. var.<br><i>hirsuta</i> (Buch. ex DC.)<br>Forman | 78  | <i>procumbens</i> Linn.                    | 354 |
| <i>Cissus</i> Linn.                                                  | 148 | <i>Colocynthis</i> Mill.                   | 262 |
| <i>quadrangularis</i> Linn.                                          | 148 | <i>citrullus</i> (Linn.) O. Kuntze         | 263 |
| <i>Citrus</i> Linn.                                                  | 137 | <i>vulgaris</i> Schr.                      | 262 |
| <i>limon</i> (L.) Burm. f.                                           | 137 | COMBRETACEAE                               | 234 |

|                                              |     |                                           |     |
|----------------------------------------------|-----|-------------------------------------------|-----|
| Combretum Loef.                              | 237 | Crinum Linn.                              | 524 |
| ovalifolium Roxb.                            | 237 | asiaticum Linn.                           | 525 |
| Commelina Linn.                              | 532 | pratense Herbert                          | 525 |
| Benghalensis Linn.                           | 533 | Crotalaria Linn.                          | 185 |
| forskalii Vahl                               | 532 | juncea Linn.                              | 186 |
| undulata R. Br.                              | 534 | linifolia Linn. f.                        | 187 |
| COMMELINACEAE                                | 531 | medicaginea Lamk.                         | 188 |
| CONVOLVULACEAE                               | 357 | nottoni, Wight & Arn.                     | 189 |
| Convolvulus Linn.                            | 375 | retusa Linn.                              | 188 |
| microphyllus Sieb. ex Spreng.                | 375 | verrucosa Linn.                           | 186 |
| Corchorus Linn.                              | 130 | Cryptostegia R. Br.                       | 338 |
| aestuens Linn.                               | 133 | grandiflora R. Br.                        | 338 |
| capsularis Linn.                             | 133 | Cucumis Linn.                             | 256 |
| fascicularis Lamk.                           | 131 | callosus (Rottl.) Cogn. ex Cogn. & Harms. | 257 |
| olitorius Linn.                              | 131 | sativus Linn.                             | 256 |
| trilocularis Linn.                           | 132 | Cucurbita Linn.                           | 259 |
| Cordia Linn.                                 | 346 | maxima Duch.                              | 259 |
| dichotoma Forst. f.                          | 347 | CUCURBITACEAE                             | 250 |
| gharaf (Forsk.) E. & A.                      | 348 | Cuminum Linn.                             | 278 |
| sebestena Linn.                              | 347 | cuminum Linn.                             | 278 |
| CORDIACEAE                                   | 346 | Cuscuta Linn.                             | 379 |
| Coriandrum Linn.                             | 277 | chinensis Lamk.                           | 380 |
| sativum Linn.                                | 277 | reflexa Roxb.                             | 379 |
| Crateva Linn.                                | 94  | CUSCUTACEAE                               | 379 |
| edansonii DC. ssp. odora (Buch.-Ham.) Jacobs | 94  | Cyamopsis DC.                             | 202 |
| Cressa Linn.                                 | 371 | tetragonoloba (L.) Taub.                  | 202 |
| cretica Linn.                                | 371 | Cyanotis D. Don                           | 536 |
|                                              |     | axillaris Schult.                         | 536 |

|                                                                               |     |                                                              |     |
|-------------------------------------------------------------------------------|-----|--------------------------------------------------------------|-----|
| <i>Cyathocline</i> Cass.                                                      | 318 | <i>tegetum</i> Roxb.                                         | 562 |
| <i>purpurea</i> (Ham. ex D. Don) Kuntze                                       | 318 | <i>triceps</i> (Rottb.) Endl.                                | 556 |
| <i>Cymbopogon</i> Spreng.                                                     | 600 | <i>Dactyloctenium</i> Willd.                                 | 624 |
| <i>jwarancusa</i> (Jones) Schult.                                             | 600 | <i>aegyptium</i> (L.) Beauv.                                 | 624 |
| <i>Cynodon</i> Rich. ex Pers.                                                 | 626 | <i>Dalechampia</i> Linn.                                     | 490 |
| <i>dactylon</i> (L.) Pers.                                                    | 626 | <i>scandens</i> Linn. var. <i>cordofana</i> (Hochst.) Muell. | 490 |
| CYPERACEAE                                                                    | 552 | <i>Datura</i> Linn.                                          | 392 |
| <i>Cyperus</i> Linn.                                                          | 554 | <i>metel</i> Linn.                                           | 392 |
| <i>arenarius</i> Retz.                                                        | 560 | <i>Delonix</i> Raf.                                          | 215 |
| <i>bulbosus</i> Vahl                                                          | 563 | <i>elata</i> (L.) Gamble                                     | 216 |
| <i>compressus</i> Linn.                                                       | 562 | <i>regia</i> (Boj.) Raf.                                     | 216 |
| <i>difformis</i> Linn.                                                        | 559 | <i>Dendrocalamus</i> Nees                                    | 617 |
| <i>esculentus</i> Linn.                                                       | 565 | <i>strictus</i> Nees                                         | 617 |
| <i>flavidus</i> Retz.                                                         | 558 | <i>Dendrophthoe</i> Mart.                                    | 486 |
| <i>haspan</i> Linn.                                                           |     | <i>falcata</i> (L.f.) Ettings                                | 486 |
| <i>iris</i> Linn.                                                             | 566 | <i>Dentella</i> Forst.                                       | 280 |
| <i>iris</i> Linn. var. <i>iris</i> L.                                         | 567 | <i>repens</i> (L.) Forst.                                    | 280 |
| <i>iris</i> Linn. var. <i>paviflorus</i> (Nees) Miq.                          | 566 | <i>Deris</i> Lour.                                           | 162 |
| <i>laevigatus</i> Linn.                                                       | 558 | <i>indica</i> (Lamk.) Bennet.                                | 162 |
| <i>melchianus</i> (L.) Link. ssp. <i>pygmaeus</i> (Rottb.) Aschers. et Graeb. | 557 | <i>Desmodium</i> Desv.                                       | 179 |
| <i>pangorei</i> Rottb.                                                        | 568 | <i>gangeticum</i> (L.) DC.                                   | 179 |
| <i>squarrosus</i> Linn.                                                       | 561 | <i>laxiflorum</i> DC.                                        | 181 |
| <i>rectangularis</i> (Kulk.) Ben.                                             | 565 | <i>neo-mexicanum</i> A. Gray                                 | 181 |
| <i>rotundus</i> Linn.                                                         | 563 | <i>triflorum</i> (L.) DC.                                    | 180 |
| <i>rotundus</i> Linn. ssp. <i>tuberosus</i> (Rottb.) Kuk.                     | 564 | <i>Dichanthium</i> Willem.                                   | 599 |
|                                                                               |     | <i>annulatum</i> (Forsk.) Stapf                              | 599 |
|                                                                               |     | <i>Dichrostachys</i> (DC.) Wt. & Arn.                        | 224 |



|                                                 |     |                                                  |     |
|-------------------------------------------------|-----|--------------------------------------------------|-----|
| <i>cinerea</i> (L.) Wt. & Arn.                  | 224 | <i>Echinochloa</i> Beauv.                        | 606 |
| <i>Dicliptera</i> Juss.                         | 434 | <i>colonum</i> (L.) Link.                        | 606 |
| <i>verticillata</i> (Forsk.)<br>Christens       | 434 | <i>Echinops</i> Linn.                            | 293 |
| <i>Dicoma</i> Cass.                             | 294 | <i>echinatus</i> Roxb.                           | 293 |
| <i>tomentosa</i> Cass.                          | 294 | <i>Eclipta</i> Linn.                             | 298 |
| <i>Digera</i> Forsk.                            | 470 | <i>prostrata</i> (Linn.) Linn.                   | 298 |
| <i>muricata</i> (L.) Mart.                      | 470 | ELATINACEAE                                      | 102 |
| <i>Digitaria</i> Heist. ex Fabr.                | 610 | <i>Eleocharis</i> R. Br.                         | 569 |
| <i>ciliaris</i> (Retz.) Koeler.                 | 610 | <i>atropurpurea</i> (Retz.) Kunth                | 570 |
| <i>Dinebra</i> Jacq.                            | 618 | <i>dulcis</i> (Burm. f.) Trin. ex<br>Henschel    | 569 |
| <i>retroflexa</i> (Vahl) Panz.                  | 618 | <i>geniculata</i> (Linn.) Roem.<br>et Schult.    | 571 |
| <i>Dioscorea</i> Linn.                          | 527 | <i>Elytraria</i> Michaux                         | 418 |
| <i>bulbifera</i> Linn.                          | 527 | <i>acualis</i> (Linn. f.) Lindau                 | 418 |
| DIOSCOREACEAE                                   | 627 | <i>Elytrophorus</i> Beauv.                       | 623 |
| <i>Diospyros</i> Linn.                          | 324 | <i>spicatus</i> (Willd.) A. Camus                | 623 |
| <i>cordifolia</i> Roxb.                         | 324 | <i>Emblica</i> Gaertn.                           | 512 |
| <i>Diplocyclos</i> (Endl.) von<br>Post & Kuntze | 258 | <i>officinalis</i> Gaertn.                       | 512 |
| <i>palmatus</i> (L.) Jeffrey                    | 258 | <i>Emilia</i> Cass.                              | 315 |
| <i>Dipteracanthus</i> Nees                      | 424 | <i>sonchifolia</i> (L.) DC.                      | 315 |
| <i>patulus</i> (Jacq.) Nees                     | 425 | <i>Enicostema</i> Blume                          | 344 |
| <i>prostratus</i> (Poir) Nees                   | 425 | <i>hyssopifolium</i> (Willd.) Verd.              | 344 |
| <i>Dopatrium</i> Buch.-Ham.                     | 398 | <i>Eragrostis</i> P. Beauv.                      | 619 |
| <i>juncum</i> (Roxb.) Buch.-<br>Ham. ex Benth.  | 398 | <i>ciliaris</i> (L.) R. Br.                      | 620 |
| <i>Duranta</i> Linn.                            | 441 | <i>japonica</i> (Thunb.) Trin.                   | 622 |
| <i>repens</i> Linn.                             | 441 | <i>tenella</i> (L.) Beauv. ex<br>Roem. & Schult. | 621 |
| EBENACEAE                                       | 324 | <i>uniloides</i> (Retz.) Nees ex<br>Steud.       | 622 |

|                                     |     |                                 |     |
|-------------------------------------|-----|---------------------------------|-----|
| <i>viscosa</i> (Retz.) Trin.        | 620 | FABACEAE                        | 154 |
| ERIOCAULACEAE                       | 551 | <i>Ficus</i> Linn.              | 515 |
| <i>Eriocaulon</i> Linn.             | 551 | <i>amplissima</i> Sm.           | 516 |
| <i>sieboldianum</i> Sieb. & Zucc    | 551 | <i>benghalensis</i> Linn.       | 517 |
| ex Steud.                           |     | <i>hispida</i> Linn. f.         | 518 |
| <i>Eucalyptus</i> L'Herit.          | 241 | <i>racemosa</i> Linn.           | 518 |
| <i>globulus</i> Labill.             | 241 | <i>religiosa</i> Linn.          | 516 |
| <i>Euphorbia</i> Linn.              | 492 | <i>Fimbristylis</i> Vahl        | 571 |
| <i>dracunculoides</i> Lamk.         | 496 | <i>cymosa</i> R. Br.            | 576 |
| <i>erythroclada</i> Boiss.          | 498 | <i>dichotoma</i> (L.) Vahl      | 574 |
| <i>heterophylla</i> Linn.           | 495 | <i>ferruginea</i> (Linn.) Vahl  | 575 |
| <i>hirta</i> Linn.                  | 499 | <i>littoralis</i> Gaudich       | 70  |
| <i>hypericifolia</i> Linn.          | 497 | <i>miliacea</i> (L.) Vahl       | 578 |
| <i>microphylla</i> Heyne ex Roth    | 500 | <i>ovata</i> (Burm.f.) Kern.    | 577 |
| <i>neriifolia</i> Linn.             | 494 | <i>polytrichoides</i> R. Br.    | 573 |
| <i>perbractea</i> Gage              | 496 | <i>schoenoides</i> (Retz.) Vahl | 574 |
| <i>pulcherrima</i> Willd. ex Klotz. | 495 | <i>tenera</i> Roem. & Schult.   | 577 |
| <i>thymifolia</i> Linn.             | 500 | <i>tetragona</i> R. Br.         | 573 |
| <i>tirucalli</i> Linn.              | 494 | <i>Flaveria</i> Juss.           | 300 |
| <i>zorniioides</i> Boiss.           | 497 | <i>repanda</i> Lag.             | 300 |
| EUPHORBACEAE                        | 488 | <i>Foeniculum</i> Adans.        | 276 |
| <i>Evolvulus</i> Linn.              | 372 | <i>vulgare</i> Mill.            | 276 |
| <i>alsinoides</i> Linn.             | 373 | GENTIANACEAE                    | 343 |
| <i>nummularius</i> (L.) Linn.       | 372 | <i>Ciselia</i> Linn.            | 269 |
| <i>Exacum</i> Linn.                 | 344 | <i>pharnaceoides</i> Linn.      | 269 |
| <i>pedunculatum</i> Linn.           | 344 | <i>Glinus</i> Linn.             | 272 |
| <i>Excoecaria</i> Linn.             | 491 | <i>lotoides</i> Linn.           | 272 |
| <i>egallocha</i> Linn.              | 491 | <i>oppositifolius</i> (L.) DC.  | 272 |

|                                 |     |                                   |     |
|---------------------------------|-----|-----------------------------------|-----|
| <i>Gloriosa</i> Linn.           | 529 | <i>Hackelochloa</i> O. Kuntze     | 597 |
| <i>superba</i> Linn.            | 529 | <i>granularis</i> (L.) O. Kuntze  | 597 |
| <i>Glossocardia</i> Cass.       | 313 | <i>Hamelia</i> Jacq.              | 286 |
| <i>bosvalles</i> (L.f.) DC.     | 313 | <i>patens</i> Jacq.               | 286 |
| <i>Glycosmis</i> Correa.        | 139 | <i>Hedyotis</i> Linn.             | 281 |
| <i>pentaphylla</i> Corr.        | 139 | <i>corymbosa</i> (L.) Lamk.       | 281 |
| <i>Gnaphalium</i> Linn.         | 309 | <i>Helicteres</i> Linn.           | 124 |
| <i>luteo-album</i> Linn.        | 310 | <i>isora</i> Linn.                | 124 |
| <i>polycaulon</i> Persoon.      | 309 | <i>Heliotropium</i> Linn.         | 349 |
| <i>pulvinatum</i> Delile        | 311 | <i>curassavicum</i> Linn.         | 352 |
| <i>Gomphrena</i> Linn.          | 460 | <i>marifolium</i> Retz.           | 353 |
| <i>celosioides</i> Mart.        | 461 | <i>ovalifolium</i> Forsk.         | 351 |
| <i>globosa</i> Linn.            | 461 | <i>subulatum</i> Hochst. ex DC.   | 350 |
| <i>Coniogyne</i> DC.            | 165 | <i>supinum</i> Linn.              | 351 |
| <i>hirta</i> (Willd.) All       | 165 | <i>Hemidesmus</i> R. Br.          | 334 |
| <i>Gossypium</i> Linn.          | 113 | <i>indicus</i> (L.) Schultes      | 334 |
| <i>arboreum</i> Linn.           | 113 | <i>Hemigraphis</i> Nees           | 423 |
| <i>herbaceum</i> Linn.          | 113 | <i>latebrosa</i> (Heyne ex Roth)  | 423 |
| <i>Grangea</i> Adans.           | 312 | Nees var. <i>heyneana</i> Bremek. |     |
| <i>maderaspatana</i> (L.) Poir. | 312 | <i>Heteropogon</i> Pers.          | 603 |
| <i>Grevillea</i> R. Br.         | 485 | <i>contortus</i> (L.) Beauv.      | 603 |
| <i>robusta</i> A. Cunn.         | 485 | <i>Hibiscus</i> Linn.             | 114 |
| <i>Grewia</i> Linn.             | 127 | <i>cannabinus</i> Linn.           | 117 |
| <i>asiatica</i> Linn.           | 127 | <i>lobatus</i> (Murr.) O. Kuntze  | 120 |
| <i>tenax</i> (Forsk.) Foiri     | 127 | <i>ovalifolius</i> (Forsk.) Vahl  | 117 |
| <i>Habenaria</i> Willd.         | 527 | <i>panduræformis</i> Burm. f.     | 119 |
| <i>marginata</i> Coleb.         | 527 | <i>punctatus</i> Dalz.            | 118 |

|                                          |     |                                   |     |
|------------------------------------------|-----|-----------------------------------|-----|
| <i>rosa-sinensis</i> Linn.               | 116 | <i>linnaei</i> Ali                | 169 |
| <i>sabdariffa</i> Linn.                  | 115 | <i>oblongifolia</i> Forsk.        | 170 |
| <i>schizopetalus</i> (Mest.)<br>Hook. f. | 115 | <i>tinctoria</i> Linn.            | 171 |
| <i>tiliaceus</i> Linn.                   | 119 | <i>trita</i> Linn. f.             | 171 |
| <i>Hoppea</i> Willd.                     | 345 | <i>Indonessiella</i> Sreem.       | 435 |
| <i>dichotoma</i> Willd.                  | 345 | <i>echioides</i> (L.) Sreem.      | 435 |
| <i>Hybanthus</i> Jacq.                   | 94  | <i>Ipomoea</i> Linn.              | 359 |
| <i>enneaspermus</i> (L.) F. Muell.       | 95  | <i>aquatica</i> Forsk.            | 362 |
| <i>Hydrilla</i> Rich.                    | 520 | <i>cairica</i> (L.) Sweet.        | 371 |
| <i>verticillata</i> (L.f.) Royle         | 520 | <i>coptica</i> (L.) Roth          | 368 |
| HYDROCHARITACEAE                         | 520 | <i>dichros</i> (Ret. Sch.) Choisy | 365 |
| <i>Hygrophila</i> R. Br.                 | 421 | <i>eriocarpa</i> R. Br.           | 364 |
| <i>auriculata</i> (Schumacher)<br>Heine  | 421 | <i>fistulosa</i> Mart. ex Choisy  | 363 |
| <i>serpyllum</i> (Nees) T. Anders.       | 422 | <i>muricata</i> (L.) Jacq.        | 361 |
| <i>Hyphaene</i> Gaertn.                  | 538 | <i>nil</i> (L.) Roth              | 370 |
| <i>indica</i> Becc.                      | 538 | <i>obscura</i> (L.) Ker-Gawl.     | 366 |
| <i>Hyptis</i> Jacq.                      | 451 | <i>pes-caprae</i> (L.) R. Br.     | 367 |
| <i>suaveolens</i> (L.) Poit.             | 451 | <i>pes-tigridis</i> Linn.         | 369 |
| <i>Iberis</i> Linn.                      | 88  | <i>sepiaria</i> Koenig ex Roxb.   | 367 |
| <i>umbellata</i> Linn.                   | 88  | <i>sindica</i> Stapf              | 365 |
| <i>Impatiens</i> Linn.                   | 136 | <i>Ischaemum</i> Linn.            | 595 |
| <i>balsamina</i> Linn.                   | 136 | <i>pilosum</i> Hack.              | 595 |
| <i>Indigofera</i> Linn.                  | 166 | <i>rugosum</i> Salisb.            | 595 |
| <i>astragalina</i> DC.                   | 172 | <i>Iseilema</i> Anders.           | 601 |
| <i>cordifolia</i> Heyne ex Roth          | 168 | <i>anthephroides</i> Hack.        | 601 |
| <i>glandulosa</i> Roxb. ex Willd.        | 169 | <i>prostratum</i> (L.) Anders.    | 601 |
| <i>linifolia</i> (L.f.) Retz.            | 167 | <i>Ixora</i> Linn.                | 286 |
|                                          |     | <i>arbores</i> Roxb. ex Smith     | 287 |

|                                                         |     |                                        |     |
|---------------------------------------------------------|-----|----------------------------------------|-----|
| <i>coccinea</i> Linn.                                   | 287 | <i>Lawsonia</i> Linn.                  | 245 |
| <i>Jacquemontia</i> Choisy                              | 374 | <i>inermis</i> Linn.                   | 245 |
| <i>paniculata</i> (Burm.f.) Hallf                       | 374 | <i>Leea</i> Linn.                      | 150 |
| <i>Jatropha</i> Linn.                                   | 503 | <i>macrophylla</i> Roxb. ex Hornem.    | 150 |
| <i>curcas</i> Linn.                                     | 503 | LBEACEAE                               | 150 |
| <i>gossypifolia</i> Linn.                               | 504 | <i>Lemna</i> Linn.                     | 546 |
| <i>Justicia</i> Linn.                                   | 430 | <i>gibba</i> Linn.                     | 546 |
| <i>diffusa</i> Willd.                                   | 431 | LEMNACEAE                              | 545 |
| <i>micrantha</i> Heyne ex Wall.                         | 430 | <i>Leonotis</i> Pers.                  | 455 |
| <i>procumbens</i> var. <i>simplex</i> (D. Don) Yamazaki | 432 | <i>nepetaefolia</i> (L.f.) R.Br.       | 455 |
| <i>prostrata</i> (Clarke) Gamble                        | 431 | <i>Lepidagathis</i> Willd.             | 427 |
| <i>Kickxia</i> Dumort.                                  | 404 | <i>trinervis</i> Wall. ex Nees         | 427 |
| <i>ramosissima</i> (Wall.) Janch.                       | 404 | <i>Lepidium</i> Linn.                  | 87  |
| <i>Kirganelia</i> Baill.                                | 511 | <i>sativum</i> Linn.                   | 87  |
| <i>reticulata</i> (Poir.) Baill.                        | 511 | <i>Leptadenia</i> R. Br.               | 335 |
| <i>Labea</i> Adans.                                     | 198 | <i>reticulata</i> (Retz.) Wight & Arn. | 335 |
| <i>purpureus</i> (L.) Sweet                             | 198 | <i>Leucas</i> R. Br.                   | 452 |
| <i>Lagenaria</i> Ser.                                   | 264 | <i>aspera</i> (Willd.) Spreng.         | 453 |
| <i>siceraria</i> (Mol.) Standl.                         | 264 | <i>biflora</i> R. Br.                  | 453 |
| LAMIACEAE                                               | 446 | <i>capitata</i> Desf.                  | 454 |
| <i>Lantana</i> Linn.                                    | 439 | <i>stricta</i> Benth.                  | 455 |
| <i>camara</i> Linn. var. <i>aculeata</i> (L.) Moldenke  | 439 | LILIACEAE                              | 528 |
| <i>Launaea</i> Cass.                                    | 302 | <i>Limnophila</i> R. Br.               | 396 |
| <i>fallax</i> (Jaub. & Spach.) Kuntze                   | 302 | <i>indica</i> (L.) Druce               | 396 |
| <i>pinnatifida</i> Cass.                                | 303 | <i>Limnophyton</i> Miq.                | 546 |
| LAURACEAE                                               |     | <i>obtusifolium</i> (L.) Miq.          | 546 |

|                                          |     |                                       |     |
|------------------------------------------|-----|---------------------------------------|-----|
| <i>Limonia</i> Linn.                     | 138 | <i>Mangifera</i> Linn.                | 152 |
| <i>acidissima</i> Linn.                  | 138 | <i>indica</i> Linn.                   | 152 |
| <i>Lindenbergia</i> Lehm.                | 404 | <i>Manilkara</i> Adans.               | 322 |
| <i>muraria</i> (Roxb.) P.Bruch.          | 404 | <i>hexandra</i> (Roxb.) Dubard        | 322 |
| <i>Lindernia</i> All.                    | 406 | <i>zapota</i> (L.) Van Royen          | 322 |
| <i>ciliata</i> (Colson.) Pennell         | 408 | <i>Martynia</i> Linn.                 | 415 |
| <i>crustacea</i> (L.) F.Muell.           | 407 | <i>annua</i> Linn.                    | 415 |
| <i>oppositifolia</i> (Retz.)<br>Mukerjee | 40  | MARTYNIACEAE                          | 415 |
| <i>perviflora</i> (Roxb.) Haines         | 407 | <i>Maytenus</i> Molina                | 143 |
| LORANTHACEAE                             | 486 | <i>emerginata</i> (Willd.) Ding Hou   | 143 |
| <i>Ludwigia</i> Linn.                    | 248 | <i>Medicago</i> Linn.                 | 201 |
| <i>perennis</i> Linn.                    | 248 | <i>sativa</i> Linn.                   | 201 |
| <i>Luffa</i> Cav.                        | 252 | <i>Melanocenchris</i> Nees            | 624 |
| <i>acutangula</i> (L.) Roxb.             | 252 | <i>jacquemontii</i> Jaub. & Spach     | 624 |
| <i>amara</i> (Roxb.) C.B.C.              |     | <i>Melia</i> Linn.                    | 142 |
| <i>cylindrica</i> (L.) Roem.             | 253 | <i>azedarach</i> Linn.                | 142 |
| <i>Lycium</i> Linn.                      | 392 | MELIACEAE                             | 141 |
| <i>barbarum</i> Linn.                    | 392 | <i>Melochia</i> Linn.                 | 126 |
| <i>Lycopersicon</i> Mill.                | 389 | <i>corchorifolia</i> Linn.            | 126 |
| <i>esculentum</i> Miller.                | 389 | MENISPERMACEAE                        | 77  |
| LYTHRACEAE                               | 242 | MENYANTHACEAE                         | 341 |
| <i>Madhuca</i> J.F.Gmel.                 | 321 | <i>Merremia</i> Dennst. ex Hallier f. | 375 |
| <i>indica</i> Gmel.                      | 321 | <i>aegyptia</i> (L.) Urban            | 378 |
| <i>Maerua</i> Forsk.                     | 92  | <i>gangetica</i> (L.) Cufodontis      | 376 |
| <i>oblongifolia</i> A. Rich.             | 92  | <i>quinquefolia</i> (L.) Hall f.      | 378 |
| MAGNOLIACEAE                             | 74  | <i>tridentata</i> (L.) Hall f.        | 377 |
| MALVACEAE                                | 103 | <i>Michelia</i> Linn.                 |     |

|                           |     |                                                        |     |
|---------------------------|-----|--------------------------------------------------------|-----|
| chamapa Linn.             |     | Mukia Arn.                                             | 259 |
| Millingtonia Linn. f.     | 411 | maderaspatana (L.) Roem.                               | 259 |
| hortensis Linn. f.        | 411 | Murdannia Royle                                        | 534 |
| Mimosa Linn.              | 221 | nudiflora (L.) Brenan                                  | 535 |
| hamata Willd.             | 222 | spirata (L.) Bruckn.                                   | 535 |
| pudica Linn.              | 221 | Murraya Linn.                                          | 140 |
| MIMOSACEAE                | 218 | koenigii (L.) Spreng                                   | 140 |
| Mimusops Linn.            | 323 | paniculata (L.) Jack.                                  | 141 |
| olengi Linn.              | 323 | MYRTACEAE                                              | 238 |
| Mitragyna Korth.          | 284 | NAJADACEAE                                             | 550 |
| pervifolia (Roxb.) Korth. | 284 | Najas Linn.                                            | 550 |
| MOLLUGINACEAE             | 270 | marina Linn. var. muricata<br>(Del.) R.Br. ex K.Schum. | 551 |
| Mollugo Linn.             | 270 | minor All.                                             | 550 |
| cerviana (L.) Ser.        | 271 | Nelumbo Adans.                                         | 82  |
| nudicaulis Lamk.          | 270 | nucifera Gaertn.                                       | 82  |
| pentaphylla Linn.         | 271 | NELUMBONACEAE                                          | 82  |
| Momordica Linn.           | 254 | Neptunia Lour.                                         | 219 |
| balsamina Linn.           | 255 | prostrata (Lamk.) Baill.                               | 219 |
| charantia Linn.           | 256 | triquetra (Willd.) Benth.                              | 220 |
| dioica Roxb.              | 254 | Nerium Linn.                                           | 332 |
| MONOCOTYLEDONS            | 520 | indicum Mill.                                          | 332 |
| MORACEAE                  | 514 | Nicotiana Linn.                                        | 393 |
| Morinda Linn.             | 283 | tabacum Linn.                                          | 393 |
| tomentosa Heyne ex Roth   | 283 | Nothosaerva Wight                                      | 465 |
| Moringa Adans.            | 153 | brachiata (L.) Wight                                   | 465 |
| concanensis Nimmo         | 153 | NYCTAGINACEAE                                          | 456 |
| oleifera Lamk.            | 153 | Nymphaea Linn.                                         | 80  |
| MORINGACEAE               | 153 | nouchali Burm. f.                                      | 81  |

|                                            |     |                           |     |
|--------------------------------------------|-----|---------------------------|-----|
| pubescens Willd.                           | 80  | Ottelia Pers.             | 522 |
| NYMPHAEACEAE                               | 80  | alismoides (L.) Pers.     | 522 |
| Nymphoides Medic.                          | 341 | OXALIDACEAE               | 135 |
| cristatum (Roxb.) O.Kuntze                 | 342 | Oxalis Linn.              | 135 |
| indicum (L.) O. Kuntze                     | 342 | corniculata Linn.         | 135 |
| Ocimum Linn.                               | 447 | PANDANACEAE               | 543 |
| americanum Linn.                           | 449 | Pandanus Linn. f.         | 543 |
| basilicum Linn. var.<br>thrysiflora Benth. | 449 | odoratissimes Linn. f.    | 543 |
| gratissimum Linn.                          | 447 | PAPAVERACEAE              | 83  |
| sanctum Linn.                              | 448 | Parkinsonia Linn.         | 214 |
| Oligochaeta C. Koch                        | 319 | aculeata Linn.            | 214 |
| ramosa (Roxb.) Wagen                       | 319 | Passiflora Linn.          | 250 |
| ONAGRACEAE                                 | 248 | foetida Linn.             | 250 |
| Ophiuros Gaertn. f.                        | 598 | PASSIFLORACEAE            | 250 |
| exaltatus (L.) O. Kuntze                   | 598 | Paspalidium Stapf         | 607 |
| Oplismenus Beauv.                          | 606 | flavidum (Retz.) A. Camus | 607 |
| burmanii (Retz.) Beauv.                    | 606 | Paspalum Linn.            | 609 |
| Opuntia Mill.                              | 264 | scrobiculatum Linn.       | 609 |
| elatior Mill.                              | 264 | Pavonia Cav.              | 111 |
| ORCHIDACEAE                                | 526 | zeylanica Cav.            | 111 |
| OROBANCHACEAE                              | 409 | PEDALIACEAE               | 413 |
| Orobanche Linn.                            | 409 | Pedaliium Linn.           | 413 |
| cernua Loefl. var.<br>nepalensis DC.       | 409 | murex Linn.               | 413 |
| Oryza Linn.                                | 626 | Pedilanthus Neck.         | 501 |
| coarctata Roxb.                            | 628 | tithymaloides (L.) Poit.  | 501 |
| sativa Linn.                               | 627 | Pletophorum Vogel         | 214 |
| rufipogon Griff.                           | 627 | inerme (Roxb.) Naves      | 214 |
|                                            |     | Pennisetum Rich.          | 611 |



|                                          |     |                                                                     |     |
|------------------------------------------|-----|---------------------------------------------------------------------|-----|
| <i>typhoides</i> (Burm.) Stapf & Hubbard | 611 | <i>simplex</i> Retz.                                                | 510 |
| <i>Pentstemon</i> Wt. & Arn.             | 340 | <i>Physalis</i> Linn.                                               | 382 |
| <i>spiralis</i> (Forsk.) Decaisne        | 340 | <i>longifolia</i> Nutt.                                             | 383 |
| <i>Peperomia</i> Ruiz. & Pavon.          | 487 | <i>minima</i> Linn.                                                 | 382 |
| <i>pellucida</i> (L.) H.B. & K.          | 487 | <i>Pimpinella</i> Linn.                                             | 275 |
| <i>Pergularia</i> Linn.                  | 337 | <i>heyneana</i> Wall.                                               | 275 |
| <i>daemia</i> (Forsk.) Chiov.            | 337 | PIPERACEAE                                                          | 487 |
| <i>Peristrophe</i> Nees                  | 434 | <i>Pistia</i> Linn.                                                 | 544 |
| <i>bicalyculata</i> (Retz.) Nees         | 434 | <i>stratiotes</i> Linn.                                             | 544 |
| <i>Perotis</i> Ait.                      | 634 | <i>Pithecellobium</i> Mart.                                         | 229 |
| <i>indica</i> (L.) Kuntze.               | 634 | <i>dulce</i> (Roxb.) Benth.                                         | 229 |
| <i>Petrea</i> Linn.                      | 440 | PLUMBAGINACEAE                                                      | 320 |
| <i>volubilis</i> Linn.                   | 440 | <i>Plumbago</i> Linn.                                               | 320 |
| <i>Petunia</i> Juss.                     | 391 | <i>zeylanica</i> Linn.                                              | 320 |
| <i>hybrida</i> Hort. ex Vilm.            | 391 | <i>Plumeria</i> Linn.                                               | 331 |
| <i>Phaseolus</i> Linn.                   | 190 | <i>rubra</i> L. forma <i>acuminata</i> (Ait.) Sant. & Irani ex Shah | 331 |
| <i>aconitifolius</i> Jacq.               | 192 | POACEAE (GRAMINEAE)                                                 | 587 |
| <i>angularis</i> (Willd.) Wight          | 193 | <i>Polyalthia</i> Blume                                             | 76  |
| <i>radiatus</i> Linn.                    | 193 | <i>longifolia</i> (Sonner.) Thw.                                    | 76  |
| <i>trilobus</i> Ait.                     | 192 | <i>Polycarpaea</i> Lamk.                                            | 98  |
| <i>vulgaris</i> Linn.                    | 191 | <i>corymbosa</i> (L.) Lamk.                                         | 98  |
| <i>Phoenix</i> Linn.                     | 540 | <i>Polycarpon</i> Linn.                                             | 97  |
| <i>sylvestris</i> (L.) Roxb.             | 540 | <i>prostratum</i> (Forsk.) Aschers                                  | 97  |
| <i>Phyla</i> Lour.                       | 438 | <i>Polygala</i> Linn.                                               | 95  |
| <i>nodiflora</i> (L.) Greene             | 438 | <i>arvensis</i> Willd.                                              | 96  |
| <i>Phyllanthus</i> Linn.                 | 509 | <i>erioptera</i> DC.                                                | 96  |
| <i>asperulatus</i> Hutch.                | 511 | POLYGALACEAE                                                        | 95  |
| <i>maderaspatensis</i> Linn.             | 510 |                                                                     |     |

|                       |     |                                |     |
|-----------------------|-----|--------------------------------|-----|
| Polygonum Linn.       | 483 | PUNIACACEAE                    | 247 |
| plebeium R. Br.       | 483 | Pupalia Juss.                  | 466 |
| POLYGONACEAE          | 483 | atropurpurea Moq.              | 466 |
| Portulaca Linn.       | 99  | leppacea (L.) Juss.            | 466 |
| oleracea Linn.        | 99  | Pycneus Palisot de Beauv.      | 553 |
| quadrifida Linn.      | 100 | pumilus (L.) Nees              | 553 |
| PORTULACACEAE         | 99  | Pyrostegia Presl.              | 412 |
| Potamogeton Linn.     | 548 | ignea Presl.                   | 412 |
| pectinatus Linn.      | 549 | Quisqualis Linn.               | 238 |
| perfoliatus Linn.     | 549 | indica Linn.                   | 238 |
| POTAMOGETONACEAE      | 548 | Raphanus Linn.                 | 86  |
| Pouzolzia Gaud.       | 513 | sativus Linn.                  | 86  |
| zeylanica (L.) Benn.  | 513 | sativus Linn. var. caudatus L. | 87  |
| Prosopis Linn.        | 222 | RHAMNACEAE                     | 144 |
| cineraria (L.) Druce  | 223 | Rhizophora Linn.               | 232 |
| juliflora (Sw.) DC.   | 222 | mucronata Lamk.                | 232 |
| PROTEACEAE            | 485 | RHIZOPHORACEAE                 | 232 |
| Psidium Linn.         | 239 | Rhynchosia Lour.               | 196 |
| guajava Linn.         | 239 | capitata DC.                   | 197 |
| Psilostachys Hochst.  | 464 | minima (L.) DC.                | 196 |
| sericea Hook. f.      | 464 | minima var. laxiflora Baker    | 196 |
| Psoralea Linn.        | 165 | Rhynchospora Vahl              | 585 |
| -corylifolia Linn.    | 168 | wightiana Steud.               | 585 |
| Pulicaria Gaertn.     | 303 | Ricinus Linn.                  | 504 |
| angustifolia DC.      | 304 | communis Linn.                 | 504 |
| crispa (Forsk.) Oliv. | 304 | Rivesa Choisy                  | 358 |
| Punica Linn.          | 247 | hypocrateriformis Choisy       | 358 |
| granatum Linn.        | 247 | Rotala Linn.                   | 242 |

|                                           |     |                                                                  |     |
|-------------------------------------------|-----|------------------------------------------------------------------|-----|
| <i>serpyllifolia</i> (Roth) Bremk         | 242 | <i>Scirpus</i> Linn.                                             | 580 |
| <i>Roystonea</i> O.F. Cooke               | 541 | <i>articulatus</i> Linn.                                         | 583 |
| <i>regia</i> (H.B. & K.) O.F. Cooke       | 541 | <i>lateriflorus</i> Gmel.                                        | 584 |
| RUBIACEAE                                 | 279 | <i>littoralis</i> Schrad. var.<br><i>subulatus</i> (Vahl) Chiov. | 582 |
| <i>Ruellia</i> Linn.                      | 424 | <i>maritimus</i> Linn.                                           | 581 |
| <i>tuberosa</i> Linn.                     | 424 | <i>roylei</i> (Nees) Parker                                      | 583 |
| <i>Rungia</i> Nees                        | 428 | <i>strobilinus</i> Roxb.                                         | 585 |
| <i>pectinata</i> (L.) Nees                | 429 | <i>Scleria</i> Berg.                                             | 586 |
| <i>repens</i> (Linn.) Nees                | 428 | <i>parvula</i> Steudel.                                          | 586 |
| RUTACEAE                                  | 137 | <i>Sclerocarpus</i> Jacq.                                        | 301 |
| <i>Saccharum</i> Linn.                    | 594 | <i>africanus</i> Jacq.                                           | 301 |
| <i>officinatum</i> Linn.                  | 594 | SCROPHULARIACEAE                                                 | 394 |
| <i>spontaneum</i> Linn.                   | 595 | <i>Securinea</i> Juss.                                           | 509 |
| <i>Salicornia</i> Linn.                   | 478 | <i>virosa</i> (Roxb. ex Willd.)<br>Pax. & Hoffm.                 | 509 |
| <i>brechiata</i> Roxb.                    | 478 | <i>Sericostema</i> Stocks.                                       | 356 |
| <i>Salmelia</i> Scholt. & End.            | 122 | <i>pauciflorum</i> Stocks.                                       | 356 |
| <i>malabarica</i> (DC.) Scholt.<br>& End. | 122 | <i>Sesamum</i> Linn.                                             | 414 |
| <i>Sagittaria</i> Linn.                   | 547 | <i>indicum</i> Linn.                                             | 414 |
| <i>sagittifolia</i> Linn.                 | 547 | <i>Sesbania</i> Scop.                                            | 160 |
| <i>Salvadora</i> Linn.                    | 325 | <i>bispinosa</i> (Jacq.) W.F. Wight                              | 162 |
| <i>persica</i> Linn.                      | 325 | <i>grandiflora</i> Pers.                                         | 161 |
| <i>oleoides</i> Decne.                    | 326 | <i>sesban</i> (L.) Merr. var. <i>picta</i><br>(Prain) Santapau   | 161 |
| SALVADORACEAE                             | 325 | <i>Sesuvium</i> Linn.                                            | 266 |
| SAPINDACEAE                               | 150 | <i>Portulacastrum</i> Linn.                                      | 266 |
| <i>Sapindus</i> Linn.                     | 151 | <i>Setaria</i> Beauv.                                            | 604 |
| <i>emarginatus</i> Vahl                   | 151 | <i>glauca</i> (Linn.) Beauv.                                     | 605 |
| SAPOTACEAE                                | 320 | <i>tomentosa</i> (Roxb.) Kuntz.                                  | 605 |
| <i>Sarcostemma</i> R. Br.                 | 339 |                                                                  |     |
| <i>secamone</i> (L.) Bennet               | 339 |                                                                  |     |

|                                  |     |                                      |     |
|----------------------------------|-----|--------------------------------------|-----|
| <i>Sida</i> Linn.                | 107 | <i>Spinifex</i> Linn.                | 604 |
| <i>acuta</i> Burm. f.            | 109 | <i>littoreus</i> (Burm.f.) Merr.     | 604 |
| <i>alba</i> Linn.                | 108 | <i>Spirodela</i> Schleid.            | 545 |
| <i>cordata</i> (Burm. f.) Bross. | 107 | <i>polyrhiza</i> (L.) Schleid.       | 545 |
| <i>cordifolia</i> Linn.          | 110 | <i>Sporobolus</i> R. Br.             | 629 |
| <i>rhombifolia</i> Linn. var.    | 108 | <i>diander</i> (Retz.) Beauv.        | 630 |
| <i>retusa</i> Masters            |     | <i>helvolus</i> (Trin.) Dur. et      | 630 |
| <i>Smithia</i> Ait.              | 204 | Schinz.                              |     |
| <i>conferta</i> Smith            | 204 | <i>marginatus</i> Hochst. ex A. Rich | 631 |
| SOLANACEAE                       | 380 | <i>Stachytarpheta</i> Vahl           | 440 |
| <i>Solanum</i> Linn.             | 384 | <i>urticaefolia</i> (Salisb.) Sims.  | 440 |
| <i>melougana</i> Linn.           | 386 | <i>Stemodia</i> Linn.                | 405 |
| <i>nigrum</i> Linn.              | 389 | <i>viscosa</i> Roxb.                 | 405 |
| <i>purpureilineatum</i> Sahnis   | 388 | STERCULIACEAE                        | 124 |
| & Bhatt                          |     | <i>Streblus</i> Lour.                | 514 |
| <i>roxburghii</i> Dunal          | 388 | <i>asper</i> Lour.                   | 514 |
| <i>surattense</i> Burm. f.       | 385 | <i>Striga</i> Lour.                  | 400 |
| <i>trilobatum</i> Linn.          | 387 | <i>angustifolia</i> (Don) Saldanha   | 401 |
| <i>Sonchus</i> Linn.             | 312 | <i>densiflora</i> Benth.             | 401 |
| <i>oleraceus</i> Linn.           | 312 | <i>gesneroides</i> (Willd.) Vatke    | 402 |
| <i>Sonneratia</i> Linn.          | 246 | <i>Suaeda</i> Forsk.                 | 479 |
| <i>apetala</i> B. Ham.           | 246 | <i>fruticosa</i> Forsk.              | 479 |
| SONNERATIACEAE                   | 246 | <i>maritima</i> Dumort.              | 481 |
| <i>Sopubia</i> Buch.-Ham.        | 399 | <i>monoica</i> Forsk.                | 481 |
| <i>delphinifolia</i> (Roxb.)     | 399 | <i>nudiflora</i> Moq.                | 480 |
| G. Don                           |     | <i>Synedrella</i> Gaertn.            | 300 |
| <i>Sphaeranthus</i> Linn.        | 317 | <i>nodiflora</i> (L.) Gaertn.        | 300 |
| <i>indicus</i> Linn.             | 317 |                                      |     |

|                                               |     |                                     |     |
|-----------------------------------------------|-----|-------------------------------------|-----|
| <i>Syzygium</i> Gaertn.                       | 240 | <i>crenulata</i> Roth               | 235 |
| <i>cumini</i> (L.) Skeels                     | 240 | <i>Themeda</i> Forssk.              | 602 |
| <i>Tabernaemontana</i> Linn.                  | 332 | <i>quadrivalvis</i> (L.) O.Kuntze   | 602 |
| <i>divaricata</i> (L.) R. Br.                 | 332 | <i>triandra</i> Forssk.             | 603 |
| TAMARICACEAE                                  | 100 | <i>Thespesia</i> Soland.            | 112 |
| <i>Tamarindus</i> Linn.                       | 213 | <i>populnea</i> (L.) Soland ex Corr | 112 |
| <i>indica</i> Linn.                           | 213 | <i>Thevetia</i> Linn.               | 330 |
| <i>Tamarix</i> Linn.                          | 100 | <i>peruviana</i> (Pers.) Merr.      | 330 |
| <i>ericoides</i> Rottl.                       | 100 | TILIACEAE                           | 126 |
| <i>gallica</i> Linn.                          | 101 | <i>Tinospora</i> Miers.             | 79  |
| <i>Tectona</i> Linn. f.                       | 442 | <i>cordifolia</i> (Willd.) Miers.   | 79  |
| <i>grandis</i> Linn. f.                       | 442 | <i>Trianthema</i> Linn.             | 267 |
| <i>Tecoma</i> Juss.                           | 411 | <i>portulacastrum</i> Linn.         | 268 |
| <i>stans</i> (L.) H.B. & K.                   | 411 | <i>triquetra</i> Rottl. ex Willd.   | 367 |
| <i>Telosma</i> Cov.                           | 341 | <i>Tribulus</i> Linn.               | 134 |
| <i>pallida</i> (Roxb.) Craib.                 | 341 | <i>terrestris</i> Linn.             | 134 |
| <i>Tenagocharis</i> Hochst.                   | 548 | <i>Trichodesma</i> R. Br.           | 354 |
| <i>latifolia</i> (D. Don) Buchen.             | 548 | <i>indicum</i> R. Br.               | 355 |
| <i>Tephrosia</i> Pers.                        | 182 | <i>zeylanicum</i> (Burm.f.) R.Br.   | 354 |
| <i>hamiltonii</i> J.R. Drumm.                 | 184 | <i>Tricholepis</i> DC.              | 317 |
| <i>hirta</i> Ham.                             | 183 | <i>glaberrima</i> DC.               | 317 |
| <i>senticosa</i> Pers.                        | 184 | <i>Trichosanthes</i> Linn.          | 260 |
| <i>strigosa</i> (Dalz.) Santapau & Maheshwari | 182 | <i>cucumerina</i> Linn.             | 260 |
| <i>Teramnus</i> Sw.                           | 195 | <i>Tridax</i> Linn.                 | 311 |
| <i>labialis</i> (Linn.f.) Spreng              | 195 | <i>procumbens</i> Linn.             | 311 |
| <i>Terminalia</i> Linn.                       | 235 | <i>Triticum</i> Linn.               | 635 |
| <i>catappa</i> Linn.                          | 236 | <i>aestivum</i> Linn.               | 635 |

|                            |     |                                        |     |
|----------------------------|-----|----------------------------------------|-----|
| Triumfetta Linn.           | 128 | Verbascum Linn.                        | 395 |
| pentandra A. Rich.         | 129 | chinense (L.) Santapau                 | 395 |
| rhomboidea Jacq.           | 128 | Verbena Linn.                          | 441 |
| retundifolia Lamk.         | 130 | bipinnatifida Schau.                   | 441 |
| Turnera Linn.              | 249 | VERBENACEAE                            | 437 |
| ulmifolia Linn.            | 249 | Vernonia Schreb.                       | 316 |
| TURNERACEAE                | 249 | cinerea (L.) Less.                     | 316 |
| Typha Linn.                | 542 | Veronica Linn.                         | 399 |
| angustata Bory. & Chaub.   | 542 | anagallis-aquatica Linn.               | 399 |
| TYPHACEAE                  | 542 | Vicoa Cass.                            | 305 |
| Uraria Desv.               | 200 | indica (Willd.) DC.                    | 305 |
| picta Desv.                | 200 | Vigna Savi.                            | 198 |
| Urena Linn.                | 110 | unquiculata Linn.                      | 198 |
| lobata Linn.               | 110 | VIOLACEAE                              | 94  |
| Urochloa P. Beauv.         | 608 | VITACEAE                               | 147 |
| panicoides P. Beauv.       | 608 | Vitex Linn.                            | 443 |
| Urochondra C.E. Hubbard.   | 628 | negundo Linn.                          | 443 |
| setulosa (Trin.) C.E. Hub. | 628 | Waltheria Linn.                        | 125 |
| URTICACEAE                 | 513 | americana Linn.                        | 125 |
| Vahlia Thunb.              | 231 | Withania Pauq.                         | 384 |
| digyna (Retz.) O. Kuntze   | 231 | somnifera (L.) Dunal                   | 384 |
| VAHLIACEAE                 | 231 | Xanthium Linn.                         | 314 |
| Valleria Burm.             | 328 | strumarium Linn.                       | 314 |
| solanacea (Roth) Kuntze    | 328 | Xeromphis Rafin.                       | 285 |
| Vallisneria Linn.          | 521 | spinosa (Thunb.) Keay.                 | 285 |
| spiralis Linn.             | 521 | Zaleya Burm. f.                        | 266 |
| Vanda R. Br.               | 526 | govindia (Buch.-Ham ex<br>G. Don) Nair | 266 |
| tessellata Hook.           | 526 |                                        |     |

|                                 |     |                            |     |
|---------------------------------|-----|----------------------------|-----|
| <i>Zea</i> Linn.                | 594 | <i>Zornia</i> Gmel.        | 189 |
| <i>mays</i> Linn.               | 594 | <i>gibbosa</i> Span.       | 189 |
| <i>Zizyphus</i> Mill.           | 144 | <i>Zoysia</i> Willd.       | 633 |
| <i>glaberrata</i> Heyne ex Roth | 144 | <i>matrella</i> (L.) Merr. | 633 |
| <i>mauritiana</i> Lamk.         | 146 | ZYGOPHYLLACEAE             | 134 |
| <i>nummularia</i> (Burm.f.)     | 146 |                            |     |
| Wt. & Arn.                      |     |                            |     |
| <i>oenoplia</i> Mill.           | 145 |                            |     |

\*\*\*\*\*